

# **Oracle® Service Bus**

Deployment Guide

10g Release 3 (10.3)

October 2008

**ORACLE®**

Copyright © 2007, 2008, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

# Contents

## 1. Introduction

Deployment Goals . . . . .	1-1
Key Deployment Tasks . . . . .	1-2
Roles in Oracle Service Bus Deployment . . . . .	1-2
Deployment Specialists. . . . .	1-3
WebLogic Server Administrators . . . . .	1-3
Database Administrators. . . . .	1-3
Key Deployment Resources. . . . .	1-3
WebLogic Server Resources. . . . .	1-4
Clustering. . . . .	1-4
Java Message Service . . . . .	1-5
EJB Pooling and Caching . . . . .	1-5
JDBC Connection Pools . . . . .	1-6
Execution Thread Pool . . . . .	1-6
J2EE Connector Architecture . . . . .	1-7
Oracle Service Bus Configuration Resources. . . . .	1-7
Business Services. . . . .	1-7
Proxy Services. . . . .	1-7
WSDLs . . . . .	1-8
Schemas. . . . .	1-9
Service Accounts. . . . .	1-9
Proxy Service Providers . . . . .	1-9

WS-Policies .....	1-9
XQuery and XSLT Transformations.....	1-9
MFLs.....	1-10
JARS.....	1-10
Alert Destinations .....	1-10
UDDI Registries .....	1-10
JNDI Providers .....	1-11
SMTP Servers.....	1-11
Best Practices to Follow When Migrating Global Resources.....	1-11
Relational Database Management System Resources .....	1-12
Hardware, Operating System, and Network Resources.....	1-12

## 2. Configuring a Single-Server Deployment

Step 1. Configure a Database for the JMS Reporting Provider Data Store .....	2-1
Step 2. Prepare an Oracle Service Bus Domain .....	2-2
Creating an Oracle Service Bus Domain Using the Configuration Wizard.....	2-2
Configuring JMS Resources .....	2-5
Step 3. Configure Oracle Service Bus Security .....	2-6
Step 4. Deploy an Oracle Service Bus Configuration.....	2-6
Step 5. Update Your Domain as Your Production Environment Changes .....	2-7
Changing a Business Service.....	2-7
Installing a New Version of a Proxy Service .....	2-8
Online Configuration Updates .....	2-8
Best Practices for Successful Online Configuration Updates.....	2-10

## 3. Understanding Oracle Service Bus Clusters

Understanding Oracle Service Bus Clusters .....	3-1
Designing a Clustered Deployment.....	3-2

Introducing Oracle Service Bus Domains . . . . .	3-2
Creating Domains . . . . .	3-2
Clustered Servers. . . . .	3-3
Oracle Service Bus Deployment Resources. . . . .	3-3
Singleton Resources . . . . .	3-4
Monitoring and Alert Resources in a Cluster . . . . .	3-4
Cluster Configuration Changes and Deployment Requests . . . . .	3-5
Load Balancing in a Oracle Service Bus Cluster. . . . .	3-5
Load Balancing HTTP Functions in a Cluster . . . . .	3-6
Load Balancing JMS Functions in a Cluster . . . . .	3-6
High Availability in an Oracle Service Bus Cluster . . . . .	3-6
Highly Available JMS for Oracle Service Bus. . . . .	3-6
Deploying Configurations . . . . .	3-7

## 4. Configuring a Clustered Deployment

Step 1. Comply with Configuration Prerequisites. . . . .	4-2
Step 2. Prepare an Oracle Service Bus Domain . . . . .	4-5
Creating an Oracle Service Bus Domain Using the Configuration Wizard . . . . .	4-5
Adding Proxy Server or Firewall Information to your Domain Configuration . . . . .	4-8
Configuring JMS Resources. . . . .	4-9
Step 3. Configure Oracle Service Bus Security. . . . .	4-9
Step 4. Starting, Stopping, and Monitoring Managed Servers . . . . .	4-10
Starting and Stopping Managed Servers . . . . .	4-10
Monitoring Your Servers . . . . .	4-11
Step 5. Deploy an Oracle Service Bus Configuration . . . . .	4-11
Step 6. Update Your Domain as Your Production Environment Changes. . . . .	4-11
Adding a Managed Server . . . . .	4-12
Adding A Managed Server to an Oracle Service Bus Cluster . . . . .	4-12

Updating Business Service Configurations for an Expanded Cluster . . . . .	4-14
Updating Proxy Service Configurations for an Expanded Cluster . . . . .	4-15
Dropping a Managed Server . . . . .	4-15
Changing a Business Service in a Cluster . . . . .	4-16
Installing a New Version of a Proxy Service in a Cluster . . . . .	4-16

## 5. Understanding Oracle Service Bus High Availability

About Oracle Service Bus High Availability . . . . .	5-1
Recommended Hardware and Software. . . . .	5-1
Regarding JMS File Stores . . . . .	5-3
What Happens When a Server Fails . . . . .	5-3
Software Faults . . . . .	5-3
Hardware Faults . . . . .	5-4
Server Migration . . . . .	5-4
Message Reporting Purger . . . . .	5-4
Oracle Service Bus Failure and Recovery. . . . .	5-5
Transparent Server Reconnection . . . . .	5-5
EIS Instance Failover . . . . .	5-5
High Availability for Poller Based Transports . . . . .	5-6
JMS Queues . . . . .	5-6
High Availability in Clusters . . . . .	5-7
Load Balancing . . . . .	5-8

## A. Using the Deployment APIs

Managing Sessions Using Programs and Scripts . . . . .	A-2
Creating, Activating, Discarding, and Locating Sessions . . . . .	A-2
Examples. . . . .	A-3
Managing Configuration Tasks Using Programs and Scripts . . . . .	A-3

Importing, Exporting, and Querying Configurations . . . . .	A-3
Updating Environment-Specific Information . . . . .	A-5
Examples . . . . .	A-5

## B. Oracle Service Bus Deployment Resources

Oracle Service Bus Domain Extension Template . . . . .	B-1
Generated Domain Output . . . . .	B-1
Resources and Services Configured . . . . .	B-6

## Index





# Introduction

This document describes how to deploy Oracle Service Bus configurations in a production environment. The following sections introduce key concepts and tasks for deploying Oracle Service Bus in your organization:

- [“Deployment Goals” on page 1-1](#)
- [“Key Deployment Tasks” on page 1-2](#)
- [“Roles in Oracle Service Bus Deployment” on page 1-2](#)
- [“Key Deployment Resources” on page 1-3](#)

This document focuses on the deployment phase of the Oracle Service Bus software lifecycle. For a general overview of Oracle Service Bus, see [Oracle Service Bus Concepts and Architecture](#).

## Deployment Goals

Oracle Service Bus combines intelligent message brokering with service monitoring and administration to provide a unified software product for implementing and deploying your Service-Oriented Architecture (SOA). When deploying Oracle Service Bus configurations, consider the following goals:

- *High Availability.* A deployment must be sufficiently available and accessible, with provisions for failover in the event of hardware or network failures.
- *Performance.* A deployment must deliver sufficient performance at peak and off-peak loads.

- *Scalability*. A deployment must be capable of handling anticipated increases in loads simply by using additional hardware resources, rather than requiring code changes.
- *Security*. A deployment must sufficiently protect data from unauthorized access or tampering.

You can achieve these goals and others with every Oracle Service Bus configuration.

## Key Deployment Tasks

Deploying Oracle Service Bus may require completing some or all of the following tasks:

1. Define the goals for your Oracle Service Bus deployment, as described in [“Deployment Goals” on page 1-1](#).
2. Deploy your Oracle Service Bus configuration in a cluster. To do so, you must first design the cluster, and before you can start designing, you need to understand the components of a Oracle Service Bus deployment. [Chapter 3, “Understanding Oracle Service Bus Clusters”](#) provides descriptions of these components that will help you design the best possible environment for your configuration. For the procedure to deploy a highly available Oracle Service Bus configuration, see [Chapter 4, “Configuring a Clustered Deployment.”](#)
3. Set up security for your Oracle Service Bus deployment as described in the [Oracle Service Bus Security Guide](#).

## Roles in Oracle Service Bus Deployment

To deploy an integrated solution successfully, a deployment team must include people who perform the following roles:

- [“Deployment Specialists” on page 1-3](#)
- [“WebLogic Server Administrators” on page 1-3](#)
- [“Database Administrators” on page 1-3](#)

One person can assume multiple roles, and all roles are not equally relevant in all deployment scenarios. A successful deployment, however, requires input by people in each role.

## Deployment Specialists

Deployment specialists coordinate the deployment effort. They are knowledgeable about the features of the Oracle Service Bus product. They provide expertise in designing the deployment topology for an ESB solution, based on their knowledge of how to configure various Oracle Service Bus features on one or more servers. Deployment specialists have experience in the following areas:

- Resource requirements analysis
- Deployment topology design
- Project management

## WebLogic Server Administrators

WebLogic Server administrators provide in-depth technical and operational knowledge about WebLogic Server deployments in an organization. They have experience and expertise in the following areas:

- Hardware and platform knowledge
- Managing all aspects of a WebLogic Server deployment, including installation, configuration, monitoring, security, performance tuning, troubleshooting, and other administrative tasks.

## Database Administrators

Database administrators provide in-depth technical and operational knowledge about database systems deployed in an organization. They have experience and expertise in the following areas:

- Hardware and platform knowledge
- Managing all aspects of a relational database (RDBMS), including installation, configuration, monitoring, security, performance tuning, troubleshooting, and other administrative tasks

## Key Deployment Resources

This section provides an overview of resources that can be modified at deployment time. The term *resource* is used in this document to refer to technical assets in general, except in discussions

of security where it is used to refer only to WebLogic Server entities that can be protected from unauthorized access using security roles and security policies.

The key resources that may be modified at deployment time are:

- [“WebLogic Server Resources” on page 1-4](#)
- [“Oracle Service Bus Configuration Resources” on page 1-7](#)
- [“Relational Database Management System Resources” on page 1-12](#)
- [“Hardware, Operating System, and Network Resources” on page 1-12](#)

## WebLogic Server Resources

This section provides general information about WebLogic Server resources that are most relevant to the deployment of an Oracle Service Bus solution. You can configure these resources from the WebLogic Server Administration Console or through J2EE and WebLogic resource descriptors.

WebLogic Server provides many configuration options and tunable settings for deploying Oracle Service Bus solutions in any supported environment. The configurable WebLogic Server features that are most relevant to Oracle Service Bus deployments are:

- [“Clustering” on page 1-4](#)
- [“Java Message Service” on page 1-5](#)
- [“EJB Pooling and Caching” on page 1-5](#)
- [“JDBC Connection Pools” on page 1-6](#)
- [“Execution Thread Pool” on page 1-6](#)
- [“J2EE Connector Architecture” on page 1-7](#)

### Clustering

A cluster is a group of servers that can be managed as a single unit. Clustering provides a deployment platform that is more scalable than a single server. To increase workload capacity, you can run WebLogic Server on a cluster. For more information about clustering, see [Chapter 3, “Understanding Oracle Service Bus Clusters.”](#)

## Java Message Service

The WebLogic Java Message Service (JMS) enables Java applications sharing a messaging system to exchange (create, send, and receive) messages. WebLogic JMS is based on [Java Message Service Specification](#) version 1.0.2 from Sun Microsystems, Inc.

JMS servers can be clustered and connection factories can be deployed on multiple instances of WebLogic Server. For more information about WebLogic JMS, see the following topics:

- [Understanding WebLogic JMS](#) in *Programming WebLogic JMS*.
- [Configuring Clustered WebLogic JMS Resources](#) and [Monitoring JMS Statistics and Managing Messages](#) in *Configuring and Managing WebLogic JMS*.

## EJB Pooling and Caching

The number of EJBs in an Oracle Service Bus deployment affects system throughput. You can tune the number of EJBs in the system through either the EJB pool or the EJB cache, depending on the type of EJB. The following table describes types of EJBs and their associated tunable parameter.

**Table 1-1 Parameters for Tuning EJBs**

EJB Type	Tunable Parameter Name	Tunable Parameter Description
Message-Driven Beans	max-beans-in-free-pool	The maximum number of listeners that pull work from a queue.
Stateless Session Beans	max-beans-in-free-pool	The maximum number of beans available for work requests.
Stateful Session Beans	max-beans-in-cache	The number of beans that can be active at once. A setting that is too low results in <code>CacheFullExceptions</code> . A setting that is too high results in excessive memory consumption.
Entity Beans		

For more information about controlling throughput, see “Server Self-Tuning for Production Environments” under [New and Changed Features in WebLogic Server Environments](#) in *Designing and Configuring WebLogic Server Environments*.

## JDBC Connection Pools

Java Database Connectivity (JDBC) enables Java applications to access data stored in DBMS. To reduce the overhead associated with establishing database connections, WebLogic JDBC provides ready-to-use connection pools.

JDBC connection pools are used to optimize DBMS connections. If you are using the Oracle Service Bus JMS Reporting Provider, you can tune Oracle Service Bus performance by configuring the size of JDBC connection pools. A setting that is too low may result in delays while Oracle Service Bus waits for connections to become available. A setting that is too high may result in slower DBMS performance.

For more information about WebLogic JDBC connection pools, see:

- “How Connection Pools Enhance Performance” under [Performance Tuning Your JDBC Application](#) in *Programming WebLogic JDBC*.
- “Connection Pool Features” under [Configuring JDBC Data Sources](#) in *Configuring and Managing WebLogic JDBC*.

## Execution Thread Pool

The *execution thread pool* controls the number of threads that can execute concurrently on WebLogic Server. A setting that is too low may result in sequential processing and possible deadlocks. A setting that is too high may result in excessive memory consumption, and may cause thrashing.

The number of execute threads also determines the number of threads that read incoming socket messages (socket-reader threads). This number is, by default, one-third of the number of execute threads. A number that is too low can result in contention for threads to read sockets and can sometimes lead to a deadlock.

Set the execution thread pool high enough to run all candidate threads, but not so high that performance is hampered due to excessive context switching in the system. Monitor your running system to empirically determine the best value for the execution thread pool.

**Note:** Most production applications require an execution thread count greater than the default value. A thread count of 50 is a commonly used value. Be sure to adjust your JDBC connection pool to match your thread count value.

For more information about controlling throughput, see “Server Self-Tuning for Production Environments” under [New and Changed Features in WebLogic Server Environments](#) in *Designing and Configuring WebLogic Server Environments*.

## J2EE Connector Architecture

The WebLogic J2EE Connector Architecture (JCA) integrates the J2EE Platform with one or more heterogeneous Enterprise Information Systems (EIS). The WebLogic JCA is based on the *J2EE Connector Specification*, Version 1.0, from Sun Microsystems, Inc.

For information about the WebLogic J2EE-CA, see [J2EE Connector Architecture](#) in *Programming WebLogic Resource Adapters*.

## Oracle Service Bus Configuration Resources

Oracle Service Bus configuration resources contain environment-specific settings that you will want to change or tune when deploying the configuration to a new domain. The following sections describe the resources that you may need to reconfigure after deploying a configuration.

### Business Services

Business services are Oracle Service Bus definitions of the enterprise information services with which you want to exchange messages. Business services in a production environment could specify multiple endpoints (URLs) for load balancing purposes and high availability. For information on how to add endpoints to a business service, see “Viewing and Changing Business Services” under [Business Services](#) in *Using the Oracle Service Bus Console*. For information on how to update the value of existing endpoints, see “Finding and Replacing Environment Values” in [System Administration](#) in *Using the Oracle Service Bus Console*.

### Proxy Services

Proxy services are Oracle Service Bus definitions of intermediary Web services that Oracle Service Bus implements locally on WebLogic Server. While the majority of the metadata that defines a proxy service can be deployed without change in a new environment, there is some information you may need to update:

- Proxy service message flows route messages to named destinations (business services, other proxy services, and so on). Message routing definitions may need to be updated in a new environment. For information on how to configure this resource appropriately for your environment, see “Viewing and Changing Message Flow” under [Proxy Services](#) in *Using the Oracle Service Bus Console*.
- Definitions of proxy services for File, FTP, and Email message types must specify a single managed server for deployment of polling runtime components in a cluster. The drop-down list of managed servers appears in the Oracle Service Bus Console only for clustered Oracle Service Bus domains. For information on how to edit the Managed Server value for

a proxy service, see “Viewing and Changing Proxy Services” under [Proxy Services](#) in *Using the Oracle Service Bus Console*.

- Proxy service definitions can include directory names that may need to be updated for a new environment. For information on how to configure this resource appropriately for your environment, see “Finding and Replacing Environment Values” in [System Administration](#) in *Using the Oracle Service Bus Console*.
- Proxy service definitions include references to other Oracle Service Bus resources. It is important to verify the validity of these references in a new environment.
- JMS queues and connection factories in the proxy service URL may need to be updated. For more information, see “JMS Queue and Topic Destination Tasks” and “JMS Connection Factory Tasks” under [Configuring JMS System Resources](#) in *Using the Oracle Service Bus Console*.
- Each proxy service relies on an instance of WebLogic Server Work Manager for its dispatch policy. You can tune the Work Manager instance to meet the requirements of your production environment. For more information, see [Using Work Manager to Optimize Scheduled Work](#) in *Designing and Configuring WebLogic Server Environments*.

For more information about proxy services, see [Proxy Services](#) in *Using the Oracle Service Bus Console*.

## WSDLs

Oracle Service Bus uses WSDL (Web Service Definition Language) to describe proxy services and business services. WSDL is used to describe what a Web service can do, where it resides, and how to invoke it.

You can base the definition of proxy services and business services on existing WSDL files, and complete configuring the service using the Oracle Service Bus Console. WSDL files used as the basis for defining services are stored as Oracle Service Bus resources. These resources are unlikely to require updating when deployed to a new environment, because Oracle Service Bus does not use the URLs in these WSDL files at run time.

**Note:** Oracle Service Bus creates a new WSDL file for each HTTP proxy service. You can view the contents of this WSDL file by appending `?wsdl` to the endpoint for the service. For example, when running the Oracle Service Bus Examples Server (**Start > Programs > Oracle Products > Examples > Oracle Service Bus** **Oracle Service Bus > Start Examples Server**), you can view the WSDL for the `loangateway2` proxy service at `http://localhost:7021/crejws_basic_ejb/loangateway2?wsdl`.



## Schemas

A schema is a document that defines valid content for an XML document. Schemas are used to add XML information to messages exchanged in Oracle Service Bus. These resources are unlikely to require updating when deployed to a new environment.

## Service Accounts

Oracle Service Bus uses service accounts to provide authentication when connecting to a service or server. For information about using this resource appropriately in your production environment, see *Oracle Service Bus Security Guide*.

## Proxy Service Providers

Oracle Service Bus uses proxy service providers to supply credential-level validation to proxy services. The following types of security are available:

- SSL client authentication
- Digital signature
- Encryption
- Web services security X509 token

For information about how to configure this resource appropriately for your environment, see [Proxy Service Providers](#) in *Using the Oracle Service Bus Console*.

## WS-Policies

Oracle Service Bus uses Web Service Policies (WS-Policies) to associate Web service security policy with proxy services and business services. For information about how to configure this resource appropriately for your production environment, see *Oracle Service Bus Security Guide*.

These resources are unlikely to require updating when deployed to a new environment.

## XQuery and XSLT Transformations

Transformation maps describe the mapping between two data types. Oracle Service Bus supports data mapping using either XQuery or the eXtensible Stylesheet Language Transformation (XSLT) standard. These resources are unlikely to require updating when deployed to a new environment.

## MFLs

Message Format Language (MFL) is an Oracle proprietary language used to define rules to transform formatted binary data into XML data. MFL documents are unlikely to require updating when deployed to a new environment.

## JARS

JARs (Java ARchive) are zipped files that contain a set of Java classes. They are used to store compiled Java classes and associated metadata that can constitute a program. JARs act as callable program libraries for Java code elements (so that a single compilation link provides access to multiple elements, rather than requiring bindings for each element individually). JARs are unlikely to require updating when deployed to a new environment.

## Alert Destinations

An Alert Destination resource captures a list of recipients that can receive alert notifications from the Oracle Service Bus. In typical system monitoring contexts, alerts generated by Oracle Service Bus bear significance to a finite set of users. In Oracle Service Bus, each Alert Destination resource may be configured to include a set of recipients according to a given context. Alert Destinations are used by Alert actions configured in the message flow, and also by SLA alert rules. An Alert destination could include one or more of the following types of destinations: Console, Reporting Data stream, SNMP trap, E-mail, JMS queue, or JMS topic. In the case of E-mail and JMS destinations, a destination resource could include a list of E-mail addresses or JMS URIs, respectively. Alert Destinations are unlikely to require updating when deployed to a new environment.

## UDDI Registries

A UDDI Registry resource is a global resource that stores information about UDDI Registries used by Oracle Service Bus. After the UDDI Registry resource is configured, you can then publish Oracle Service Bus proxy services to the associated registry, or import business services from the registry to be used by an Oracle Service Bus proxy service. You must be in an active session to configure the UDDI registry resource. UDDI Registry resources must be updated or reconfigured when deployed to a new environment. For more information on updating UDDI Registry resources during deployment, see [“Best Practices to Follow When Migrating Global Resources”](#) on page 1-11.

## JNDI Providers

JNDI Provider resources are definitions of JNDI providers that describe the URL (or list of URLs in the case of clustered deployments) of the JNDI providers used by Oracle Service Bus. They are global resources and can be re-used across projects with an Oracle Service Bus domain. If the JNDI provider is secured, then the JNDI Provider resource description also carries a user name and password to gain access. JNDI Provider resources must be updated or reconfigured when deployed to a new environment. For more information on updating JNDI Provider resources during deployment, see [“Best Practices to Follow When Migrating Global Resources” on page 1-11](#).

## SMTP Servers

SMTP Server resources are definitions of SMTP Servers that describe the URL and port for the SMTP Servers used by the Oracle Service Bus. They are global resources and can be re-used across projects with an Oracle Service Bus domain. If the SMTP Server is secured, then the SMTP Server resource description also carries a user name and password to gain access. SMTP Server resources are used while configuring Alert Destination resources and E-mail transport-based Business Services. SMTP Server resources must be updated or reconfigured when deployed to a new environment. For more information on updating SMTP Server resources during deployment, see [“Best Practices to Follow When Migrating Global Resources” on page 1-11](#).

## Best Practices to Follow When Migrating Global Resources

Global resources include the UDDI Registry, JNDI Provider, and SMTP Server resources. These resources typically have different values in testing environments from those that will be used in staging or production environments. When you migrate a deployment from a test environment to a production environment, use one of the following methods:

1. Create new global resources on the production domain with the same names as in the test environment. Alternatively, import these resources directly from the test environment for the first time, and then customize them (rather than spend time creating them manually).
2. When exporting artifacts from the test environment, exclude the global resources. Then simply import the `config.jar` file. If there are any resources in the `config.jar` file that references Alert Destinations, JNDI providers, or SMTP providers, these references will simply snap into place when the import is complete.
3. Alternatively, export all the artifacts (including the global resources), but exclude the global resources when importing the `config.jar` file.

## Relational Database Management System Resources

Oracle Service Bus relies on database resources for storing message-reporting data by the JMS Reporting Provider. Database performance is a factor in overall Oracle Service Bus performance. For information about database tuning requirements associated with Oracle Service Bus applications, see *Oracle Service Bus Release Notes*.

For additional information on tuning your database, see your database vendor's documentation.

## Hardware, Operating System, and Network Resources

Hardware, operating system, and network resources play a crucial role in Oracle Service Bus performance. Deployments must comply with the hardware and software requirements described in *Oracle Service Bus Release Notes*.

# Configuring a Single-Server Deployment

This section describes the tasks that you must perform to configure Oracle Service Bus for deployment in a single WebLogic Server environment.

To set up and deploy Oracle Service Bus in a single-server configuration, complete the following steps:

- [“Step 1. Configure a Database for the JMS Reporting Provider Data Store”](#) on page 2-1
- [“Step 2. Prepare an Oracle Service Bus Domain”](#) on page 2-2
- [“Step 3. Configure Oracle Service Bus Security”](#) on page 2-6
- [“Step 4. Deploy an Oracle Service Bus Configuration”](#) on page 2-6
- [“Step 5. Update Your Domain as Your Production Environment Changes”](#) on page 2-7

## Step 1. Configure a Database for the JMS Reporting Provider Data Store

Oracle Service Bus requires a database for the JMS Reporting Provider. The local copy of the PointBase database that is installed with WebLogic Server is for evaluation purposes only.

For a complete list of the databases that you can use, see [Supported Database Configurations](#) in *Supported Configurations for Oracle Service Bus*.

**Note:** It is important to configure your database appropriately for production use. You must provide adequate space to log messages, and follow best practices for administering your database.

For the latest information about specific databases, see *Oracle Service Bus Release Notes*.

## Step 2. Prepare an Oracle Service Bus Domain

To prepare a Oracle Service Bus environment, complete the tasks described in the following sections:

- “Creating an Oracle Service Bus Domain Using the Configuration Wizard” on page 2-2
- “Configuring JMS Resources” on page 2-5

### Creating an Oracle Service Bus Domain Using the Configuration Wizard

You begin defining an Oracle Service Bus deployment by creating a domain using the Configuration Wizard.

**Note:** The procedure described in this section for setting up your domain is based on the assumption that you are running the Configuration Wizard in GUI mode from the Windows Start menu. For information about using the Configuration Wizard in different modes, see *Creating WebLogic Domains Using the Configuration Wizard*.

To create an Oracle Service Bus domain using the Configuration Wizard, complete the following steps:

1. From the Start Menu, choose **All Programs**→**BEA Products**→**Tools**→**Configuration Wizard**.

The Configuration Wizard is launched. It prompts you for data with which to configure your domain.

2. Respond to the Configuration Wizard prompts by providing the information described in the following table.

**Note:** To comply with WebLogic Server resource naming rules, you must specify unique names for domains, WebLogic Server instances, JMS servers, and JMS stores. Oracle Service Bus has the same interoperability naming requirements as the WebLogic Messaging Bridge. For more information, see “Naming Guidelines for WebLogic Servers and Domains” in “Interoperating with Different WebLogic Server Releases”

in [Interoperating with Different WebLogic Server Releases or Foreign Providers](#) in *Configuring and Managing the WebLogic Messaging Bridge*.

**Table 2-1 Responses to Configuration Wizard Prompts**

<b>In this window...</b>	<b>Perform the following action.</b>
Welcome	Select <b>Create a new WebLogic domain</b> .
Select Domain source	Select Oracle Service Bus (Weblogic Server is selected by default).
Configure Administrator Username and Password	Enter user name and password.
Configure Server Start Mode and JDK	Select <b>Production Mode</b> . Select either the <b>Sun SDK</b> or <b>JRockit SDK</b> , or specify the location of another JDK.
Customize Environment and Services Settings	Select <b>Yes</b> .
Configure the Administration Server	<p>Provide a name for the admin server, a listen address, and a listen port (7001 by default).</p> <p>If you want to enable SSL for your configuration, select the SSL enabled check box, and a SSL listen port (7002 by default).</p> <p><b>Note:</b> You can enable an SSL port, an HTTP cleartext port, or both ports for the administration server. In secure installations, the HTTP cleartext port can be disabled. However, when Oracle Service Bus is used in combination with a UDDI registry (for example, Oracle Service Registry), you must ensure that the server's HTTP cleartext port is enabled.</p>
Configure Managed Servers	Not applicable, because this is a single-server deployment.
Configure Machines	Not applicable, because this is a single-server deployment.

**Table 2-1 Responses to Configuration Wizard Prompts**

<p>Configure JDBC Data Sources</p>	<p>Accept the default values for Name and JNDI name of <code>wlsbjmsrpDataSource</code>.</p> <p>Select one of the following to identify the database type and driver for the JMS Reporting Provider Data Store:</p> <ul style="list-style-type: none"> <li>• Oracle’s Driver (Type 4) Versions: 9.0.1, 9.2.0, 10</li> <li>• MS SQL Server and ’s MS SQL Server Driver (Type 4) Versions: 7.0, 2000</li> </ul> <p>Confirm that the Supports global transactions check box and Logging last resource option are selected. For more information about Logging last resource (LLR), see “Understanding the Logging Last Resource Transaction Option” under <a href="#">Configuring JDBC Data Sources</a> in <i>Configuring and Managing WebLogic JDBC</i>.</p> <p>Enter your environment-specific database information in the remaining text boxes. For more information, see “Configure JDBC Data Sources” under <a href="#">Customizing JDBC and JMS Settings in WebLogic Domains</a> in <i>Creating WebLogic Domains Using the Configuration Wizard</i>.</p> <p>Click Test Connections to verify that you can contact the database you want to use for the JMS Reporting Provider Data Store using this data source configuration.</p>
<p>Run Database Scripts</p>	<p>Select <code>wlsbjmsrpDataSource</code> from the Available JDBC Data Sources list.</p> <p>Select the version of the database from the DB Version drop-down list.</p> <p>Click Run Scripts.</p> <p>The scripts create the tables and indexes for the JMS Reporting Provider Data Store. The SQL output is displayed in the Results box and written to <code>jdbc.log</code>. If you want the results written to a different file, click the Log File check box and specify the file.</p> <p><b>Note:</b> Oracle Service Bus does not automatically run database scripts for the JMS Reporting Provider Data Store the first time you start a production domain, as it does for domains in development mode. If you do not run the database scripts while creating your Oracle Service Bus production domain, you must run the scripts manually. The scripts are located in <code>BEA_HOME/ALSB_HOME/dbscripts</code>, where <code>BEA_HOME</code> is the directory in which you installed Oracle Service Bus.</p>
<p>Configure JMS File Stores</p>	<p>Accept the defaults for <code>rmfilestore</code> and add any file stores needed by proxy services or business services.</p>
<p>Review WebLogic Domain</p>	<p>Accept the default values.</p>



**Table 2-1 Responses to Configuration Wizard Prompts**

Create WebLogic Configuration	Enter a name and location for your domain.
Creating Domain	After your domain is created, select Start Admin Server to start Oracle Service Bus when you exit the Configuration Wizard.

When you complete the domain configuration using the Configuration Wizard, your new domain is created in the location you specified.

Your Oracle Service Bus domain includes a configuration file (`config.xml`) that contains a definition for the administration server. For more information, see “`config.xml`” under [Domain Configuration Files](#) in *Understanding Domain Configuration*.

For information about configuring domains without using the Configuration Wizard, see [Understanding Domain Configuration](#).

## Configuring JMS Resources

In addition to configuring JMS file stores in the Configuration Wizard, proxy services and business services that use JMS require configuration of the following resources:

- JMS connection factories. You must configure XA or non-XA JMS connection factories for all business services and proxy services implemented using JMS.
- JMS queues/topics. Oracle Service Bus automatically configures JMS queues for proxy services that are implemented using JMS. You must configure JMS queues/topics for all business services using JMS and for any proxy services that are implemented using non-JMS.

If you want to concentrate all Oracle Service Bus JMS resources in a single JMS module, use the WebLogic Server Administration Console to create a new JMS module containing the destination to be used for the proxy services’ endpoint.

For more information about configuring JMS resources, see [Configuring and Managing WebLogic JMS](#).

## Step 3. Configure Oracle Service Bus Security

Oracle Service Bus leverages the security features of WebLogic Server to ensure message confidentiality and integrity (message-level security), secure connections between clients and WebLogic Server (transport-level security), and authentication and authorization (access control). For information on how to configure security for Oracle Service Bus, see [Oracle Service Bus Security Guide](#).

**WARNING:** You must configure security separately for each Oracle Service Bus domain. Oracle Service Bus does not export or import security configurations.

## Step 4. Deploy an Oracle Service Bus Configuration

Once you have configured your Oracle Service Bus domain, secured it, and added any JMS resources required for its services, you are ready to import the JAR file that contains your Oracle Service Bus configuration. After you have imported the configuration metadata, you can update environment-specific information for your domain.

The following steps describe the basic procedure for deploying the contents of configuration JAR file:

1. Create a Session.
2. Import all or selected objects from a configuration JAR file.
3. Update environment-specific information such as service endpoint URIs and directory names.
4. Activate the Session.

You can perform these steps manually or programmatically:

- To import and update a configuration manually, use the Oracle Service Bus Console as described under the following topics in *Using the Oracle Service Bus Console*:
  - “Importing Configuration Data” in [System Administration](#)
  - “Finding and Replacing Environment Values” in [System Administration](#)
- To import and update a configuration programmatically, use the WebLogic Scripting Tool (WLST) and the Oracle Service Bus `deploymentMBean` as described in [Appendix A](#), “Using the Deployment APIs.”

In addition to service endpoint URIs, directory names, and security configuration, your Oracle Service Bus configuration may contain other settings that must be updated to operate correctly in the new environment. Items that commonly require update include the following:

- Service references

For information about service references, see “Viewing References” under [Project Explorer](#), in *Using the Oracle Service Bus Console*.

- Routing destinations

For information about routing configuration, see “Viewing and Changing Message Flow” under [Project Explorer](#), in *Using the Oracle Service Bus Console*.

- Load balancing settings

For information about load balancing, see “Viewing and Changing Business Services” under [Business Services](#) in *Using the Oracle Service Bus Console*.

Use the Oracle Service Bus Console to confirm and change your configuration, as necessary.

## Step 5. Update Your Domain as Your Production Environment Changes

Production environments change over time and as application use increases. This section describes how to update your domain in response to common production environment change scenarios:

- “[Changing a Business Service](#)” on page 2-7
- “[Installing a New Version of a Proxy Service](#)” on page 2-8
- “[Online Configuration Updates](#)” on page 2-8

### Changing a Business Service

Enterprise information services (EIS) are sometimes phased out, and new instances (possibly with new versions of EIS software, new hardware, and so on) are brought online. When this happens, Oracle Service Bus administrators need to gracefully transition to the new EIS instance by modifying any affected Oracle Service Bus business services.

This situation is similar to an EIS instance failure, but not as urgent. For a description of deployment considerations, see “[EIS Instance Failover](#)” on page 5-5. For information about using the Oracle Service Bus Console to change an endpoint URI for a business service, see “Viewing

and Changing Business Services” under [Business Services](#), in *Using the Oracle Service Bus Console*.

## Installing a New Version of a Proxy Service

As your business requirements change, you may need to make changes to your proxy services. If the changes you need to make are backward compatible, you can dynamically make changes online using the Oracle Service Bus Console to create a new version of the proxy service. Changes are backward compatible if they meet one of the following criteria:

- The interface of the changed object is unchanged.
- Old and new clients will work with the interface.

If the changes you need to make are not backward compatible, there are two alternatives to consider that would enable you to make the changes online:

- Create and deploy a new proxy service having a different name and URL from that of the earlier version. Clients upgrade by accessing the new proxy service. This enables you to run the old and new versions of a proxy service in parallel, and supports a gradual migration to the new proxy service.
- Force backwards compatibility by changing the proxy service interface to support both the new interface and the old interface (for example, using XML schema choice) and perform different logic in the message flow based on the document received. Clients continue to access the proxy service by using its original URL.

Oracle Service Bus cluster domains have additional system administration requirements for deployment of proxy services that are not backward compatible. For more information, see [“Installing a New Version of a Proxy Service in a Cluster”](#) on page 4-16.

## Online Configuration Updates

Oracle Service Bus allows you to dynamically change the configuration information for a system without the need to restart the server for changes to take affect.

You can change a resource, a project, or a number of resources (related or unrelated) using the Oracle Service Bus Console using the following procedure:

1. Create a session. All changes to Oracle Service Bus configurations require a session. (Security-related changes are the exception.)

2. Modify resources in the session.or import all or selected objects from a configuration JAR file.
3. Update environment-specific information such as service endpoint URIs and directory names.
4. Activate the session.

The changes are consolidated and sent to all servers (administration and managed servers, if you are working in a cluster environment). These changes update the persisted configuration data and also cause other run-time tasks to be performed (such as, creating proxy services and JMS queues, compiling XQueries, and so on).

You can perform these steps manually or programmatically:


- To import and update a configuration manually, use the Oracle Service Bus Console as described in the following topics in the *Using the Oracle Service Bus Console*:
  - “Importing Configuration Data” in [System Administration](#)
  - “Finding and Replacing Environment Values” in [System Administration](#)
- To import and update a configuration programmatically, use the WebLogic Scripting Tool (WLST) and the Oracle Service Bus `deploymentMBean` as described in [Appendix A](#), “Using the Deployment APIs.”

[Figure 2-1](#) illustrates how the system behaves to process messages in the event that the configuration is updated while messages are being processed through the system. [Table 2-2](#) describes the versions for the resources for the sample system illustrated in [Figure 2-1](#).

**Table 2-2 Initial and Updated Configuration for a Sample System**

Resource	Initial Version	Updated Version
Proxy Service	X	A
MFL	Y	B
XQuery	W	C

**Figure 2-1 Sample Online Update Scenario**



Note the following characteristics of the message processing illustrated in the preceding figure:

- Message 1 is already in the system at t1 (the time the configuration is updated)
- Message 1 completes processing by the original (pre-update) resources (X, Y, W)
- Message 2 starts and completes processing with the new configuration (resources A, B, C)

Oracle Service Bus tries to execute messages with the version of the proxy service and artifacts available when the messages enters the proxy service.

This ensures that a message has a consistent view of the artifacts. If the message processor cannot guarantee this behavior for a message, it will reject it rather than process it incorrectly. If you want the system to retry rejected messages, use a JMS proxy service with retries.

## Best Practices for Successful Online Configuration Updates

This section describes best practices to follow and limitations to be aware of when you update a configuration in a running Oracle Service Bus system.

- If you are concerned about message rejection by Oracle Service Bus, use the JMS transport protocol with retries. In this case, any messages that are rejected because the system cannot guarantee their processing by compatible resources will be retried.

## Step 5. Update Your Domain as Your Production Environment Changes

- Security-related configuration updates must be performed first, then update the Oracle Service Bus resources in your system. To learn about updating security resources, see [Overview of Security Management](#) in *Securing WebLogic Server*.
- Updates must be compatible with existing clients using the system. See [“Installing a New Version of a Proxy Service”](#) on page 2-8.
- If you are updating the configuration to a cluster, it is possible that the updates are done at different times on different managed servers. Consequently, it is possible that messages are processed by different versions of a proxy service, depending on which managed server gets the message to process. This is dependent on load balancing across managed servers.
- During online deployment, Oracle Service Bus checks whether the correct versions of referenced resources are used for message processing. If this is temporarily not true, an error is returned. However, if the interface artifact of an invoked service changes (for example: MFL, WSDL), the invoking proxy service may not return an error although it temporarily sees a version of the artifact that does not correlate with the proxy service version.

## Configuring a Single-Server Deployment



# Understanding Oracle Service Bus Clusters

The following sections describe how Oracle Service Bus is configured and deployed in a clustered environment. It contains the following topics:

- [“Understanding Oracle Service Bus Clusters”](#) on page 3-1
- [“Designing a Clustered Deployment”](#) on page 3-2
- [“Load Balancing in a Oracle Service Bus Cluster”](#) on page 3-5
- [“High Availability in an Oracle Service Bus Cluster”](#) on page 3-6
- [“Deploying Configurations”](#) on page 3-7

## Understanding Oracle Service Bus Clusters

Clustering allows Oracle Service Bus to run on a group of servers that can be managed as a single unit. In a clustered environment, multiple machines share the processing load. Oracle Service Bus provides load balancing so that resource requests are distributed proportionately across all machines. An Oracle Service Bus deployment can use clustering and load balancing to improve scalability by distributing the workload across nodes. Clustering provides a deployment platform that is more scalable than a single server.

A WebLogic Server cluster domain consists of only one administration server, and one or more managed servers. The managed servers in an Oracle Service Bus domain can be grouped in a cluster. When you configure Oracle Service Bus clusterable resources, you normally target the resources to the named cluster. The advantage of specifying a cluster as the target for resource deployment is that it makes it possible to dynamically increase capacity by adding managed servers to your cluster.

**Note:** Oracle Service Bus domains can support a single cluster, and all managed servers in the domain must belong to that cluster.

The topics in this section provide the information you need to configure Oracle Service Bus in a clustered environment. Although some background information about how WebLogic Server supports clustering is provided, the focus is on procedures that are specific to configuring Oracle Service Bus for a clustered environment.

Before proceeding, we recommend that you review the following sections of the WebLogic Server documentation to obtain a more in-depth understanding of clustering:

- [Using WebLogic Server Clusters](#)
- [Configuring WebLogic Server Environments](#)

## Designing a Clustered Deployment

The following sections provide the information you need to design a clustered deployment:

- [“Introducing Oracle Service Bus Domains” on page 3-2](#)
- [“Oracle Service Bus Deployment Resources” on page 3-3](#)
- [“Load Balancing in a Oracle Service Bus Cluster” on page 3-5](#)

## Introducing Oracle Service Bus Domains

Before you begin designing the architecture for your clustered domain, you need to learn how WebLogic Server clusters operate.

### Creating Domains

Domain and cluster creation are simplified by a Configuration Wizard that lets you generate domains from basic and extension domain templates. Based on responses to user queries, the Configuration Wizard generates a domain, server, and enterprise application with the appropriate components preconfigured and assets included. For information about creating Oracle Service

Bus domains using the Configuration Wizard, see [Creating a WebLogic Domain](#) in *Creating WebLogic Domains Using the Configuration Wizard*.

## Clustered Servers

A server can be either a managed server or an administration server. A WebLogic Server running the administration service is called an *administration server* and hosts the WebLogic Server Administration Console. In a domain with multiple WebLogic Servers, only one server is the administration server; the other servers are called *managed servers*. Each managed server obtains its configuration at startup from the administration server.

**Note:** Managed servers that start without an administration server operate in Managed Server Independence (MSI) mode. For information about MSI mode, see “Managed Server Independence Mode” in [“Avoiding and Recovering From Server Failure”](#) in *Managing Server Startup and Shutdown*.

You can enable an SSL port, an HTTP cleartext port, or both ports for the administration server. In secure installations, the HTTP cleartext port can be disabled. However, when Oracle Service Bus is used in combination with a UDDI registry (for example, Oracle Service Registry), you must ensure that the server’s HTTP cleartext port is enabled.

For general information about WebLogic clusters, see [Using WebLogic Server Clusters](#) in the WebLogic Server documentation set. This document includes details regarding recommended basic, multi-tiered, and proxy architectures. For information about security considerations in the design of WebLogic clusters, see “Security Options for Cluster Architectures” under [Cluster Architectures](#) in *Using WebLogic Server Clusters*.

## Oracle Service Bus Deployment Resources

For each server in a clustered domain, you can configure a variety of attributes that define the functionality of the server in the domain. These attributes are configured automatically when you create an Oracle Service Bus domain using the Configuration Wizard. Advanced users can also configure these attributes manually using the Servers node in the WebLogic Server Administration Console.

For a list of configurable Oracle Service Bus deployment resources, see [Appendix B, “Oracle Service Bus Deployment Resources.”](#) It describes the default targeting of each resource in a clustered Oracle Service Bus domain and provides instructions on how to navigate to each resource in the WebLogic Server Administration Console.

## Singleton Resources

While most resources used by Oracle Service Bus are deployed homogeneously across the cluster, there are a number of resources that must be pinned to a single managed server in order to operate correctly. The following table lists these components, describes how they are targeted, and provides a link for more information.

**Table 3-1 Oracle Service Bus Singleton Resources**

Resource	Managed server target selection	For more information, see...
File, FTP, and E-mail pollers for proxy services	Specified manually in the proxy service definition using the Oracle Service Bus Console. The poller is deployed on all managed servers, but the poller on only one managed server will poll for a given proxy service.	“Viewing and Changing Proxy Services” in <a href="#">Proxy Services</a> in <i>Using the Oracle Service Bus Console</i> .
ALSB Domain Singleton Marker Application	Targeted in the Configuration Wizard	“Creating an Oracle Service Bus Domain Using the Configuration Wizard” on <a href="#">page 4-5</a>
SLA Manager	Targeted in the Configuration Wizard	
Oracle Service Bus JMS server on each managed server <code>wlsbJMSServer_auto_1-n</code>	Automatically targeted in the Configuration Wizard	

## Monitoring and Alert Resources in a Cluster

The ALSB Domain Singleton Marker Application (`domainsingletonmarker.ear`) runs as a singleton service on one of the managed servers in the cluster. Data collection is performed on each of the managed servers in the domain. The ALSB Domain Singleton Marker Application is responsible for the collection and aggregation of data from all managed servers in the domain. The aggregated data are processed and classified by each Oracle Service Bus configuration.

Oracle Service Bus configurations can include rules defining Service Level Agreements (SLAs) for system performance. The Alert Manager is responsible for storing rules, and evaluates these rules against the data aggregated for the cluster. When a rule evaluates to `true`, the Alert Manager

sends an e-mail message, posts a message on a JMS queue, or logs a message according to the action associated with the rule.

For more information about these features, see [Monitoring](#) in *Using the Oracle Service Bus Console*.

## Cluster Configuration Changes and Deployment Requests

When a managed server is down during session activation, configuration changes from the activation are not reflected on that server. In addition, the task status of the session activation is listed as *Partially Activated* to indicate that the activation was not completed on all managed servers. After the managed server is restarted, it synchronizes with the information available with the administration server, and any unactivated changes are activated on the managed server. For more information about session activations, see [Using the Change Center](#) in *Using the Oracle Service Bus Console*.

You can only re-configure a cluster (for example, add new nodes to the cluster or modify business service configuration) when its administration server is active.

If the administration server for a cluster is down, deployment or undeployment requests are interrupted, but managed servers continue serving requests. You can boot or reboot managed servers using an existing configuration, as long as the required configuration files (`msi-config.xml`, `SerializedSystemIni.dat`, and optionally `boot.properties`) exist in each managed server's root directory.

# Load Balancing in a Oracle Service Bus Cluster

One of the goals of clustering your Oracle Service Bus application is to achieve scalability. For a cluster to be scalable, each server must be fully utilized. Load balancing distributes the workload proportionately across all the servers in a cluster so that each server can run at full capacity. The following sections describe inbound message processing load balancing for Oracle Service Bus clusters:

- [“Load Balancing HTTP Functions in a Cluster”](#) on page 3-6
- [“Load Balancing JMS Functions in a Cluster”](#) on page 3-6

For more information about inbound message load balancing, see [Load Balancing in a Cluster](#) in *Using WebLogic Server Clusters*. For information about configuring load balancing for business services, see “To Add a Business Service - Transport Configuration” in “Adding a Business Service” under [Business Services](#), in *Using the Oracle Service Bus Console*.

## Load Balancing HTTP Functions in a Cluster

Web services (SOAP or XML over HTTP) can use HTTP load balancing. External load balancing can be accomplished through the WebLogic HttpClusterServlet, a WebServer plugin, or a hardware router. For an overview of a cluster topology that includes load balancing, see [Figure 5-1](#). WebLogic Server supports load balancing for HTTP session states and clustered objects. For more information, see [Communications in a Cluster](#) in *Using WebLogic Server Clusters*.

## Load Balancing JMS Functions in a Cluster

Most JMS queues used by Oracle Service Bus are configured as distributed destinations. Exceptions are JMS queues that are targeted to single managed servers.

For detailed information on JMS load balancing, see “Controlling the Flow of Messages on JMS Servers and Destinations” in [Tuning WebLogic JMS](#) in *WebLogic Server Performance and Tuning*.

## High Availability in an Oracle Service Bus Cluster

Message-driven beans consume messages from JMS destinations. A number of message-driven beans are deployed on each Oracle Service Bus destination.

## Highly Available JMS for Oracle Service Bus

The ability to configure multiple physical destinations as members of a single distributed destination set provides a highly available implementation of WebLogic JMS. Specifically, for each node in a cluster, an administrator should configure one physical destination for a distributed destination. If one node in the cluster fails, making the physical destination for that node unavailable, then other physical destinations configured as members of the distributed destination can provide services to JMS producers and consumers. (This is how the Configuration Wizard generates domains for a cluster.)

Message-driven beans consume messages from distributed destinations. Distributed destinations contain one physical destination for each instance of WebLogic Server. A single message producer on a distributed queue is bound to a single physical destination. Message-driven beans are bound to the physical destination in the server on which they are deployed (server affinity).

For more information, see [Chapter 5, “Understanding Oracle Service Bus High Availability.”](#)

# Deploying Configurations

Configurations are deployed by importing the contents of one or more JAR files exported from the Oracle Service Bus Console. You deploy an Oracle Service Bus configuration in a clustered environment following the same procedure as for a single-server deployment. For a description of the deployment procedure, see [“Step 4. Deploy an Oracle Service Bus Configuration” on page 2-6.](#)

Preparations for deployment of an Oracle Service Bus configuration in a production cluster environment involve more system administration tasks than for a single-server testing or staging environment. For a full description of the steps involved in a production cluster deployment, see [Chapter 4, “Configuring a Clustered Deployment.”](#)

## Understanding Oracle Service Bus Clusters



# Configuring a Clustered Deployment

This section describes the tasks that you must perform to configure Oracle Service Bus for deployment in a clustered environment.

After planning the architecture of your clustered domain, as described in [“Designing a Clustered Deployment” on page 3-2](#), you are ready to set up Oracle Service Bus in a clustered environment. To do this, you must configure an administration server and managed servers, and then deploy Oracle Service Bus resources to the servers. You also need a router (hardware or software), if you need inbound HTTP load balance functions. The persistent configuration for a domain of WebLogic Server instances and clusters is stored in an XML configuration file (`config.xml`) in the `config` directory of the root directory of your Oracle Service Bus domain.

To set up and deploy Oracle Service Bus in a clustered domain, complete the following steps:

- [“Step 1. Comply with Configuration Prerequisites” on page 4-2](#)
- [“Step 2. Prepare an Oracle Service Bus Domain” on page 4-5](#)
- [“Step 3. Configure Oracle Service Bus Security” on page 4-9](#)
- [“Step 4. Starting, Stopping, and Monitoring Managed Servers” on page 4-10](#)
- [“Step 5. Deploy an Oracle Service Bus Configuration” on page 4-11](#)
- [“Step 6. Update Your Domain as Your Production Environment Changes” on page 4-11](#)

For information about deploying Oracle Service Bus on a single server, see [Chapter 2, “Configuring a Single-Server Deployment.”](#)

## Step 1. Comply with Configuration Prerequisites

This section describes prerequisites for configuring Oracle Service Bus to run in a clustered environment:

- Obtain an IP address for the administration server you will use for the cluster.

All WebLogic Server instances in a cluster use the same administration server for configuring and monitoring. When you add servers to a cluster, you must specify the administration server that each will use.

- Define a multicast address for each cluster.

**Note:** You are prompted to provide a multicast address when you create an Oracle Service Bus domain using the Configuration Wizard. (See [“Step 2. Prepare an Oracle Service Bus Domain”](#) on page 4-5.).

The multicast address is used by cluster members to communicate with each other. Clustered servers must share a single, exclusive, multicast address. For each cluster on a network, the combination of multicast address and port must be unique. If two clusters on a network use the same multicast address, they should use different ports. If the clusters use different multicast addresses, they can use the same port or accept the default port, 7001. To support multicast messages, the administration server and the managed servers in a cluster must be located on the same subnet.

- Define IP addresses for the servers in your cluster. You can do this in a number of ways:

**Note:** You are prompted to provide listen addresses for servers when you create a Oracle Service Bus domain using the Configuration Wizard. (See [“Step 2. Prepare an Oracle Service Bus Domain”](#) on page 4-5.)

- Assign a single IP address and different listen port numbers to the servers in the cluster.

By assigning a single IP address for your clustered servers with a different port number for each server, you can set up a clustered environment on a single machine without the need to make your machine a multi-homed server.

To access such an IP address from a client, structure the IP address and port number in your URL in one of the following ways:

<i>ipAddress:portNumber-portNumber</i>	When the port numbers are sequential, for example: 127.0.0.1:7003-7005
<i>ipAddress:portNumber+...+portNumber</i>	When the port numbers are not sequential, for example: 127.0.0.1:7003+7006+7008
<i>ipAddress:portNumber, ipAddress:portNumber, ...</i>	Verbose, explicit specification, for example: 127.0.0.1:7003,127.0.0.1:7004,127.0.0.1:7005

- Assign a static IP address for each WebLogic Server instance to be started on each machine in the cluster.

In this case, when multiple servers are run on a single machine, that machine must be configured as a multi-homed server, that is, multiple IP addresses are assigned to a single computer. Under these circumstances, structure the cluster address as a comma-separated list of IP addresses.

For example, the following listing is an example of a cluster address specified in a `config.xml` file. It specifies a static IP address for each of the four servers in a cluster named `MyCluster`:

```
<Cluster
ClusterAddress="127.0.0.1:7001,127.0.0.2:7001,127.0.0.3,127.0.0.4:7001" Name="MyCluster"/>
```

You can also use a DNS approach to identifying servers.

For more information on addressing issues, see “Avoiding Listen Address Problems” in [Setting Up WebLogic Clusters](#) in *Using WebLogic Server Clusters*.

**Note:** In test environments, it is possible to have multiple WebLogic Server instances on a single machine. In these circumstances, you can have some WebLogic Server instances on the same node with different port numbers and some on different nodes with the same port number.

- Configure one of the following databases for your clustered domain:
  - Microsoft SQL Server

– Oracle

**Note:** The local copy of the PointBase database that is installed with WebLogic Server is for evaluation purposes only.

It is important to configure your database appropriately for production use. You must provide adequate space to store data and log messages, and follow best practices for administering your database.

**Note:** You can configure your database to use concurrent access.

For the latest information about issues regarding specific databases, see the [Oracle Service Bus Release Notes](#).

- Include a shared file system. A shared file system is required for any cluster you want to be highly available. We recommend either a Storage Area Network (SAN) or a multiported disk system.

For information about configuring a highly available cluster, see “Configuring WebLogic JMS Clustering” in [Configuring Clustered WebLogic JMS Resources](#) in *Configuring and Managing WebLogic JMS*.

- Configure a hardware or software router for your system. Load balancing can be accomplished using either the built-in load balancing capabilities of a WebLogic proxy plug-in or separate load balancing hardware.

For information about hardware and software routers, see [Using WebLogic Server Clusters](#).

**Note:** Additional requirements apply when you design your domain to include one or more firewalls. For a description of how to add firewall information to your domain configuration file, see “[Adding Proxy Server or Firewall Information to your Domain Configuration](#)” on page 4-8. For additional information, see [Communications in a Cluster](#) in *Using WebLogic Server Clusters*.

- Oracle Service Bus load balances File, Email, and FTP transport processing across the managed servers in a cluster. All managed servers in the cluster should be able to access the Archive, Stage, and Error directories specified in any File, Email, or FTP proxy service configuration. These directories should be configured in a shared file system such as NFS. By using a shared file system, users and programs can access files on remote systems almost as if they were local files.

For information on how to configure the Archive, Stage, and Error directories, see “[Viewing and Changing Proxy Services](#)” in [Proxy Services](#) in *Using the Oracle Service Bus Console*.

For more information about setting up clustered WebLogic Server instances, see [Setting Up WebLogic Clusters](#) in *Using WebLogic Server Clusters*.

## Step 2. Prepare an Oracle Service Bus Domain

When preparing an Oracle Service Bus domain, you must add a definition for each managed server to the domain configuration file (`config.xml`), assign all managed servers to a cluster, specify the Oracle Service Bus components on the servers in your domain, and so on.

To prepare an Oracle Service Bus environment in a clustered domain, complete the tasks described in the following sections:

- “[Creating an Oracle Service Bus Domain Using the Configuration Wizard](#)” on page 4-5
- “[Configuring JMS Resources](#)” on page 4-9

### Creating an Oracle Service Bus Domain Using the Configuration Wizard

You begin the definition of an Oracle Service Bus deployment by creating a domain using the Configuration Wizard.

**Note:** The procedure described in this section for setting up your domain is based on the assumption that you are running the Configuration Wizard in GUI mode from the Windows Start menu. For information about using the Configuration Wizard in different modes, see [Creating WebLogic Configurations Using the Configuration Wizard](#)

**Note:** To create an Oracle Service Bus domain using the Configuration Wizard, complete the following steps:

1. From the Start Menu, choose **All Programs**→**BEA Products**→**Tools**→**Configuration Wizard**.

The Configuration Wizard is launched. It prompts you for data with which to configure your domain.

2. Respond to the Configuration Wizard prompts by providing the information described in the following table.

**Note:** To comply with WebLogic Server resource naming rules, you must specify unique names for domains, WebLogic Server instances, JMS servers, and JMS stores. Oracle Service Bus has the same interoperability naming requirements as the WebLogic Messaging Bridge. For more information, see “Naming Guidelines for WebLogic

Servers and Domains” in “Interoperating with Different WebLogic Server Releases” in [Interoperating with Different WebLogic Server Releases or Foreign Providers in Configuring and Managing the WebLogic Messaging Bridge](#).

**Table 4-1 Responses to Configuration Wizard Prompts**

In this window . . .	Perform the following action . . .
Welcome	Select Create a new WebLogic domain.
Select Domain Source	Select Oracle Service Bus.
Configure Administrator Username and Password	Enter user name and password.
Configure Server Start Mode and JDK	Select Production Mode. Select either the Sun SDK or JRockit SDK, or specify the location of another JDK.
Customize Environment and Services Settings	Select Yes.
Configure the Administration Server	If your configuration requires SSL, select the SSL enabled check box.
Configure Managed Servers	Add as many managed servers as required.  <b>Note:</b> If you need a software HTTP router with <code>WebLogicHttpClusterServlet</code> in your domain for load balancing, add one extra server here.  If your configuration requires SSL, select the SSL enabled check box for each managed server.
Configure Machines	Configure the type of physical machines used in the cluster.
Configure Clusters	Add a cluster.  <b>Note:</b> Oracle Service Bus domains can support a single cluster.
Assign Servers to Clusters	Add the previously created managed servers to the cluster.  <b>Note:</b> If you had previously configured a managed server as an HTTP router, do not add it to the cluster. Select this managed server from the Proxy Server drop-down list on the next window, Create HTTP Proxy Applications.
Configure Machines	Configure the type of physical machines used in the cluster.

**Table 4-1 Responses to Configuration Wizard Prompts**

Assign Servers to Machines	Assign each instance of WebLogic Server to the machine in the cluster on which it runs.
Configure JDBC Data Sources	<p>Accept the default values for Name and JNDI name of <code>wlsbjmsrpDataSource</code>.</p> <p>Select one of the following to identify the database type and driver for the JMS Reporting Provider Data Store:</p> <ul style="list-style-type: none"> <li>• Oracle and 's Oracle Driver (Type 4) Versions: 9.0.1, 9.2.0, 10</li> <li>• MS SQL Server and 's MS SQL Server Driver (Type 4) Versions: 7.0, 2000</li> </ul> <p>Confirm that the Supports global transactions check box and Logging last resource option are selected. For more information about Logging last resource (LLR), see "Understanding the Logging Last Resource Transaction Option" in <a href="#">Configuring JDBC Data Sources</a> in <i>Configuring and Managing WebLogic JDBC</i>.</p> <p>Enter your environment-specific database information in the remaining text boxes. For more information, see "Configure JDBC Data Sources" in <a href="#">Customizing Existing JDBC and JMS Settings</a> in <i>Creating WebLogic Configurations Using the Configuration Wizard</i>.</p> <p><b>Note:</b> Click Test Connections to verify that you can contact the database you want to use for the JMS Reporting Provider Data Store using this data source configuration.</p>
Run Database Scripts	<p>Select <code>wlsbjmsrpDataSource</code> from the Available JDBC Data Sources list.</p> <p>Select the version of the database from the DB Version drop-down list.</p> <p>Click Run Scripts.</p> <p>The scripts create the tables and indexes for the JMS Reporting Provider Data Store. The SQL output is displayed in the Results box and written to <code>jdbc.log</code>. If you want the results written to a different file, click the Log File check box and specify the file.</p> <p><b>Note:</b> Oracle Service Bus does not automatically run database scripts for the JMS Reporting Provider Data Store the first time you start a production domain, as it does for domains in development mode. If you do not run the database scripts while creating your Oracle Service Bus production domain, you must run the scripts manually. The scripts are located in <code>BEA_HOME/ALSB_HOME/dbscripts</code>, where <code>BEA_HOME</code> is the directory in which you installed Oracle Service Bus.</p>
Configure JMS File Stores	Accept the defaults for <code>rmfilestore</code> and add any file stores needed by proxy services or business services.

**Table 4-1 Responses to Configuration Wizard Prompts**

Review WebLogic Domain	Accept the default values.
Create WebLogic Configuration	Enter a name and location for your domain.
Creating Domain	After your domain is created, select Start Admin Server to start Oracle Service Bus when you exit the Configuration Wizard.

When you complete the domain configuration using the Configuration Wizard, your new domain is created in the location you specified.

Your Oracle Service Bus domain includes a configuration file (`config.xml`) that contains a definition for the administration server. For more information, see “`config.xml`” in [Domain Configuration Files](#) in *Understanding Domain Configuration*.

For information about configuring domains without using the Configuration Wizard, see [Understanding Domain Configuration](#).

## Adding Proxy Server or Firewall Information to your Domain Configuration

If you will be using Web services behind a proxy server or firewall, you must edit the `config.xml` file to include information about that proxy server or firewall.

To add proxy server or firewall information to your domain configuration, complete the following steps:

1. Open `config.xml` with an ASCII editor.
2. Find the line that starts with the following tag in the `config.xml` file:

```
<Cluster
```

3. Add the following three attributes to the Cluster attribute list:

```
FrontendHTTPPort="proxyPort" FrontendHTTPSPort="proxySSLPort"  
FrontendHost="proxyServerHost"
```

For example, the following listing is an example of a cluster address with a firewall specified in a `config.xml` file for a cluster named `MyCluster` and a proxy server named `MyProxy`:

```
<Cluster  
ClusterAddress="127.0.0.1:7001,127.0.0.2:7001,127.0.0.3,127.0.0.4:7001"
```



```
FrontendHTTPPort="7006" FrontendHTTPSPort="7007" FrontendHost="MyProxy"
MulticastAddress="127.0.0.5" MulticastPort="7010" Name="MyCluster" />
```

4. Save your changes and close the `config.xml` file.

## Configuring JMS Resources

In addition to configuring JMS file stores in the Configuration Wizard, proxy services and business services that use JMS require configuration of the following resources:

- JMS queues/topics. Oracle Service Bus automatically configures JMS queues for proxy services that are implemented using JMS. You must configure JMS queues/topics for all business services using JMS and for any proxy services that are implemented using non-JMS.

Proxy services can consume messages from a remote queue on a separate domain. In this case, Oracle Service Bus will not create the queue for you. The JMS queues can be created for proxy services only if the queues are on the same local Oracle Service Bus domain.

- JMS connection factories. You must configure JMS connection factories for all business services and proxy services implemented using JMS.

For information about configuring JMS resources, see [Configuring and Managing WebLogic JMS](#).

## Step 3. Configure Oracle Service Bus Security

Oracle Service Bus leverages the security features of WebLogic Server to ensure message confidentiality and integrity (message-level security), secure connections between clients and WebLogic Server (transport-level security), and authentication and authorization (access control). For information about the tasks you must complete, see the [Oracle Service Bus Security Guide](#).

**WARNING:** You must configure security separately for each Oracle Service Bus domain. Oracle Service Bus does not export or import security configurations.

If you want to configure SSL for your cluster, you can do so when creating your domain or by using the WebLogic Server Administration Console. For a domain in which security functionality is deployed in a multinode cluster, you also need to configure keystores, server certificate and private key for each managed server, and so on, for every machine in a cluster. You either need to use a separate keystore for each machine or you can use a single keystore if it is available to all machines.

## Step 4. Starting, Stopping, and Monitoring Managed Servers

This section describes the basic management tasks for the managed servers in your clustered domain:

- [“Starting and Stopping Managed Servers” on page 4-10](#)
- [“Monitoring Your Servers” on page 4-11](#)

### Starting and Stopping Managed Servers

Node Manager is a utility that enables you to start, stop, and migrate your WebLogic Server instances. You can start your managed servers using Node Manager in conjunction with the WebLogic Server Administration Console, or you can create WLST scripts to automate Node Manager functionality.

---

**Tip:** Run the `setDomainEnv` script before the `startNodemanager` script to ensure that the Oracle Service Bus classes are available to spawned servers. Alternatively, explicitly set `classpath` in the WebLogic Server Administration Console before attempting to start the server.

---

By default, when the Configuration Wizard generates an Oracle Service Bus cluster domain:

- The Domain Singleton Marker Application (`domainsingletonmarker.ear`) is targeted to the first managed server in the cluster. For data aggregation to function properly, the server that `domainsingletonmarker.ear` is targeted to must be started first and must be available when other managed servers are started.
- The PurgingMDB (`msgpurger.ear`) is targeted to the first managed server in the cluster. For message purging to function properly, the server where `msgpurger.ear` is targeted must be available.

For more information on Node Manager, see [Using Node Manager to Control Servers](#) in *Managing Server Startup and Shutdown*. For a complete overview of methods to start and stop managed servers, see [Starting and Stopping Servers](#) in *Managing Server Startup and Shutdown*.

## Monitoring Your Servers

Once startup is complete, you can use the Oracle Service Bus Console to verify the status of servers. For information about using Oracle Service Bus Console to monitor your servers, see “Listing and Locating Servers” in [Monitoring](#) in *Using the Oracle Service Bus Console*.

## Step 5. Deploy an Oracle Service Bus Configuration

You deploy an Oracle Service Bus configuration in a clustered environment following the same procedure as for a single-server deployment. For a description of the deployment procedure, see “[Step 4. Deploy an Oracle Service Bus Configuration](#)” on page 2-6.

**Note:** If you have imported a configuration from a single-server environment and that configuration includes proxy services that use File, FTP, or Email transports, you must specify a Managed Server for each of those proxy services. The Managed Server drop-down list appears in the Oracle Service Bus Console in clustered Oracle Service Bus domains only.

For information on how to edit the Managed Server value for a proxy service, see “[Viewing and Changing Proxy Services](#)” in [Proxy Services](#) in *Using the Oracle Service Bus Console*.

## Step 6. Update Your Domain as Your Production Environment Changes

Production environments change over time and as application use increases. This section describes how to update your domain in response to common production environment change scenarios:

- “[Adding a Managed Server](#)” on page 4-12
- “[Dropping a Managed Server](#)” on page 4-15
- “[Changing a Business Service in a Cluster](#)” on page 4-16
- “[Installing a New Version of a Proxy Service in a Cluster](#)” on page 4-16

## Adding a Managed Server

As use of Oracle Service Bus grows, you can add new managed servers to your Oracle Service Bus cluster to increase capacity. You add a managed server to the cluster using the WebLogic Server Administration Console. Depending on your configuration, you may also need to perform administrative tasks using the Oracle Service Bus Console.

### Adding A Managed Server to an Oracle Service Bus Cluster

To add a new managed server to your Oracle Service Bus cluster, perform the steps below using the WebLogic Server Administration Console:

1. Verify that the managed server that you want to add to the Oracle Service Bus cluster is not running. Stop the server, if necessary. For information on how to stop a managed server, see [Starting and Stopping Servers](#) in *Managing Server Startup and Shutdown*.
2. If you have not already done so, in the Change Center, click Lock & Edit.
3. Expand Environment, and select Clusters. On the Summary of Clusters panel, change the cluster address to include the address of the new server.
4. Expand Services, and select Persistent Stores. Define a new FileStore on the new server, and assign it to a non-migratable server.

**Note:** Be sure to create the directory that you specify in the FileStore definition on the new server.

5. Expand Services and Messaging, and then select JMS Servers. Create a new JMS server on the new server using the new FileStore, and target it to the same non-migratable server.
6. On the Summary of JMS Servers panel, click the name of the new JMS server. Select `jmsResources` in the Module Containing Temporary Template list, enter `TemporaryTmpl1` in the Temporary Template Name box, and click Save.
7. Create the necessary queues and add them to the corresponding distributed destinations by performing the following steps:
  - a. If you have not already done so, expand Services and Messaging.
  - b. Select JMS Modules, and click `configwiz-jms`.
  - c. Create a new queue named `QueueIn_auto_x`, accept the default value for Template, and target the queue to the new server.

**Note:** For the names of queues specified in this step through step 8, *x* is the number of managed servers currently in the Oracle Service Bus cluster incremented by 1. For example, if you were adding a managed server to a cluster that currently contains two managed servers, then *x* equals 3. You would be creating `QueueIn_auto_3` in this step, and the names of the queues you create in step d through step g would also end with 3.

While defining `QueueIn_auto_x`, create a new subdeployment (for example, `sub_new`), and then select the JMS server on the new server as the target.

**Note:** You will reuse this subdeployment in step d through step g, instead of creating a new subdeployment for each queue.

- d. Create `wli.reporting.jmsprovider.queue_auto_x`, and target it to the new server.
  - e. Create `wlsb.internal.transport.task.queue.email_auto_x`, and target it to the new server.
  - f. Create `wlsb.internal.transport.task.queue.file_auto_x`, and target it to the new server.
  - g. Create `wlsb.internal.transport.task.queue.ftp_auto_x`, and target it to the new server.
  - h. Create `wli.reporting.jmsprovider_error.queue_auto_x`, and target it to the new server.
  - i. Create `wlsb.internal.transport.task.queue.sftp_auto_x`, and target it to the new server.
8. Expand Services, Messaging, and JMS Modules, and then select the `configwiz-jms` module. Add the queues that you created in step c through step g to their corresponding distributed destinations:
- a. Add `QueueIn_auto_x` to `dist_QueueIn_auto`.
  - b. Add `wli.reporting.jmsprovider.queue_auto_x` to `dist_wli.reporting.jmsprovider.queue_auto`.
  - c. Add `wlsb.internal.transport.task.queue.email_auto_x` to `dist_wlsb.internal.transport.task.queue.email_auto`.
  - d. Add `wlsb.internal.transport.task.queue.file_auto_x` to `dist_wlsb.internal.transport.task.queue.file_auto`.

## Configuring a Clustered Deployment

- e. Add `wlsb.internal.transport.task.queue.ftp_auto_x` to `dist_wlsb.internal.transport.task.queue.ftp_auto`.
  - f. Add `wli.reporting.jmsprovider_error.queue_auto_x` to `dist_wli.reporting.jmsprovider_error.queue_auto`.
  - g. Add `wlsb.internal.transport.task.queue.sftp_auto_x` to `dist_wlsb.internal.transport.task.queue.sftp_auto`.
9. In the Change Center, click Activate.
  10. You can now start the new managed server. For information on how to start a managed server, see [Starting and Stopping Servers](#) in *Managing Server Startup and Shutdown*.
  11. If your cluster has an HTTP load balancer (software or hardware), add the new managed server to the server list of the load balancer. For example, if you are using the WebLogic `HttpClusterServlet`, you should add the new server to the `web.xml` file for the corresponding application. For more information, see [Load Balancing in a Cluster](#) in *Using WebLogic Server Clusters*.

## Updating Business Service Configurations for an Expanded Cluster

If your Oracle Service Bus configuration includes one or more business services that use JMS request/response functionality, then you must also perform the following procedure using the Oracle Service Bus Console after adding the new managed server to the cluster:

1. In the Change Center, click Create to create a session.
2. Using the Project Explorer, locate and select a business service that uses JMS request/response. Business services of this type display Messaging Service as their Service Type.
3. At the bottom of the View Details page, click Edit.
4. If there is a cluster address in the endpoint URI, add the new server to the cluster address.
5. On the Edit a Business Service - Summary page, click Save.
6. Repeat step 2 through step 5 for each remaining business service that uses JMS request/response.
7. In the Change Center, click Activate.

The business services are now configured for operation in the extended domain.

**Note:** For business services that use a JMS MessageID correlation scheme, you must edit the connection factory settings to add an entry to the table mapping managed servers to queues. For information on how to configure queues and topic destinations, see “JMS Server Targeting” under [JMS Server Configuration](#), in WebLogic Server Administration Console Online Help

## Updating Proxy Service Configurations for an Expanded Cluster

If your Oracle Service Bus configuration includes one or more proxy services that use JMS endpoints with cluster addresses, then you must also perform the following procedure using the Oracle Service Bus Console after adding the new managed server to the cluster:

1. In the Change Center, click Create to create a session.
2. Using the Project Explorer, locate and select a proxy service that uses JMS endpoints with cluster addresses.
3. At the bottom of the View Details page, click Edit.
4. If there is a cluster address in the endpoint URI, add the new server to the cluster address.
5. On the Edit a Proxy Service - Summary page, click Save.
6. Repeat step 2 through step 5 for each remaining proxy service that uses JMS endpoints with cluster addresses.
7. In the Change Center, click Activate.

The proxy services are now configured for operation in the extended domain.

## Dropping a Managed Server

Using WebLogic Server administration tools, you can drop a managed server from your Oracle Service Bus cluster. Before deciding to drop a managed server, you should take into account the following considerations:

- If your Oracle Service Bus configuration includes one or more proxy services that use File, FTP, or Email transports that have pinned transport pollers to the managed server that you want to remove from the cluster, then you must select a different managed server for each of those proxy services *before* removing the managed server from the cluster. For information on how to edit the Managed Server value for a proxy service, see “Viewing and Changing Proxy Services” in [Proxy Services](#) in *Using the Oracle Service Bus Console*.

- The managed server that hosts the Domain Singleton Marker Application must not be dropped from the cluster. If the managed server that hosts the Domain Singleton Marker Application fails, you must perform a manual migration.
- If you want to remove the managed server that hosts the Message Reporting Purger application, you must select a different manager server for the Message Reporting Purger and its associated queue (`wli.reporting.purge.queue`).

For information about dropping a managed server from a cluster, see “Delete Managed Servers” in [Configure Domains](#) in the WebLogic Server Administration Console Online Help.

## Changing a Business Service in a Cluster

The procedure for changing a business service is the same in both single-server and cluster environments. For information about changing a business service, see “[Changing a Business Service](#)” on page 2-7.

However, the procedure for deploying changes to a business service in a cluster depends on the types of changes made to the business service and the nature of any other changes that might be deployed simultaneously. For more information, see the description of installation strategies in the following section.

## Installing a New Version of a Proxy Service in a Cluster

As your business requirements change, you may need to make changes to your proxy services. You can make these changes dynamically online, partially offline, or completely offline. If your changes are backward compatible (that is, you are making no changes to interfaces), you can make your changes dynamically online using the Oracle Service Bus Console. Making other types of changes should be done partially or completely offline, which requires additional system administration steps.

For information about performing online updates, see “[Online Configuration Updates](#)” on page 2-8.

Making changes that include non-backward compatible changes to proxy service interfaces requires complete offline deployment. To install the new version, follow the procedure below while all servers are operational:

1. Quiesce all inbound messages.
2. Confirm all asynchronous backlogged messages have been processed.



## Step 6.Update Your Domain as Your Production Environment Changes

3. Make the necessary changes in the proxy service, and test to verify the proxy service operates as required.
4. Resume accepting inbound messages.

For more information about backward compatibility and installation strategies, see [“Installing a New Version of a Proxy Service” on page 2-8](#).

## Configuring a Clustered Deployment

# Understanding Oracle Service Bus High Availability

A clustered Oracle Service Bus domain provides high availability. A highly available deployment has recovery provisions in the event of hardware or network failures, and provides for the transfer of control to a backup component when a failure occurs.

The following sections describe clustering and high availability for a Oracle Service Bus deployment:

- [“About Oracle Service Bus High Availability”](#) on page 5-1
- [“Oracle Service Bus Failure and Recovery”](#) on page 5-5
- [“High Availability for Poller Based Transports”](#) on page 5-6

## About Oracle Service Bus High Availability

For a cluster to provide high availability, it must be able to recover from service failures. WebLogic Server supports failover for clustered objects and services pinned to servers in a clustered environment. For information about how WebLogic Server handles such failover scenarios, see [Communications in a Cluster](#) in *Using WebLogic Server Clusters*.

## Recommended Hardware and Software

The basic components of a highly available Oracle Service Bus environment include the following:

- An administration server


- A set of managed servers in a cluster
- An HTTP load balancer (router)
- Physically shared, highly-available disk subsystems for managed server data—Whole server migration requires that *all* data on a managed server be located on a multi-ported disk. A typical and recommended way to do this is by using a multi-ported disk subsystem or SAN, and allowing two or more servers to mount file systems within the disk subsystem. The file system does not need to be simultaneously shared; it is only necessary for one server to mount a file system at any one time.
- A Microsoft SQL Server or Oracle database configured for failover with a cluster manager—You should take advantage of any high availability or failover solutions offered by your database vendor in addition to using a commercial cluster manager. (For database-specific information, see your database vendor’s documentation.)

**Note:** For information about availability and performance considerations associated with the various types of JDBC drivers, see “Configure Database Connectivity” in [Configure JDBC](#) in WebLogic Server Administration Console Online Help.

A full discussion of how to plan the network topology of your clustered system is beyond the scope of this section. For information about how to fully utilize inbound load balancing and failover features for your Oracle Service Bus configuration by organizing one or more WebLogic Server clusters in relation to load balancers, firewalls, and Web servers, see [Cluster Architectures](#) in *Using WebLogic Server Clusters*. For information on configuring outbound load balancing, see “To Add a Business Service - Transport Configuration” in “Adding a Business Service” in [Business Services](#) in *Using the Oracle Service Bus Console*.

For a simplified view of a cluster, showing the HTTP load balancer, highly available database and multi-ported file system, see the following figure.

Figure 5-1 Simplified View of a Cluster



## Regarding JMS File Stores

The default Oracle Service Bus domain configuration uses a file store for JMS persistence to store collected metrics for monitoring purposes and alerts. The configuration shown relies on a highly available multi-ported disk that can be shared between managed servers to optimize performance. This will typically perform better than a JDBC store.

For information about configuring JMS file stores, see [Using the WebLogic Persistent Store](#) in *Configuring WebLogic Server Environments*.

## What Happens When a Server Fails

A server can fail due to software or hardware problems. The following sections describe the processes that occur automatically in each case and the manual steps that must be taken in these situations.

### Software Faults

If a software fault occurs, the Node Manager (if configured to do so) will restart the WebLogic Server. For more information about Node Manager, see [Using Node Manager to Control Servers](#) in *Managing Server Startup and Shutdown*. For information about how to prepare to recover a secure installation, see “Directory and File Back Ups for Failure Recovery” in [Avoiding and Recovering from Server Failure](#) in *Managing Server Startup and Shutdown*.

## Hardware Faults

If a hardware fault occurs, the physical machine may need to be repaired and could be out of operation for an extended period. In this case, the following events occur:

- The HTTP load balancer will detect the failed server and will redirect to other managed servers. (The actual algorithm for doing this will depend on the vendor for the http load balancer.)
- All new internal requests will be redirected to other managed servers.
- All in-flight transactions on the failed server are terminated.
- JMS messages that are already enqueued are not automatically migrated, but must be manually migrated. For more information, see [“Server Migration” on page 5-4](#).
- If your Oracle Service Bus configuration includes one or more proxy services that use File, FTP or Email transports with transport pollers pinned to a managed server that failed, you must select a different managed server in the definition of each of those proxy services in order to resume normal operation.
- If the managed server that hosts the WLI Aggregator application fails, collected metrics for monitoring and alerts are not automatically migrated. You must perform a manual migration. For more information, see [“Server Migration” on page 5-4](#).

## Server Migration

Oracle Service Bus leverages WebLogic Server’s whole server migration functionality to enable transparent failover of managed servers from one system to another. For detailed information regarding WebLogic Server whole server migration, see the following topics in the WebLogic Server documentation set:

- [Failover and Replication in a Cluster](#) in *Using WebLogic Server Clusters*
- [Avoiding and Recovering from Server Failure](#) in *Managing Server Startup and Shutdown*

## Message Reporting Purger

The Message Reporting Purger for the JMS Message Reporting Provider is deployed in a single managed server in a cluster (see [Appendix B, “Oracle Service Bus Deployment Resources.”](#)).

If the managed server that hosts the Message Reporting Purger application fails, you must select a different managed server for the Message Reporting Purger and its associated queue (`wli.reporting.purge.queue`) to resume normal operation.

Any pending purging requests in the managed server that failed are not automatically migrated. You must perform a manual migration. Otherwise, target the Message Reporting Purger application and its queue to a different managed server and send the purging request again.

## Oracle Service Bus Failure and Recovery

In addition to the high availability features of WebLogic Server, Oracle Service Bus has failure and recovery characteristics that are based on the implementation and configuration of your Oracle Service Bus solution. The following sections discuss specific Oracle Service Bus failure and recovery topics:

- [“Transparent Server Reconnection” on page 5-5](#)
- [“EIS Instance Failover” on page 5-5](#)

### Transparent Server Reconnection

Oracle Service Bus provides transparent reconnection to external servers and services when they fail and restart. If Oracle Service Bus sends a message to a destination while the connection is unavailable, you may see one or more runtime error messages in the server console.

Transparent reconnection is provided for the following types of servers and services:

- SMTP
- JMS
- FTP
- DBMS
- Business services

Oracle Service Bus Console also provides monitoring features that enable you to view the status of services and to establish a system of SLAs and alerts to respond to service failures. For more information, see [Monitoring](#) in *Using the Oracle Service Bus Console*.

### EIS Instance Failover

Most business services in production environments will be configured to point to a number of EIS instances for load balancing purposes and high availability. If you expect that an EIS instance failure will have an extended duration or a business service points to a single, failed EIS instance,

you can reconfigure the business service to point at an alternate, operational EIS instance. This change can be made dynamically.

For information about using the Oracle Service Bus Console to change an endpoint URI for a business service, see “Viewing and Changing Business Services” in [Business Services](#) in *Using the Oracle Service Bus Console*.

## High Availability for Poller Based Transports

File, FTP, and Email are poller based transports. Since these protocols are not transactional, to increase reliability and high availability, an additional JMS-based framework has been created to allow these transports to recover from failure. These transports use the JMS framework to ensure that the processing of a message is done at least once. However, if the processing is done, but the server crashes or the server is restarted before the transaction is complete, the same file may be processed again. The number of retries depends on the redelivery limit that is set for the poller transport for the domain.

New messages from the target (a directory in case of File and FTP transports and server account in case of Email transport) are copied to the download (stage) directory at the time of polling or pipeline processing.

**Note:** For FTP transport, a file is renamed as `<name>.stage` in the remote directory. It is copied to the stage directory only at the time of pipeline processing,

For File and FTP transports, a JMS task is created corresponding to each new file in the target directory. For Email transport, an e-mail message is stored in a file in the download directory and a JMS task is created corresponding to each of these files.

These JMS task messages are enqueued to a JMS queue which is pre-configured for these transports when the Oracle Service Bus domain is created.

## JMS Queues

The following poller transport specific JMS queues are configured for Oracle Service Bus domains:

Transport Name	JMS Queue Name
FTP	wlsb.internal.transport.task.queue.ftp



Transport Name	JMS Queue Name
File	wlsb.internal.transport.task.queue.file
Email	wlsb.internal.transport.task.queue.email

A domain-wide message-driven bean (MDB) receives the JMS task. Once the MDB receives the message, it invokes the pipeline in an XA transaction. If the message processing fails in the pipeline due to an exception in the pipeline or server crash, the XA transaction also fails and the message is again enqueued to the JMS queue. This message is re-delivered to the MDB based on the redelivery limit parameter set with the queue. By default, the redelivery limit is 1 (the message is sent once and retried once). If the redelivery limit is exhausted without successfully delivering the message, the message is moved to the error directory. You can change this limit from WebLogic Server Console. For more information, see [JMS Topic: Configuration: Delivery Failure](#) in *Administration Console Online Help*.

**Note:** For a single Oracle Service Bus domain transport, the redelivery limit value is global across the domain. For example, within a domain, it is not possible to have an FTP proxy with a redelivery limit of 2 and another FTP proxy with a redelivery limit of 5.

## High Availability in Clusters

For clusters, the JMS queue associated with each of these poller based transport is a distributed queue (each Managed Server has a local JMS queue, which is a member of the distributed queue). The JMS queue for a transport is domain-wide. The task message is enqueued to the distributed queue, which is passed on to the underlying local queues on the Managed Server. The MDB deployed on the Managed Server picks up the message and then invokes the pipeline in a transaction for actual message processing.

Since the JMS queues are distributed queues in cluster domains, high availability is achieved by utilizing the WebLogic Server distributed queue functionality. Instead of all Managed Servers polling for messages, only one of the Managed Servers in a cluster is assigned the job of polling the messages. At the time of proxy service configuration, one of the Managed Servers is configured to poll for new files or e-mail messages. For more information, see “Adding a Proxy Service” in [Proxy Services](#) in *Using the Oracle Service Bus Console*.

The poller server polls for new messages and puts them to the uniform distributed queue associated with the respective poller transport. From this queue, the message is passed on the local queue on the Managed Server. The Managed Servers receive the messages through MDBs deployed on all the servers through these local queues.

**Note:** There is a uniform distributed queue with a local queue on all the Managed Servers for each of these poller based transports.

If the managed servers crashes after the distributed queue delivers the message to the local queue, you need to do manual migration. For more information, see [“Server Migration” on page 5-4](#).

When a cluster is created, the uniform distributed queue is created with local queue members - on all the Managed Servers. However, when a new Managed Server is added to an existing cluster, these local queues are not automatically created. You have to manually create the local queues and make them a part of a uniform distributed queue.

To create a local queue:

1. Create a JMS Server and target it to the newly created Managed Server.
2. Create a local JMS queue, set the redelivery count, and target it to the new JMS server.
3. Add this local JMS queue as a member of the uniform distributed queue associated with the transport.

**Note:** The JNDI name of the distributed queue is  
`wlsb.internal.transport.task.queue.file` (for File transport),  
`wlsb.internal.transport.task.queue.ftp` (for FTP transport) and  
`wlsb.internal.transport.task.queue.email` (for Email transport).

## Load Balancing

Since we use distributed JMS queues, messages are distributed to the Managed Servers based on the load balancing algorithm associated with the distributed queue. By default, the JMS framework uses round-robin load balancing. You can change the algorithm using the JMS module in WebLogic Server Console. For more information, see [Load Balancing for JMS](#) in *Using WebLogic Server Clusters*. If one of the Managed Servers fails, the remaining messages are processed by any of the remaining active Managed Servers.

**Note:** The poller server should always be running. If the poller server fails, the message processing will also stop.

# Using the Deployment APIs

You can use the Oracle Service Bus MBeans in Java programs and WLST scripts to automate promotion of Oracle Service Bus configurations from development environments through testing, staging, and finally to production environments. The Oracle Service Bus MBeans you can use to programmatically perform deployment operations include:

- [SessionManagementMBean](#): used to create, activate and discard a session, or to return the name of an existing session
- [ALSBConfigurationMBean](#): used to import and export Oracle Service Bus configurations, update environment-specific information (endpoint URIs, etc.), query Oracle Service Bus configurations and resources.

The latter MBeans are interfaces in the [com.bea.wli.sb.management.configuration](#) package.

Numerous customization options can be applied during deployment. An extended list of environment variables allows you to preserve or tailor settings when moving from one environment to another.

This section contains the following topics:

- “[Managing Sessions Using Programs and Scripts](#)” on page A-2
- “[Managing Configuration Tasks Using Programs and Scripts](#)” on page A-3

---

**Tip:** Oracle Service Bus APIs are documented in [Oracle Service Bus Javadoc](#).

---

## Managing Sessions Using Programs and Scripts

Oracle Service Bus sessions allow different users to update discrete parts of configuration data without interfering with each other. A session is essentially a named sandbox, in which your changes are abstracted from other users, as well as from the core data (the data on which Oracle Service Bus runs), until the changes are activated. In order to modify resources and Oracle Service Bus configurations, you must create a session and perform changes in that session. The changes are only reflected in the core data when you activate the session. You can create multiple sessions as long as no two sessions have the same name. A session can only be activated using the instance of the `SessionManagementMBean` that works on that session data.

Each MBean type, except for `SessionManagementMBean`, has one instance per session. When a session is created, a new set of MBean instances (one for each MBean Type) is created automatically. One instance of each MBean Type operates on the core data that is saved to the Oracle Service Bus data cache. MBean instances created for a session are destroyed when the session is discarded or activated. MBean instances that operate on core data, however, are never destroyed. MBean instances that work on core data do not support update operations.

### Creating, Activating, Discarding, and Locating Sessions

Oracle Service Bus sessions are created using the Oracle Service Bus Console. The methods in the `SessionManagementMBean` interface directly parallel the interactive features provided in the Oracle Service Bus Console, and require execution in the same order as their GUI counterparts. The following table lists the methods available in the `SessionManagementMBean` interface and the tasks they perform.

**Table A-1 Session Management Methods**

To...	Use...
1. Activate a session	<code>activateSession(String session, String description)</code>
2. Create a new session with a user-specified name.	<code>createSession(String session)</code>
3. Delete the session without activating changes	<code>discardSession(String session)</code>
4. Return <i>true</i> if a session with the given session name exists	<code>sessionExists(String session)</code>

For reference material on the `SessionManagementMBean` interface and Java usage examples, as well as sample code describing how to use MBeans from a Java client and in a script, see the [SessionManagementMBean Interface](#) in the `com.bea.wli.sb.management.configuration` package in the Oracle Service Bus Javadoc.

## Examples

The [SessionManagementMBean Interface](#) in the `com.bea.wli.sb.management.configuration` package in the Oracle Service Bus Javadoc includes example code illustrating how to create a session, how to obtain `SessionManagementMBean` for creating a session, and `ALSBConfigurationMBean` for operating on the session that is created and on core data, and so on.

# Managing Configuration Tasks Using Programs and Scripts

The Oracle Service Bus `ALSBConfigurationMBean` allows you to programmatically query, export and import resources, obtain validation errors, get and set environment values, and in general manage resource configuration in an Oracle Service Bus domain. Oracle Service Bus configurations are packaged as simple JARs containing Oracle Service Bus resources such as proxy services, WSDLs, and business services. These resources can span multiple projects, or contain only partial configuration information. For example, you can export only a subset of a project, a whole project, or subsets of resources from many projects.

The following sections describe how to use the `ALSBConfigurationMBean` to perform these deployment activities from a Java client:

- [“Importing, Exporting, and Querying Configurations” on page A-3](#)
- [“Updating Environment-Specific Information” on page A-5](#)

For reference material on the `ALSBConfigurationMBean` interface, see the [ALSBConfigurationMBean Interface](#) in the `com.bea.wli.sb.management.configuration` package in the Oracle Service Bus Javadoc.

## Importing, Exporting, and Querying Configurations

Oracle Service Bus configurations are created using the Oracle Service Bus Console, and are stored through export in `.jar` files. After a configuration `.jar` file has been exported, you can promote the configuration by importing it into a different Oracle Service Bus domain and

changing the environment-specific values in the configuration to match those of the new environment.

The methods in the [ALSBConfigurationMBean Interface](#) allow you to manage resources in an Oracle Service Bus domain, including tasks such as:

- Query, export, and import resources (includes importing resources from a zip file, and exporting resources at the project level)
- Get and set environment values
- Clone a project, folder, or resource with a new identity
- Modify the existing references from all the resources in the given list to a new set of references
- Customize multiple properties at once
- Obtain validation errors

and so on. See the [ALSBConfigurationMBean Javadoc](#) for the comprehensive method summary for the `ALSBConfigurationMBean` methods.

## Updating Environment-Specific Information

The methods in [ALSBConfigurationMBean](#) and the [Customization Class](#) allow you to update environment specific information. This includes.

- Updating the value of endpoints in proxy and business service configurations
- Updating the directory elements in File, E-mail, and FTP transport configurations
- Directly setting environment value(s)
- Searching for environment-specific values specified in a query
- Find environment values specified in a query, and replace all occurrences of the environment value pattern with the given parameter.

and so on. See the [ALSBConfigurationMBean Javadoc](#) and the [Customization Class Javadoc](#) for a comprehensive summary of methods. Import customizations are supported by the [ALSBImportPlan](#)—see the [ALSBImportPlan Class](#) in the Javadoc.

You must update your security configuration and all other environment-specific settings interactively using the Oracle Service Bus Console. For information on configuring security, see [Securing Inbound and Outbound Messages](#) in the *Oracle Service Bus Console Online Help*. For information on configuring other environment-specific settings, see “[Step 4. Deploy an Oracle Service Bus Configuration](#)” on page 2-6.

## Examples

The [ALSBConfigurationMBean Interface](#) in the `com.bea.wli.sb.management.configuration` package in the Oracle Service Bus Javadoc includes example code illustrating how to import and export Oracle Service Bus configurations, how to change environment values, how to query resources, and so on.

## Related Topics

[Oracle Service Bus APIs](#) in the *Oracle Service Bus User Guide*.

## Using the Deployment APIs



# Oracle Service Bus Deployment Resources

This section describes Oracle Service Bus deployment resources that are added to your domain when you extend your domain with the Oracle Service Bus domain extension template.

The Oracle Service Bus Console and the UDDI manager run on the administration server. Therefore, you must run an administration server to manage Oracle Service Bus and to facilitate publishing and importing to and from a UDDI registry.

## Oracle Service Bus Domain Extension Template

Using the Configuration Wizard or WLST, you can easily extend a base WebLogic Server domain to create an Oracle Service Bus domain. You accomplish this by adding the resources and services provided in the Oracle Service Bus extension template to a base WebLogic Server domain.

**Note:** Using the Configuration Wizard in graphical mode, you can easily create a new Oracle Service Bus domain by checking the Oracle Service Bus check box in the **Select Domain Source** window. The result is the same as creating a base WebLogic Server domain first and then extending that domain with the Oracle Service Bus extension template. For more information about the templates required to create an Oracle Service Bus domain, see [Relationships Between Templates](#) in the *Domain Template Reference*.

## Generated Domain Output

The following table defines the default directory structure and files generated after applying the Oracle Service Bus extension template to a base WebLogic Server domain. Unless otherwise specified, by default, the Configuration Wizard creates the domain in the

*BEA\_HOME*\user\_projects\domains\base\_domain directory. If you modify the default configuration settings, the output directory structure may be different from the structure described here.

**Table B-1 Your domain after applying the Oracle Service Bus extension template (Continued)**

Directory	File	Description
<b>user_projects\domains\your_domain\</b>		
	fileRealm.properties	File containing ACLs, users, and groups that can be used for the default security realm when Compatibility security is used.
	pointbase.ini	File containing initialization information for a PointBase JDBC database.
	startWebLogic.cmd startWebLogic.sh	Scripts used to start the Administration Server on Windows and UNIX systems, respectively.
	URLs.dat	File containing the URL for the JDBC database.
	alsbdebug.xml configfwkdebug.xml	Files containing debug parameters for the domain. The default setting for all the parameters is false.
<b>autodeploy\</b>	readme.txt	File providing information about the directory, which initially serves as a placeholder for automatic deployments.

**Table B-1 Your domain after applying the Oracle Service Bus extension template (Continued)**

<b>Directory</b>	<b>File</b>	<b>Description</b>
<b>bin\</b>	setDomainEnv.cmd setDomainEnv.sh	Scripts used to set up the development environment on Windows and UNIX systems, respectively.
	startManagedWebLogic.cmd startManagedWebLogic.sh	Scripts used to start a Managed Server on Windows and UNIX systems, respectively.
	startPointBaseConsole.cmd startPointBaseConsole.sh	Scripts used to start the PointBase console on Windows and UNIX systems, respectively.
	startWebLogic.cmd startWebLogic.sh	Scripts used to start the Administration Server on Windows and UNIX systems, respectively.
	stopManagedWebLogic.cmd stopManagedWebLogic.sh	Scripts used to stop a Managed Server on Windows and UNIX systems, respectively.
	stopWebLogic.cmd stopWebLogic.sh	Scripts used to stop the Administration Server on Windows and UNIX systems, respectively.
	<b>config\</b>	config.xml
<b>config\ deployments\</b>	readme.txt	File providing information about the directory, which initially serves as a placeholder, and is later used for staging an application when the application's staging mode is "staged."
<b>config\ diagnostics\</b>	readme.txt	File providing information about the directory, which initially serves as a placeholder, and is later used for storing the system modules associated with instrumentation in the WebLogic Diagnostic Framework (WLDF).

**Table B-1 Your domain after applying the Oracle Service Bus extension template (Continued)**

Directory	File	Description
<b>config\jdbc\</b>	readme.txt	File providing information about the directory, which initially serves as a placeholder, and is later used for storing global JDBC modules that can be configured directly from JMX (as opposed to JSR-88).
	wlsbjmsrpDataSource-jdbc.xml	Global non-XA JDBC data source module for the Oracle Service Bus domain.
<b>config\jms\</b>	readme.txt	File providing information about the directory, which initially serves as a placeholder, and is later used for storing global JMS modules that can be configured directly from JMX (as opposed to JSR-88).
	wseejmsmodule-jms.xml	Configuration file containing JMS resources for Web Services Reliable Messaging (WS-RM).
	xbusResources-jms.xml	Global JMS module for the Oracle Service Bus domain.
<b>config\lib\</b>	readme.txt	File providing information about the directory, which initially serves as a placeholder, and is later used for storing JAR files that are added to the system classpath of the server when the server's Java virtual machine starts.
<b>config\nodemanager\</b>	nm_password.properties	File containing Node Manager password property values.
<b>config\security\</b>	readme.txt	File providing information about the directory, which initially serves as a placeholder, and is later used for storing system modules for the security framework. The directory contains one security provider configuration extension for each type of security provider in the domain's current realm.

**Table B-1 Your domain after applying the Oracle Service Bus extension template (Continued)**

<b>Directory</b>	<b>File</b>	<b>Description</b>
<b>config\ startup\</b>	readme.txt	File providing information about the directory, which initially serves as a placeholder, and is later used for storing system modules that contain startup plans. Startup plans are used to generate shell scripts that can be used as part of server startup.
<b>console-ext\</b>	readme.txt	File providing information about the directory, which initially serves as a placeholder for custom extensions to the WebLogic Server Administration Console.
<b>init-info\</b>	domain-info.xml	File used to identify domain creation and extension information. Such information includes the identity of the components in the domain, the location of the JDK and applications directory used by the domain, and the templates used to create and extend the domain.
	security.xml	File used for creating user groups and roles that establish identity and access to domain resources.
	startscript.xml	File used to create the *.cmd and *.sh files that are placed into the domain's root and bin directories.
	tokenValue.properties	File that contains the actual values to substitute for the tokens specified in the start scripts.
<b>lib\</b>	readme.txt	File providing information about the directory, which initially serves as a placeholder for the domain's libraries. The JAR files in this directory are added dynamically to the end of the server classpath at server startup.
<b>rmfilestore\</b>		Directory serving as a disk-based file store to store persistent messages and durable subscribers.

**Table B-1 Your domain after applying the Oracle Service Bus extension template (Continued)**

Directory	File	Description
security\	DefaultAuthenticatorInit.ldift	Files used for bootstrapping tasks, including authentication (user and group), authorization, and role mapping. These files contain LDAP-specific information.
	DefaultAuthorizerInit.ldift	
security\	DefaultRoleMapperInit.ldift	<b>Note:</b> WebLogic domains created with this release use the XACML providers by default. These XACML security providers are compatible with policies and roles created using the WebLogic Authorization provider (DefaultAuthorizer) and WebLogic Role Mapping provider (DefaultRoleMapper). For more information, see WebLogic Security Providers in <a href="#">Understanding WebLogic Security</a> .
	XACMLAuthorizerInit.ldift	
	XACMLRoleMapperInit.ldift	
	SerializedSystemIni.dat	File containing encrypted security information.
servers\AdminServer\security\	boot.properties	File containing server startup properties, including the user name and password required to boot the server (in encrypted format). It is generated only when you select development startup mode.  This file enables you to bypass the prompt for user name and password during a server's startup cycle. For more information, see <a href="#">Provide User Credentials to Start and Stop Servers</a> in Starting and Stopping Servers in Managing Server Startup and Shutdown.

## Resources and Services Configured

The following table identifies the resources and services configured in a domain extended with the Oracle Service Bus extension template.

**Table B-2 Resources Configured in an Oracle Service Bus Domain**

<b>Resource Type</b>	<b>Name</b>	<b>Extension Result / Description</b>
<b>Administration Server</b>	AdminServer	Uses the Administration Server provided in the base WebLogic Server domain. The default name is AdminServer, unless changed during domain creation. The Administration Server referenced in the extension template is xbusServer.
<b>Application Deployments</b>	Oracle Data Service Integrator (DSP) Transport Provider	Adds the application and targets it to the Administration Server, AdminServer.
	Oracle Service Bus Cluster Singleton Marker Application	Adds the application and targets it to the Administration Server, AdminServer. Internal application.
	Oracle Service Bus Domain Singleton Marker Application	Adds the application and targets it to the Administration Server, AdminServer. Internal application.
	Oracle Service Bus Framework Starter Application	Adds the application and targets it to the Administration Server, AdminServer. Internal application that starts various Oracle Service Bus frameworks.
	Oracle Service Bus Logging	Adds the application and targets it to the Administration Server, AdminServer.
	Oracle Service Bus Publish	Adds the application and targets it to the Administration Server, AdminServer.
	Oracle Service Bus Resource	Adds the application and targets it to the Administration Server, AdminServer.
	Oracle Service Bus Routing	Adds the application and targets it to the Administration Server, AdminServer.
	Oracle Service Bus Subscription Listener	Adds the application and targets it to the Administration Server, AdminServer. UDDI subscription listener.

**Table B-2 Resources Configured in an Oracle Service Bus Domain**

Resource Type	Name	Extension Result / Description
	Oracle Service Bus Test Framework	<p>Adds the application and targets it to the Administration Server, AdminServer.</p> <p>In clusters, the Test Framework is deployed on the admin server and on each managed server by default. It must be deployed on the admin server if you want to test XQueries from the XQuery builders. To use the test console, a cluster address must be configured. The cluster address must contain at least one of the managed servers where the Test Framework EJB is deployed.</p>
	Oracle Service Bus Transform	Adds the application and targets it to the Administration Server, AdminServer.
	Oracle Service Bus UDDI Manager	Adds the application and targets it to the Administration Server, AdminServer.
	EJB Transport Provider	Adds the application and targets it to the Administration Server, AdminServer.
	Email Transport Provider	Adds the application and targets it to the Administration Server, AdminServer.
	File Transport Provider	Adds the application and targets it to the Administration Server, AdminServer.
	Flow Transport Provider	Adds the application and targets it to the Administration Server, AdminServer. For the Split-Join feature.
	Ftp Transport Provider	Adds the application and targets it to the Administration Server, AdminServer.
	JMS Reporting Provider	Adds the application and targets it to the Administration Server, AdminServer.
	JPD Transport Provider	Adds the application and targets it to the Administration Server, AdminServer.



**Table B-2 Resources Configured in an Oracle Service Bus Domain**

Resource Type	Name	Extension Result / Description
	Message Reporting Purger	<p>Adds the application and targets it to the Administration Server, <code>AdminServer</code>.</p> <p>The Oracle Service Bus Message Reporting Purger runs as a singleton instance on one of the managed servers in the cluster. The Message Reporting Purger queues the purging requests and processes them one by one.</p> <p>For failover information in the event the managed server that hosts the Message Reporting Purger and the <code>wli.reporting.purge.queue</code> fails, see <a href="#">“Message Reporting Purger” on page 5-4</a>.</p>
	MQ Transport Provider	<p>Adds the application and targets it to the Administration Server, <code>AdminServer</code>.</p>
	SB Transport Provider	<p>Adds the application and targets it to the Administration Server, <code>AdminServer</code>.</p>
	ServiceBus_Console	<p>Adds the application and targets it to the Administration Server, <code>AdminServer</code>.</p>
	SFTP Transport Provider	<p>Adds the application and targets it to the Administration Server, <code>AdminServer</code>.</p>
	Tuxedo Transport Provider	<p>Adds the application and targets it to the Administration Server, <code>AdminServer</code>.</p>
	WS Transport Provider	<p>Adds the application and targets it to the Administration Server, <code>AdminServer</code>. Transport provider for WS-RM.</p>
	WS Transport Async Application	<p>Adds the application and targets it to the Administration Server, <code>AdminServer</code>. Internal application.</p>

**Table B-2 Resources Configured in an Oracle Service Bus Domain**

<b>Resource Type</b>	<b>Name</b>	<b>Extension Result / Description</b>
	XBus Kernel	Adds the application and targets it to the Administration Server, <code>AdminServer</code> . The application includes the / (slash) WAR and <code>kerneladmin</code> EJB modules, which are also targeted to <code>AdminServer</code> .
<b>File Stores</b>	FileStore	Adds the file store to be used as the persistent store for the JMS server, <code>wlsbjmsserver</code> .
<b>JDBC Data Source</b>	<code>wlsbjmsrpDataSource</code>	Identifies the JDBC data source as a <code>wlsbjmsrpDataSource</code> system resource.
<b>JDBC System Resources</b>	<code>wlsbjmsrpDataSource</code>	Identifies the JDBC data source and connection pool setup to be used for JDBC system resources and targets the resources to the Administration Server, <code>AdminServer</code> .
<b>JMS Connection Factories</b>	<code>weblogic.wlsb.jms.transporttask.QueueConnectionFactory</code>	Adds the JMS connection factory as a <code>jmsResources</code> system resource and targets it to the Administration Server, <code>AdminServer</code> .
	<code>wli.reporting.jmsprovider.NonXAConnectionFactory</code>	Adds the JMS connection factory as a <code>jmsResources</code> system resource and targets it to the Administration Server, <code>AdminServer</code> .
	<code>wli.reporting.jmsprovider.XAConnectionFactory</code>	Adds the JMS connection factory as a <code>jmsResources</code> system resource and targets it to the Administration Server, <code>AdminServer</code> .

**Table B-2 Resources Configured in an Oracle Service Bus Domain**

<b>Resource Type</b>	<b>Name</b>	<b>Extension Result / Description</b>
<b>JMS Queues</b>	QueueIn	Adds the JMS queue to the JMS server, <code>wlsbJMSServer</code> .
	<code>wlsb.internal.transport.task.queue.email</code>	Adds the JMS queue to the JMS server, <code>wlsbJMSServer</code> .
	<code>wlsb.internal.transport.task.queue.file</code>	Adds the JMS queue to the JMS server, <code>wlsbJMSServer</code> .
	<code>wlsb.internal.transport.task.queue.ftp</code>	Adds the JMS queue to the JMS server, <code>wlsbJMSServer</code> .
	<code>wlsb.internal.transport.task.queue.sftp</code>	Adds the JMS queue to the JMS server, <code>wlsbJMSServer</code> .
	<code>wli.reporting.jmsprovider.queue</code>	Adds the JMS queue to the JMS server, <code>wlsbJMSServer</code> .
	<code>wli.reporting.jmsprovider_error.queue</code>	Adds the JMS queue to the JMS server, <code>wlsbJMSServer</code> .
	<code>wli.reporting.purge.queue</code>	Adds the JMS queue to the JMS server, <code>wlsbJMSServer</code> .
<b>JMS Servers</b>	<code>wlsbJMSServer</code>	Adds the JMS server as a <code>jmsResources</code> system resource and targets it to the Administration Server, <code>AdminServer</code> .
<b>JMS System Resources</b>	<code>jmsResources</code>	Identifies the JMS servers, connection factories, and queues to be used for JMS system resources, and targets the resources to the Administration Server, <code>AdminServer</code> .
<b>Security realm</b>	<code>myrealm</code>	Uses the security realm provided by the base WebLogic Server domain.

**Table B-2 Resources Configured in an Oracle Service Bus Domain**

Resource Type	Name	Extension Result / Description
<b>Web Services Security</b>	__SERVICE_BUS_INBOUND_WEB_SERVICES_SECURITY_MBEAN__	Adds the inbound Web Services security configuration, including the default_x509_handler and default_ut_handler token handlers and the ServiceBusProviderUNT and ServiceBusProviderX509 credential providers.
	__SERVICE_BUS_OUTBOUND_WEB_SERVICES_SECURITY_MBEAN__	Adds the outbound Web Services security configuration, including the default_x509_handler and default_ut_handler token handlers and the ServiceBusProviderUNT, ServiceBusProviderX509, and alsb_saml_credential_provider credential providers.

# Index

## A

- access control 2-6
- administration server
  - configuring 2-3, 4-6
  - deployment 3-5
  - IP address 4-2
  - Start Admin Server 2-5
- administrator username 2-3, 4-6
- Alert Manager 3-4
- ALSB Domain Singleton Marker Application 3-4
- Archive directory 4-4
- authentication 2-6
- authorization 2-6
- Available JDBC Data Sources list 2-4

## B

- boot.properties 3-5
- business processes
  - load balancing 3-6
- business service
  - and WS-Policies 1-9
  - changing a business service 4-16
  - configuration 1-7
  - connection factories 2-5
  - transparent server reconnection 5-5
  - updating for expanded cluster 4-14

## C

- CacheFullExceptions 1-5
- clusters

- about clusters 1-4
- adding servers to 4-2
- configuration tasks 2-1, 4-1
- designing 3-2
- domains in 3-2, 3-3
- high availability 5-7
- machines in 4-6
- prerequisites for configuring 2-1, 4-2
- scalability 3-1
- security 2-6, 4-9
- simplified view of 5-3
- updating address 4-12
- updating business services after expansion 4-14
- updating proxy services after expansion 4-15

config.xml 2-5, 4-1, 4-5, 4-8, 4-9

configuration

- administrative username and password 2-3, 4-6
- clusters 2-1, 4-1
- deploy 2-8
- import and export A-3
- of administration server 2-3, 4-6
- of business services 1-7
- of Java SDK 2-3, 4-6
- of JRockit SDK 2-3, 4-6
- of machines in cluster 4-6
- of proxy services 1-7
- of servers to machines 4-7
- prerequisites 4-1
- security 2-6, 4-9
- server start mode 2-3, 4-6

- WSDL resources 1-8
- configuration files
  - boot.properties 3-5
  - config.xml 2-5, 4-1, 4-8, 4-9
  - msi-config.xml 3-5
  - SerializedSystemIni.dat 3-5
  - web.xml 4-14
- Configuration Wizard 2-2, 4-5
- connection factories
  - updating in proxy service 1-8
  - XA and non-XA 2-5
- connection pools 1-6

## D

- data sources 2-4, 4-7
- data transformations
  - formatted binary data 1-10
  - MFL 1-10
  - XML 1-10
  - XQuery 1-9
  - XSLT 1-9
- database administrators 1-3
- database tables 4-9
- DB Version drop-down list 2-4
- DBMS 1-12, 2-1, 5-5
- deployment
  - and administration server 3-5
  - goals 1-1
  - JAR file 2-6, 4-11
  - resources
    - business services 1-7
    - connection factories 1-8
    - data transformation maps 1-9
    - databases 1-12
    - hardware 1-12
    - JMS queues 1-8
    - network 1-12
    - online update 2-8
    - operating system 1-12
    - overview 1-3

- proxy service providers 1-9
- proxy services 1-7
- resource groups 3-3
- service accounts 1-9
- singleton 3-4
- WebLogic Server 1-4
- WebLogic Server Work Manager
  - 1-8
- WSDLs 1-8
- WS-Policies 1-9
- XML schemas 1-9
- specialists 1-3
- tasks 1-2, 2-1, 4-1
- digital signature 1-9
- directories
  - Archive 4-4
  - Error 4-4
  - Stage 4-4
  - updating in proxy services 1-8, 2-7
  - updating using WLST A-5
- dispatch policies 1-8
- dist\_wli.reporting.jmsprovider.queue\_auto
  - 4-13
- dist\_wli.reporting.jmsprovider\_error.queue\_auto
  - 4-14
- dist\_wlsb.internal.transport.task.queue.email\_auto
  - 4-13
- dist\_wlsb.internal.transport.task.queue.file\_auto
  - 4-13
- dist\_wlsb.internal.transport.task.queue.ftp\_auto
  - 4-14
- dist\_wlsb.internal.transport.task.queue.sftp\_auto
  - 4-14
- domains
  - adding managed server to 2-7, 4-12
  - adding proxy servers to 4-8
  - clustered servers in 3-3
  - Configuration Wizard, using the 2-2, 4-5
  - creating 2-1, 2-2, 3-2, 4-1, 4-5

- creating using Configuration Wizard
  - 2-2, 4-5
- dropping managed server from 4-15
- expanding cluster 4-14, 4-15
- naming 2-5, 4-8
- Oracle Service Bus 3-2
- shutting down servers in 4-10
- source 2-3, 4-6
- starting servers in 2-6, 4-10, 4-11
- updating 2-7, 4-12, 4-15

domainsingletonmarker.ear 3-4

dynamic update 2-8

## E

EIS

- and business services 1-7
- changing a business service 2-7
- failover 5-5

EJBs

- cache 1-5
- parameters
  - max-beans-in-free-cache 1-5
  - max-beans-in-free-pool 1-5
- pools 1-5

Email

- message type 1-7
- poller 3-4, 4-15, 5-4
- transport load balancing 4-4

encryption 1-9

endpoint URIs 2-7, 4-14, A-5

Error directory 4-4

execution thread pool 1-6

## F

failover 5-5

File message type 1-7

File poller 3-4, 4-15, 5-4

file stores 2-4, 4-7, 5-3

file system 2-1, 4-2

firewalls 4-4, 4-8

formatted binary data 1-10

## FTP

- message type 1-7
- poller 3-4, 4-15, 5-4
- transparent reconnection 5-5
- transport load balancing 4-4

## G

goals 1-1

## H

hardware

- faults 5-4
- requirements 1-12
- router 4-4

high availability

- about high availability 5-1
- and JDBC 5-3
- and JMS file stores 5-3
- clusters 5-7
- JMS 3-6
- JMS queues for poller based transports 5-6

## HTTP

- functions 3-6
- load balancer 4-14
- load balancing 3-6
- router 4-6

HttpClusterServlet 3-6, 4-6

## I

IP addresses 2-1, 4-2, 4-3

## J

J2EE Connector Architecture (J2EE-CA) 1-7

J2EE Connector Architecture *See* JCA

JAR file

- deploying 4-11
  - exporting and importing 2-6
- Java Message Service (JMS) 1-5
- Java SDK 2-3, 4-6
- JCA 1-7
- JDBC
  - and high availability 5-3
  - connection pools 1-6
  - data sources 2-4, 4-7
  - jdbc.log 4-7
  - wlsjmsrpDataSource 4-7
- jdbc.log 2-4, 4-7
- JMS
  - connection factories 2-5
  - file stores 2-4, 4-7, 5-3
  - functions 3-6
  - high availability 3-6
  - jmsResources module 4-12
  - message migration 5-4
  - modules 2-5
  - rmfilestore 4-7
  - transport 5-5
  - WebLogic JMS 1-5
- JMS Reporting Provider 1-12, 2-1, 2-4, 4-7
- JRockit SDK 2-3, 4-6

## K

- keystores 2-6, 4-9

## L

- license
  - cluster 2-1, 4-2
  - PointBase 4-4
- listen port numbers 4-2
- load balancing
  - business processes 3-6
  - Email transport 4-4
  - File transport 4-4
  - FTP transport 4-4

- high availability for poller-based transports 5-8
  - HTTP 4-14, 5-4
  - HTTP functions 3-6
  - JMS functions 3-6
  - router 4-4
  - settings 2-7
  - WebLogic Server 3-6
- local queue, creating 5-8
- Logging last resource option 2-4, 4-7

## M

- managed servers
  - adding to domain 2-7, 4-12
  - dropping from domain 4-15
  - Managed Server drop-down list 1-7
  - Managed Server Independence (MSI)
    - mode 3-3
  - migration of 5-4
  - selecting for File, FTP, and Email
    - message types in cluster 1-7
  - shutting down 4-10
  - starting 2-6, 3-3, 4-10, 4-11
- max-beans-in-free-cache 1-5
- max-beans-in-free-pool 1-5
- message flows 1-7
- Message Reporting Purger 4-16
- message types
  - Email 1-7
  - File 1-7
  - FTP 1-7
- message URL 4-15
- message-level security 2-6
- MFL 1-10
- Microsoft SQL Server 2-4, 4-3, 4-7
- Module Containing Temporary Template list 4-12
- msgpurger.ear 4-10
- msi-config.xml 3-5
- multicast addresses 2-1, 4-2



multihome machine 2-1, 4-2

## N

NFS 4-4

non-XA connection factories 2-5

## O

online update 2-8

Oracle 2-4, 4-4, 4-7

Oracle Service Bus domains 3-2

## P

password configuration 2-3, 4-6

PointBase 2-1, 4-4

Poller based transports, high availability 5-6

pollers

- Email 3-4

- File 3-4

- FTP 3-4

pool size 1-5

port numbers 2-1, 4-2

Production Mode 2-3, 4-6

proxy servers

- adding to domain configuration 4-8

- Proxy Server drop-down list 4-6

proxy service

- and proxy service providers 1-9

- and service accounts 1-9

- and WebLogic Server Work Manager 1-8

- and WS-Policies 1-9

- backward compatibility 2-8

- configuration 1-7

- connection factories 2-5

- directories

  - Archive 4-4

  - Error 4-4

  - Stage 4-4

- Email message type 1-7

- File message type 1-7

- FTP message type 1-7

- installing new version 2-8, 4-16

- message flows 1-7

- schemas 1-9

- updating

  - connection factories for 1-8

  - directory names 1-8

  - for expanded cluster 4-15

  - Managed Server selection 1-7

  - queues for 1-8

  - when dropping a managed server 4-15

proxy service providers

- digital signature 1-9

- encryption 1-9

- SSL client authentication 1-9

- Web services security X509 token 1-9

## Q

queues

- and business services 2-5

- and proxy services 2-5

- dist\_wli.reporting.jmsprovider.queue\_automato 4-13

- dist\_wli.reporting.jmsprovider\_error\_queue\_automato 4-14

- dist\_wlsb.internal.transport.task.queue\_email\_automato 4-13

- dist\_wlsb.internal.transport.task.queue\_file\_automato 4-13

- dist\_wlsb.internal.transport.task.queue\_ftp\_automato 4-14

- dist\_wlsb.internal.transport.task.queue\_sftp\_automato 4-14

- load balancing 3-6

- updating in proxy service 1-8

## R

recovery

- from hardware faults 5-4
- from software faults 5-3
- redeploy configuration 2-8
- resource naming rules 2-2
- rmfilestore 2-4, 4-7
- roles
  - database administrators 1-3
  - deployment specialists 1-3
  - WebLogic Server administrators 1-3
- router 3-6, 4-4, 4-6
- routing destinations 2-7
- Run Scripts 2-4

## S

- schemas 1-9
- security 4-9
  - access control 2-6
  - authentication 2-6
  - authorization 2-6
  - configuring in clusters 2-6, 4-9
  - digital signature 1-9
  - encryption 1-9
  - message level 2-6
  - proxy service providers 1-9
  - service accounts 1-9
  - SSL client authentication 1-9
  - transport level 2-6
  - Web services security X509 token 1-9
  - WS-Policies 1-9
- SerializedSystemIni.dat 3-5
- server affinity 3-6
- servers
  - adding to domain 2-7, 4-12
  - and deployment 3-5
  - dropping from domain 4-15
  - failure and recovery 5-3
  - in domains 3-3
  - migration 5-4
  - monitoring 4-11

- multiple instances on single machine 4-3
- shutting down in the domain 4-10
- start mode 2-3, 4-6
- starting in the domain 2-6, 4-10, 4-11
- transparent reconnection 5-5
- See also* administration servers, managed servers

- service accounts 1-9
- Service Level Agreements 3-4
- service references 2-7
- shared file system 2-1, 4-2, 4-4
- shutting down servers 4-10
- SLA Manager 3-4
- SMTP 5-5
- SOAP 3-6
- software faults 5-3
- software router 4-4
- SSL client authentication 1-9, 4-9
- Stage directory 4-4
- Start Admin Server 2-5
- starting servers 2-6, 4-10, 4-11
- Sun SDK 4-6
- Supports global transactions check box 2-4, 4-7

## T

- Temporary Template Name box 4-12
- TemporaryTmplt 4-12
- Test Connections 2-4
- threads, execution 1-6
- transparent reconnection 5-5
- transport-level security 2-6

## W

- Web services security X509 token 1-9
- web.xml 4-14
- WebLogic Messaging Bridge 2-2
- WebLogic Server Administration Console
  - location in cluster 3-3

- Servers node 3-3
- WebLogic Server administrators 1-3
- WebLogic Server Work Manager 1-8
- WLI Aggregator 5-4
- wlsbjmsrpDataSource 2-4, 4-7
- wlsJMSServer 3-4
- WSDLs 1-8
- WS-Policies 1-9

## **X**

- XA connection factories 2-5
- XML 1-9, 1-10, 3-6
- XQuery 1-9
- XSLT 1-9

