

**Oracle® Insurance IStream**

IStream Document Manager Message Reference Guide

Release 6.3

**E15015-01**

June 2009

# Copyright

Copyright © 2009, Oracle and/or its affiliates. All rights reserved.

Primary Authors: Andrew Brooke and Ken Weinberg

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

## **U.S. GOVERNMENT RIGHTS**

Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are “commercial computer software” or “commercial technical data” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

# **CONTENTS**

---

---

<b>Chapter 1 — Overview . . . . .</b>	<b>5</b>
<b>Document Conventions . . . . .</b>	<b>6</b>
<b>Message Types . . . . .</b>	<b>7</b>
<b>Message Listings . . . . .</b>	<b>8</b>
<b>Searching Messages . . . . .</b>	<b>8</b>
<b>IStream Document Manager Documentation . . . . .</b>	<b>10</b>
<b>Chapter 2 — Error Messages . . . . .</b>	<b>13</b>
<b>Chapter 3 — Log Messages . . . . .</b>	<b>39</b>
<b>Chapter 4 — SDK Messages . . . . .</b>	<b>105</b>

## **CONTENTS**

---

# **Chapter 1**

---

---

## **Overview**

Welcome to the IStream Document Manager 6.3 Message Reference Guide.

This chapter contains information about:

- *Document Conventions* on page 6
- *Message Types* on page 7
- *Message Listings* on page 8
- *IStream Document Manager Documentation* on page 10

## Document Conventions

### Tips, Notes, Important Notes and Warnings

Tip: A **Tip** provides a better way to use the software.

Note: A **Note** contains special information and reminders.

Important: An **Important** note contains significant information about the use and understanding of the software.

Warning: A **Warning** contains critical information that if ignored, may cause errors or result in the loss of information.

### Other Document Conventions

- Microsoft Window names, buttons, tabs and other screen elements are in bold, for example: Click **Next**.
- paths, URLs and code samples are in the Courier font, for example: C:\\Windows
- values that you need to enter or specify are indicated in the italicized Courier font, for example, *server\_name*
- values that are optional are indicated with square brackets, for example [reserved]

## Message Types

This guide lists the following types of IStream Document Manager messages in three separate tables:

- *Error Messages* on page 13 – Error messages appear in the IStream Document Manager application interface.
- *Log Messages* on page 39 – Log messages are written to an IStream Document Manager log file. You can also view these messages with the Log Viewer.
- *SDK Messages* on page 105 – SDK messages appear in the IStream Document Manager log file when using the IStream Document Manager API.

## Message Listings

Each message table includes the message text, a message type, and a message code:

### Message Text

The first column in each table (**Error Message**, **Log Message** or **SDK Message**) contains the actual text of the message that appears. All messages are sorted alphabetically by the message text. The name of this column varies in each table.

### Message Module

The **Module** column lists the module or submodules to which the message applies.

### Message Type

The **Type** column lists the kind of message and its severity. From least to most critical, these are:

- **Info** (Informational messages) – These appear during the normal operation of IStream Document Manager. They do not indicate any operational problems.
- **Warnings** – These indicate a problem may have occurred.
- **Errors** – These indicate a problem has occurred, but IStream Document Manager may be able to continue running normally.
- **Critical** – These indicate a serious problem has occurred that may cause IStream Document Manager to stop working.

### Message Code

The **Code** column lists a unique identifier associated with the message. You can use this to more quickly identify the message when contacting customer support.

## Searching Messages

You can search this PDF document to find a specific message. This is useful if you know the message code, and want to see what it means.

---

### Method: Search messages

---

1. While this PDF file is open, press **Ctrl-F**.
2. The **Find** dialog box is displayed.
3. In the **Find What** field, type the code you want to find. Ensure all the check boxes in the dialog box are cleared.

- 4.** Click **Find** or **Find Again**.
- 5.** The code you are searching for is highlighted in the document.

# IStream Document Manager Documentation

IStream Document Manager includes the following documents and online help files:

## General Documentation

- The *IStream Document Manager Release Notes* include general product information, product enhancements and new features, supported platforms and third-party software, assorted considerations, and known issues and limitations.
- The *IStream Document Manager ReadMe* file describes the contents of the installation package.
- The *IStream Document Manager Glossary* contains definitions of commonly used IStream terms.

## User Guides and Online Help

- The *IStream Assembler Online Help* describes how to generate documents from sections and model documents.
- The *IStream Assembler Add-in for Microsoft Word Online Help* describes how to perform certain IStream Assembler functions directly within Microsoft Word.
- The *IStream Author User Guide* describes how to create, edit, and test sections or model documents.
- The *IStream Author Add-in for Microsoft Word Online Help* describes how to perform certain IStream Author functions directly within Microsoft Word.
- The *IStream Customizer User Guide* describes how to modify the content of generated documents so that the changes will be applied during subsequent document generations.
- The *IStream Document Manager DMS Guide for IStream and Model Documents* describes how to edit and work with IStream sections and model documents using the DMS user interface.
- The *DMS Plug-in for Author Online Help* describes how to access DMS functionality in IStream Author.
- The *IStream InfoConnector Online Help* describes how to set up and configure IStream InfoSources.

## Advanced Guides

- The *IStream Document Manager Guide for New Installations* explains how to complete a new installation of IStream Document Manager. It includes system requirements and detailed installation and configuration information.

- The *IStream Document Manager Upgrade Installation Guide* explains how to upgrade an *existing* installation of IStream Document Manager. It includes system requirements and detailed installation and configuration information.
- The *IStream Document Manager Message Reference Guide* contains lists of error, log and SDK messages from the various IStream components. It is for technical users who need additional information about the various IStream messages they receive.
- The *IStream Document Manager Technical Guide* is for system administrators and technical support staff who configure IStream Document Manager and set up links between it and their company's database. This guide is also for those who set up and maintain security groups and operators in the system, and who install, optimize, maintain and troubleshoot IStream Document Manager. It also describes installing and configuring IStream XML InfoSources for interactive and batch generation.
- The *IStream Assembler and Extensibility Toolkit Guides* contain detailed descriptions of the components in the IStream Toolkit, or SDK. They are for technical users who need to integrate IStream components with their own or other third party applications.

In addition to the toolkit guides, the *IStream Toolkit SDK Samples Guide* gives an overview of the toolkit samples. The samples are working examples that can help you develop custom applications.

For more information about the toolkit, see the *IStream Document Manager Toolkit ReadMe*.

## **OVERVIEW**

---

## **Chapter 2**

---

---

### **Error Messages**

This chapter lists error messages that are displayed in the user interface of an IStream Document Manager application. For descriptions of each table column, see *Message Listings* on page 8.

## ERROR MESSAGES

---

Error Message	Module	Type	Code
A rare error happens. Exit Customizer and try again.	Customizer	Critical	452
A syntax error was found in the Chart Data.	Graph Property	Error	
A syntax error was found in the Column Labels.	Graph Property	Error	
A syntax error was found in the Row Labels.	Graph Property	Error	
An empty document is generated! Please check the error message in the generation log and try it again.	Customizer	Warning	
An error occurred during the move data process: -115.	Installation	Error	17
An error occurred during the move data process: -119.	Installation	Warning	18
An error occurred while retrieving the system default chart properties. The error details are: (error message).	Graph Property	Error	
An option to create PDF bookmarks has been selected but no bookmark styles have been defined for the selected Template. To create bookmarks, you must define at least one bookmark style.	Author	Warning	
An option to create PDF bookmarks has been selected, but no styles have been defined for this template. To create bookmarks, you must define bookmark styles in the Section Properties for the Model or the PDF Defaults.	Author	Warning	
Are you sure to delete?	InfoSource: ISCUserDb	Warning	104
Are you sure you want to delete custom wording: (wording name)? Deleting will permanently remove this custom wording!	Customizer	Warning	
Assembler link object is not registered.	Customizer	Critical	348
Author could not insert the Chart object into the document. Please see your system administrator.	Graph Property	Warning	
Bitmap or Pen creation failed	Graph Property	Error	
Blank Configuration Information.	InfoSource: file system	Error	0x80040621
Blank Configuration Information.	InfoSource: IscLiveLink	Error	0x80040923

Error Message	Module	Type	Code
Blank Configuration Information.	InfoSource: iscodb	Error	0x80040514 (157)
Blank Configuration Information.	InfoSource: ISCUserDb	Error	162
Box cannot be blank.	Author	Warning	
Can not get WP connection object for this IStream doc.	Customizer	Warning	
Cannot commit the root storage of IStream Document Manager doc.	Customizer	Error	458
Cannot commit the wording pool.	Customizer	Error	457
Cannot create assembly link object.	Customizer	Critical	349
Cannot create new InfoSource storage.	ISM: Isservm	Error	0x80040203
Cannot create Template object.	Customizer	Error	365
Cannot create the new InfoSource Configuration file.	ISM: ISAM	Error	
Cannot create wording pool object.	Customizer	Critical	347
Cannot find any tag.	Customizer	Error	350
Cannot get the native WP rendition storage from IStream Document Manager doc.	Customizer	Error	451
Cannot get the root storage from IStream Document Manager doc.	Customizer	Error	450
Cannot get the Windows directory path.	InfoSource: iscodb	Warning	150
Cannot get WP connection object for this IStream Document Manager doc.	Customizer	Error	456
Cannot highlight this tag: (Tag Name).	Customizer	Error	455
Cannot import - missing DEF.	Author	Warning	
Cannot import - missing specification document.	Author	Warning	
Cannot import - missing specification document.	Author	Warning	
Cannot instantiate InfoConnector Services.	ISM: ISAM	Error	
Cannot load the content of the word processor or create a new one from the word processor due to (Err Msg Content).	Customizer	Error	376

## ERROR MESSAGES

---

Error Message	Module	Type	Code
Cannot load the wording pool of IStream Document Manager document: (CLG UISR)due to (Err Msg Desc.).	Customizer	Error	453
Cannot open import doc in the repository	Author	Warning	
Cannot open import doc in the repository	Author	Warning	
Cannot open section (section name). (MDO name is a Model Document Outline. Please use the Open Model Document function to open this document.	Author	Warning	
Cannot open the file as a model document. File is already open.	Author	Error	
Cannot open the InfoSource Configuration file.	ISM: Isservm	Error	0x80040215
Cannot open the InfoSource Configuration File. Click OK to select another file, or Cancel to close the application.	ISM: ISAM	Error	
Cannot open the IStream Document Manager document: (CLG UISR) due to (Err Msg Desc.).	Customizer	Error	354
Cannot open this wording item due to error in retrieving the item storage.	Customizer	Error	367
Cannot open this wording item due to no IIInsPersistStorage from Template object.	Customizer	Error	366
Cannot re-generate the IStream Document Manager document: (CLG UISR). Please check the error message in the message log. For the time being, do you want to open the original IStream Document Manager document?	Customizer	Error	359
Cannot remove this custom wording from the wording pool. Please check the message log for details.	Customizer	Warning	373
Cannot remove wording (Wording Info) from the wording pool due to code (Error Code).	Customizer	Error	468
Cannot retrieve the product name. Exiting.	Installation	Warning	23
Cannot save (UISR) to repository due to the error code (Error Code).	Customizer	Error	372

Error Message	Module	Type	Code
Cannot save properties of wording (Wording Info) to the wording pool.	Customizer	Error	466
Cannot save this custom wording to the wording pool. Please check the message log for details.	Customizer	Warning	371
Cannot write the new path to the Registry.	ISM: ISAM	Warning	
Compilation failed.	Author	Error	
Compilation was successful, but failed to save the compiled document.	Author Addin	Warning	
Compile failed.	Author Addin	Warning	
Compile/Generation is in progress. Please wait for the process to complete before saving the document.	Author Addin	Warning	
Component not found.	Installation	Critical	2
Configuration path is empty.	Installation	Error	5
Could not instantiate the InfoSource. Please restart the application and try again.	ISM: ISAM	Error	
Could not populate libraries list. Code = (Error Code) Code meaning = (Err Msg) Source = (Err Source) Description = (Err Desc).	InfoSource: IscFileNet	Error	143
Could not populate libraries list. Code = (Error Code) Code meaning = (Err Msg) Source = (Err Source) Description = (Err Desc).	InfoSource: IscFnImgSrv	Error	143
Could not save the compilation log since the file could not be opened.	Author	Error	
Could not save the generation log since file - (UISR) could not be created due to (Err Msg).	Customizer	Error	381
Cursor is currently not inside a tagged text block. Move the cursor and try again.	Customizer	Error	351
Custom Wording (Wording Info) has been removed to wording pool.	Customizer	Error	469
Customizer cannot create a new content in the word processor.	Customizer	Error	375
Customizer cannot import custom wordings due to (Err Desc).	Customizer	Error	473

## ERROR MESSAGES

---

Error Message	Module	Type	Code
Customizer cannot load the content of this IStream Document Manager document due to the content is empty or corrupt. Please see the message log for details. For the time being, the document will be closed.	Customizer	Error	374
Customizer failed to import custom wordings from the IStream Document Manager document you just selected. Do you want to import from another one?	Customizer	Warning	399
Data Elements File is required for the Re-Import operation	Author	Warning	
Data Elements File not found	Author	Warning	
Data exchange failed.	Author Assistant	Error	0x80040200 (600)
Date earlier than year 1601 is not supported	Author	Warning	
Date entered is not valid. Please enter a valid date.	Author Addin	Warning	
DB Table name already exists. Please enter a new name.	InfoSource: ISCUserDb	Info	105
Default Word Processor ID from registry is not valid	Author	Warning	
Default Word Processor ID from registry is not valid.	Author	Error	
Default Word processor id is empty.	Author	Warning	
Do you want to overwrite existing file?	InfoSource: file system	Warning	
Document conversion failed.	Author Addin	Warning	
Document has not been opened.	InfoSource: IscLiveLink	Error	0x80040906
Document is not opened.	InfoSource: IscFileNet	Error	122
Document is not opened.	InfoSource: IscFnImgSrv	error	122
Document name is missing.	InfoSource: IscFileNet	Error	119
Document name is missing.	InfoSource: IscFnImgSrv	error	119
Document was successfully converted to an Author model document.	Author Addin	Warning	
Document was successfully converted to an Author section.	Author Addin	Warning	

Error Message	Module	Type	Code
Documents generated in Internationalization mode cannot be customized.	Customizer	Warning	
Duplicated Key Data Name.	Author	Warning	
E_FAIL.	DMS/LiveLink Plugin	Critical	0x80004005
Effective date greater than termination date.	Author	Warning	
Effective date has to be less than termination date	Author	Warning	
Effective date is greater than termination date.	Customizer	Warning	353
Enter a Valid InfoSource Name.	InfoSource: file system	Error	
Enter a Valid InfoSource Name.	InfoSource: IscFnImgSrv	error	170
Enter a Valid InfoSource Name.	InfoSource: iscodbc	Error	170
Enter a Valid InfoSource Name.	InfoSource: ISCUserDb	Error	170
Enter valid source file.	ISM: ISAM	Warning	
Error loading DLL.	Installation	Error	16
Error loading IsCfg.dll. After the installation, setup InfoSources manually.	Installation	Error	8
Error opening generated PDF file. Error number: (number)	Customizer	Error	
Error parsing product information. Exiting.	Installation	Error	21
Error reading the list of products. Contact your vendor.	Installation	Error	22
Error trying to access list using index. Cannot continue.	Installation	Error	13
Fail to bind column.	InfoSource: iscodbc	Error	0x8004030d (153)
Fail to bind column.	InfoSource: ISCUserDb	Error	158
Fail to create new file folder.	InfoSource: file system	Error	0x80040622
Fail to launch web page.	DMS/LiveLink Plugin	Critical	0x80040200
Failed to access Author.Application.	Author Assistant	Error	607
Failed to access the Author.Application.ActiveTemplate.Info Sources.	Author Assistant	Error	606

## ERROR MESSAGES

---

Error Message	Module	Type	Code
Failed to access the Author.Application.ActiveTemplate.Loca IVars.	Author Assistant	Error	608
Failed to add a new document.	InfoSource: IscLiveLink	Error	0x80040920
Failed to add a new model document.	InfoSource: IscLiveLink	Error	0x80040921
Failed to add a new version.	InfoSource: IscLiveLink	Warning	0x80040922
Failed to add document in repository.	Assembler	Error	0X80000000
Failed to add the document to repository.	InfoSource: IscFileNet	Error	124
Failed to add the document to repository.	InfoSource: IscFnImgSrv	error	124
Failed to allocate a Connection Handle.	InfoSource: iscodbc	Error	0x80040303 (114)
Failed to allocate a Connection Handle.	InfoSource: ISCUserDb	Error	114
Failed to allocate a Environment Handle.	InfoSource: iscodbc	Error	0x80040302 (113)
Failed to allocate a Statement Handle.	InfoSource: iscodbc	Error	0x80040308 (122)
Failed to allocate a Statement Handle.	InfoSource: ISCUserDb	Error	122
Failed to allocate an Environment Handle.	InfoSource: ISCUserDb	Error	113
Failed to allocate memory for CGTempProperties.	Author	Error	
Failed to allocate memory for IGdaApplication Object.	Author	Error	
Failed to allocate memory for SecondarySectionCache Object.	Author	Critical	
Failed to build the Find statement.	InfoSource: file system	Error	0x80040620
Failed to close document in repository.	Assembler	Error	0X80000000
Failed to commit changes to the InfoSource Configuration file.	InfoSource: file system	Error	0x80040603
Failed to commit changes to the InfoSource Configuration file.	InfoSource: file system	Error	0x8004060e
Failed to commit changes to the InfoSource Configuration file.	InfoSource: IscLiveLink	Error	0x80040910
Failed to commit changes to the InfoSource Configuration file.	InfoSource: iscodbc	Error	0x80040506 (117)
Failed to commit changes to the InfoSource Configuration file.	ISM: Isservm	Error	0x80040209

Error Message	Module	Type	Code
Failed to commit configuration changes to the InfoSource Configuration file.	InfoSource: IscLiveLink	Error	0x80040904
Failed to commit configuration.	InfoSource: IscFileNet	Error	107
Failed to commit configuration.	InfoSource: IscFnImgSrv	error	107
Failed to commit the changes to the InfoSource Configuration file.	InfoSource: ISCUserDb	Error	117
Failed to complete request. Please check your InfoSource configuration and Author's default InfoSource before creating a model document.	Author	Warning	
Failed to connect to the data source.	InfoSource: iscodbc	Error	0x80040504 (115)
Failed to connect to the data source.	InfoSource: ISCUserDb	Error	115
Failed to copy content to the Temp. file.	InfoSource: IscLiveLink	Error	0x80040919
Failed to copy files.	InfoSource: file system	Error	0x80040612
Failed to copy the Cache file.	InfoSource: IscLiveLink	Error	0x8004091a
Failed to copy the temp file to the persisted file.	InfoSource: IscLiveLink	Error	0x8004091e
Failed to copy the temporary file.	InfoSource: IscFileNet	Error	110
Failed to create a generation session. Make sure the component IaeGenSM.exe enters the system registry.	Assembler	Error	0X80000000
Failed to create a new InfoSource Configuration file.	ISM: Isservm	Error	0x80040216
Failed to create a new Master Section.	Author	Error	
Failed to create a new Sub Section.	Author	Error	
Failed to create a new version.	InfoSource: IscLiveLink	Error	0x80040905
Failed to create a temp file.	InfoSource: file system	Error	0x80040b01
Failed to create a temporary file.	InfoSource: IscLiveLink	Error	0x80040915
Failed to create an instance of FanCallBack. Make sure the InsCltM.dll is registered.	Assembler	Error	0X80000000
Failed to create ISAServ.dll COM object.	Author	Error	0X80000000
Failed to create IStream Document Manager document COM object. Make sure the COM object IaeGenDM.dll enters the systems registry.	Assembler	Error	0X80000000

## ERROR MESSAGES

---

Error Message	Module	Type	Code
Failed to create object. Make sure the object is entered in the system registry.	Author	Error	
Failed to create object. Make sure the object is entered in the system registry.	Customizer	Warning	
Failed to create PDF Document.	Author Addin	Warning	
Failed to create Repository COM object.	Author	Error	0X80000000
Failed to create repository that supports metadata propagation. Please consult your system administrator.	Assembler	Error	
Failed to create Section COM object.	Author	Error	0X80000000
Failed to create storage for the new InfoSource.	ISM: Isservm	Error	0x80040205
Failed to create system InfoSource object.	Author	Error	
Failed to create temp file.	ISM: Isservm	Error	0x80040b01
Failed to create the (Stream Name) Stream.	Author	Warning	0X80000000
Failed to create the Chart. Please contact your system administrator to check your configuration.	Author	Warning	
Failed to create the Component Version stream.	ISM: Isservm	Error	0x80040217
Failed to create the Import Log file.	ISM: Isservm	Error	0x8004021c
Failed to create the InfoSource instance.	ISM: Isservm	Error	0x8004020d
Failed to create the IsaServices Object.	Installation	Error	9
Failed to create the Key Data Setup Storage.	Author	Error	0X80000000
Failed to create the Key Data Setup Stream.	Author	Error	0X80000000
Failed to create the model document WorkSpace.	Author	Error	0X80000000
Failed to create the repository object. Cannot start this program. Make sure that the repository component repositm.dll has been registered.	Assembler	Error	
Failed to create the storage for the new table.	InfoSource: ISCUserDb	Error	149
Failed to create the stream for the Base Path.	InfoSource: IscLiveLink	Error	0x80040911

Error Message	Module	Type	Code
Failed to create Word.Application Idispatch.	Author	Error	
Failed to delete an item from the list control.	Assembler	Error	DeleteItem of List Control returns false.
Failed to delete an item from the value pool.	Assembler	Error	0X80000000
Failed to delete the InfoSource.	ISM: Isservm	Error	0x80040212
Failed to delete the table.	InfoSource: ISCUserDb	Error	148
Failed to display file temporary generation.log. Make sure the registry entry for the default log editor is set properly.	Assembler	Error	return code from method ShellExecute less than (HINSTANCE)32
Failed to do 'load' from IPersistFile interface. Make sure the file exists and is not opened by other application.	Assembler	Error	0X80000000
Failed to execute the SQL Statement.	InfoSource: iscodbc	Error	0x80040309 (123)
Failed to execute the SQL Statement.	InfoSource: ISCUserDb	Error	123
Failed to export the generation log.	Assembler	Error	0X80000000
Failed to extract WP content from the current document. Make sure this document has valid WP content.	Customizer	Warning	
Failed to extract WP content from the current IStream Document Manager document. Make sure this document has valid WordProcessor content.	Assembler	Error	0X80000000
Failed to fetch the document rendition.	InfoSource: IscLiveLink	Error	0x80040917
Failed to fetch the document version.	InfoSource: IscLiveLink	Error	0x80040916
Failed to fetch the first row of data.	InfoSource: ISCUserDb	Error	147
Failed to find the current User ID.	InfoSource: IscLiveLink	Error	0x8004090c
Failed to generate the document through Assembler Client and Assembly Server.	Assembler	Error	0X80000000
Failed to generate the document. The current document will be closed. Please try again.	Assembler	Error	0X80000000
Failed to get a Column description.	InfoSource: ISCUserDb	Error	124

## ERROR MESSAGES

---

Error Message	Module	Type	Code
Failed to get document in repository.	Assembler	Error	0X80000000
Failed to get IStorage from IIInsDocument Interface. Make sure the document is generated properly.	Assembler	Error	0X80000000
Failed to get the Column description.	InfoSource: iscodbc	Error	0x8004030a (124)
Failed to get the IDM document object.	InfoSource: IscFileNet	Error	111
Failed to get the IIInsIscConfigure Interface.	ISM: ISAM	Error	
Failed to get the InfoConnector Services Interface.	ISM: ISAM	Error	
Failed to get the InfoSource Interface pointer.	ISM: Isservm	Error	0x80040211
Failed to get the InfoSource storage interface.	ISM: Isservm	Error	0x80040204
Failed to get the InfoSource storage.	InfoSource: file system	Error	0x80040608
Failed to get the IPPropertySetStorage Interface.	InfoSource: IscLiveLink	Error	0x8004090d
Failed to get the IPPropertySetStorage Interface.	InfoSource: iscodbc	Error	0x8004050a (128)
Failed to get the IPPropertySetStorage Interface.	InfoSource: ISCUserDb	Error	128
Failed to get the Local.idb Root Storage.	ISM: Isservm	Error	0x80040210
Failed to get the Persisted File Name.	InfoSource: IscLiveLink	Error	0x8004091d
Failed to get the resource file.	ISM: Isservm	Error	0x80040218
Failed to get the Root Storage for the InfoSource Configuration file.	InfoSource: iscodbc	Error	0x80040502 (110)
Failed to get the Root Storage of the InfoSource Configuration file.	InfoSource: file system	Error	0x80040607
Failed to get the Root Storage of the InfoSource Configuration file.	InfoSource: ISCUserDb	Error	110
Failed to get the version information.	ISM: Isservm	Error	0x8004021a
Failed to get the version size.	ISM: Isservm	Error	0x80040219
Failed to get the version.	ISM: Isservm	Error	0x8004021b
Failed to get word processor content from IStream Document Manager document. Make sure the document is generated properly.	Assembler	Error	0X80000000

Error Message	Module	Type	Code
Failed to import the InfoSource.	Installation	Error	7
Failed to initialize the Colors & Patterns dialog. Check if pattern*.bmp files are installed.	Graph Property	Error	
Failed to Initialize the IsaServices.	Installation	Critical	12
Failed to initialize the OLE library.	Installation	Error	10
Failed to insert a tree node.	Author	Warning	
Failed to insert the data definition name.	Author	Error	
Failed to insert the MSWord object. Make sure there is no winword.exe running in the background and restart the application to try again.	Assembler	Error	
Failed to insert the resource name.	Author	Warning	
Failed to insert the root node.	Author	Error	
Failed to launch Word application as server due to error code (Error Code Value).	Customizer	Error	383
Failed to load style from the specified template file	Author	Warning	
Failed to load the properties pool.	Assembler	Error	0X80000000
Failed to load the properties pool.	Assembler	Error	0X80000000
Failed to locate the Windows directory.	InfoSource: ISCUserDb	Error	150
Failed to log into the DMS.	InfoSource: IscLiveLink	Error	0x8004092b
Failed to open (File Name), access denied.	Author	Error	0x80030035
Failed to open (File Name).	Author	Error	0X80000000
Failed to open document in repository.	Assembler	Error	0X80000000
Failed to open InfoSource name storage.	InfoSource: IscLiveLink	Error	0x80040902
Failed to open or create a PDF Document.	Assembler	Error	0X80000000
Failed to open or create a Word Document.	Assembler	Error	
Failed to open registry key (Registry Path).	Author	Warning	
Failed to open storage.	InfoSource: IscFileNet	Error	106
Failed to open storage.	InfoSource: IscFnImgSrv	error	106
Failed to open the generated document in Word. Error = Error message)	Author	Warning	

## ERROR MESSAGES

---

Error Message	Module	Type	Code
Failed to open the InfoSource Configuration file.	ISM: Isservm	Error	0x8004020a
Failed to open the InfoSource storage.	InfoSource: file system	Error	0x80040602
Failed to open the InfoSource storage.	InfoSource: IscLiveLink	Error	0x8004090b
Failed to open the InfoSource storage.	ISM: Isservm	Error	0x8004020e
Failed to open the InfoSource substorage.	InfoSource: iscodb	Error	0x80040503 (111)
Failed to open the InfoSource substorage.	InfoSource: ISCUserDb	Error	111
Failed to open the IPropertySetStorage for the mapping table.	InfoSource: ISCUserDb	Error	140
Failed to open the IPropertySetStorage.	InfoSource: file system	Error	0x8004060a
Failed to open the IPropertyStorage for the Mapping Table.	InfoSource: ISCUserDb	Error	141
Failed to open the IPropertyStorage.	InfoSource: file system	Error	0x8004060b
Failed to open the IPropertyStorage.	InfoSource: IscLiveLink	Error	0x8004090e
Failed to open the IPropertyStorage.	InfoSource: iscodb	Error	0x80040509 (127)
Failed to open the IPropertyStorage.	InfoSource: ISCUserDb	Error	127
Failed to open the Key Data Setup Stream.	Author	Error	0X80000000
Failed to open the Mapping storage.	InfoSource: ISCUserDb	Error	138
Failed to open the Root Storage of the InfoSource Configuration file.	InfoSource: IscLiveLink	Error	0x8004090a
Failed to open the storage for LOCA.	InfoSource: file system	Error	0x8004060f
Failed to open the storage for the InfoSource.	InfoSource: ISCUserDb	Error	137
Failed to open the storage for the Mapping Table.	InfoSource: ISCUserDb	Error	139
Failed to paste item(s): Cannot read from the source item(s).	Author	Warning	
Failed to perform SaveAs, Error.	Author	Error	
Failed to persist the open Sections list.	Author	Error	0X80000000
Failed to query IID_IInsIsaExpImp.	Installation	Error	11
Failed to query the interface of IID_IInsRepUtilities. Make sure the repository component Repositm.dll is registered.	Assembler	Error	0X80000000

Error Message	Module	Type	Code
Failed to read from the InfoSource Configuration file (local.idb).	ISM: Isservm	Error	0x8004020f
Failed to read from the InfoSource Configuration file.	InfoSource: iscodbc	Error	0x80040508 (126)
Failed to read from the InfoSource Configuration file.	InfoSource: ISCUserDb	Error	126
Failed to read from the Mapping Table storage.	InfoSource: ISCUserDb	Error	142
Failed to read properties from the InfoSource Configuration file.	InfoSource: IscLiveLink	Error	0x80040913
Failed to read the Application path from the InfoSource Configuration file.	InfoSource: iscodbc	Error	0x8004050c (130)
Failed to read the Application path from the InfoSource Configuration file.	InfoSource: ISCUserDb	Error	130
Failed to read the Base Path from the InfoSource Configuration file.	InfoSource: IscLiveLink	Error	0x80040914
Failed to read the DataSource Name from the InfoSource Configuration file.	InfoSource: iscodbc	Error	0x8004050b (129)
Failed to read the DSN from the InfoSource Configuration file.	InfoSource: ISCUserDb	Error	129
Failed to read the Time Out period form the InfoSource Configuration file.	InfoSource: iscodbc	Error	0x80040517 (161)
Failed to read the Time Out period from the InfoSource Configuration file.	InfoSource: ISCUserDb	Error	166
Failed to read values from the InfoSource Configuration file.	InfoSource: file system	Error	0x8004060c
Failed to rename the InfoSource.	InfoSource: file system	Error	0x80040605
Failed to rename the InfoSource.	InfoSource: IscLiveLink	Error	0x80040903
Failed to rename the InfoSource.	InfoSource: iscodbc	Error	0x80040505 (116)
Failed to rename the InfoSource.	InfoSource: ISCUserDb	Error	116
Failed to reserve the document.	InfoSource: IscLiveLink	Error	0x80040908
Failed to retrieve IInsCompile Interface.	Author	Error	
Failed to retrieve IInsDocument Interface.	Author	Error	0X80000000
Failed to retrieve IInsGenerateDocument Interface. The COM object IaeGenDM.dll may be corrupted. Please re-register it.	Assembler	Error	0X80000000
Failed to retrieve IInsIscAccess Interface.	Author	Error	0X80000000

## ERROR MESSAGES

---

Error Message	Module	Type	Code
Failed to retrieve IInsIscConnect Interface.	Author	Error	0X80000000
Failed to retrieve IInsIscGet Interface.	Author	Error	0X80000000
Failed to retrieve IInsIscUtilities Interface.	Author	Error	0X80000000
Failed to retrieve IInsRepFileAccess.	Author	Error	0X80000000
Failed to retrieve IInsRepUtilities Interface.	Author	Error	0X80000000
Failed to retrieve InsIsaInitialize Interface.	Author Assistant	Critical	224
Failed to retrieve IPersistFile Interface.	Author	Error	0X80000000
Failed to retrieve IPersistFile Interface. The COM object IaeGenDM.dll may be corrupted. Please re-register it.	Assembler	Error	0X80000000
Failed to retrieve IsaAccess Interface.	Author Assistant	Critical	226
Failed to retrieve IsaConnect Interface.	Author Assistant	Critical	228
Failed to retrieve IsaGet Interface.	Author Assistant	Critical	227
Failed to retrieve IsaUtilities Interface.	Author Assistant	Critical	225
Failed to retrieve parameters of (InfoSource name) InfoSource. Please use InfoConnector to resolve issue or choose another InfoSource.	Customizer	Warning	
Failed to retrieve Section.	Author	Error	
Failed to retrieve the Document ID.	InfoSource: IscLiveLink	Error	0x80040918
Failed to retrieve the model document WorkSpace.	Author	Error	0X80000000
Failed to retrieve the root storage.	InfoSource: IscFileNet	Error	117
Failed to retrieve the root storage.	InfoSource: IscFnImgSrv	error	117
Failed to retrieve the version number.	InfoSource: IscLiveLink	Error	0x8004091b
Failed to retrieve the Word.Application.8 ClsId.	Author	Error	
Failed to save compilation log messages.	Author	Error	
Failed to save document in repository.	Assembler	Error	0X80000000
Failed to save the document.	Author	Error	0X80000000
Failed to save the IStream Document Manager document. Make sure there is no access violation.	Assembler	Error	0X80000000

Error Message	Module	Type	Code
Failed to save the properties pool.	Assembler	Error	0X80000000
Failed to save the tree information.	Author	Error	
Failed to save the variable pool.	Assembler	Error	0X80000000
Failed to select a file from repository. Make sure this InfoSource is configured properly.	Assembler	Error	0X80000000
Failed to select a file from repository. Make sure this repository is configured properly.	Customizer	Warning	
Failed to select default repository type.	Author	Error	
Failed to select repository. Make sure the InfoSources are configured properly.	Assembler	Warning	
Failed to select repository. Make sure the InfoSources are configured properly.	Assembler	Error	0X80000000
Failed to select the default repository.	Assembler	Error	0X80000000
Failed to select the default repository.	Assembler Add-in	Error	
Failed to set attributes using IInsRepUtilities interface. The COM object RepositM.dll may be corrupted. Please re-register it.	Assembler	Error	0X80000000
Failed to set list index.	Installation	Error	24
Failed to set repository attributes.	Author	Error	
Failed to start generation through Assembler Client InsCltM.dll. Make sure this component is registered.	Assembler	Error	0X80000000
Failed to start the Authoring Assistant Wizard.	Author Assistant	Error	0x80040202 (602)
Failed to start the DataBase Maintenance program.	InfoSource: ISCUserDb	Error	152
Failed to start the ODBC Administrator.	InfoSource: iscodb	Warning	151
Failed to start the ODBC Administrator.	InfoSource: ISCUserDb	Error	151
Failed to store hyperlink and bookmark settings	Author	Warning	
Failed to unreserve the document.	InfoSource: IscLiveLink	Error	0x80040907
Failed to validate document in repository.	Assembler	Error	0X80000000
Failed to write (String Value) to (Stream Name) stream.	Author	Warning	0X80000000

## ERROR MESSAGES

---

Error Message	Module	Type	Code
Failed to write changes to the InfoSource Configuration file.	InfoSource: file system	Error	0x8004060d
Failed to write properties to the InfoSource Configuration file.	ISM: Isservm	Error	0x80040208
Failed to write the Application path to the InfoSource Configuration file.	InfoSource: iscodbc	Error	0x8004050f (133)
Failed to write the Application path to the InfoSource Configuration file.	InfoSource: ISCUserDb	Error	133
Failed to write the Base Path to the InfoSource Configuration file.	InfoSource: IscLiveLink	Error	0x80040912
Failed to write the DataSource Name to the InfoSource Configuration file.	InfoSource: iscodbc	Error	0x8004050e (132)
Failed to write the default repository into registry.	Author	Error	
Failed to write the DSN to the InfoSource Configuration file.	InfoSource: ISCUserDb	Error	132
Failed to write the new LOCA.	InfoSource: file system	Error	0x80040610
Failed to write the Time Out period to the InfoSource Configuration file.	InfoSource: iscodbc	Error	0x80040516 (160)
Failed to write the Time Out period to the InfoSource Configuration file.	InfoSource: ISCUserDb	Error	165
Failed to write to the InfoSource Configuration file (local.idb).	InfoSource: iscodbc	Error	0x8004050d (131)
Failed to write to the InfoSource Configuration file.	InfoSource: IscLiveLink	Error	0x8004090f
Failed to write to the InfoSource Configuration file.	InfoSource: ISCUserDb	Error	131
File ( <i>filename</i> ) is being used by other user.	Author	Error	0x80030020
File ( <i>filename</i> ) is being used by other user.	Author	Error	0x80030021
<i>Filename</i> could not be found.	Author	Error	0x80030002
<i>Filename</i> not found. Please verify the correct file name was given.	InfoSource: IscFileNet	Error	131
Folder not found.	InfoSource: IscLiveLink	Error	0x8004091f
General error.	Installation	Error	6
Generation did not produce a valid document	Author	Warning	

Error Message	Module	Type	Code
Generation failed.	Author Addin	Warning	
Has not been connected to the DataBase.	InfoSource: iscodbc	Error	0x8004030c (146)
IDM objects are not initialized.	InfoSource: IscFileNet	Error	108
IDM objects are not initialized.	InfoSource: IscFnImgSrv	error	108
Index out of range. Cannot continue.	Installation	Error	20
InfoSource (InfoSource Name) does not exist. Use Options dialog or InfoConnector application to correct the problem.	Customizer	Error	61448
InfoSource class ID not found.	ISM: Isservm	Error	0x8004020c
InfoSource is not selected.	ISM: ISAM	Warning	
InfoSource list is not opened.	ISM: Isservm	Error	0x80040213
InfoSource Name already existed. Please enter a new name.	InfoSource: IscLiveLink	Warning	
InfoSource Name already exists. Please enter a new name.	InfoSource: ISCUserDb	Info	103
Insight server: UseDLL failed. Couldn't load isvcinst.dll.	Installation	Error	14
Invalid Base Path.	InfoSource: file system	Error	0x80040604
Invalid Base Path.	InfoSource: IscLiveLink	Error	0x80040909
Invalid Data Type.	InfoSource: iscodbc	Error	0x8004030b (143)
Invalid Data Type.	InfoSource: ISCUserDb	Error	143
Invalid DataBase Handle.	InfoSource: ISCUserDb	Error	146
Invalid DataSource Name.	InfoSource: iscodbc	Error	0x8004030e (155)
Invalid Date Format (mm/dd/yyyy).	Author	Warning	
Invalid Date Range (mm/dd/yyyy).	Author	Warning	
Invalid Document Info Type.	InfoSource: file system	Error	0x80040619
Invalid Document Info Type.	InfoSource: IscLiveLink	Error	0x8004091c
Invalid DSN.	InfoSource: ISCUserDb	Error	160
Invalid effective date.	Author	Warning	
Invalid effective date.	Customizer	Warning	421
Invalid Expression for Generation.	InfoSource: ISCUserDb	Error	168
Invalid File name.	InfoSource: file system	Error	0x80040606
Invalid InfoSource Filter.	ISM: Isservm	Error	0x80040214

## ERROR MESSAGES

---

Error Message	Module	Type	Code
Invalid InfoSource name.	ISM: Isservm	Error	0x8004020b
Invalid InfoSource storage.	InfoSource: file system	Error	0x80040609
Invalid InfoSource Type.	ISM: Isservm	Error	0x80040207
Invalid Login Information.	InfoSource: iscodbc	Error	0x8004030f (156)
Invalid Login Information.	InfoSource: ISCUserDb	Error	161
Invalid Reference Context pointer.	InfoSource: ISCUserDb	Error	167
Invalid Reference type.	InfoSource: file system	Error	0x80040617
Invalid Reference type.	InfoSource: iscodbc	Error	0x80040512 (152)
Invalid Reference type.	InfoSource: ISCUserDb	Error	157
Invalid RowSet number.	InfoSource: iscodbc	Error	0x80040307 (121)
Invalid RowSet number.	InfoSource: ISCUserDb	Error	121
Invalid termination date.	Customizer	Warning	420
is not a valid InfoSource Configuration file.	ISM: ISAM	Error	
IStream Add-In initialization failed	Author Addin	Warning	
ListDestroy failed. Exiting.	Installation	Error	15
Local file name is missing.	InfoSource: IscFileNet	Error	105
Local file name is missing.	InfoSource: IscFnImgSrv	error	105
Low memory.	Author Assistant	Error	0x80040201 (601)
Message unInstaller setup failed to initialize. You may not be able to uninstall this product.	Installation	Warning	25
Missing Base Location.	InfoSource: IscLiveLink	Error	0x80040925
Missing Cache Folder Size.	InfoSource: IscLiveLink	Error	0x8004092a
Missing Cache Folder.	InfoSource: IscLiveLink	Error	0x80040929
Missing Configuration information.	InfoSource: file system	Error	0x80040601
Missing Connection Information.	InfoSource: IscLiveLink	Error	0x80040928
Missing Data Source Name.	InfoSource: ISCUserDb	Error	163
Missing DataSource Name.	InfoSource: iscodbc	Error	0x80040515 (158)
Missing Document Name.	InfoSource: IscLiveLink	Error	0x8004092c
Missing local file name.	InfoSource: IscLiveLink	Error	0x8004092e

Error Message	Module	Type	Code
Missing Parent Table Name.	InfoSource: ISCUserDb	Error	164
Missing Port Information.	InfoSource: IscLiveLink	Error	0x80040927
Missing Rendition type.	InfoSource: IscLiveLink	Error	0x8004092d
Missing Server Information.	InfoSource: IscLiveLink	Error	0x80040926
Name already exists. Please enter a new name.	InfoSource: IscFileNet	Info	103
Name already exists. Please enter a new name.	InfoSource: IscFnImgSrv	Info	103
No error.	DMS/LiveLink Plugin	Info	0x00000000
No IInsPersistStorage interface from Template object.	Customizer	Error	462
No item is selected.	Author	Warning	
No Word Processor is registered in the registry.	Author	Error	
Not all windows in the workspace could be opened.	Author	Warning	
Number entered is not valid. Please enter a valid number.	Author Addin	Warning	
OLE initialization failed. Make sure that the OLE libraries are the correct version.	Assembler	Critical	AfxOleInit return false. If InitInstance call failed,
OLE initialization failed. Make sure that the OLE libraries are the correct version.	Author	Critical	
OLE initialization failed. Make sure that the OLE libraries are the correct version.	Customizer	Critical	101
Only changes made to the document properties can be saved at this time. All other changes made to the document will be lost.	Assembler	Warning	
Operation time out.	InfoSource: iscodbc	Error	0x80040310 (159)
Out of memory. Close applications and re-run setup.	Installation	Critical	19
Password cannot be empty. Please enter the password or select <No Password>.	Author Addin	Warning	
Passwords do not match, please re-enter the passwords	Author Addin	Warning	

## ERROR MESSAGES

---

Error Message	Module	Type	Code
Please enter a rule or change Include Syntax as "Include".	Author	Warning	
Please select a document to be imported.	Author	Warning	
Please select a template to be attached.	Author	Warning	
QuickGen cannot be performed at this time. The 'Include Tag Information' and 'Include Custom Wordings' checkboxes must be selected on the Options/Generation screen and a full regeneration performed	Customizer	Warning	
QuickGen cannot be performed at this time. Would you like to do full generation?	Customizer	Warning	
QuickGen cannot be performed due to an error. Please try full regeneration first.	Customizer	Warning	
Required Property type is not supported.	InfoSource: IscLiveLink	Error	0x80040901
Required Property type not supported.	InfoSource: file system	Error	0x80040618
Required Property type not supported.	InfoSource: iscodb	Error	0x80040513 (154)
S_FLASE.	DMS/LiveLink Plugin	Error	0x00000001
S_FLASE.	DMS/LiveLink Plugin	Error	0x00000001
S_FLASE.	DMS/LiveLink Plugin	Error	0x00000001
S_FLASE.	DMS/LiveLink Plugin	Error	0x00000001
S_FLASE.	DMS/LiveLink Plugin	Error	0x00000001
Saving is incomplete because (Err Msg Content).	Customizer	Error	394
Saving is incomplete because of no WP connection component.	Customizer	Error	393
Selected document is not a model document.	Author	Error	
Selected file may be corrupted (Invalid IStream Section Document)	Author	Warning	
Selected file may be corrupted (Invalid Microsoft Word Document)	Author	Warning	
Selected file may be corrupted (Invalid Microsoft Word Template)	Author	Warning	
Selected file may be corrupted (Invalid WPStorage).	Author	Error	

Error Message	Module	Type	Code
Selected file may be corrupted (Invalid WPType).	Author	Error	
Selected file type is not supported (File Name).	Author	Error	
Selected items are illegal to move together	Author	Warning	
Server is not connected.	InfoSource: IscFileNet	Error	104
Server is not connected.	InfoSource: IscFnImgSrv	error	104
Standard exception description of CXCOMException.	Author	Error	0X80000000
Template file to attach not found	Author	Warning	
Template object is not registered.	Customizer	Error	364
The (Service Name) service does not respond to stop command. Please use Control Panel to stop the service manually.	ISM: ISAM	Error	
The DataSource Name is blank.	InfoSource: iscodb	Error	0x80040301 (112)
The date value is empty, please try again to input a valid date.	Assembler	Warning	
The directory could not be created.	InfoSource: IscFileNet	Error	136
The document has been closed. Would you like to open it?	Author	Warning	
The document is empty. The process to generate the document was not completed properly. The model document may not be effective yet, or is being opened by other application.	Assembler	Error	
The document you selected is not an IStream section. Please select an IStream section.	Author	Warning	
The DSN name is blank.	InfoSource: ISCUserDb	Info	112
The file already exists.	InfoSource: file system	Warning	0x80040611
The help file could not be displayed. Please consult your system administrator.	Assembler	Error	
The help file could not be displayed. Please consult your system administrator.	Author	Warning	
The help file could not be displayed. Please consult your system administrator.	ISM: ISAM	Error	

## ERROR MESSAGES

---

Error Message	Module	Type	Code
The InfoSource Configuration file has not been opened.	InfoSource: IscLiveLink	Error	0x80040924
The InfoSource Configuration file is not open.	ISM: Isservm	Error	0x80040206
The InfoSource Configuration file storage is blank.	InfoSource: iscodbc	Error (109)	0x80040501
The InfoSource Configuration File Storage pointer is blank.	InfoSource: ISCUserDb	Info	109
The InfoSource Name is blank.	InfoSource: ISCUserDb	Error	135
The input file name is blank.	InfoSource: file system	Warning	0x80040613
The IStream Document Manager document (CLG UISR) has no custom wordings. Do you want to import custom wordings from another IStream Document Manager document?	Customizer	Warning	396
The IStream Document Manager document has no valid WP storage. Make sure it is a valid IStream Document Manager document and try again.	Customizer	Error	368
The IStream Document Manager document you just selected is generated from different model document. Do you want to import from another one?	Customizer	Warning	418
The Mapping Table name is blank.	InfoSource: ISCUserDb	Error	136
The NativeRendition storage in generated IStream Document Manager document is empty. Make sure this document is generated properly.	Assembler	Error	
The NativeRendition storage in generated IStream document is empty. Make sure this document is generated properly.	Customizer	Warning	
The path for the InfoSource Configuration file is blank.	ISM: Isservm	Critical	0x80040202
The path for the InfoSource Configuration file not found.	ISM: Isservm	Critical	0x80040201
The Query method failed.	InfoSource: iscodbc	Error (125)	0x80040507
The Query method failed.	InfoSource: ISCUserDb	Error	125
The Root Storage of the InfoSource Configuration file is blank.	InfoSource: ISCUserDb	Error	134

Error Message	Module	Type	Code
The service does not respond to start command. Please use Control Panel to start the service manually.	ISM: ISAM	Error	
The template attached to this wording is: (template name). This template is different from the main document template: (template name) Would you like to apply the document template to this wording?	Customizer	Warning	
There is no application associated with PDF files. Please check if a PDF viewer is installed.	Customizer	Warning	
There is no free effective period for the new wording item in the mode that you chose. You can go ahead to add the item but the item will conflict with the current wording items!	Customizer	Warning	
There is no root storage in the IStream Document Manager document. Make sure the document is generated properly.	Assembler	Error	
There was a problem accessing the InfoSource. Please make sure the InfoSource exists and is configured properly.	Assembler Add-in	Warning	
This directory does not exist. Press YES to create the directory. Press NO to save this InfoSource without creating the directory. Press CANCEL to return and choose another directory.	InfoSource: IscFileNet	Error	135
This document is being generated and cannot be closed before generation is completed.	Assembler	Error	
This IStream Document Manager doc has no custom wordings.	Customizer	Error	454
This program requires VGA or better resolution.	Installation	Warning	27
Unable to find (Doc UISR). Check that you have entered it correctly.	Author	Error	
Unable to launch Word. Please close the document and try again.	Author	Warning	
Unable to launch Word. Please reopen the document.	Customizer	Warning	

## ERROR MESSAGES

---

Error Message	Module	Type	Code
Unable to rename ISC.	InfoSource: IscFileNet	Error	113
Unable to rename ISC.	InfoSource: IscFnImgSrv	error	113
Unable to reserve the document (Doc UISR). Ensure that the file is not read-only, and is not open by another user.	Customizer	Error	61449
Unable to reserve the document (name).Ensure that the file is not read-only, and is not open by another user.	Author	Warning	
Unknown Error.	Customizer	Error	476
UnUseDLL failed. DLL left in the memory.	Installation	Error	26
Word processor id for (SubKey Name) is empty.	Author	Error	
Word processor name for (SubKey Name) is (SubKey Value).	Author	Info	
WordBasic command failed.	Customizer	Error	392
Wording pool object is not registered.	Customizer	Critical	346
WP Connection for (unknown WP) is not registered properly. Customizer will open IStream Document Manager document without any tag. Please re-register it and try again.	Customizer	Error	360
WP Connection's Paste or NormalizeExp method returns (Error code) due to (Error message).	Customizer	Warning	
You are adding a wording item to an orphaned tag.	Customizer	Warning	369
You must enter a Section name.	Author	Warning	
You must enter a Wording name.	Customizer	Warning	352
You must log on as an administrator.	Installation	Critical	1
Your system is configured to automatically perform a QuickGen when a saved Wording is closed. All open wordings will be closed. Would you like to continue?	Customizer	Warning	

---

# **Chapter 3**

---

---

## **Log Messages**

This chapter lists messages that appear in IStream Document Manager log files. You can also view these messages with the Log Viewer. For descriptions of each table column, see *Message Listings* on page 8.

## LOG MESSAGES

---

Log Message	Module	Type	Code
A memory exception happened in Word 8 “From” conversion.	Compiler	Error	0x80044017L
Aborting server at control request.	Assembly Server	Error	1043
ABORTING: a crucial thread died.	Assembly Server	Error	1074
ABORTING: out of memory.	Assembly Server	Error	1072
Accepted control request (Req Info), client info (Client Info).	Assembly Server	Info (Success)	1030
Accepted user request (Req Info), client info (Client Info).	Assembly Server	Info (Success)	1032
Access denied because another caller has the file open and locked.	Compiler	Error	
Access to unsupported memory type requested ((Memory type)).	Compiler	Error	
Add Item To WdPool: 0x(return code).	Customizer GUI	Error	
Adding Session Interface: 0x(return code).	Customizer GUI	Error	
AddTag return 0x(return code).	Customizer GUI	Error	
AddTag: 0x(return code).	Customizer GUI	Error	
AddTag: 0x(return code).	Customizer GUI	Error	
All old items loaded.	Customizer GUI	Info	
An unknown exception happens in Word 8 “From” conversion.	Compiler	Error	0x80044018L
Archive is read only.	Exception Handling: gazelle	Warning	0x8004F123
Archive is write only.	Exception Handling: gazelle	Warning	0x8004F125
Argument value^ is not a compound document and cannot be processed.	Compiler	Error	
Arguments in command line not enough.	Compiler	Error	0x80044001L
Assembly Engine (Calligo Document).	Assembly Engine	Info	Equivalent to 4505
Assembly Engine (Compile Section).	Assembly Engine	Info	Equivalent to 4510
Assembly Engine (Generate Section).	Assembly Engine	Info	Equivalent to 4511
Assembly Engine (Load Section).	Assembly Engine	Info	Equivalent to 4508
Assembly Engine (Reference Context).	Assembly Engine	Info	Equivalent to 4507
Assembly Engine (Save Section).	Assembly Engine	Info	Equivalent to 4509
Assembly Engine (Section).	Assembly Engine	Info	Equivalent to 4504

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
Assembly Engine (Session).	Assembly Engine	Info	Equivalent to 4506
Assembly Engine completed - save Calligo document.	Assembly Server	Info	
Assembly Link Object created.	Customizer GUI	Info	
Assembly Link object destroyed.	Customizer GUI	Info	
Assembly Server Exception: (Exception Context).	Assembly Server	Error	1100
Assembly Server: internal error.	Assembly Server	Error	139
Assembly service entered the RUNNING state.	Assembly Server	Info	
AUTHOR START.	Author	Info	
Bad Assembly Server response - when API receives a.	Assembly Server API	Error	102
Bad class in archive file.	Exception Handling: gazelle	Warning	0x8004F127
Bad index in archive file.	Exception Handling: gazelle	Warning	0x8004F126
Bad schema in archive file.	Exception Handling: gazelle	Warning	0x8004F128
Bad seek.	Exception Handling: gazelle	Warning	0x8004F10A
BEGIN CFService::Serve() - get message from socket packet.	Assembly Server	Info	
BEGIN: CGLLPlugIn::SupportsInterface().	DMS Plug-In	Info	
BREAK.	Assembly Engine	Info	Equivalent to 4567
Call Start Link First.	Customizer GUI	Error	
CALL.	Assembly Engine	Info	Equivalent to 4583
CALL: CGLLPlugIn::OnStdCommand() - launch help file.	DMS Plug-In	Info	
CALLBACK REQUEST from Assembly Client.	Assembly Server	Info	
CALLBACK REQUEST from Assembly Engine.	Assembly Server	Info	
Calligo Doc is not compound file.	Customizer GUI	Error	
Calligo Document reference is missing in rule GENERATE.	Assembly Engine	Error	Equivalent to 4647
Calligo Document reference is missing in rule GENERATE.	Generator	Warning	

## LOG MESSAGES

---

Log Message	Module	Type	Code
Calligo Project contains Word 7 & 8 sections.	Compiler	Error	0x8004800CL
Cannot add document.	Assembly Engine	Error	Equivalent to 4659
Cannot add document.	Generator	Error	
Cannot close document.	Assembly Engine	Error	Equivalent to 4658
Cannot close document.	Generator	Error	
Cannot commit OLE storage.	Assembly Engine	Error	Equivalent to 4531
Cannot commit OLE storage.	Generator	Error	
Cannot compile section.	Generator	Error	
Cannot compile Section.	Assembly Engine	Error	Equivalent to 4607
Cannot connect to InfoSource.	Assembly Engine	Warning	Equivalent to 4639
Cannot connect to InfoSource.	Generator	Error	
Cannot convert from MDF to native.	Assembly Engine	Error	Equivalent to 4604
Cannot convert from MDF to native.	Generator	Error	
Cannot convert from native to MDF.	Assembly Engine	Error	Equivalent to 4603
Cannot convert from native to MDF.	Generator	Error	
Cannot create Calligo Document.	Assembly Engine	Error	Equivalent to 4660
Cannot create Calligo Document.	Generator	Error	
Cannot create compound file.	Assembly Engine	Error	Equivalent to 4525
Cannot create compound file.	Generator	Error	
Cannot create converter object.	Generator	Error	
Cannot create Converter object.	Assembly Engine	Error	Equivalent to 4595
Cannot create Generation Session object.	Assembly Engine	Error	Equivalent to 4601
Cannot create InfoSource Administrator.	Assembly Engine	Error	Equivalent to 4599
Cannot create InfoSource Administrator.	Generator	Error	
Cannot create OLE storage.	Assembly Engine	Error	Equivalent to 4527
Cannot create OLE storage.	Generator	Error	
Cannot create OLE stream.	Assembly Engine	Error	Equivalent to 4529
Cannot create OLE stream.	Generator	Error	
Cannot create reference context object.	Generator	Error	
Cannot create Reference Context object.	Assembly Engine	Error	Equivalent to 4602
Cannot create section object.	Generator	Error	100
Cannot create Section object.	Assembly Engine	Error	Equivalent to 4600

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
Cannot evaluate reference.	Assembly Engine	Error	Equivalent to 4615
Cannot evaluate reference.	Generator	Error	
Cannot execute application.	Assembly Engine	Error	Equivalent to 4641
Cannot execute application.	Generator	Error	
Cannot generate.	Assembly Engine	Error	Equivalent to 4608
Cannot generate.	Generator	Error	
Cannot get InfoSource.	Assembly Engine	Warning	Equivalent to 4638
Cannot get InfoSource.	Generator	Warning	
Cannot get interface pointer.	Assembly Engine	Error	Equivalent to 4596
Cannot get interface pointer.	Generator	Error	
Cannot get stat.	Assembly Engine	Error	Equivalent to 4535
Cannot get stat.	Generator	Warning	
Cannot get variable from InfoSource.	Assembly Engine	Error	Equivalent to 4611
Cannot get variable from InfoSource.	Generator	Warning	
Cannot initialize InfoSource Administrator.	Assembly Engine	Error	Equivalent to 4597
Cannot initialize InfoSource Administrator.	Generator	Error	
Cannot load Calligo Document properties.	Assembly Engine	Warning	Equivalent to 4663
Cannot load Calligo Document properties.	Generator	Error	
Cannot load Calligo Document.	Assembly Engine	Error	Equivalent to 4661
Cannot load Calligo Document.	Generator	Error	
Cannot load document.	Assembly Engine	Error	Equivalent to 4605
Cannot load document.	Generator	Error	
Cannot load variables from value pool.	Assembly Engine	Error	Equivalent to 4610
Cannot load variables from value pool.	Generator	Error	
Cannot open compound file.	Assembly Engine	Error	Equivalent to 4526
Cannot open compound file.	Generator	Error	
Cannot open document.	Assembly Engine	Error	Equivalent to 4656
Cannot open document.	Generator	Error	
Cannot open OLE storage.	Assembly Engine	Error	Equivalent to 4528
Cannot open OLE storage.	Generator	Error	
Cannot open OLE stream.	Assembly Engine	Error	Equivalent to 4530
Cannot open OLE stream.	Generator	Error	

## LOG MESSAGES

---

Log Message	Module	Type	Code
Cannot put variable to value pool.	Assembly Engine	Error	Equivalent to 4609
Cannot put variable to value pool.	Generator	Error	
Cannot read all bytes from OLE stream.	Assembly Engine	Error	Equivalent to 4536
Cannot read all bytes from OLE stream.	Generator	Error	
Cannot read from OLE stream.	Assembly Engine	Error	Equivalent to 4532
Cannot read from OLE stream.	Generator	Error	
Cannot read input MDF file.	Compiler	Error	0x80048003L
Cannot read Word 8 FIB from input file.	Compiler	Error	0x80044014L
Cannot remove directory.	Exception Handling: gazelle	Error	0x8004F108
Cannot save Calligo Document properties.	Assembly Engine	Warning	Equivalent to 4664
Cannot save Calligo Document properties.	Generator	Warning	
Cannot save Calligo Document.	Assembly Engine	Error	Equivalent to 4662
Cannot save Calligo Document.	Generator	Error	
Cannot save document.	Assembly Engine	Error	Equivalent to 4657
Cannot save document.	Assembly Engine	Error	Equivalent to 4606
Cannot save document.	Generator	Error	
Cannot save generation log.	Customizer GUI	Error	
Cannot seek OLE stream.	Assembly Engine	Error	Equivalent to 4534
Cannot seek OLE stream.	Generator	Error	
Cannot write all bytes to OLE stream.	Assembly Engine	Error	Equivalent to 4537
Cannot write to OLE stream.	Assembly Engine	Error	Equivalent to 4533
Cannot write to OLE stream.	Generator	Error	
Can't create WordingInfo Stream.	Customizer: Wdpoolm	Error	3
Can't open stream WordingInfo.	Customizer: Wdpoolm	Error	4
CApplication Final Release - end.	Assembly Link	Info	
CApplication get_Sessions - failed.	Assembly Link	Error	
CApplication get_Sessions.	Assembly Link	Error	
CAuthorApp::RestoreWorkSpace - Failed to restore tree from CMS.	Author	Warning	
CAuthorApp::RestoreWorkSpace - Failed to restore tree from CMS.	Author	Warning	

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
CAuthorApp::SaveTmplWorkSpace - Tree state has modified.	Author	Info	
CAuthorView::InsertDocObj -- Failed.	Author	Error	
CAuthorView::InsertDocObj -- Failed.	Author	Error	
CAuthorView::InsertDocObj -- Succeeded.	Author	Info	
CCLGDoc CheckEmptyDocument - end, the document is empty.	Assembly Link	Warning	
CCLGDoc CheckEmptyDocument - end, the document is not empty.	Assembly Link	Warning	
CCLGDoc Edit - failed due to: (Err Desc).	Assembly Link	Critical	
CCLGDoc Edit - failed due to: (Err Desc).	Assembly Link	Error	
CCLGDoc Edit - failed, remote document has no such function.	Assembly Link	Error	
CCLGDoc Edit - failed.	Assembly Link	Error	
CCLGDoc ExtractWP - failed to add document.	Assembly Link	Error	
CCLGDoc ExtractWP - failed to close document.	Assembly Link	Error	
CCLGDoc ExtractWP - failed to get document metadata.	Assembly Link	Error	
CCLGDoc ExtractWP - failed to get document metadata.	Assembly Link	Error	
CCLGDoc ExtractWP - failed, remote document doesn't support this function.	Assembly Link	Warning	
CCLGDoc ExtractWP - failed.	Assembly Link	Error	
CCLGDoc ExtractWP - no metadata to persist.	Assembly Link	Warning	
CCLGDoc get_Variables - failed.	Assembly Link	Error	
CCLGDoc GetMetadata - error: (Err Desc).	Assembly Link	Critical	
CCLGDoc GetMetadata - error: unexpected.	Assembly Link	Error	
CCLGDoc InitDoc - end.	Assembly Link	Info	
CCLGDoc InternalExtractWP - failed, WordDocument Stream is empty.	Assembly Link	Warning	
CCLGDoc InternalExtractWP: End, Root Storage is empty.	Assembly	Error	
CCLGDoc InternalExtractWP: End, WordDocument Stream is empty.	Assembly	Error	

## LOG MESSAGES

---

Log Message	Module	Type	Code
CCLGDoc InternalExtracWP: Failed, (Err Desc).	Assembly	Error	
CCLGDoc InternalGenerate - Local, Failed to create Assembly Client object.	Assembly Link	Error	
CCLGDoc InternalGenerate - Local, failed to get GenSession.	Assembly Link	Error	
CCLGDoc InternalGenerate - Local, failed to save properties or variables.	Assembly Link	Error	
CCLGDoc InternalGenerateLocalSynch - Generation Failed.	Assembly Link	Error	
CCLGDoc InternalGenerateLocalSynch - Starting Generation.	Assembly Link	Info	
CCLGDoc InternalLoadProperties.	Assembly Link	Error	
CCLGDoc PrintDoc - failed, remote document has no such function.	Assembly Link	Warning	
CCLGDoc PrintDoc - failed.	Assembly Link	Error	
CCLGDoc Save - Failed, remote document doesn't support this method.	Assembly Link	Warning	
CCLGDoc ViewGenLog - Failed, GenDoc object is either NULL or invalid.	Assembly Link	Warning	
CCLGDoc ViewGenLog - Failed, in quiet mode the log file name is required.	Assembly Link	Warning	
CCLGDoc ViewGenLog - Failed, remote document doesn't support such function.	Assembly Link	Warning	
CCustView::OnFilePrint - print aborts because of no document item.	Customizer GUI	Error	
CDocuments Add - failed to AddNewDoc.	Assembly Link	Error	
CDocuments Add - failed, no model document name.	Assembly Link	Warning	
CDocuments Add - failed.	Assembly Link	Error	
CDocuments AddRemote - failed.	Assembly Link	Error	
CDocuments FinalRelease - end.	Assembly Link	Info	
CDocuments Open - failed clgNameStr = (CLG name).	Assembly Link	Error	
CDocuments Open - failed in OpenCLGDoc.	Assembly Link	Error	
CDocuments Open - failed to get repository object.	Assembly Link	Error	

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
CDocuments Open - failed to open document from repository.	Assembly Link	Error	
CDocuments Open - failed, no Calligo document name is provided.	Assembly Link	Warning	
CDocuments Open - failed.	Assembly Link	Error	
CDocuments OpenRemote - failed in OpenCLGDocRemote.	Assembly Link	Error	
CDocuments OpenRemote - failed, no Calligo document UISR is provided.	Assembly Link	Warning	
CDocuments OpenRemote - failed.	Assembly Link	Error	
CFSUBReqGazDoc::Save() CLG file saved.	Assembly Server	Info	
CFSUBReqGazDoc::Save() DOC file saved.	Assembly Server	Info	
CFSUBReqGazDoc::Save() Saving CLG file.	Assembly Server	Info	
CGAuthCompilationTemplate::Compile - Completed.	Author	Info	
CGAuthIscServ::CreateIsc -Create ISC  (info source name) .	Author	Info	
CGAuthIscServ::Initial - Failed to query IIInsIsaInitialize hr=0x(return code)x.	Author	Error	
CGAuthIscServ::Initial -Initialize IscServ.	Author	Info	
CGAuthIscServ::ReleaseIsc - Release ISC.	Author	Info	
CGAuthView::OnFilePrint - Print aborts, no document item.	Author	Warning	
CGAuthView::OnFilePrint - Print aborts, no document item.	Author	Warning	
CGDADoc destructor: Before calling AFXOleUnlockApp, (unlock App Info).	Assembly	Info	
CGDlgOption::Cannot write new path to Registry.	ISM (GUI): ISAM	Warning	
CGIsaServices::CreateCfgFile - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::CreateCfgFile - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::CreateCfgFile - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::CreateCfgFile - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::CreateCfgFile - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::CreateCfgFile - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::CreateCfgFile - (Err Desc).	ISM (GUI): Isservm	Error	

## LOG MESSAGES

---

Log Message	Module	Type	Code
CGIsaServices::CreateIsc - (Err Desc) ISC name = (ISC name) hr = (return code).	ISM (GUI): Isservm	Error	
CGIsaServices::CreateIsc - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::CreateIsc - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::CreateIsc - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::CreateIsc - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::CreateIsc - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::CreateIsc - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::CreateIsc - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::CreateNewIsc - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::CreateNewIsc - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::CreateNewIsc - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::CreateNewIsc - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::CreateNewIsc - Cannot get CLSID for Isc Type = (info source type).	ISM (GUI): Isservm	Error	
CGIsaServices::GetNextIsc - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::GetNextIsc - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::GetNextIsc - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::GetNextIsc - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::GetRepFileName - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::Import - Failed to open Idb Path = (ldb path).	ISM (GUI): Isservm	Error	
CGIsaServices::Import - Open new Idb Path = (ldb path).	ISM (GUI): Isservm	Info	
CGIsaServices::OpenIscList - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::OpenRepFile - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::OpenRepFile - Fail to create temp file.	ISM (GUI): Isservm	Error	
CGIsaServices::RemoveIsc - (Err Desc) ISC name = (ISC name).	ISM (GUI): Isservm	Error	
CGIsaServices::RemoveIsc - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::RemoveIsc - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::CreateNewIsc - (Err Desc).	ISM (GUI): Isservm	Error	
CGIsaServices::ISC - (ISC name) not found.	ISM (GUI): Isservm	Error	

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
CGIscFileNet::Connect() could not logon to library: (library name).	InfoSources: IscFileNet	Error	
CGIscFileNet::Connect() could not logon to library: (library name).	InfoSources: IscFnImgSrv	Error	
CGIscFileNet::Connect() Failed to find library: (library name).	InfoSources: IscFileNet	Error	
CGIscFileNet::Connect() Failed to find library: (library name).	InfoSources: IscFnImgSrv	Error	
CGIscFileNet::Connect() Failed to find the root folder: (folder name).	InfoSources: IscFileNet	Error	
CGIscFileNet::Connect() Failed to find the root folder: (folder name).	InfoSources: IscFnImgSrv	Error	
CGIscFileNet::Get() could not find item: (item name).	InfoSources: IscFileNet	Error	
CGIscFileSystem::Cleanup - End with exception.	InfoSources: file system	Error	
CGIscFileSystem::Connect - End - hr = (return code).	InfoSources: file system	Info	
CGIscFileSystem::Connect - End with a CXException = (error code).	InfoSources: file system	Error	
CGIscFileSystem::Connect - End with other Exception.	InfoSources: file system	Error	
CGIscFileSystem::Connect - Fail to connect to base path (base path).	InfoSources: file system	Warning	
CGIscFileSystem::Connect - First trial end.	InfoSources: file system	Info	
CGIscFileSystem::Connect - Still cannot locate base path.	InfoSources: file system	Warning	
CGIscFileSystem::Connect - Try to find base path (base path) without impersonation.	InfoSources: file system	Info	
CGIscFileSystem::Connect - Try to find base path (base path) without impersonation.	InfoSources: file system	Warning	
CGIscFileSystem::Connect - Unimpersonate user.	InfoSources: file system	Warning	
CGIscFileSystem::Connect -(base path) does not exist.	InfoSources: file system	Error	
CGIscFileSystem::CreateNewFileFolder - Fail to create new folder.	InfoSources: file system	Error	

## LOG MESSAGES

---

Log Message	Module	Type	Code
CGIscFileSystem::Disconnect - Other Exception.	InfoSources: file system	Error	
CGIscFileSystem::FileIsReadOnly - End with exception.	InfoSources: file system	Error	
CGIscFileSystem::Get - End with other exception.	InfoSources: file system	Error	
CGIscFileSystem::Get - Fail in copying (file name) to (full path) System error = (error code).	InfoSources: file system	Error	
CGIscFileSystem::Get - Fail to create a temp file.	InfoSources: file system	Error	
CGIscFileSystem::GetProperties - Cannot open ISc storage.	InfoSources: file system	Error	
CGIscFileSystem::GetProperties - Cannot retrieve IStorage pointer.	InfoSources: file system	Error	
CGIscFileSystem::GetProperties - End with other exception.	InfoSources: file system	Error	
CGIscFileSystem::GetPropertyInfo - End with other exception.	InfoSources: file system	Error	
CGIscFileSystem::Import - Cannot commit changes to IStorage.	InfoSources: file system	Error	
CGIscFileSystem::Import - Cannot open the InfoSource Storage in the compound file.	InfoSources: file system	Error	
CGIscFileSystem::Import - Other Exception.	InfoSources: file system	Error	
CGIscFileSystem::Load - cannot read from property storage.	InfoSources: file system	Error	
CGIscFileSystem::Load - End with other exception.	InfoSources: file system	Error	
CGIscFileSystem::ReleaseVal - End with other exception.	InfoSources: file system	Error	
CGIscFileSystem::ReleaseVal - Fail to delete temp file (file name) System error = (error code).	InfoSources: file system	Error	
CGIscFileSystem::RemoveAllTempFileFmGet - End with exception.	InfoSources: file system	Error	
CGIscFileSystem::RemoveAllTempFileFmGet - Fail to delete temp file (file name) System error = (error code).	InfoSources: file system	Error	
CGIscFileSystem::RepAdd - End with other exception.	InfoSources: file system	Error	

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
CGIscFileSystem::RepAdd - Fail in copying (file name) to (full path) System error = (error code).	InfoSources: file system	Error	
CGIscFileSystem::RepAdd - Fail to create new file folder (full path).	InfoSources: file system	Error	
CGIscFileSystem::RepAdd - Input Invalid Local File (file name).	InfoSources: file system	Error	
CGIscFileSystem::RepAdd - User cancel from the File Open Dialog box.	InfoSources: file system	Warning	
CGIscFileSystem::RepAddWithMetadata - (Err Desc).	InfoSources: file system	Warning	
CGIscFileSystem::RepAddWithMetadata - End with failure message: (Err Desc).	InfoSources: file system	Error	
CGIscFileSystem::RepAddWithMetadata - End with failure message: (Err Desc).	InfoSources: file system	Error	
CGIscFileSystem::RepAddWithMetadata - End with other exception.	InfoSources: file system	Error	
CGIscFileSystem::RepClose - (Doc name) is not opened.	InfoSources: file system	Error	
CGIscFileSystem::RepClose - End with other exception.	InfoSources: file system	Error	
CGIscFileSystem::RepClose - Fail to copy from temp file (file name) to FS Document (full path) System error = (error code).	InfoSources: file system	Error	
CGIscFileSystem::RepClose - Fail to delete temp file (file name) created in Open( ) System error = (error code). File is added to list for later clean up operation.	InfoSources: file system	Warning	
CGIscFileSystem::RepClose - Input UISR (UISR) is NULL.	InfoSources: file system	Error	
CGIscFileSystem::RepGetOpenDocInfo - End with other exception.	InfoSources: file system	Error	
CGIscFileSystem::RepOpen - (full path) not valid document.	InfoSources: file system	Error	
CGIscFileSystem::RepOpen - End - hr = (return code).	InfoSources: file system	Info	
CGIscFileSystem::RepOpen - End with other exception.	InfoSources: file system	Error	
CGIscFileSystem::RepOpen - Failed to create a temp file.	InfoSources: file system	Error	

## LOG MESSAGES

---

Log Message	Module	Type	Code
CGIscFileSystem::RepOpen - File (file name) is read only.	InfoSources: file system	Error	
CGIscFileSystem::RepSave - (Doc name) is not opened.	InfoSources: file system	Error	
CGIscFileSystem::RepSave - Cannot save document (Doc name); it is Read-Only.	InfoSources: file system	Error	
CGIscFileSystem::RepSave - End - hr = (return code).	InfoSources: file system	Info	
CGIscFileSystem::RepSave - End with other exception.	InfoSources: file system	Error	
CGIscFileSystem::RepSave - Fail to copy from temp file (temp file name) to FS Document (Doc name) System error = (error code).	InfoSources: file system	Error	
CGIscFileSystem::RepSave - Input Doc. Name (Doc name) is NULL.	InfoSources: file system	Error	
CGIscFileSystem::RepSaveAs - (Doc name) is not opened.	InfoSources: file system	Error	
CGIscFileSystem::RepSaveAs - Cannot save document (Doc name); it is Read-Only.	InfoSources: file system	Error	
CGIscFileSystem::RepSaveAs - End - hr = (return code).	InfoSources: file system	Info	
CGIscFileSystem::RepSaveAs - End with other exception.	InfoSources: file system	Error	
CGIscFileSystem::RepSaveAs - Fail in copying (file name) to (full path) System error = (error code).	InfoSources: file system	Error	
CGIscFileSystem::RepSaveAs - Fail in copying (file name) to (full path) when updating original doc. System error = (error code).	InfoSources: file system	Error	
CGIscFileSystem::RepSaveAs - Fail to create Saveas file folder (folder name).	InfoSources: file system	Error	
CGIscFileSystem::RepSaveAs - File (Doc name) is read only.	InfoSources: file system	Error	
CGIscFileSystem::RepSaveAs - Input Doc. Name (Doc name) is NULL.	InfoSources: file system	Error	
CGIscFileSystem::RepSelectDialog - End with other exception.	InfoSources: file system	Error	
CGIscFileSystem::RepValidatDocument - End with other exception.	InfoSources: file system	Error	

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
CGIscFileSystem::RepValidateDocument - End.	InfoSources: file system	Info	
CGIscFileSystem::RepValidateDocument - Invalid Document.	InfoSources: file system	Warning	
CGIscFileSystem::ResetFileReadOnly - End with exception.	InfoSources: file system	Error	
CGIscFileSystem::Save - Cannot commit changes to Storage.	InfoSources: file system	Error	
CGIscFileSystem::Save - Cannot create LOCA stream.	InfoSources: file system	Error	
CGIscFileSystem::Save - Cannot get Property Set Storage pointer.	InfoSources: file system	Error	
CGIscFileSystem::Save - Cannot get Property Storage pointer.	InfoSources: file system	Error	
CGIscFileSystem::Save - Cannot update LOCA stream.	InfoSources: file system	Error	
CGIscFileSystem::Save - Cannot write to Property Storage.	InfoSources: file system	Error	
CGIscFileSystem::Save - End with other exception.	InfoSources: file system	Error	
CGIscFileSystem::SetAttributes - End with other exception.	InfoSources: file system	Error	
CGIscFileSystem::SetFileReadOnly - CException.	InfoSources: file system	Error	
CGIscFileSystem::SetFileReadOnly - CFileException.	InfoSources: file system	Error	
CGIscFileSystem::SetFileReadOnly - End with exception.	InfoSources: file system	Error	
CGIscFileSystem::SetFileReadOnly - setting file to Read-Only.	InfoSources: file system	Info	
CGIscFileSystem::ShowConfigWindow - Cannot commit changes to IStorage.	InfoSources: file system	Error	
CGIscFileSystem::ShowConfigWindow - Cannot open compound file.	InfoSources: file system	Error	
CGIscFileSystem::ShowConfigWindow - Cannot rename IStorage.	InfoSources: file system	Error	
CGIscFileSystem::ShowConfigWindow - Other Exception.	InfoSources: file system	Error	

## LOG MESSAGES

---

Log Message	Module	Type	Code
CGIscFileSystem::ShowSelectWindow - End with other exception.	InfoSources: file system	Error	
CGIscLiveLink::~CGIscLiveLink - End.	InfoSources: IscLiveLink	Info	
CGIscLiveLink::BuildSearchString - Finish parsing the input string.	InfoSources: IscLiveLink	Info	
CGIscLiveLink::CheckIn - Create a new version - Persist File = (file name) Temp file = (file name).	InfoSources: IscLiveLink	Info	
CGIscLiveLink::CheckIn - Create Version fails.	InfoSources: IscLiveLink	Error	
CGIscLiveLink::CheckIn - Doc does not match any entries.	InfoSources: IscLiveLink	Error	
CGIscLiveLink::CheckIn - End - hr = (return code).	InfoSources: IscLiveLink	Info	
CGIscLiveLink::CheckIn - End with exception.	InfoSources: IscLiveLink	Error	
CGIscLiveLink::CheckIn - Fail to delete temp file (file name) System error = (error code).	InfoSources: IscLiveLink	Warning	
CGIscLiveLink::CheckIn - Fail to delete temp file (file name) System error = (error code). File is added to list for later clean up operation.	InfoSources: IscLiveLink	Warning	
CGIscLiveLink::CheckIn - Update the Properties Table.	InfoSources: IscLiveLink	Info	
CGIscLiveLink::Cleanup - End - hr = (return code).	InfoSources: IscLiveLink	Info	
CGIscLiveLink::Connect - (Err Desc).	InfoSources: IscLiveLink	Error	
CGIscLiveLink::Connect - End with exception.	InfoSources: IscLiveLink	Error	
CGIscLiveLink::Connect - Failed to connect due to: (Err Desc) (0x(return code)x).	InfoSources: IscLiveLink	Error	
CGIscLiveLink::Get - End with exception.	InfoSources: IscLiveLink	Error	
CGIscLiveLink::GetProperties - End with exception.	InfoSources: IscLiveLink	Error	
CGIscLiveLink::GetPropertyInfo - End with exception.	InfoSources: IscLiveLink	Error	

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
CGIscLiveLink::Import - Cannot commit changes to IStorage.	InfoSources: IscLiveLink	Error	
CGIscLiveLink::Import - Cannot open compound file.	InfoSources: IscLiveLink	Error	
CGIscLiveLink::Import - End with exception.	InfoSources: IscLiveLink	Error	
CGIscLiveLink::Load - End with exception.	InfoSources: IscLiveLink	Error	
CGIscLiveLink::ReleaseVal - Fail to delete temp file (file name) System error = (error code).	InfoSources: IscLiveLink	Warning	
CGIscLiveLink::RemoveAllTempFileFmGet - Fail to delete temp file (file name) System error = (error code).	InfoSources: IscLiveLink	Error	
CGIscLiveLink::RepAdd - End with exception.	InfoSources: IscLiveLink	Error	
CGIscLiveLink::RepAdd - Finish - hr = (return code).	InfoSources: IscLiveLink	Info	
CGIscLiveLink::RepOpen - End with exception.	InfoSources: IscLiveLink	Error	
CGIscLiveLink::RepOpen - Fetch Document success - temp name = (file name).	InfoSources: IscLiveLink	Info	
CGIscLiveLink::RepSave - Doc does not match any entries.	InfoSources: IscLiveLink	Error	
CGIscLiveLink::RepSave - End with exception.	InfoSources: IscLiveLink	Error	
CGIscLiveLink::RepSaveAs - Doc does not match any entries.	InfoSources: IscLiveLink	Error	
CGIscLiveLink::RepSaveAs - End with exception.	InfoSources: IscLiveLink	Error	
CGiscLiveLink::SaveAs - Cannot copy temp file (file name) to Persist File (file name).	InfoSources: IscLiveLink	Warning	
CGIscLiveLink::SaveAs - Cannot delete temp file (file name) after copied back to persist file (file name).	InfoSources: IscLiveLink	Warning	
CGIscLiveLink::SaveAs - Cannot make a copy of Persist File. Persist File = (file name) Temp File = (file name).	InfoSources: IscLiveLink	Warning	
CGIscOdbc::CheckUp - End with exception.	InfoSources: iscodb	Error	
CGIscOdbc::Close - End with exception.	InfoSources: iscodb	Error	

## LOG MESSAGES

---

Log Message	Module	Type	Code
CGIscOdbc::Connect - End with exception.	InfoSources: iscodb	Error	
CGIscOdbc::Get2 - End with exception.	InfoSources: iscodb	Error	
CGIscOdbc::GetProperties - End with exception.	InfoSources: iscodb	Error	
CGIscOdbc::GetPropertyInfo - End with exception.	InfoSources: iscodb	Error	
CGIscOdbc::Import - End with exception.	InfoSources: iscodb	Error	
CGIscOdbc::Load - End with exception.	InfoSources: iscodb	Error	
CGIscOdbc::LookUp - End with exception.	InfoSources: iscodb	Error	
CGIscOdbc::Next - End with exception.	InfoSources: iscodb	Error	
CGIscOdbc::Query - End with exception.	InfoSources: iscodb	Error	
CGIscOdbc::Save - End with exception.	InfoSources: iscodb	Error	
CGIscUserDB::CheckUp - End - hr = (return code).	InfoSources: ISCUserDb	Error	
CGIscUserDB::CheckUp - End with exception.	InfoSources: ISCUserDb	Error	
CGIscUserDB::ClientReference - End with exception.	InfoSources: ISCUserDb	Error	
CGIscUserDB::Close - end with exception.	InfoSources: ISCUserDb	Error	
CGIscUserDB::Connect - End with exception.	InfoSources: ISCUserDb	Error	
CGIscUserDB::Get - End - hr = (return code).	InfoSources: ISCUserDb	Error	
CGIscUserDB::Get - End with exception.	InfoSources: ISCUserDb	Error	
CGIscUserDB::GetIndexExp - end with exception.	InfoSources: ISCUserDb	Error	
CGIscUserDB::GetProperties - End with exception.	InfoSources: ISCUserDb	Error	
CGIscUserDB::GetPropertyInfo - End with exception.	InfoSources: ISCUserDb	Error	
CGIscUserDB::Import - Cannot commit changes to IStorage.	InfoSources: ISCUserDb	Error	
CGIscUserDB::Import - Cannot open compound file.	InfoSources: ISCUserDb	Error	
CGIscUserDB::Import - End with exception.	InfoSources: ISCUserDb	Error	

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
CGIscUserDB::Import - End; hr = (return code).	InfoSources: ISCUserDb	Error	
CGIscUserDB::Initialize - End - hr = (return code).	InfoSources: ISCUserDb	Info	
CGIscUserDB::Initialize - Start.	InfoSources: ISCUserDb	Info	
CGIscUserDB::Load - End with exception.	InfoSources: ISCUserDb	Error	
CGIscUserDB::LookUp - End - hr = (return code).	InfoSources: ISCUserDb	Error	
CGIscUserDB::LookUp - End with exception.	InfoSources: ISCUserDb	Error	
CGIscUserDB::Next - End - hr = (return code).	InfoSources: ISCUserDb	Error	
CGIscUserDB::Next - End with exception.	InfoSources: ISCUserDb	Error	
CGIscUserDB::Query - End - hr = (return code).	InfoSources: ISCUserDb	Error	
CGIscUserDB::Query - End with exception.	InfoSources: ISCUserDb	Error	
CGIscUserDB::Save - End with exception.	InfoSources: ISCUserDb	Error	
CGIsImperson::DoImpersonateAsUser - Failed - error = (error code).	InfoSources: ISCUserDb	Error	
CGIsImperson::DoImpersonateAsUser - No User Token - User has not logged on yet.	InfoSources: ISCUserDb	Error	
CGIsImperson::DoLogOnAsUser - Failed - error = (error code).	InfoSources: ISCUserDb	Error	
CGIsImperson::ImpersonateUser - Not NT platform.	InfoSources: file system	Warning	
CGIsImperson::ImpersonateUser - Not NT platform.	InfoSources: ISCUserDb	Warning	
CGIsImperson::RevertToOrigUser - Has not been impersonated.	InfoSources: file system	Warning	
CGIsImperson::RevertToOrigUser - Has not been impersonated.	InfoSources: ISCUserDb	Warning	
CGIsImperson::RevertToOrigUser - RevertToSelf failed - error = (error code).	InfoSources: ISCUserDb	Error	

## LOG MESSAGES

---

Log Message	Module	Type	Code
CGIsImperson::RevertToOrigUser - RevertToSelf succeeded.	InfoSources: file system	Info	
CGIsImperson::RevertToOrigUser - RevertToSelf succeeded.	InfoSources: iscodbc	Info	
CGIsImperson::RevertToOrigUser - RevertToSelf succeeded.	InfoSources: ISCUserDb	Info	
CGLLPlugIn::SupportsInterface() - Calligo server user login ID [(User ID)].	DMS Plug-In	Info	
CGLLPlugIn::SupportsInterface() - Calligo server user login password [(password)].	DMS Plug-In	Info	
CGLLPlugIn::SupportsInterface() - user (user name) logged on to Calligo server.	DMS Plug-In	Info	
CGNonPrimeTmplDoc::LoadTempl -- Finished.	Author	Info	
CGNonPrimeTmplDoc::LoadTempl -- Finished.	Author	Info	
CGNonPrimeTmplDoc::LoadTempl -- Finished.	Author	Info	
CGOdbc::Connect - Cannot allocate Connect Handle.	InfoSources: ISCUserDb	Error	
CGOdbc::Connect - Cannot allocate Environment Handle.	InfoSources: ISCUserDb	Error	
CGOdbc::Connect - Cannot connect to Data Source.	InfoSources: iscodbc	Error	
CGOdbc::Connect - Cannot connect to Data Source.	InfoSources: ISCUserDb	Error	
CGOdbc::Connect - End - Successful.	InfoSources: iscodbc	Info	
CGOdbc::Connect - End - Successful.	InfoSources: ISCUserDb	Info	
CGOdbc::FindValue - End - Fail to match the column name.	InfoSources: ISCUserDb	Error	
CGOdbc::FindValue - End - Fail to match the column name.	InfoSources: ISCUserDb	Error	
CGOdbc::FindValue - End - Fail with hr = (return code).	InfoSources: iscodbc	Error	
CGOdbc::FindValue - End - Fail with hr = (return code).	InfoSources: ISCUserDb	Error	
CGOdbc::Get - End - Fail to get column value.	InfoSources: ISCUserDb	Error	
CGOdbc::Get - End - Fail to get column value.	InfoSources: ISCUserDb	Error	

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
CGOdbc::Query - End - Bind Column failed.	InfoSources: ISCUserDb	Error	
CGOdbc::Query - End - Fail to execute the Query Statement.	InfoSources: iscodbc	Error	
CGOdbc::Query - End - Fail to execute the Query Statement.	InfoSources: ISCUserDb	Error	
CGOdbc::Query - End - Get Column description failed.	InfoSources: ISCUserDb	Error	
CGOdbc::Query - End - Successful.	InfoSources: iscodbc	Info	
CGOdbc::Query - End - Successful.	InfoSources: ISCUserDb	Info	
CGOdbcUserDB::BuildWhereClause - Syntax error in Expression for generation (Exception Desc).	InfoSources: ISCUserDb	Error	
CGOdbcUserDB::CloseChildRowSet - Remove Rowset (row set ID) for table (table name).	InfoSources: ISCUserDb	Warning	
CGOdbcUserDB::EvalExpress - EvaluateExpression succeeded.	InfoSources: ISCUserDb	Info	
CGOdbcUserDB::EvalExpress - QI IID_IInsReferenceContext fails.	InfoSources: ISCUserDb	Error	
CGOdbcUserDB::GetValue - End - cannot find value in parent tables.	InfoSources: ISCUserDb	Error	
CGOdbcUserDB::GetValue - End - Fail to find value in child table.	InfoSources: ISCUserDb	Error	
CGOdbcUserDB::GetValue - Fail to find value in this table.	InfoSources: ISCUserDb	Error	
CGOdbcUserDB::Initialize - End - hr = (return code).	InfoSources: ISCUserDb	Info	
CGOdbcUserDB::Initialize - Start - Table = (table name).	InfoSources: ISCUserDb	Info	
CGRBDlg::DataExchange - End.	Author Assistant	Error	
CGRBDlg::DataExchange - Failed to retrieve Active Template.	Author Assistant	Error	
CGRBDlg::DataExchange - IDispatch =NULL.	Author Assistant	Error	
CGRBDlg::InsertTextIntoActiveTemplate - No active template.	Author Assistant	Error	
CGRBDlg::IscSelector, Failed to retrieve IInsIsaUtilities.	Author Assistant	Error	

## LOG MESSAGES

---

Log Message	Module	Type	Code
CGRBDlg::IscSelector, Failed to retrieve IInsIscConnect.	Author Assistant	Error	
CGRBDlg::IscSelector, Failed to retrieve IInsIscSelect.	Author Assistant	Error	
CGRBDlg::IscSelector, ISC connect - cancelled.	Author Assistant	Error	
CGRBDlg::IscSelector, ISC connect - failed.	Author Assistant	Error	
CGRBDlg::LoadActiveISC - End, T=(count value), I=(count value).	Author Assistant	Error	
CGRBDlg::LoadActiveISC - End, T=(count value), I=(count value).	Author Assistant	Info	
CGRBDlg::ProcessISC, failed to build NewRef hr=(return code).	Author Assistant	Error	
CGRBDlg::ProcessISCSelection () - Selected ISC is blank.	Author Assistant	Error	
CGRBDlg::ProcessISCSelection () - Selected ISC Type is blank.	Author Assistant	Error	
CGRBDlg::ProcessISCSelection () - Selected ISC Type is not installed.	Author Assistant	Error	
CGReferenceContext::CreateAndLoadTemplate - cannot create section object.	Assembly Engine	Warning	
CGReferenceContext::CreateAndLoadTemplate - cannot get IPersistFile pointer.	Assembly Engine	Warning	
CGRegAccess::Cannot create Registry Key for Local.idb File.	Assembly	Error	
CGRegAccess::Cannot create Registry Key for Local.idb File.	Author	Error	
CGRegAccess::Cannot create Registry Key for Local.idb File.	ISM (GUI): ISAM	Error	
CGRegAccess::Cannot open Registry Key for LOCAL_IDB_PATH.	Assembly	Error	
CGRegAccess::Cannot open Registry Key for LOCAL_IDB_PATH.	Author	Error	
CGRegAccess::Cannot open Registry Key for LOCAL_IDB_PATH.	ISM (GUI): ISAM	Error	
CGRepository::ConnectToDms - QI IInsIscProperties failed.	Repository	Warning	
CGTempFile::CreateNewFileFolder - Fail to create new folder (folder name).	InfoSources: IscLiveLink	Error	

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
CGTempFile::CreateNewFileFolder - Fail to create new folder.	InfoSources: IscLiveLink	Error	
CGTempFile::MakeUpTempFile - GetTempFileName end with exception.	InfoSources: IscLiveLink	Error	
CGTemplateTree::CreateSubTemplateList - GetFirstSubTemplateList.	Author	Info	
CGTemplateTree::CreateSubTemplateList - GetNextSubTemplateList.	Author	Info	
CGTemplateTree::QueryTemplateStatus - GetFirstSubTemplate.	Author	Info	
CGTemplateTree::QueryTemplateStatus - IsCompiled.	Author	Info	
CGWp8Util:: - Exception.	Customizer: Wpcw8m	Error	
CGWp8Util::AddAWBlock - Exception.	Customizer: Wpcw8m	Error	
CGWp8Util::AddAWBlock - Invalid WordBasic Pointer.	Customizer: Wpcw8m	Warning	
CGWp8Util::ClearUndoHistory - Exception.	Customizer: Wpcw8m	Error	
CGWp8Util::ClearUndoHistory - Exception.	Customizer: Wpcw8m	Error	
CGWp8Util::CopyDocToClipBoard - Exception.	Customizer: Wpcw8m	Error	
CGWp8Util::CopyDocToClipBoard - Invalid WordBasic Pointer.	Customizer: Wpcw8m	Error	
CGWp8Util::GetAfterTextPro - Exception.	Customizer: Wpcw8m	Error	
CGWp8Util::GetAfterTextPro - Exception.	Customizer: Wpcw8m	Error	
CGWp8Util::GetHiddenTagInfo - Exception.	Customizer: Wpcw8m	Error	
CGWp8Util::GetHiddenTagInfo - Invalid WordBasic Pointer.	Customizer: Wpcw8m	Warning	
CGWp8Util::GetTagInfoFmLeft - Exception.	Customizer: Wpcw8m	Error	
CGWp8Util::GetTagInfoFmLeft - Invalid WordBasic Pointer.	Customizer: Wpcw8m	Warning	
CGWp8Util::GetTagInfoFmSelect - Exception.	Customizer: Wpcw8m	Error	
CGWp8Util::GetTagInfoFmSelect - Invalid WordBasic Pointer.	Customizer: Wpcw8m	Error	
CGWp8Util::HiddenFormat - Exception.	Customizer: Wpcw8m	Error	
CGWp8Util::HiddenFormat - Invalid WordBasic Pointer.	Customizer: Wpcw8m	Warning	
CGWp8Util::InsertEndText - Exception.	Customizer: Wpcw8m	Error	

## LOG MESSAGES

---

Log Message	Module	Type	Code
CGWp8Util::InsertEndText - Exception.	Customizer: Wpcw8m	Error	
CGWp8Util::IsTagInTable - Exception.	Customizer: Wpcw8m	Error	
CGWp8Util::IsTagInTable - Exception.	Customizer: Wpcw8m	Error	
CGWp8Util::IsTagInTable - Invalid WordBasic Pointer.	Customizer: Wpcw8m	Warning	
CGWp8Util::MoveCursorTo - Exception.	Customizer: Wpcw8m	Error	
CGWp8Util::MoveCursorTo - Invalid WordBasic Pointer.	Customizer: Wpcw8m	Warning	
CGWp8Util::MoveCursorTo - Unknown Exception.	Customizer: Wpcw8m	Error	
CGWp8Util::ShowHiddenText - Invalid WordBasic Pointer.	Customizer: Wpcw8m	Warning	
CGWp8Util::ValidateBmName - End - Invalid WordBasic Pointer.	Customizer: Wpcw8m	Warning	
CGWpcW8::ReplaceField - Failed.	Customizer: Wpcw8m	Error	
CGWpcW8m::ActivateCalligoDoc - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::ActivateCalligoDoc - Input Calligo Doc name is blank.	Customizer: Wpcw8m	Error	
CGWpcW8m::ApplyAll - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::ConnectWp - Fail to create a WordBasic instance.	Customizer: Wpcw8m	Error	
CGWpcW8m::CopyFormat - Get Page Setup & Copy Char Properties.	Customizer: Wpcw8m	Info	
CGWpcW8m::DisconnectWP - End - hr = (return code).	Customizer: Wpcw8m	Info	
CGWpcW8m::EnumTags - Fail to create the Tag Enumerator object.	Customizer: Wpcw8m	Error	
CGWpcW8m::EnumTags - Fail to get the Enumerator object IUnknown pointer.	Customizer: Wpcw8m	Error	
CGWpcW8m::EnumTags - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::EnumTags - Return Enum pointer is NULL.	Customizer: Wpcw8m	Error	
CGWpcW8m::GetActiveDoc - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
CGWpcW8m::GetActiveDoc - Return Document Pointer is NULL.	Customizer: Wpcw8m	Error	
CGWpcW8m::GetActivePrinter - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::GetActivePrinter - Return Printer pointer is NULL.	Customizer: Wpcw8m	Error	
CGWpcW8m::GetPageSetup - Ok.	Customizer: Wpcw8m	Warning	
CGWpcW8m::GetTagInfo - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::GetTagInfo - Invalid Tag Info.	Customizer: Wpcw8m	Error	
CGWpcW8m::GetTagInfo - Not at a valid Custom Wording Bookmark.	Customizer: Wpcw8m	Warning	
CGWpcW8m::GetTagInfo - Return pointer is blank.	Customizer: Wpcw8m	Error	
CGWpcW8m::GetTagText - Has not yet connected to Word 8.	Customizer: Wpcw8m	Error	
CGWpcW8m::GetTagText - Input Tag Info is blank.	Customizer: Wpcw8m	Error	
CGWpcW8m::GetWordingText - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::GetWordingText - Return pointer is blank.	Customizer: Wpcw8m	Error	
CGWpcW8m::GotoNextTag - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::GotoNextTag - Invalid Tag Info.	Customizer: Wpcw8m	Error	
CGWpcW8m::GotoNextTag - Return pointer is blank.	Customizer: Wpcw8m	Error	
CGWpcW8m::GotoPrevTag - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::GotoPrevTag - Invalid Tag Info.	Customizer: Wpcw8m	Warning	
CGWpcW8m::GotoPrevTag - No tag in document.	Customizer: Wpcw8m	Error	
CGWpcW8m::GotoPrevTag - Return pointer is blank.	Customizer: Wpcw8m	Error	
CGWpcW8m::GotoTag - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::GotoTag - Input Bookmark Name is blank.	Customizer: Wpcw8m	Error	

## LOG MESSAGES

---

Log Message	Module	Type	Code
CGWpcW8m::GotoTag - Invalid Input Bookmark Name (bookmark name).	Customizer: Wpcw8m	Error	
CGWpcW8m::GotoTag - No more tag.	Customizer: Wpcw8m	Error	
CGWpcW8m::GotoTag - No more tag.	Customizer: Wpcw8m	Warning	
CGWpcW8m::GotoTag - No previous tag.	Customizer: Wpcw8m	Warning	
CGWpcW8m::GotoTag - No tag in document.	Customizer: Wpcw8m	Warning	
CGWpcW8m::GotoTag - Tag Info is blank.	Customizer: Wpcw8m	Error	
CGWpcW8m::GotoTagEx - Has not yet connected to Word.	Customizer: Wpcw8m	Error	
CGWpcW8m::GotoTagEx - No tags in document.	Customizer: Wpcw8m	Error	
CGWpcW8m::InsertText - End - hr = (return code).	Customizer: Wpcw8m	Info	
CGWpcW8m::InsertText - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::InsertText - Input text is blank.	Customizer: Wpcw8m	Error	
CGWpcW8m::Lockup - End - hr = (return code).	Customizer: Wpcw8m	Info	
CGWpcW8m::Lockup - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::Lockup - Start - Key = (key value).	Customizer: Wpcw8m	Info	
CGWpcW8m::MarkAllCustText - Finish MarkText.	Customizer: Wpcw8m	Info	
CGWpcW8m::MarkCalligoDoc - Has not yet connected to Word 8.	Customizer: Wpcw8m	Error	
CGWpcW8m::MarkTag - No tag in document.	Customizer: Wpcw8m	Warning	
CGWpcW8m::MarkText - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::MarkText - Invalid color option = (color option).	Customizer: Wpcw8m	Error	
CGWpcW8m::NormalizeExp - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::NormalizeVar - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::Paste - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
CGWpcW8m::Print - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::Print - Invalid defined pages (page value).	Customizer: Wpcw8m	Error	
CGWpcW8m::Print - Invalid Page Type = (page type).	Customizer: Wpcw8m	Error	
CGWpcW8m::Print - Invalid Print Item = (print item).	Customizer: Wpcw8m	Error	
CGWpcW8m::Print - Invalid print range defined from page (from page num) to (to page num).	Customizer: Wpcw8m	Error	
CGWpcW8m::Print - Invalid Range = (range value).	Customizer: Wpcw8m	Error	
CGWpcW8m::Print - Output File Name is blank.	Customizer: Wpcw8m	Error	
CGWpcW8m::Print - Print File Name is blank - Print Active Document.	Customizer: Wpcw8m	Error	
CGWpcW8m::PrintDefault - Cannot retrieve the active document name.	Customizer: Wpcw8m	Error	
CGWpcW8m::PrintDefault - Cannot set (file name) as active document.	Customizer: Wpcw8m	Error	
CGWpcW8m::PrintDefault - Cannot set original active document.	Customizer: Wpcw8m	Error	
CGWpcW8m::PrintDefault - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::PrintDefault - Input Document name is blank.	Customizer: Wpcw8m	Error	
CGWpcW8m::PrintPreview - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::ProtectVar - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::SetActivePrinter - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::SetActivePrinter - Input printer is blank.	Customizer: Wpcw8m	Error	
CGWpcW8m::SetPageSetup - Ok.	Customizer: Wpcw8m	Warning	
CGWpcW8m::SetViewOption - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::SetViewOption - Invalid View Option (view option).	Customizer: Wpcw8m	Error	

## LOG MESSAGES

Log Message	Module	Type	Code
CGWpcW8m::SetViewOption - Return option pointer is NULL.	Customizer: Wpcw8m	Error	
CGWpcW8m::UndoApplyAll - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::UndoApplyWording - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::Unlockup - End - hr = (return code).	Customizer: Wpcw8m	Info	
CGWpcW8m::Unlockup - Has not yet connected to Word 7.	Customizer: Wpcw8m	Error	
CGWpcW8m::Unlockup - Start - Key = (key value).	Customizer: Wpcw8m	Info	
CIsaUiDlg::Cannot get IIInsIsaInitialize.	ISM (GUI): ISAM	Error	
CIsaUiDlg::Cannot Initialize ISAServices.	ISM (GUI): ISAM	Error	
CIsaUiDlg::Cannot Uninitialize ISA Services.	ISM (GUI): ISAM	Error	
Clg Templates Added.	Customizer GUI	Info	
Closing CLG: 0x(return code).	Customizer GUI	Error	
Commit Template Stg: 0x(return code).	Customizer GUI	Error	
Compile Wording.	Customizer GUI	Info	
Compound Object Library not initialized.	Compiler	Error	
Compound Object Library not initialized.	Compiler	Error	
Construct Generated Document object.	Assembly Engine	Info	Equivalent to 4549
Construct Generation Session object.	Assembly Engine	Info	Equivalent to 4551
Construct Reference Context object.	Assembly Engine	Info	Equivalent to 4553
Construct Template object.	Assembly Engine	Info	Equivalent to 4547
Context expired because of timeout, sessid=(Session ID).	Assembly Server	Warning	1301
Convert from MDF to Word 8.	Compiler	Error	
Convert from Word 8.0 Binary Format to Mosaic Document Format.	Compiler	Error	
Corrupt Lfo Strc in Link List.	Compiler	Error	
Corrupt Tag Info from WPC or WdPool.	Customizer GUI	Info	
Could not add document to repository, uisr (UISR), path (Path Value).	Assembly Server	Error	1282
Could not allocate memory.	Compiler	Error	0x80048005L

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
could not close document in repository, uisr (UISR), path (Path Value).	Assembly Server	Error	1284
Could not close registry key.	Assembly Server	Error	113
Could not commit gendoc varpool to storage, HRESULT=(Return code).	Assembly Server	Error	1273
Could not commit varpool to storage.	Assembly Server API	Error	1032
Could not convert a non-Word 8 file.	Compiler	Error	0x80044011L
Could not create an instance of callback, HRESULT=(Return code).	Assembly Server	Error	1264
Could not create doc file (file name).	Compiler	Error	
Could not create instance of gendoc, HRESULT=(Return Code).	Assembly Server	Error	1261
Could not create instance of gensession, HRESULT=(Return code).	Assembly Server	Error	1260
Could not create instance of repository, HRESULT=(Return code).	Assembly Server	Error	1277
Could not email doc.	Assembly Server API	Error	1008
Could not get FileAccess interface from repository, HRESULT=(Return code).	Assembly Server	Error	1279
Could not get InsDocument interface from gendoc, HRESULT=(Return code).	Assembly Server	Error	1268
Could not get interface from callback, HRESULT=(Return code).	Assembly Server	Error	1265
Could not get persist file interface from gendoc, HRESULT=(Return code).	Assembly Server	Error	1262
Could not get RepUtilities interface from repository, HRESULT=(Return code).	Assembly Server	Error	1278
Could not get set repository attributes (user/pass), HRESULT=(Return code).	Assembly Server	Error	1280
Could not get storage from gendoc, HRESULT=(return code).	Assembly Server	Error	1269
Could not get storage interface from gendoc, HRESULT=(Return code).	Assembly Server	Error	1270
Could not get var from gazdoc, name=(Name Value).	Assembly Server	Error	1276
Could not load gendoc, HRESULT=(Return code).	Assembly Server	Error	1263
Could not load variables from gendoc varpool.	Assembly Server	Error	1271

## LOG MESSAGES

---

Log Message	Module	Type	Code
Could not load variables to gendoc varpool.	Assembly Server	Error	1272
Could not login user (user info) to gensession, HRESULT=(return code).	Assembly Server	Error	1285
Could not open document in repository, uisr (UISR), path (Path Value).	Assembly Server	Error	1281
Could not open input MDF file.	Compiler	Error	0x80048001L
Could not open registry key.	Assembly Server	Error	110
Could not open storage file (file name).	Compiler	Error	
Could not read registry key.	Assembly Server	Error	111
Could not save document in repository, uisr (UISR), path (Path Value).	Assembly Server	Error	1283
Could not save gendoc, HRESULT=(Return code).	Assembly Server	Error	1267
Could not send email: from= (Sender), to=(Receiver), cc=(CC Receiver), bcc=(BCC Receiver), subj=(Title), attached_files=(File Location), attached_names=(File Name).	Assembly Server	Error	1091
Could not set var in gazdoc, name=(Name), value=(Value).	Assembly Server	Error	1275
Could not write registry key.	Assembly Server	Error	112
Create Customization Pool Storage: 0x(return code).	Customizer GUI	Error	
Create Item Storage: 0x(return code).	Customizer GUI	Error	
Create new CFGazRunner object.	Assembly Server	Info	
Create Template Object.	Customizer GUI	Error	
Created Calligo Toolbar Window.	Customizer GUI	Info	
Created Main Frame Window.	Customizer GUI	Info	
Creating Main Frame Window.	Customizer GUI	Info	
Critical Section is acquired - locked=(locked info).	Assembly Server	Info	
CSession get_Documents - failed.	Assembly Link	Error	
CSessions Add - failed, no user name.	Assembly Link	Error	
CSessions Add - failed.	Assembly Link	Error	
CSessions AddNewSession - failed.	Assembly Link	Error	
CVariables InternalSetValue - failed.	Assembly Link	Error	

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
CXPlugIn::AddHelpMenuItem() - no more plugin object help menu item header, returns [(return code)].	Author	Info	
CXPlugIn::AddHelpMenuItem() - no more plugin object help menu item header, returns [(return code)].	Author	Warning	
CXPlugIn::AddToolsMenuItem() - no more menu items.	Author	Warning	
Default Repository (repository name) selected	Assembler Add-in	Info	
DEFINE.	Assembly Engine	Info	Equivalent to 4563
Delete All Tree Items: 0x(return code).	Customizer GUI	Info	
Destroy Storage: 0x(return code).	Customizer GUI	Info	
Destruct Generated Document object.	Assembly Engine	Info	Equivalent to 4550
Destruct Generation Session object.	Assembly Engine	Info	Equivalent to 4552
Destruct Reference Context object.	Assembly Engine	Info	Equivalent to 4554
Destruct Template object.	Assembly Engine	Info	Equivalent to 4548
Dg Container has other than Dg Record.	Compiler	Warning	
Directory entries exhausted.	Exception Handling: gazelle	Warning	0x8004F109
Disk full.	Exception Handling: gazelle	Warning	0x8004F10E
DO WHILE.	Assembly Engine	Info	Equivalent to 4561
DocGen produced errors, not generated.	Assembly Server API	Error	1002
DocGen produced warnings, but generated.	Assembly Server API	Error	1001
Document (document path and name) is registered	Assembler Add-in	Info	
Document (document path and name) is unregistered	Assembler Add-in	Info	
Document is not checked out.	Repository	Error	0x80040802
Document Name is blank.	Repository	Error	0x80040801
Don't know how to pack Dgg.	Compiler	Error	
Due to mismatched compilation stamp, the generated document may appear incorrect. Please re-compile all sections in Author.	Compiler	Error	0x8004800EL
Dump variable.	Assembly Engine	Info	Equivalent to 4630

## LOG MESSAGES

---

Log Message	Module	Type	Code
Dump variable.	Generator	Info (Message )	
ELSE.	Assembly Engine	Info	Equivalent to 4667
Encapsulated data processing completed.	Generator	Info (Debug)	
Encapsulated Data processing completed.	Assembly Engine	Info	Equivalent to 4594
END Assembly Server Main Thread.	Assembly Server	Info	
END CFService::Shutdown.	Assembly Server	Info	
END Client Service thread.	Assembly Server	Info	
END Generation Subrequest.	Assembly Server	Info	
END Generation thread.	Assembly Server	Info	
END Listener Thread.	Assembly Server	Info	
End of file reached in archive file.	Exception Handling: gazelle	Warning	0x8004F124
End of file.	Exception Handling: gazelle	Warning	0x8004F10F
END Session Manager thread.	Assembly Server	Info	
END Subrequest Save.	Assembly Server	Info	
End to close Clg.	Customizer GUI	Info	
End to get WP content of generated document.	Assembly	Info	
END Worker thread (CFWorker::Run).	Assembly Server	Info	
END: CGLLPlugIn::SupportsInterface() - no plugin container IDispatch pointer, return E_FAIL.	DMS Plug-In	Error	
END: CXComCatMgr::GetRegisterInterface() - returns hr [0x(return code)08X].	Author	Info	
END: CXPlugIn::AddToolsMenuItem() - no plugin object name to add returns [(return code)].	Author	Warning	
ENDDO.	Assembly Engine	Info	Equivalent to 4562
ENDIF.	Assembly Engine	Info	Equivalent to 4556
ENDJOB.	Assembly Engine	Info	Equivalent to 4573
ENDMF.	Assembly Engine	Info	Equivalent to 4580
ENDTEXT.	Assembly Engine	Info	Equivalent to 4558
ENDWS.	Assembly Engine	Info	Equivalent to 4582

Log Message	Module	Type	Code
Enum Tag in validation: 0x(return code).	Customizer GUI	Error	
Enumerating Tags:0x(return code).	Customizer GUI	Error	
Enumerating Wording Infos:0x(return code).	Customizer GUI	Error	
EnumTag with bValidate 0x(return code).	Customizer GUI	Error	
EnumTags():0x(return code).	Customizer GUI	Error	
EnumWording Info failed.	Customizer GUI	Error	
EnumWordingInfos():0x(return code).	Customizer GUI	Error	
ERROR END Subrequest UISR::Open.	Assembly Server	Error	
ERROR END: no IInsGenerationSession retrieved.	Assembly Server	Error	
ERROR END: SRGen no GazDoc retrieved.	Assembly Server	Error	
ERROR END: Subrequest Add - empty m_repFA.	Assembly Server	Error	
ERROR END: Subrequest Add - m_isOpen.	Assembly Server	Error	
ERROR END: Subrequest Add.	Assembly Server	Error	
ERROR END: Subrequest Save - Add() return ERROR.	Assembly Server	Error	
ERROR END: Subrequest Save - empty m_repFA.	Assembly Server	Error	
ERROR END: Subrequest UISR - EMPTY m_repFA.	Assembly Server	Error	
ERROR END: Subrequest UISR - EMPTY m_repFA.	Assembly Server	Error	
Error executing DocGen.	Assembly Server API	Error	1003
Error reading MDF input file.	Compiler	Error	
ERROR Upload - open file (File path), [(Error Cause)].	Assembly Server	Error	
Error: Building Common Property Stream due to.	Compiler	Error	
ERROR: CGLLPlugIn::GetBitmapID() - no bitmap resource ID for function ID [(function ID)].	DMS Plug-In	Error	
ERROR: CGLLPlugIn::GetMenuTextID() - no resource ID for function ID [(function ID)].	DMS Plug-In	Error	
ERROR: CGLLPlugIn::GetToolTipTextID() - no tooltip text resource ID for function ID [(function ID)].	DMS Plug-In	Error	

## LOG MESSAGES

---

Log Message	Module	Type	Code
ERROR: CGLLPlugIn::OnNonStdCommand() - launch URL failed.	DMS Plug-In	Critical	
ERROR: CGLLPlugIn::SupportsInterface() - no container dispatch pointer.	DMS Plug-In	Error	
ERROR: CXComCatMgr::CreateComponentCategory() - ICatRegister::RegisterCategories returns [0x(return code)08X].	Author	Error	
ERROR: CXComCatMgr::GetCLSIDsInCategory() - fail to retrieve enumeration interface returns [0x(return code)08X].	Author	Error	
ERROR: CXComCatMgr::GetRegisterInterface() - CoCreateInstance returns [0x(return code)08X].	Author	Error	
ERROR: CXComCatMgr::GetRegisterInterface() - CoCreateInstance returns [0x(return code)08X].	Author	Error	
ERROR: CXComCatMgr::RegClsImpCategory() - fail to register implemented categories returns [0x(return code)08X].	Author	Error	
ERROR: CXComCatMgr::RegClsImpCategory() - fail to unregister implemented categories returns [0x(return code)08X].	Author	Error	
ERROR: CXComCatMgr::RegClsImpCategory() - no CLSID supplied, returns hr [0x(return code)08X].	Author	Error	
ERROR: CXComCatMgr::RegClsImpCategory() - no implemented CATID, returns hr [0x(return code)08X].	Author	Error	
ERROR: CXComCatMgr::RegClsReqCategory() - fail to register required categories returns [0x(return code)08X].	Author	Error	
ERROR: CXComCatMgr::RegClsReqCategory() - fail to unregister required categories returns [0x(return code)08X].	Author	Error	

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
ERROR: CXComCatMgr::RegClsReqCategory() - no CLSID supplied, returns hr [0x(return code)08X].	Author	Error	
ERROR: CXComCatMgr::RegClsReqCategory() - no required CATID, returns hr [0x(return code)08X].	Author	Error	
ERROR: CXComCatMgr::RegisterCLSIDInCategory() - ICatRegister::RegisterClassImplCategories returns [0x(return code)08X].	Author	Error	
ERROR: CXPlugIn::AddHelpMenuItem() - no about box menu item, plugin object returns [0x(return code)08X], return [(return code)].	Author	Info	
Exception handler: could not format exception message.	Assembly Server	Error	135
Exception: (GenSession) Proxy Login - (User Info).	Assembly Server	Error	
Exception: (GenSession) reason - (Reason Content).	Assembly Server	Error	
Exception: (GenSession) reason - (Reason Content).	Assembly Server	Error	
Exception: (GenSession) User Login - (User Info).	Assembly Server	Error	
Exception: (Repos.-Add) - [(User Info)].	Assembly Server	Error	
Exception: (Repos.-Add) - reason[(Reason Content)].	Assembly Server	Error	
Exception: (Repos.-Close) - [(User Info)].	Assembly Server	Error	
Exception: (Repos.-Close) - reason [(Reason Content)].	Assembly Server	Error	
Exception: (Repos.-SetAttributes) - reason (Reason Content).	Assembly Server	Error	
Exception: (Repository::SetAttributes) - (User Info).	Assembly Server	Error	
Exception: A thread is out of memory.	Assembly Server	Error	1071
Exception: authentication failed for client message.	Assembly Server	Error	1206

## LOG MESSAGES

---

Log Message	Module	Type	Code
Exception: authentication failed for control message.	Assembly Server	Error	1204
Exception: bad character sub-request (Req Info).	Assembly Server	Error	1228
Exception: bad message type received.	Assembly Server	Error	1202
Exception: bad request begin signature.	Assembly Server	Error	1215
Exception: bad request end signature.	Assembly Server	Error	1218
Exception: bad syntax in sub-request (Req Info).	Assembly Server	Error	1231
Exception: bad wait value in sub-request (Req Info).	Assembly Server	Error	1236
Exception: cannot load file - empty name.	Assembly Server	Error	1222
Exception: cannot load file (File Name) - error reading file.	Assembly Server	Error	1225
Exception: cannot load file (File Name) - open failed.	Assembly Server	Error	1224
Exception: CGLLPlugIn::OnNonStdCommand() - caught Calligo exception.	DMS Plug-In	Error	
Exception: could not lock context.	Assembly Server	Error	1238
Exception: CXPlugIn::GetMenuEntryPoint() - caught CMemoryException.	Author	Error	
Exception: CXPlugIn::InitCmdIDToFuncIDMap() - caught CMemoryException.	Author	Error	
Exception: CXPlugIn::LocateMenuItem() - caught MFC CException.	Author	Error	
Exception: error in client requests sequence (expecting continuation).	Assembly Server	Error	1239
Exception: error in client requests sequence (merge error).	Assembly Server	Error	1241
Exception: error in client requests sequence (unexpected continuation).	Assembly Server	Error	1240
Exception: error parsing request.	Assembly Server	Error	1209
Exception: error parsing the transfer files string.	Assembly Server	Error	1242
Exception: error receiving incoming data.	Assembly Server	Error	1221
Exception: extra keys in sub-request (Req Info) (Label).	Assembly Server	Error	1235
Exception: invalid control request.	Assembly Server	Error	1205
Exception: invalid request type.	Assembly Server	Error	1210

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
Exception: invalid sub-request (Req Info).	Assembly Server	Error	1229
Exception: invalid value of runtime parameter (Name Value) (String Value).	Assembly Server	Error	1237
Exception: missing comma in sub-request (Req Info).	Assembly Server	Error	1233
Exception: no authentication record in control message.	Assembly Server	Error	1203
Exception: no closing quote in sub-request (Req Info).	Assembly Server	Error	1226
Exception: no colon after sub-request keyword or label in (Req Info).	Assembly Server	Error	1230
Exception: no value for key (Key Value) in sub-request (Req Info) (Label).	Assembly Server	Error	1234
Exception: no value for key in sub-request (Req Info).	Assembly Server	Error	1232
Exception: outgoing message too long.	Assembly Server	Error	1220
Exception: unexpected end of sub-request (Req Info).	Assembly Server	Error	1227
Exception: unknown control request.	Assembly Server	Error	1211
Exception: unknown sub-request type in (Req Info).	Assembly Server	Error	1207
Exiting the main Assembly Server thread.	Assembly Server	Info (Success)	1022
ExitInstance.	Assembly	Info	
ExitInstance: generation log file is removed.	Assembly	Info	
Explorer View Windows Created.	Customizer GUI	Info	
Fail class cxbststr.	Customizer: Wdpoolm	Error	5
Fail class wdcontrol.	Customizer: Wdpoolm	Error	7
Fail class wording info.	Customizer: Wdpoolm	Error	6
Fail to create the Tag Enumerator Object.	Customizer: Wpcw8m	Error	12
Fail to create WordBasic instance.	Customizer: Wpcw8m	Error	2
Fail to get the Enumerator IUnknown pointer.	Customizer: Wpcw8m	Error	13
Fail to load Customization Pool.	Customizer: Wdpoolm	Error	102

## LOG MESSAGES

---

Log Message	Module	Type	Code
Fail to open local file during (upload / download).	Assembly Server API	Error	108
Fail to query IStorage pointer from input Iunknon object.	Compiler	Error	0x80044019L
Fail to retrieve the active document name.	Customizer: Wpcw8m	Error	5
fail to revert impersonation from user (User Info), err = (Error Code).	Assembly Server	Info (Success)	1057
Fail to save Customization Pool.	Customizer: Wdpoolm	Error	103
Fail to set the new document as active document.	Customizer: Wpcw8m	Error	6
Fail to set the original document as active document.	Customizer: Wpcw8m	Error	7
Failed at converting stream.	Compiler	Error	
Failed at creating FIB object.	Compiler	Error	
Failed at creating MDF object.	Compiler	Error	
Failed at creating MDF object.	Compiler	Error	
Failed at Creating Word Doc Object.	Compiler	Error	
Failed at getting enumerator.	Compiler	Error	
Failed at opening Data Stream.	Compiler	Error	
Failed at opening Object Pool.	Compiler	Error	
Failed at Opening Table Stream.	Compiler	Error	
Failed at Opening WordDocument Stream.	Compiler	Error	
Failed at reading magic word of MDF.	Compiler	Error	
Failed at writing magic word.	Compiler	Error	
Failed at writing magic word.	Compiler	Error	
Failed creating MDF file (file name).	Compiler	Error	
Failed creating MDF output file.	Compiler	Error	0x80044012L
Failed destroy Assembly Link object.	Customizer GUI	Error	
Failed opening mdf file (file name).	Compiler	Error	
Failed opening WordDocument stream.	Compiler	Error	
Failed reading FIB.	Compiler	Error	
Failed to AddDoc: (file name) from Repository. Return code:(return code).	Assembly	Error	
Failed to AddDoc: (file name) from Repository. Return code:(return code).	Assembly	Error	

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
Failed to allocate memory for version data.	Author	Error	
Failed to allocate memory for version data.	Author Assistant	Error	
Failed to CloseDoc: (file name) from Repository. Return code:(return code).	Assembly	Error	
Failed to copy files.	Repository	Error	0x8004080e
Failed to create generating thread.	Assembly	Error	
Failed to create new document.	Assembly	Error	
Failed to create SessionManager.	InfoSources: IscFileNet	Error	
Failed to create status bar.	ISM (GUI): ISAM	Error	
Failed to create the InfoSource Administrator COM instance.	Repository	Error	0x8004080b
Failed to create toolbar.	ISM (GUI): ISAM	Error	
Failed to extract metadata.	Assembly Server	Error	
Failed to generate, DDE=(DDE Value).	Assembly Server	Warning	1003
Failed to get the InfoSource Administrator Initialize Interface.	Repository	Error	0x8004080a
Failed to get the InfoSource Administrator Utilities Interface.	Repository	Error	0x80040808
Failed to get the InfoSource Connect Interface.	Repository	Error	0x80040809
Failed to get the InfoSource Get Interface.	Repository	Error	0x80040806
Failed to get the InfoSource Repository Interface.	Repository	Error	0x80040807
Failed to get WP content of generated document.	Assembly	Error	
Failed to GetDoc from Repository. Return code:(return code).	Assembly	Error	
Failed to impersonate user (User Info), err = (Error Code).	Assembly Server	Info (Success)	1056
Failed to load word.	Assembly	Error	
Failed to log on user (User Info), err = (Error Code).	Assembly Server	Info (Success)	1055
Failed to open (stream name) stream, hr=(return code).	Author	Error	
Failed to open existing document: (file name).	Assembly	Error	
Failed to open/create registry key: (base path).	Assembly	Error	

## LOG MESSAGES

---

Log Message	Module	Type	Code
Failed to OpenDoc from Repository. Return code:(return code).	Assembly	Error	
Failed to read (stream name) stream, hr=(return code),nActualRead=(actual read value).	Author	Error	
Failed to save the document, FileName (file name), UISR (UISR).	Author	Error	
Failed to SaveDoc: (file name) to Repository. Return code:(return code).	Assembly	Error	
Failed to SaveDocAs: (file name) to Repository. Return code:(return code).	Assembly	Error	
Failed to SelectDefaultRepository. Return code:(return code).	Assembly	Error	
Failed to SelectDocName from Repository. Return code:(return code).	Assembly	Error	
Failed to SelectRepository. Return code:(return code).	Assembly	Error	
Failed to set value to parameter of (save message) in registry key: (base path).	Assembly	Error	
Failed to ValidateDoc: (file name) from Repository. Return code:(return code).	Assembly	Error	
Failed to write to Table stream.	Compiler	Error	
Failed: 1st Dgg-Con not found.	Compiler	Error	
Failed: Building Base List.	Compiler	Error	
Failed: Building DocField List.	Compiler	Error	
Failed: Building Header Group.	Compiler	Error	
Failed: Building Main Lists due to...(reason)	Compiler	Error	
Failed: Building Special Property Streams due to...(reason)	Compiler	Error	
Failed: Building Subdoc's Field List.	Compiler	Error	
Failed: Building Subdoc's Ref List.	Compiler	Error	
Failed: Building Textbox Array.	Compiler	Error	
Failed: Building Txbx Group.	Compiler	Error	
Failed: DeMdfy Header Group.	Compiler	Error	
Failed: DeMdfy Subgroup.	Compiler	Error	
Failed: Initialization due to (reason)	Compiler	Error	
Failed: Initialization due to (reason)	Compiler	Error	

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
Failed: Initialization4TXCMS due to (reason)	Compiler	Error	
Failed: Master key is corrupt on building LST/ LFO.	Compiler	Error	
Failed: Master key is corrupt on building LST/ LFO.	Compiler	Error	
Failed: No FIB50 in MDF file.	Compiler	Error	
Failed: Packing Storage Header.	Compiler	Error	
Failed: Packing Stream.	Compiler	Error	
Failed: Recursive Packing Storage.	Compiler	Error	
Failed: Update linked text box.	Compiler	Error	
Failure evaluating expression.	Assembly Engine	Error	Equivalent to 4538
Failure evaluating expression.	Generator	Error	
File access denied.	Exeption Handling: gazelle	Warning	0x8004F106
File Information Not Available.	Exeption Handling: gazelle	Error	
File not found.	Exeption Handling: gazelle	Error	0x8004F103
Finish break.	Assembly Engine	Info	Equivalent to 4568
Finish call.	Assembly Engine	Info	Equivalent to 4584
Finish CGIaServices::GetRepFileName - path = (file path).	ISM (GUI): Isservm	Info	
Finish CGIaServices::Import - hr = (return code).	ISM (GUI): Isservm	Info	
Finish CGIaServices::RemoveIsc.	ISM (GUI): Isservm	Info	
Finish decline.	Assembly Engine	Info	Equivalent to 4564
Finish endjob.	Assembly Engine	Info	Equivalent to 4574
Finish executing Client Subrequest.	Assembly Server	Info	
Finish forcenext.	Assembly Engine	Info	Equivalent to 4578
Finish generation.	Assembly Engine	Info	Equivalent to 4654
Finish generation.	Generator	Info (Message )	
Finish include.	Assembly Engine	Info	Equivalent to 4566
Finish Load Section.	Assembly Engine	Info	Equivalent to 4540

## LOG MESSAGES

---

Log Message	Module	Type	Code
Finish recycling Assembly Engine.	Assembly Server	Warning	1502
Finish Repository::ValidateDocument - hr = (return code).	Repository	Info	
Finish Save Section.	Assembly Engine	Info	Equivalent to 4542
Finish select.	Assembly Engine	Info	Equivalent to 4576
Finish unuseis.	Assembly Engine	Info	Equivalent to 4588
Finished generating document.	Assembly	Info	
Finished serving control request (Req Info).	Assembly Server	Info (Success)	1031
Finished serving user control request (Req Info).	Assembly Server	Info (Success)	1033
Finished to load word.	Assembly	Info	
FORCENEXT.	Assembly Engine	Info	Equivalent to 4577
Fork thread function is finishing.	Assembly Server	Info	
Fork: could not begin thread.	Assembly Server	Error	104
Forks counter is decremented. New value - (new Fork counter).	Assembly Server	Info	
Function Gethostbyaddr failed.	Assembly Server	Error	20004
gendoc generation failed, HRESULT=(Return code).	Assembly Server	Error	1266
gendoc generation succeeded, HRESULT=(Return code).	Assembly Server	Info	1274
General Exception in WPC Connection.	Customizer GUI	Error	
General syntax error.	Assembly Engine	Warning	Equivalent to 4623
General syntax error.	Generator	Error	
GENERATE.	Assembly Engine	Info	Equivalent to 4648
Generated successfully, DDE=(DDE Value).	Assembly Server	Success	1001
Generated with warnings, DDE=(DDE Value).	Assembly Server	Warning	1002
Generating thread GenerateLocal().	Assembly	Info	
Generating thread Run().	Assembly	Info	
Generating thread: after creating GenSession.	Assembly	Info	
Generation complete notified to handler with retnode: 0x(return code).	Customizer GUI	Info	
Generation date does not fall in the effective and termination date range.	Assembly Engine	Warning	Equivalent to 4670

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
Generation date does not fall in the effective and termination date range.	Generator	Warning	
Generation result.	Assembly Engine	Info	Equivalent to 4665
Generation result.	Generator	Info (Message )	
Generator: could not close process handle.	Assembly Server	Error	137
Generator: could not create DDE strings.	Assembly Server	Error	106
Generator: could not initialize DDE.	Assembly Server	Error	105
Generator: could not start DDE conversation.	Assembly Server	Error	136
Generator: could not start generator.	Assembly Server	Error	107
Generic^ string text.	Assembly Server	Info	20002
Get Default Rep: 0x(return code).	Customizer GUI	Error	
Get IInsDocument Dispatch: 0x(return code).	Customizer GUI	Error	
Get IInsMessage Interface: 0x(return code).	Customizer GUI	Error	
Get root storage of Clg: 0x(return code).	Customizer GUI	Error	
Get root storage of Clg: 0x(return code).	Customizer GUI	Info	
Get Tag Info: 0x(return code).	Customizer GUI	Error	
Get Unknown Interface of Callback: 0x(return code).	Customizer GUI	Error	
Get WP Content:0x(return code).	Customizer GUI	Error	
GetFileVersionInfo, Err=(Err Desc)-- Failed.	Author	Error	
GetFileVersionInfo, Err=(Err Desc)-- Failed.	Author Assistant	Error	
GetFileVersionInfoSize, Err=(Err Desc)-- Failed.	Author	Error	
GetFileVersionInfoSize, Err=(Err Desc)-- Failed.	Author Assistant	Error	
GetMode - end with No success.	Assembly Engine	Warning	
GetModuleFileName, -- Failed.	Author Assistant	Error	
GetModuleFileName, Err=(Err Desc) -- Failed.	Author	Error	
GetTagText: 0x(return code).	Customizer GUI	Error	
GetTemplateIUnknown =(UISR) -- Failed.	Author	Error	
GetTemplateIUnknown =(UISR) -- Succeeded.	Author	Info	
Getting InsLnk Documents Dispatch: 0x(return code).	Customizer GUI	Error	

## LOG MESSAGES

---

Log Message	Module	Type	Code
Getting InsLnk Documents Interface: 0x(return code).	Customizer GUI	Error	
Getting InsLnk Session Interface: 0x(return code).	Customizer GUI	Error	
Getting InsLnk Sessions Dispatch: 0x(return code).	Customizer GUI	Error	
Getting InsLnk Sessions Interface: 0x(return code).	Customizer GUI	Error	
GetWPContent: 0x(return code).	Customizer GUI	Error	
GOT Assembly Engine message.	Assembly Server	Info	
Got Calligo Doc Root Storage.	Customizer GUI	Info	
Hardware error.	Exeption Handling: gazelle	Error	0x8004F10B
IF.	Assembly Engine	Info	Equivalent to 4555
IInsDocument Release.	Customizer GUI	Info	
Illegal Calligo Document reference.	Assembly Engine	Error	Equivalent to 4655
Illegal Calligo Document reference.	Generator	Error	
Illegal parameter value in function call.	Assembly Engine	Warning	Equivalent to 4620
Illegal parameter value in function call.	Generator	Error	
INCLUDE.	Assembly Engine	Info	Equivalent to 4565
inet_addr function failed.	Assembly Server	Error	20003
InfoSource Administrator Services has not started.	Repository	Error	0x80040804
InfoSource does not exist.	Assembly Engine	Error	Equivalent to 4598
InfoSource does not exist.	Generator	Error	
InfoSource Name is blank.	Repository	Error	0x80040805
InfoSource name is expected in SELECT rule.	Assembly Engine	Error	Equivalent to 4651
InfoSource System cannot execute the CHECKUP function.	Assembly Engine	Error	Equivalent to 4642
InfoSource System cannot execute the LOOKUP function.	Assembly Engine	Error	Equivalent to 4644
INIT: CGLLPlugIn::SupportsInterface() - finished.	DMS Plug-In	Info	
INIT: CGLLPlugIn::SupportsInterface() - initialize data members.	DMS Plug-In	Info	
INITIALIZE.	Assembly Engine	Info	Equivalent to 4569

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
InitInstance Started.	Customizer GUI	Info	
InitInstance Succeeded.	Customizer GUI	Info	
InitInstance: After LoadStdProfileSettings.	Assembly	Info	
InitInstance: begin.	Assembly	Info	
InitInstance: Up to here1.	Assembly	Info	
InitInstance: Up to here2.	Assembly	Info	
InitInstance: Up to here3.	Assembly	Info	
Input Doc file is fast saved.	Compiler	Error	
Input Doc file is not Word 8 Doc file.	Compiler	Error	0x80044013L
Input Doc File is not Word Doc File.	Compiler	Error	
Input Doc is not Word 8 Doc.	Compiler	Error	
Input Doc is not Word 8 Doc.	Compiler	Error	
Input Doc is not Word 8 Doc.	Compiler	Error	
Input file is not an MDF file.	Compiler	Error	0x80048002L
Input File name is blank.	Repository	Error	0x8004080c
Input Printer is blank.	Customizer: Wpcw8m	Error	24
Input storage has an empty MDFfile stream.	Compiler	Error	0x8004800BL
Input storage has no CLSID of Word 8.	Compiler	Error	0x80044015L
Input Tag Info is blank.	Customizer: Wpcw8m	Error	23
Input Word 8 file is fast-saved.	Compiler	Error	0x80044016L
Insufficient number of arguments.	Compiler	Error	
Insufficient number of arguments.	Compiler	Error	
InternalGenerate: End to release existing WP content.	Assembly	Info	
InternalGenerateRemoteSynch InternalGenerateLocalSynch - Generation Failed.	Assembly Link	Error	
Invalid array index.	Assembly Engine	Warning	Equivalent to 4626
Invalid array index.	Generator	Error	
Invalid Assembly Server Control API command.	Assembly Server API	Error	106
Invalid client API parameters - client application.	Assembly Server API	Error	103
Invalid Color option.	Customizer: Wpcw8m	Error	20
Invalid Document Name.	Customizer: Wpcw8m	Error	21

## LOG MESSAGES

---

Log Message	Module	Type	Code
Invalid file handle.	Exception Handling: gazelle	Warning	0x8004F107
Invalid file path.	Exception Handling: gazelle	Warning	0x8004F104
Invalid InfoSource is specified in SELECT rule.	Assembly Engine	Error	Equivalent to 4652
Invalid InfoSource is specified in SELECT rule.	Generator	Error	
Invalid input object.	Compiler	Error	0x80048007L
Invalid IStorage Pointer in Input or Output Parameter.	Compiler	Error	0x80044003L
Invalid MDF data format version.	Compiler	Error	0x80048008L
Invalid numeric.	Assembly Engine	Warning	Equivalent to 4627
Invalid Page Type.	Customizer: Wpcw8m	Error	17
Invalid pages defined to be printed.	Customizer: Wpcw8m	Error	16
Invalid Print From - To range.	Customizer: Wpcw8m	Error	15
Invalid Print Item.	Customizer: Wpcw8m	Error	19
Invalid Range.	Customizer: Wpcw8m	Error	18
invalid request parameters.	Assembly Server API	Error	1005
Invalid starting character for Item Reference.	Repository	Error	0x8004080f
Invalid starting character for the new Item Reference.	Repository	Error	0x80040810
Invalid STSH nStd=0x(std value)2x, unpacked=0x(remain value)4X.	Compiler	Error	
Invalid Tag Info.	Customizer: Wpcw8m	Error	26
Invalid Tag name.	Customizer: Wpcw8m	Error	11
Invalid textbox id.	Compiler	Error	
Invalid verbose command.	Compiler	Error	
Invalid verbose command.	Compiler	Error	
Invalid view option.	Customizer: Wpcw8m	Error	8
Keyword BEGIN is expected.	Assembly Engine	Error	Equivalent to 4612
Keyword BEGIN is expected.	Generator	Warning	
Keyword ELSE or ENDIF is expected to follow IF rule.	Assembly Engine	Warning	Equivalent to 4512
Keyword ELSE or ENDIF is expected to follow IF rule.	Generator	Warning	
Keyword END is expected.	Assembly Engine	Error	Equivalent to 4613

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
Keyword END is expected.	Generator	Warning	
Keyword ENDDO is expected to follow DO WHILE rule.	Assembly Engine	Warning	Equivalent to 4513
Keyword ENDDO is expected to follow DO WHILE rule.	Generator	Warning	
Keyword ENDIF is expected to follow IF rule.	Assembly Engine	Warning	Equivalent to 4514
Keyword ENDIF is expected to follow IF rule.	Generator	Warning	
Keyword ENDMF is expected to follow STARTMF rule.	Assembly Engine	Warning	Equivalent to 4517
Keyword ENDTEXT is expected to follow TEXT rule.	Assembly Engine	Warning	Equivalent to 4503
Keyword ENDTEXT is expected to follow TEXT rule.	Generator	Warning	
Keyword ENDWS is expected to follow STARTWS rule.	Assembly Engine	Warning	Equivalent to 4518
Keyword ENDWS is expected to follow STARTWS rule.	Generator	Warning	
Keyword NEXT is expected to follow INITIALIZE rule.	Assembly Engine	Warning	Equivalent to 4516
Keyword NEXT is expected to follow INITIALIZE rule.	Generator	Warning	
Keyword NEXT is expected to follow QUERY rule.	Assembly Engine	Warning	Equivalent to 4515
Keyword NEXT is expected to follow QUERY rule.	Generator	Warning	
Keyword UNUSEIS is expected to follow USEIS rule.	Assembly Engine	Warning	Equivalent to 4640
Keyword UNUSEIS is expected to follow USEIS rule.	Generator	Warning	
Listener is shut down. Starting to Push the queue.	Assembly Server	Info	
Listener: accept connection error.	Assembly Server	Error	101
Listener: allocated socket, port (Port Num), queue size (Size Value).	Assembly Server	Info (Success)	1011
Listener: could not close listening socket.	Assembly Server	Error	144
Listener: finished.	Assembly Server	Info (Success)	1012
Listener: spawning service on socket (Socket Value).	Assembly Server	Info (Success)	1013

## LOG MESSAGES

---

Log Message	Module	Type	Code
Load Item Stg:0x(return code).	Customizer GUI	Error	
Load Wording Template: 0x(return code).	Customizer GUI	Error	
Loading Tag Tree View Items.	Customizer GUI	Info	
LoadInstalledISCInfo - failed to OpenIscList.	Author Assistant	Error	
Lock context.	Assembly Server	Info	
Locked violation.	Exception Handling: gazelle	Error	0x8004F10D
Logger: could not log event.	Assembly Server	Error	134
Logger: could not open event source.	Assembly Server	Error	133
Logical expression is expected.	Assembly Engine	Warning	Equivalent to 4631
Logical expression is expected.	Generator	Error	
Low memory in function call.	Assembly Engine	Warning	Equivalent to 4621
Low memory in function call.	Generator	Error	
Low system resources.	Assembly Engine	Error	Equivalent to 4501
Low system resources.	Generator	Error	
Mailer: connected to (Account Info) (Err Msg).	Assembly Server	Info (Success)	1081
Mailer: corrupted outbox on disk.	Assembly Server	Error	120
Mailer: could not open outbox.	Assembly Server	Error	117
Mailer: could not read from outbox.	Assembly Server	Error	118
Mailer: could not write to outbox.	Assembly Server	Error	119
Mailer: disconnected from (Account Info): (Err Msg).	Assembly Server	Info	1084
Mailer: disk outbox (Box Value) with (Err Msg) messages pending opened.	Assembly Server	Info	1085
Mailer: failed to connect to (Account Info): (Err Msg).	Assembly Server	Error	1080
Mailer: failed to send message (moved to rejects): (Err Msg).	Assembly Server	Error	1083
Mailer: failed to send message (will retry): (Err Msg).	Assembly Server	Warning	1082
Main thread received WM_QUIT message.	Assembly Server	Info	
Main: bad or incomplete startup parameters.	Assembly Server	Error	114
Main: could not initialize com.	Assembly Server	Error	138

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
Main: could not register Assembly COM Server: (Error Code).	Assembly Server	Error	141
Main: could not set working directory.	Assembly Server	Error	116
Main: could not unregister Assembly COM Server: (Error Code).	Assembly Server	Error	143
Main: could not unregister callbacks: (Error Code).	Assembly Server	Error	142
Main: could not update registry for callbacks: (Error Code).	Assembly Server	Error	140
Main: RegisterServiceCtrlHandler failed.	Assembly Server	Error	109
Main: StartServiceCtrlDispatcher failed.	Assembly Server	Error	108
Main: unhandled exception.	Assembly Server	Error	115
Maximum level of recursive INCLUDE is exceeded.	Assembly Engine	Warning	Equivalent to 4666
Maximum level of recursive INCLUDE is exceeded.	Generator	Warning	
MDF content has Word 7 MDF data.	Compiler	Error	
MDF data carry a wrong magic word.	Compiler	Error	0x80048004L
Memory Exception at creation.	Customizer GUI	Error	
Memory Exception at WPC Connection.	Customizer GUI	Error	
Memory Exception at WPC creation.	Customizer GUI	Error	
Missing expression in DO WHILE rule.	Assembly Engine	Error	Equivalent to 4521
Missing expression in DO WHILE rule.	Generator	Error	
Missing expression in IF rule.	Assembly Engine	Error	Equivalent to 4520
Missing expression in IF rule.	Generator	Error	
Missing query in QUERY rule.	Assembly Engine	Error	Equivalent to 4522
Missing query in QUERY rule.	Generator	Error	
Missing table name in INITIALIZE rule.	Assembly Engine	Error	Equivalent to 4523
Missing table name in INITIALIZE rule.	Generator	Error	
Missing table name in SELECT rule.	Assembly Engine	Error	Equivalent to 4524
Missing table name in SELECT rule.	Generator	Error	
Model Document reference is missing in rule GENERATE.	Assembly Engine	Error	Equivalent to 4646
Model Document reference is missing in rule GENERATE.	Generator	Error	

## LOG MESSAGES

---

Log Message	Module	Type	Code
More data to purge from generation thread.	Assembly Server	Info	
Must not generate a Sub Section.	Assembly Engine	Error	Equivalent to 4672
NEXT.	Assembly Engine	Info	Equivalent to 4570
NEXT.	Assembly Engine	Info	Equivalent to 4572
No 2nd interface: 0x(return code).	Customizer GUI	Error	
No archive error occurred.	Exception Handling: gazelle	Info	0x8004F121
No Disp from IAssemblyLinkDocument.	Customizer GUI	Error	
No Doc Object or Wording Object.	Customizer GUI	Error	
No file error occurred.	Exception Handling: gazelle	Error	0x8004F101
No IIInsEnumTag from WPC: 0x(return code).	Customizer GUI	Error	
No InfoSource can initialize table.	Assembly Engine	Error	Equivalent to 4649
No InfoSource can initialize table.	Generator	Error	
No InfoSource can process SQL statement in the QUERY rule.	Assembly Engine	Error	Equivalent to 4632
No InsInteracticeMessages.	Customizer GUI	Error	
No Main Dg Con Data, Defaults used.	Compiler	Warning	
No more data to purge.	Assembly Server	Info	
No Opened Clg Doc.	Customizer GUI	Error	
No resource available.	Exception Handling: gazelle	Error	0x8004F003
No return code from Assembly Server.	Assembly Server API	Error	101
No Wording Item to delete.	Customizer GUI	Error	
Not all data were received from database.	Assembly Engine	Warning	Equivalent to 4673
Not all Key Data are known.	Assembly Engine	Error	Equivalent to 4614
Not all Key Data are known.	Generator	Warning	
Not enough memory.	Customizer: Wdpoolm	Error	101
NSC - NEW SESSION CONTEXT.	Assembly Server	Info	
NSE - create gensess interface:[0x(return code)08X].	Assembly Server	Info	
NSE - create IUnk/repos)[0x(return code)08X].	Assembly Server	Info	
NSE - NEW SESSION.	Assembly Server	Info	

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
NSE - QI FA/repos)[0x(return code)08X].	Assembly Server	Info	
NSE - QI Util/repos)[0x(return code)08X].	Assembly Server	Info	
NSE - SESSION CREATED.	Assembly Server	Info	
Old Calligo project, Please re-compile the whole project.	Compiler	Error	0x8004800DL
OnCloseDocument: Delete temporary file failed.	Assembly	Error	
OnFileSaveAs: - before calling RepositorySaveAs.	Assembly	Info	
OnFileSaveAs: - end calling RepositorySaveAs.	Assembly	Info	
OnFileSaveAs: - failed calling RepositorySaveAs.	Assembly	Error	
OnFileSaveAsPdf: could not retrieve persistent key data.	Assembly	Error	
OnFileSaveAsPdf: could not retrieve persistent key data.	Assembly	Error	
OnFileSaveAsPdf: could not retrieve persistent key data.	Assembly	Error	
OnFileSaveAsPdf: could not retrieve persistent key data.	Assembly	Error	
Op yes but no IInsWpcCustomize: 0x(return code).	Customizer GUI	Error	
Open Customization Pool Storage: 0x(return code).	Customizer GUI	Info	
Open Table Stream: 0x(return code).	Customizer GUI	Error	
Open WordDocument stream: 0x(return code).	Customizer GUI	Error	
Open WordDocument stream: 0x(return code).	Customizer GUI	Error	
Open Wording Item.	Customizer GUI	Info	
Opening (UISR) due to 0x(return code).	Customizer GUI	Error	
Opening (UISR) due to 0x(return code).	Customizer GUI	Error	
Operating system exception raised in Assembly Serv.	Assembly Server API	Error	105
Out of memory in Assembly Server API module.	Assembly Server API	Critical	107
Out of memory.	Exception Handling: gazelle	Critical	0x8004F002
Parsing subreq: (Req Info).	Assembly Server	Info (Success)	1034

## LOG MESSAGES

---

Log Message	Module	Type	Code
Passive socket: cannot allocate socket.	Assembly Server	Error	128
Passive socket: cannot bind socket.	Assembly Server	Error	129
Passive socket: cannot get requested protocol.	Assembly Server	Error	127
Passive socket: cannot get requested service.	Assembly Server	Error	126
Passive socket: cannot listen on socket.	Assembly Server	Error	130
PDFPassword Set	Assembler Add-in	Info	
Pending to recycle Assembly Engine.	Assembly Server	Warning	1503
Persist States Loaded.	Customizer GUI	Info	
Placeholder processing completed.	Assembly Engine	Info	Equivalent to 4590
Placeholder processing completed.	Generator	Info (Debug)	
Possibly wrong WHERE clause in LOCATEITEM function.	Assembly Engine	Error	Equivalent to 4635
Printing the statistics.	Assembly Server	Info	
Program was built without setting.	Compiler	Error	
Progress...	Assembly Engine	Info	Equivalent to 4560
Progress...	Assembly Engine	Info	Equivalent to 4559
Progress...	Generator	Info (Progress)	
Project was built without setting Struct member alignment to 1 byte.	Compiler	Error	0x80044002L
put_eff_date 0x(return code).	Customizer GUI	Error	
Query IAssemblyLinkDocument Interface: 0x(return code).	Customizer GUI	Error	
Query IAssemblyLinkDocument Interface: 0x(return code).	Customizer GUI	Error	
Query IIInsCompile from IIInsDocument with code 0x(return code).	Customizer GUI	Error	
Query IIInsDocument from IAssemblyLinkDocument: 0x(return code).	Customizer GUI	Error	
Query IIInsDocument Interface: 0x(return code).	Customizer GUI	Error	
Query root storage of Clg: 0x(return code).	Customizer GUI	Error	
Query version id -- Failed.	Author	Error	
Query version id -- Failed.	Author	Error	
Query version id -- Failed.	Author Assistant	Error	

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
QUERY.	Assembly Engine	Info	Equivalent to 4571
quest embargo activated.	Assembly Server	Warning	1504
Queue has been pushed. Starting to wait for the (Fork Number) fork(s) to finish.	Assembly Server	Info	
ReadDocDop hr:0x(return code), lcb:(lcb name).	Customizer GUI	Error	
ReadDocDop hr:0x(return code), lcb:(lcb name).	Customizer GUI	Error	
ReadDocDop hr:0x(return code).	Customizer GUI	Error	
Re-generate again.	Customizer GUI	Info	
Regenerate Clg: 0x(return code).	Customizer GUI	Error	
Release IInsWpcCustomize, ref (Wpc ref value).	Customizer GUI	Info	
Release IInsWpcOperate, ref (Wpc ref value).	Customizer GUI	Info	
Remove Tag Failed for (tab info).	Customizer GUI	Error	
RemoveTag return 0x(return code).	Customizer GUI	Error	
RemoveTag: 0x(return code).	Customizer GUI	Error	
Reopen Calligo after generation.	Customizer GUI	Info	
REP: Failed to Get (UISR).	Author	Error	
REP: Failed to Select Repository.	Author	Error	
REP: Succeeded to Get UISR=(UISR), FileName=(file name).	Author	Info	
REP: Succeeded to Select Default Repository (Rep name).	Author	Info	
REP: Succeeded to Select Repository (Rep name).	Author	Info	
Repository::Add - Unknown exception.	Repository	Warning	
Repository::AddWithMetadata - Failed due to (0x(return code)x).	Repository	Warning	
Repository::AddWithMetadata - Failed due to (Err Msg) (0x(return code)x).	Repository	Warning	
Repository::AddWithMetadata - Unexpected failure.	Repository	Warning	
Repository::CheckIn - Doc (Doc name) not checked out.	Repository	Warning	
Repository::CheckIn - Unknown exception.	Repository	Warning	
Repository::Close - Unknown Exception.	Repository	Warning	

## LOG MESSAGES

---

Log Message	Module	Type	Code
Repository::ConnectToDms - Set Quiet Mode failed.	Repository	Warning	
Repository::Get - Succeeded - Get Doc name (info source name): (item name) ret file name (file name).	Repository	Info	
Repository::Get - Unknown exception.	Repository	Warning	
Repository::GetEnvTmpPath - Cannot retrieve the value of the: (name value) Named Value from Registry.	Repository	Warning	
Repository::MakeUpTempFile - GetTempFileName end with exception.	Repository	Warning	
Repository::Open - Ret doc name (Doc name) ret file name (file name).	Repository	Info	
Repository::Open - Unknown exception.	Repository	Warning	
Repository::Save - Unknown Exception.	Repository	Warning	
Repository::SaveAs - Exception happens; hr = (return code).	Repository	Warning	
Repository::SaveAs - Failed to get the IInsIscRepository interface for the new DMS (info source name).	Repository	Warning	
Repository::SaveAs - Unknown exception.	Repository	Warning	
Repository::SelectDialog - Unknown exception.	Repository	Warning	
Repository::SelectRep - Unknown Exception.	Repository	Warning	
Repository::SetAttributes - Start - Rep Name = (Rep name) UserID = (user ID) Pswd = (password) Quiet = (mode value))	Repository	Info	
Repository::SetDefaultRep - Unknown exception.	Repository	Warning	
Repository::ValidateDocument - Unknown exception.	Repository	Warning	
RepositoryAddDoc - Add Doc (UISR) RendType (render type).	Author	Info	
RepositoryAddDoc lpUnk=NULL.	Author	Error	
RepositoryCheckInDoc - Checkin (UISR).	Author	Info	
RepositoryCheckInDoc lpUnk=NULL.	Author	Error	
RepositoryCloseDoc - Close (UISR).	Author	Info	
RepositoryCloseDoc lpUnk=NULL.	Author	Error	

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
RepositoryGetDoc - Get (UISR).	Author	Info	
RepositoryGetDoc lpUnk=NULL.	Author	Error	
RepositoryOpenDoc - Open (UISR) RendType (rend type).	Author	Info	
RepositoryOpenDoc lpUnk=NULL.	Author	Error	
RepositoryOpenDoc: Failed.	Author	Error	
RepositoryOpenDoc: Succeeded to open UISR:(UISR) Local:(local file name).	Author	Info	
Repository-SaveAs::Cannot copy temp file (file name) to Persist File (file name).	Repository	Warning	
Repository-SaveAs::Cannot delete temp file (file name) after copied back to persist file (file name).	Repository	Warning	
Repository-SaveAs::Cannot make a copy of Persist File. Persist File = (file name) Temp File = (file name).	Repository	Warning	
Repository-SaveAs::Invalid Doc Name (in UISR) (doc name) - Item Ref starts with an invalid character.	Repository	Warning	
Repository-SaveAs::Invalid Doc Name (in UISR) (Doc name) - New Item Ref starts with an invalid character.	Repository	Warning	
Repository-SaveAs::Invalid Doc Name (in UISR) (Doc Name).	Repository	Warning	
Repository-SaveAs::Save doc name (info source name):(item name) as new doc name (info source name):(item name).	Repository	Info	
RepositorySaveAsDoc --- Failed.	Author	Error	
RepositorySaveAsDoc lpUnk=NULL.	Author	Error	
RepositorySaveAsDoc ---SaveAs (UISR).	Author	Info	
RepositorySaveAsDoc: Failed Calling pFA- )Save - begin to catch.	Assembly	Error	
RepositorySaveAsDoc: Failed Calling pFA- )Save - begin to throw.	Assembly	Error	
RepositorySaveDoc - Save (UISR).	Author	Info	
RepositorySaveDoc lpUnk=NULL.	Author	Error	
RepositorySelRep lpUnk=NULL.	Author	Error	
RepositorySelRepType - SelRepType.	Author	Info	

## LOG MESSAGES

---

Log Message	Module	Type	Code
RepositorySelRepType lpUnk=NULL.	Author	Error	
RepositorySetAttributes lpUnk=NULL.	Author	Error	
RepositorySetAttributes -SetAttributes.	Author	Info	
RepositoryValidateDoc - Validate (UIUSR).	Author	Info	
RepositoryValidateDoc lpUnk=NULL.	Author	Error	
RepositoryValidateDoc lpUnk=NULL.	Author	Error	
Request embargo deactivated.	Assembly Server	Warning	1505
Retrieve IInsGenerationSession.	Assembly Server	Info	
Return pointer is NULL.	Customizer: Wpcw8m	Error	22
Revert back native wp: 0x(return code).	Customizer GUI	Error	
Runtime^ limits.	Assembly Server	Info (Success)	1021
Runtime^ statistics.	Assembly Server	Info (Success)	1020
Save as Document name is blank.	Repository	Error	0x8004080d
Save Calligo Doc to Repository.	Customizer GUI	Info	
Save Wording Item.	Customizer GUI	Info	
SCE - Session Context Expire at (sub req ID).	Assembly Server	Info	
SCL- rm all active subreq.	Assembly Server	Info	
Section compile completed.	Assembly Engine	Info	Equivalent to 4544
Section compile completed.	Generator	Info (Message )	
Section generate completed.	Assembly Engine	Info	Equivalent to 4546
Section generate completed.	Generator	Info (Message )	
Section must have the same word processor as model document.	Assembly Engine	Error	Equivalent to 4668
Section must have the same word processor as model document.	Generator	Error	
Select Repository: 0x(return code).	Customizer GUI	Error	
Select Repository: 0x(return code).	Customizer GUI	Error	
SELECT.	Assembly Engine	Info	Equivalent to 4575

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
Sent email: from= (Sender), to=(Receiver), cc=(CC Receiver), bcc=(BCC Receiver), subj=(Title), attached_files=(File Location), attached_names=(File Name).	Assembly Server	Info	1090
Serve on socket (Socket Value) - terminated on exception (Exception Context).	Assembly Server	Error	1042
Server-side error: could not add doc to repository.	Assembly Server API	Error	1037
Server-side error: could not get InsDocument interface from gendoc.	Assembly Server API	Error	1028
Server-side error: could not get ipersistfile iface from gendoc.	Assembly Server API	Error	1023
Server-side error: could not get storage iface from gazdoc.	Assembly Server API	Error	1029
Server-side error: could not load gendoc.	Assembly Server API	Error	1024
Server-side error: could not load vars from gazdoc varpool.	Assembly Server API	Error	1030
Server-side error: could not lock context.	Assembly Server API	Error	1011
Server-side error: could not open doc in repository.	Assembly Server API	Error	1036
Server-side error: could not save doc to repository.	Assembly Server API	Error	1038
Server-side error: could not save vars to gazdoc varpool.	Assembly Server API	Error	1031
Server-side error: Document generation failed.	Assembly Server API	Error	1026
Server-side error: Fail to close Calligo document.	Assembly Server API	Error	1039
Server-side error: Fail to create Assembly Engine.	Assembly Server API	Error	1021
Server-side error: Fail to create Assembly Engine.	Assembly Server API	Error	1022
Server-side error: Fail to create callback object.	Assembly Server API	Error	1025
Server-side error: Fail to get persistent variable.	Assembly Server API	Error	1033
Server-side error: Fail to save Calligo document.	Assembly Server API	Error	1027
Server-side error: Fail to set persistent variable.	Assembly Server API	Error	1034
Server-side error: File not found.	Assembly Server API	Error	1009
Server-side error: Missing subrequest record.	Assembly Server API	Error	1007

## LOG MESSAGES

---

Log Message	Module	Type	Code
Server-side error: N/A in Calligo.	Assembly Server API	Error	1004
Server-side error: repository file access not available.	Assembly Server API	Error	1035
Server-side error: Requested feature, or request.	Assembly Server API	Error	1010
Server-side error: Server is busy: cannot accept new client login, client can retry later.	Assembly Server API	Error	1020
Server-side error: Software exception raised in As.	Assembly Server API	Error	1006
Service: could not post quit message.	Assembly Server	Error	103
Service: could not signal shutdown.	Assembly Server	Error	102
Serving “about” control request.	Assembly Server	Info (Success)	1048
Serving “change run-time options” control request, command line is (Command Line Value).	Assembly Server	Info	1050
Serving “get outbox” control request.	Assembly Server	Info (Success)	1049
Serving “get queue” control request.	Assembly Server	Info (Success)	1047
Serving “get sessions” control request.	Assembly Server	Info (Success)	1051
Serving “get stats” control request.	Assembly Server	Info (Success)	1046
Serving on socket (Socket Value) finished successfully.	Assembly Server	Info (Success)	1041
Serving on socket (Socket Value) started.	Assembly Server	Info (Success)	1040
Set Def Rep to App: 0x(return code).	Customizer GUI	Error	
Set Def Rep to Session: 0x(return code).	Customizer GUI	Error	
Shared violation.	Exception Handling: gazelle	Error	0x8004F10C
Shutdown event received.	Assembly Server	Info	
Shutting down server at control request.	Assembly Server	Info	1044
SIGNAL generation thread to exit.	Assembly Server	Info	
Socket: cannot allocate socket.	Assembly Server	Error	125
Socket: cannot connect to socket.	Assembly Server	Error	121
Socket: cannot get requested host.	Assembly Server	Error	123

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
Socket: cannot get requested protocol.	Assembly Server	Error	124
Socket: cannot get requested service.	Assembly Server	Error	122
Software exception raised in Assembly Server API m.	Assembly Server API	Error	104
Specified InfoSource cannot execute the CHECKUP function.	Assembly Engine	Error	Equivalent to 4643
Specified InfoSource cannot execute the LOOKUP function.	Assembly Engine	Error	Equivalent to 4645
Specified InfoSource cannot initialize table.	Assembly Engine	Error	Equivalent to 4650
Specified InfoSource cannot initialize table.	Generator	Error	
Specified InfoSource cannot process SQL statement in the QUERY rule.	Assembly Engine	Error	Equivalent to 4633
Specified InfoSource cannot process WHERE clause in the LOCATEITEM function.	Assembly Engine	Error	Equivalent to 4636
START Assembly Server Main Thread.	Assembly Server	Info	
START CFSERVICE::Shutdown.	Assembly Server	Info	
Start CGIsaServices::CreateNewIsc - Is Type = (ISC type).	ISM (GUI): Isservm	Info	
START Client Service thread.	Assembly Server	Info	
Start compile section.	Generator	Info (Message )	
Start compile Section.	Assembly Engine	Info	Equivalent to 4543
START Generation thread	Assembly Server	Info	
Start generation.	Assembly Engine	Info	Equivalent to 4653
Start generation.	Generator	Info (Message )	
START Listener Thread	Assembly Server	Info	
Start Load Section.	Assembly Engine	Info	Equivalent to 4539
Start processing encapsulated data.	Generator	Debug	
Start processing Encapsulated Data.	Assembly Engine	Info	Equivalent to 4593
Start processing placeholder.	Generator	Debug	
Start processing Placeholder.	Assembly Engine	Info	Equivalent to 4589
Start processing text block.	Generator	Debug	
Start processing Text Block.	Assembly Engine	Info	Equivalent to 4591

## LOG MESSAGES

---

Log Message	Module	Type	Code
Start recycling Assembly Engine.	Assembly Server	Warning	1501
Start Save Section.	Assembly Engine	Info	Equivalent to 4541
Start section generate.	Generator	Info (Message )	
Start Section generate.	Assembly Engine	Info	Equivalent to 4545
START Session Manager thread.	Assembly Server	Info	
Start to create new document.	Assembly	Info	
Start to generate document based on: (UISR).	Assembly	Info	
Start to get WP content of generated document.	Assembly	Info	
Start to open existing document: (file name).	Assembly	Info	
Start unuseis.	Assembly Engine	Info	Equivalent to 4587
START Worker thread (CFWorker::Run).	Assembly Server	Info	
started server shutdown.	Assembly Server	Info	1045
Starting the Assembly Service.	Assembly Server	Info	
STARTMF.	Assembly Engine	Info	Equivalent to 4579
STARTWS.	Assembly Engine	Info	Equivalent to 4581
Succeeded to create generating thread.	Assembly	Info	
Succeeded to create new document.	Assembly	Info	
Succeeded to load word.	Assembly	Info	
Succeeded to open existing document: (file name).	Assembly	Info	
Syntax error - empty expression.	Assembly Engine	Warning	Equivalent to 4624
Syntax error - empty expression.	Generator	Error	
Syntax error - missing right parenthesis.	Assembly Engine	Warning	Equivalent to 4622
Syntax error - missing right parenthesis.	Generator	Error	
Syntax error - missing tokens.	Assembly Engine	Warning	Equivalent to 4625
Syntax error - missing tokens.	Generator	Error	
System error: (Err Msg).	Assembly Server	Info	1000
Template Created.	Customizer GUI	Info	
Text block processing completed.	Generator	Info (Debug)	
Text Block processing completed.	Assembly Engine	Info	Equivalent to 4592
TEXT.	Assembly Engine	Info	Equivalent to 4557

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
The CheckIn method is not supported.	Repository	Error	0x80040803
The expression is too complex.	Assembly Engine	Error	Equivalent to 4669
The expression is too complex.	Generator	Error	
The file information is missing. m_sDisplayMessage is empty: (display message).	Exception Handling: gazelle	Warning	
The file is in use by another application.	Assembly Engine	Error	Equivalent to 4671
The file is in use by another application.	Generator	Error	
The input Tag name is blank.	Customizer: Wpcw8m	Error	10
The master section was not retrieved.	Assembly Engine	Error	Equivalent to 4674
The output file name is blank.	Customizer: Wpcw8m	Error	9
The payload has been prepared.	Assembly Server	Info	
The template you are trying to open contains more than ten sections. A maximum of ten working sections can be open at one time. To work with the remaining sections, please close some of the open sections, and open the remaining sections individually.	Author	Error	
There is no error message defined in Assembly Engine itself. Depends on who is using Engine, Assembly/Assembly Link/Assembly Server will wrap this error with their own error messages.	Assembly Engine	Error	Equivalent to 4000
This is unknown error.	Author	Error	
Thread object is deleted.	Assembly Server	Info	
Throwing COM exception in (file name):(line number).	InfoSources: IscFileNet	Error	
Timeout waiting for client response to request.	Assembly Server	Error	1286
Too many forked threads. fork rejected.	Assembly Server	Error	1070
Too many opened files.	Exception Handling: gazelle	Warning	0x8004F105
Too many threads - (now - (Current Count), max - (Max Count)), exiting.	Assembly Server	Error	
TSC - SESSION CONTEXT TERMINATED.	Assembly Server	Info	
TSC - TERMINATING SESSION CONTEXT.	Assembly Server	Info	
TSE - SESSION TERMINATED.	Assembly Server	Info	
TSE - TERM SESSION user[(User Info)] proxy[(proxy info)].	Assembly Server	Info	

## LOG MESSAGES

---

Log Message	Module	Type	Code
Undefined or unassigned error - this value is used.	Assembly Server API	Error	99
UNEXPECTED ERROR: unhandled exception caught in the fork runner.	Assembly Server	Error	1073
Unexpected rule at the end of section.	Generator	Warning	
Unexpected rule at the end of Section.	Assembly Engine	Warning	Equivalent to 4519
Unhandled exception caught.	Assembly Server	Error	1101
Unknown exception.	Compiler	Error	0x80048006L
Unknown Exception.	Customizer GUI	Error	
Unknown function.	Assembly Engine	Error	Equivalent to 4618
Unknown function.	Generator	Error	
Unknown Lvcx Code 0x(return code)2x.	Compiler	Error	
Unknown Mdf SubType=0x(sub type)4X, at 0x(return code)lx.	Compiler	Warning	
Unknown MDF type 0x(type)2x.	Compiler	Warning	
Unknown rule - cannot compile section.	Generator	Error	
Unknown rule - cannot compile Section.	Assembly Engine	Warning	Equivalent to 4502
Unknown Sprm Code 0x(return code)x.	Compiler	Error	
Unlisted archive error occurred.	Exeption Handling: gazelle	Error	0x8004F120
Unlisted file error occurred.	Exeption Handling: gazelle	Error	0x8004F100
Unlock context.	Assembly Server	Info	
Unprocessed FBT in DGG Info.	Compiler	Warning	
Unprocessed SubType=0x(sub type)4X, len=0x(length value)lx, at 0x(return code)lx.	Compiler	Error	
UNRECOVERABLE ERROR. Aborting because of: (Err Msg).	Assembly Server	Error	1010
Unspecified archive error occurred.	Exeption Handling: gazelle	Error	0x8004F122
Unspecified file error.	Exeption Handling: gazelle	Error	0x8004F102
Unsupported feature requested.	Exeption Handling: gazelle	Error	0x8004F130
Unsupported Word 8 feature (LFO) in (section number)th Section.	Compiler	Error	

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
UNUSEIS.	Assembly Engine	Info	Equivalent to 4586
UpdateItem() with code 0x(return code).	Customizer GUI	Error	
Usage: FRW4W80 input-doc-file output-mdf-file [/VERBOSE].	Compiler	Error	
Usage: TOW4W80 inputfile outputfile [/VERBOSE].	Compiler	Error	
USEIS.	Assembly Engine	Info	Equivalent to 4585
user (User Info) is impersonated successfully.	Assembly Server	Info (Success)	1053
user (User Info) is reverted from impersonation successfully.	Assembly Server	Info (Success)	1054
user (User Info) logs on to server successfully.	Assembly Server	Info (Success)	1052
User exception: user already notified, no description provided.	Exception Handling: gazelle	Error	0x8004F140
User generated error.	Assembly Engine	Error	Equivalent to 4628
User generated error.	Generator	Error	
Utilities RepositoryOpenDoc - Failed.	Assembly Link	Error	
Utilities RepositorySaveAsDoc - Failed to Save (UISR) as (UISR) to Repository. New Local File: (local file name).	Assembly Link	Warning	
Variable is not defined.	Assembly Engine	Warning	Equivalent to 4629
Variable is not defined.	Generator	Error	
Variable must not be defined.	Assembly Engine	Warning	Equivalent to 4619
Variable must not be defined.	Generator	Warning	
Version ID len is empty.	Author	Error	
Version ID len is empty.	Author Assistant	Error	
Waiting Assembly Engine.	Assembly Server	Info	
Waiting for ok2exit event to be signaled.	Assembly Server	Info	
Warning: Group drawing found.	Compiler	Warning	
Warning: Merged LST size overflow.	Compiler	Warning	
Warning: Nested Group Shape.	Compiler	Warning	
Warning: Unknown FBT.	Compiler	Warning	
Winsock: cleanup failed.	Assembly Server	Error	132
Winsock: startup failed.	Assembly Server	Error	131

## LOG MESSAGES

---

Log Message	Module	Type	Code
Word 8 “To” conversion failed.	Compiler	Error	0x80048000L
Word 8 conversion failed.	Compiler	Error	0x80044000L
Word 8 From conversion failed.	Compiler	Error	0x80044010L
Word 8 has not yet connected.	Customizer: Wpcw8m	Error	4
Wording Pool in Memory Deleted.	Customizer GUI	Info	
Worker: accepted generate: model=(Model Value), policy=(Policy Value), save=(Path Value).	Assembly Server	Info (Success)	1060
WPC Connect: 0x(return code).	Customizer GUI	Error	
WPC::EnuTags: 0x(return code).	Customizer GUI	Error	
WPC::GotoTag by bookmark return 0x(return code).	Customizer GUI	Error	
WPC::GotoTag return 0x(return code).	Customizer GUI	Error	
WPC::MarkCalligoDoc: 0x(return code).	Customizer GUI	Error	
WPC:ProtectVar returns 0x(return code).	Customizer GUI	Error	
Wrapper^ message from Assembly/Assembly Link/Assembly Server.	Assembly Engine	Error	Equivalent to 4003
Wrapper^ message from Assembly/Assembly Link/Assembly Server.	Assembly Engine	Error	Equivalent to 4001
Wrapper^ message from Assembly/Assembly Link/Assembly Server.	Assembly Engine	Error	Equivalent to 4002
Wrapper^ message from Assembly/Assembly Link/Assembly Server.	Assembly Engine	Error	Equivalent to 4004
Wrapper^ message from Assembly/Assembly Link/Assembly Server.	Assembly Engine	Error	Equivalent to 4005
Wrong InfoSource order is detected in QUERY rule.	Assembly Engine	Error	Equivalent to 4634
Wrong InfoSource order is detected in QUERY rule.	Generator	Error	
Wrong InfoSource order is detected in USEIS rule.	Assembly Engine	Error	Equivalent to 4637
Wrong InfoSource order is detected in USEIS rule.	Generator	Error	
Wrong number of parameters in function call.	Assembly Engine	Warning	Equivalent to 4616
Wrong number of parameters in function call.	Generator	Error	
Wrong Shape ID ofst.	Compiler	Error	

---

Log Message	Module	Type	Code
Wrong type of parameter(s) in function call.	Assembly Engine	Warning	Equivalent to 4617
Wrong type of parameter(s) in function call.	Generator	Error	

---



# **Chapter 4**

---

---

## **SDK Messages**

This chapter lists SDK messages which appear in the IStream Document Manager log file when using the IStream API. For descriptions of each table column, see *Message Listings* on page 8.

Log Message	Module	Type	Code
Assembler Link doesn't provide such functionality in quiet mode.	Assembler Link	Error	0x80046237
Assembler Link failed to create the dispatch object of WordBaic7.	Assembler Link	Error	0x80046202
Assembler Link remote document doesn't provide such functionality.	Assembler Link	Error	0x80046230
Assembler Link remote document needs remote server to generate.	Assembler Link	Error	0x80046231
Assembly Server Error.	Assembler Client	Error	This error message is only defined in InsCltM.rc (4)
Assembly Server is not running or getting problem to access data source, please start Assembly Server first or re-configure. The return code is: (return code).	Assembler Client	Error	0x80046004
Assembly Server returned error. No return code in response. The return code is: (Return code).	Assembler Client	Error	0x80046001
Assembly Server returned error. The response is weird. The return code is: (return code).	Assembler Client	Error	0x80046002
Assembly Server returned error. The return code is: (return code).  If there is an unknown error code from Assembly Server, the error message will be logged and popped, and the error code from Assembly Server will be returned directly.	Assembler Client	Error	(See log message.)
Assembly Server returned error. Unknown exception in client side. The return code is: (return code).	Assembler Client	Error	0x80046005
Could not access file in repository. The return code is: (return code).	Assembler Client	Error	0x80046030
Could not add document to repository. The return code is: (return code).	Assembler Client	Error	0x80046032
Could not close document in repository. The return code is: (return code).	Assembler Client	Error	0x80046034
Could not commit value pool to storage. The return code is: (return code).	Assembler Client	Error	0x8004602B
Could not create an instance of CallBack object. Make sure the InsCltM.dll is registered. The return code is: (return code).	Assembler Client	Error	0x80046024

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
Could not create an instance of GenDoc. Make sure the component IaeGenDM.dll is registered. The return code is: (return code).	Assembler Client	Error	0x80046021
Could not create an instance of GenSession. Make sure the generator IaeGenSM.exe is registered. The return code is: (return code).	Assembler Client	Error	0x80046020
Could not email the document. The return code is: (return code).	Assembler Client	Error	0x80046011
Could not get InsDocument interface from GenDoc. IaeGenDM.dll may be corrupted. Please re-register it. The return code is: (return code).	Assembler Client	Error	0x80046027
Could not get IPersistant interface from GenDoc. Make sure the component IaeGenDM.dll is registered. The return code is: (return code).	Assembler Client	Error	0x80046022
Could not get IStorage interface from GenDoc. Make sure the document is not empty. The return code is: (return code).	Assembler Client	Error	0x80046028
Could not get variable from value pool. The return code is: (return code).	Assembler Client	Error	0x8004602C
Could not get variables from IStream document value pool. The return code is: (return code).	Assembler Client	Error	0x80046029
Could not load GenDoc. Make sure the document exists. The return code is: (return code).	Assembler Client	Error	0x80046023
Could not open document in repository. The return code is: (return code).	Assembler Client	Error	0x80046031
Could not open local file. The file is not downloaded properly. The return code is: (return code).	Assembler Client	Error	0x80046008
Could not save document to repository. The return code is: (return code).	Assembler Client	Error	0x80046033
Could not save file. The return code is: (return code).	Assembler Client	Error	0x80046026
Could not save variables to IStream document value pool. The return code is: (return code).	Assembler Client	Error	0x8004602A
Could not set variable to value pool. The return code is: (return code).	Assembler Client	Error	0x8004602D

Log Message	Module	Type	Code
Exception while serving client. The return code is: (return code).	Assembler Client	Error	0x8004600E
Failed to complete this operation because the GenDoc is NULL or invalid.	Assembler Link	Error	0x80046242
Failed to display file generation log. Make sure there is a default log editor in the registry.	Assembler Link	Warning	IDP_FAILED_DISPLAY_LOG 16
Failed to execute generator. The return code is: (return code).	Assembler Client	Error	0x8004600B
File could not be found. The return code is: (return code).	Assembler Client	Error	0x80046010
Generating has error(s).	Assembler Link	Error	0x80046240
Generation failed. The return code is: (return code).	Assembler Client	Error	0x80046025
Generator produced errors and generation failed. The return code is: (return code).	Assembler Client	Error	0x8004600A
Generator produced warnings, but generation is completed. The return code is: (return code).	Assembler Client	Error	0x800460089
Invalid request parameter(s). The return code is: (return code).	Assembler Client	Error	0x8004600D
More information is required for remote document.	Assembler Link	Error	0x80046232
More information is required in quiet mode. Like Add or open a remote, document needs IStream document UISR, ViewGenLog needs a log file name.	Assembler Link	Error	0x80046236
No user name is provided.	Assembler Link	Error	0x80046238
Non-existent sub request was referenced in another sub request. The return code is: (return code).	Assembler Client	Error	0x8004600F
Out of memory. The return code is: (return code).	Assembler Client	Error	0x80046007
Please input number(s).	Assembler Client	Error	This code is defined in InsCltM.rc (6)
The Assembly Server is busy recycling. Please wait for couple of minutes and try this operation again.	Assembler Client	Error	0x80046014
The IStream document doesn't exist.	Assembler Link	Error	0x8004623A
The context could not be locked. The return code is: (return code).	Assembler Client	Error	0x80046013

---

<b>Log Message</b>	<b>Module</b>	<b>Type</b>	<b>Code</b>
The Model document may not exist.	Assembler Link	Error	0x8004623B
The NativeRendition Storage of generated IStream document is empty.	Assembler Link	Error	0x80046244
The post method has no return.	Assembler Client	Error	0x80046041
The request method has no return.	Assembler Client	Error	0x80046040
The requested feature is not available. The return code is: (return code).	Assembler Client	Error	0x80046012
The session given user name/password/host/port does not exist in the Sessions collection.	Assembler Link	Error	0x0004623C
The variable is not defined.	Assembler Link	Error	0x80046239
The work queue is overflow. The return code is: (return code).	Assembler Client	Error	0x8004600C
There are too many sub-requisitions during remote generation.	Assembler Client	Error	0x80046042
There is a bad control API command. The return code is: (return code).	Assembler Client	Error	0x80046006
There is an error in API parameters. The return code is: (return code).	Assembler Client	Error	0x80046003

---

