



Sun GlassFish Communications Server 2.0 Administration Reference



Sun Microsystems, Inc.
4150 Network Circle
Santa Clara, CA 95054
U.S.A.

Part No: 821-0194-10
October 2009

Copyright 2009 Sun Microsystems, Inc. 4150 Network Circle, Santa Clara, CA 95054 U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology embodied in the product that is described in this document. In particular, and without limitation, these intellectual property rights may include one or more U.S. patents or pending patent applications in the U.S. and in other countries.

U.S. Government Rights – Commercial software. Government users are subject to the Sun Microsystems, Inc. standard license agreement and applicable provisions of the FAR and its supplements.

This distribution may include materials developed by third parties.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and other countries, exclusively licensed through X/Open Company, Ltd.

Sun, Sun Microsystems, the Sun logo, the Solaris logo, the Java Coffee Cup logo, docs.sun.com, Java, and Solaris are trademarks or registered trademarks of Sun Microsystems, Inc. or its subsidiaries in the U.S. and other countries. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and other countries. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc.

The OPEN LOOK and Sun™ Graphical User Interface was developed by Sun Microsystems, Inc. for its users and licensees. Sun acknowledges the pioneering efforts of Xerox in researching and developing the concept of visual or graphical user interfaces for the computer industry. Sun holds a non-exclusive license from Xerox to the Xerox Graphical User Interface, which license also covers Sun's licensees who implement OPEN LOOK GUIs and otherwise comply with Sun's written license agreements.

Products covered by and information contained in this publication are controlled by U.S. Export Control laws and may be subject to the export or import laws in other countries. Nuclear, missile, chemical or biological weapons or nuclear maritime end uses or end users, whether direct or indirect, are strictly prohibited. Export or reexport to countries subject to U.S. embargo or to entities identified on U.S. export exclusion lists, including, but not limited to, the denied persons and specially designated nationals lists is strictly prohibited.

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Copyright 2009 Sun Microsystems, Inc. 4150 Network Circle, Santa Clara, CA 95054 U.S.A. Tous droits réservés.

Sun Microsystems, Inc. détient les droits de propriété intellectuelle relatifs à la technologie incorporée dans le produit qui est décrit dans ce document. En particulier, et ce sans limitation, ces droits de propriété intellectuelle peuvent inclure un ou plusieurs brevets américains ou des applications de brevet en attente aux Etats-Unis et dans d'autres pays.

Cette distribution peut comprendre des composants développés par des tierces personnes.

Certains composants de ce produit peuvent être dérivées du logiciel Berkeley BSD, licenciés par l'Université de Californie. UNIX est une marque déposée aux Etats-Unis et dans d'autres pays; elle est licenciée exclusivement par X/Open Company, Ltd.

Sun, Sun Microsystems, le logo Sun, le logo Solaris, le logo Java Coffee Cup, docs.sun.com, Java et Solaris sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc., ou ses filiales, aux Etats-Unis et dans d'autres pays. Toutes les marques SPARC sont utilisées sous licence et sont des marques de fabrique ou des marques déposées de SPARC International, Inc. aux Etats-Unis et dans d'autres pays. Les produits portant les marques SPARC sont basés sur une architecture développée par Sun Microsystems, Inc.

L'interface d'utilisation graphique OPEN LOOK et Sun a été développée par Sun Microsystems, Inc. pour ses utilisateurs et licenciés. Sun reconnaît les efforts de pionniers de Xerox pour la recherche et le développement du concept des interfaces d'utilisation visuelle ou graphique pour l'industrie de l'informatique. Sun détient une licence non exclusive de Xerox sur l'interface d'utilisation graphique Xerox, cette licence couvrant également les licenciés de Sun qui mettent en place l'interface d'utilisation graphique OPEN LOOK et qui, en outre, se conforment aux licences écrites de Sun.

Les produits qui font l'objet de cette publication et les informations qu'il contient sont régis par la législation américaine en matière de contrôle des exportations et peuvent être soumis au droit d'autres pays dans le domaine des exportations et importations. Les utilisations finales, ou utilisateurs finaux, pour des armes nucléaires, des missiles, des armes chimiques ou biologiques ou pour le nucléaire maritime, directement ou indirectement, sont strictement interdites. Les exportations ou réexportations vers des pays sous embargo des Etats-Unis, ou vers des entités figurant sur les listes d'exclusion d'exportation américaines, y compris, mais de manière non exclusive, la liste de personnes qui font objet d'un ordre de ne pas participer, d'une façon directe ou indirecte, aux exportations des produits ou des services qui sont régis par la législation américaine en matière de contrôle des exportations et la liste de ressortissants spécifiquement désignés, sont rigoureusement interdites.

LA DOCUMENTATION EST FOURNIE "EN L'ETAT" ET TOUTES AUTRES CONDITIONS, DECLARATIONS ET GARANTIES EXPRESSES OU TACITES SONT FORMELLEMENT EXCLUES, DANS LA MESURE AUTORISEE PAR LA LOI APPLICABLE, Y COMPRIS NOTAMMENT TOUTE GARANTIE IMPLICITE RELATIVE A LA QUALITE MARCHANDE, A L'APTITUDE A UNE UTILISATION PARTICULIERE OU A L'ABSENCE DE CONTREFACON.

Contents

Preface	9
1 The domain.xml File	15
About the domain.xml File	15
The sun-domain_1_5.dtd File	16
Default Values	16
Variables	16
Element Referencing	18
Element Hierarchy	18
Alphabetical List of Elements	22
A	22
access-log	22
action	23
admin-object-resource	24
admin-service	25
alert-service	26
alert-subscription	26
applclient-module	27
application-ref	28
applications	29
audit-module	29
auth-realm	30
availability-service	33
B	35
backend-principal	35
C	35
cluster	35
cluster-ref	37

clusters	38
config	39
configs	40
connection-pool	41
connector-connection-pool	42
connector-module	46
connector-resource	47
connector-service	48
converged-lb-cluster-ref	48
converged-lb-config	49
converged-lb-configs	51
converged-lb-policy	51
converged-load-balancer	52
custom-resource	53
D	54
das-config	54
description	56
diagnostic-service	56
domain	57
host-name	58
E	59
ejb-container	59
ejb-container-availability	61
ejb-module	62
ejb-timer-service	63
event	64
extension-module	68
external-jndi-resource	70
F	71
filter-config	71
G	72
group-management-service	72
H	73
health-checker	73
http-access-log	74
http-file-cache	74

http-listener	75
http-protocol	79
http-service	80
I	84
identity-assertion-trust	84
iiop-listener	85
iiop-service	85
ip-address	86
J	86
j2ee-application	86
jacc-provider	88
java-config	88
jdbc-connection-pool	90
jdbc-resource	94
jms-host	95
jms-service	96
jmx-connector	98
jvm-options	99
K	100
keep-alive	100
L	101
lb-config	101
lb-configs	102
lifecycle-module	102
listener-config	103
load-balancer	104
load-balancers	106
log-service	106
M	108
mail-resource	108
management-rule	110
management-rules	111
manager-properties	112
mbean	113
mdb-container	114
message-security-config	115

module-log-levels	116
module-monitoring-levels	118
monitoring-service	119
N	120
node-agent	120
node-agents	121
O	121
orb	121
overload-protection-service	122
P	124
persistence-manager-factory-resource	124
principal	125
profiler	126
property	126
provider-config	128
proxy	129
R	131
registry-location	131
request-policy	131
request-processing	132
resource-adapter-config	133
resource-ref	134
resources	135
response-policy	136
S	137
security-map	137
security-service	137
server	140
server-ref	141
servers	142
session-config	142
session-manager	143
session-properties	143
sip-container	144
sip-container-availability	146
sip-link	148

sip-listener	149
sip-protocol	150
sip-service	151
sip-timers	153
ssl	153
ssl-client-config	155
stack-config	155
stack-layer	156
store-properties	156
system-property	157
T	159
thread-pool	159
thread-pools	160
transaction-service	160
transformation-rule	162
trusted-entity	163
trust-handler	164
U	165
user-group	165
V	165
virtual-server	165
W	170
web-container	170
web-container-availability	171
web-module	174
web-service-endpoint	175
Index	177

Preface

This *Administration Reference* provides information about the Sun GlassFish Communications Server configuration file, `domain.xml`. This file contains most of the Communications Server configuration.

This preface contains information about and conventions for the entire Sun GlassFish™ Communications Server documentation set.

Communications Server Documentation Set

The Uniform Resource Locator (URL) for Communications Server documentation is <http://docs.sun.com/coll/1343.10>. For an introduction to Communications Server, refer to the books in the order in which they are listed in the following table.

TABLE P-1 Books in the Communications Server Documentation Set

Book Title	Description
<i>Documentation Center</i>	Communications Server documentation topics organized by task and subject.
<i>Release Notes</i>	Late-breaking information about the software and the documentation. Includes a comprehensive, table-based summary of the supported hardware, operating system, Java™ Development Kit (JDK™), and database drivers.
<i>Quick Start Guide</i>	How to get started with the Communications Server product.
<i>Installation Guide</i>	Installing the software and its components.
<i>Application Deployment Guide</i>	Deployment of applications and application components to the Communications Server. Includes information about deployment descriptors.
<i>Developer's Guide</i>	Creating and implementing Java Platform, Enterprise Edition (Java EE platform) applications intended to run on the Communications Server that follow the open Java standards model for Java EE components and APIs. Includes information about developer tools, security, debugging, and creating lifecycle modules.
<i>Java EE 5 Tutorial</i>	Using Java EE 5 platform technologies and APIs to develop Java EE applications.

TABLE P-1 Books in the Communications Server Documentation Set (Continued)

Book Title	Description
<i>Java WSIT Tutorial</i>	Developing web applications using the Web Service Interoperability Technologies (WSIT). Describes how, when, and why to use the WSIT technologies and the features and options that each technology supports.
<i>Administration Guide</i>	System administration for the Communications Server, including configuration, monitoring, security, resource management, and web services management.
<i>High Availability Administration Guide</i>	Setting up clusters, working with node agents, and using load balancers.
<i>Administration Reference</i>	Editing the Communications Server configuration file, <code>domain.xml</code> .
<i>Performance Tuning Guide</i>	Tuning the Communications Server to improve performance.
<i>Reference Manual</i>	Utility commands available with the Communications Server; written in man page style. Includes the <code>asadmin</code> command line interface.

Related Documentation

For documentation about other stand-alone Sun GlassFish server products, go to the following:

- Message Queue documentation (<http://docs.sun.com/coll/1343.4>)
- Identity Server documentation (<http://docs.sun.com/app/docs/prod/ident.mgmt#hic>)
- Directory Server documentation (<http://docs.sun.com/coll/1224.1>)
- Web Server documentation (<http://docs.sun.com/coll/1308.3>)

A Javadoc™ tool reference for packages provided with the Communications Server is located at <http://glassfish.dev.java.net/nonav/javaee5/api/index.html>. Additionally, the following resources might be useful:

- The Java EE 5 Specifications (<http://java.sun.com/javaee/5/javatech.html>)
- The Java EE Blueprints (<http://java.sun.com/reference/blueprints/index.html>)

For information on creating enterprise applications in the NetBeans™ Integrated Development Environment (IDE), see <http://www.netbeans.org/kb/55/index.html>.

For information about the Java DB database included with the Communications Server, see <http://developers.sun.com/javadb/>.

The GlassFish Samples project is a collection of sample applications that demonstrate a broad range of Java EE technologies. The GlassFish Samples are bundled with the Java EE Software Development Kit (SDK), and are also available from the GlassFish Samples project page at <https://glassfish-samples.dev.java.net/>.

Default Paths and File Names

The following table describes the default paths and file names that are used in this book.

TABLE P-2 Default Paths and File Names

Placeholder	Description	Default Value
<i>as-install</i>	Represents the base installation directory for Communications Server.	Solaris™ and Linux installations, non-root user: <i>user's-home-directory/SUNWappserver</i> Solaris and Linux installations, root user: <i>/opt/SUNWappserver</i> Windows, all installations: <i>SystemDrive:\Sun\AppServer</i>
<i>domain-root-dir</i>	Represents the directory containing all domains.	All installations: <i>as-install/domains/</i>
<i>domain-dir</i>	Represents the directory for a domain. In configuration files, you might see <i>domain-dir</i> represented as follows: <code>\${com.sun.aas.instanceRoot}</code>	<i>domain-root-dir/domain-dir</i>
<i>instance-dir</i>	Represents the directory for a server instance.	<i>domain-dir/instance-dir</i>
<i>samples-dir</i>	Represents the directory containing sample applications.	<i>as-install/samples</i>
<i>docs-dir</i>	Represents the directory containing documentation.	<i>as-install/docs</i>

Typographic Conventions

The following table describes the typographic changes that are used in this book.

TABLE P-3 Typographic Conventions

Typeface	Meaning	Example
AaBbCc123	The names of commands, files, and directories, and onscreen computer output	Edit your <code>.login</code> file. Use <code>ls -a</code> to list all files. <code>machine_name% you have mail.</code>

TABLE P-3 Typographic Conventions (Continued)

Typeface	Meaning	Example
AaBbCc123	What you type, contrasted with onscreen computer output	machine_name% su Password:
<i>AaBbCc123</i>	A placeholder to be replaced with a real name or value	The command to remove a file is <i>rm filename</i> .
<i>AaBbCc123</i>	Book titles, new terms, and terms to be emphasized (note that some emphasized items appear bold online)	Read Chapter 6 in the <i>User's Guide</i> . A <i>cache</i> is a copy that is stored locally. Do <i>not</i> save the file.

Symbol Conventions

The following table explains symbols that might be used in this book.

TABLE P-4 Symbol Conventions

Symbol	Description	Example	Meaning
[]	Contains optional arguments and command options.	ls [-l]	The -l option is not required.
{ }	Contains a set of choices for a required command option.	-d {y n}	The -d option requires that you use either the y argument or the n argument.
`\${ }`	Indicates a variable reference.	`\${com.sun.javaRoot}`	References the value of the com.sun.javaRoot variable.
-	Joins simultaneous multiple keystrokes.	Control-A	Press the Control key while you press the A key.
+	Joins consecutive multiple keystrokes.	Ctrl+A+N	Press the Control key, release it, and then press the subsequent keys.
→	Indicates menu item selection in a graphical user interface.	File → New → Templates	From the File menu, choose New. From the New submenu, choose Templates.

Documentation, Support, and Training

The Sun web site provides information about the following additional resources:

- Documentation (<http://www.sun.com/documentation/>)
- Support (<http://www.sun.com/support/>)
- Training (<http://www.sun.com/training/>)

Third-Party Web Site References

Third-party URLs are referenced in this document and provide additional, related information.

Note – Sun is not responsible for the availability of third-party web sites mentioned in this document. Sun does not endorse and is not responsible or liable for any content, advertising, products, or other materials that are available on or through such sites or resources. Sun will not be responsible or liable for any actual or alleged damage or loss caused or alleged to be caused by or in connection with use of or reliance on any such content, goods, or services that are available on or through such sites or resources.

Sun Welcomes Your Comments

Sun is interested in improving its documentation and welcomes your comments and suggestions.

To share your comments, go to <http://docs.sun.com> and click Feedback. In the online form, provide the document title and part number. The part number is a seven-digit or nine-digit number that can be found on the title page of the book or at the top of the document.

The domain.xml File

This chapter describes the `domain.xml` configuration file in these sections:

- “About the `domain.xml` File” on page 15
- “Alphabetical List of Elements” on page 22

Note – Subelements must be defined in the order in which they are listed under each **Subelements** heading in this chapter unless otherwise noted.

About the `domain.xml` File

The `domain.xml` file contains most of the Sun Java™ System Communications Server configuration. The encoding is UTF-8 to maintain compatibility with regular UNIX text editors. The `domain.xml` file is located in the domain configuration directory, which is typically `domain-dir/config`. This file is further described in the following sections:

- “The `sun-domain_1_5.dtd` File” on page 16
- “Default Values” on page 16
- “Variables” on page 16
- “Element Referencing” on page 18
- “Element Hierarchy” on page 18

Note – Settings in the Communications Server deployment descriptors override corresponding settings in the `domain.xml` file unless otherwise stated. For more information about the Communications Server deployment descriptors, see the *Sun GlassFish Communications Server 2.0 Application Deployment Guide*.

The sun-domain_1_5.dtd File

The sun-domain_1_5.dtd file defines the structure of the domain.xml file, including the elements it can contain and the subelements and attributes these elements can have. The sun-domain_1_5.dtd file is located in the *as-install/lib/dtds* directory.

Note – Do not edit the sun-domain_1_5.dtd file; its contents change only with new versions of the Communications Server.

The sun-domain_1_5.dtd interface is unstable. An unstable interface might be experimental or transitional, and hence might change incompatibly, be removed, or be replaced by a more stable interface in the next release.

Elements or attributes that appear in the sun-domain_1_5.dtd file but are not described in this chapter are not implemented and should not be used.

For general information about DTD files and XML, see the [XML specification](http://www.w3.org/TR/REC-xml) (<http://www.w3.org/TR/REC-xml>).

Default Values

In this manual, the term *default* is used in its broader sense, and not in the specific way it is used in the XML 1.0 standard. A default value is an initial value or the value used if no value is present in the XML file. A default value can be any of the following:

- A value supplied by the XML parser when no value is found in the domain.xml file. The relevant element or attribute is optional.
- A value supplied by the Communications Server when no value is found in the domain.xml file and the XML parser doesn't provide a value. The relevant element or attribute is optional.
- An initial value supplied when the domain.xml file is created. The relevant element or attribute might or might not be optional.

When a required attribute or property has a default, this default is supplied when the domain.xml file is created.

Variables

Variables and variable references are needed for two reasons:

- Parts of the Communications Server share much configuration information but differ in specific details. For example, server instances in a cluster typically share the same configuration except for their port numbers.

- Parts of the configuration come from the system environment but must still be captured in the configuration.

Variable references appear in the `domain.xml` file as strings that begin with the characters `${` and end with the character `}`. For example, the string `${com.sun.enterprise.myVar}` is a reference to the variable `com.sun.enterprise.myVar`.

Variables are defined both outside of and within `domain.xml`. Predefined variables that exist outside of `domain.xml` are defined as Java System Properties. Within `domain.xml`, a variable is defined using the “[system-property](#)” on page 157 element or the “[jvm-options](#)” on page 99 element.

The `system-property` element’s `name` attribute is the name of a variable; its `value` attribute is the definition of the variable. For example, the following `system-property` element defines a `port-number` variable with the value `6500`:

```
<system-property name="port-number" value="6500"/>
```

Multiple `system-property` subelements are permitted within “[server](#)” on page 140, “[cluster](#)” on page 35, “[config](#)” on page 39, and “[domain](#)” on page 57 elements.

A variable defined in the `jvm-options` element is a Java System Property with the `-D` flag. For example, the following `jvm-options` element defines a `port-number` variable with the value `5500`:

```
<jvm-option>-Dport-number=5500</jvm-option>
```

Multiple definitions for the same variable are permitted. The Communications Server determines the actual value of a variable by searching for its first definition in a strict hierarchy of the elements within `domain.xml`. The hierarchy is as follows:

```
server → cluster → config → jvm-options → domain → System
```

Implicit in this hierarchy is the notion of reference and containment. A variable referenced in a `server` element is only looked up:

- In the `cluster` element referenced by that specific `server`
- In the `config` element that references that specific `server`
- In the `jvm-options` subelements of the `config` element referenced by that `server`

Note – Some topics in the documentation pertain to features that are available only in domains that are configured to support clusters. Examples of domains that support clusters are domains that are created with the cluster profile. For information about profiles, see “[Usage Profiles](#)” in *Sun GlassFish Communications Server 2.0 Administration Guide*.

```

. . . applclient-module      P
. . . . description
. . . mbean      P
. . . . description
. . . extension-module      P
. . . . description
. resources
. . . custom-resource      P
. . . . description
. . . external-jndi-resource      P
. . . . description
. . . jdbc-resource      P
. . . . description
. . . mail-resource      P
. . . . description
. . . persistence-manager-factory-resource      P
. . . . description
. . . admin-object-resource      P
. . . . description
. . . connector-resource      P
. . . . description
. . . resource-adapter-config      P
. . . jdbc-connection-pool      P
. . . . description
. . . connector-connection-pool      P
. . . . description
. . . security-map
. . . . principal
. . . . . user-group
. . . . . backend-principal
. configs
. . . config      P
. . . . sip-service      P
. . . . . access-log
. . . . . sip-listener      P
. . . . . . ssl
. . . . . request-processing
. . . . . keep-alive
. . . . . connection-pool
. . . . . sip-protocol      P
. . . . . . sip-link
. . . . . . sip-timers
. . . . http-service      P
. . . . . access-log
. . . . . request-processing
. . . . . keep-alive
. . . . . connection-pool
. . . . . http-protocol

```

```

. . . . http-listener P
. . . . . ssl
. . . . . virtual-server P
. . . . . http-access-log
. . . . overload-protection-service
. . . . iiop-service
. . . . . orb P
. . . . . ssl-client-config
. . . . . . ssl
. . . . . iiop-listener P
. . . . . . ssl
. . . . admin-service P
. . . . . jmx-connector P
. . . . . . ssl
. . . . . das-config P
. . . . connector-service
. . . . web-container P
. . . . . session-config
. . . . . . session-manager
. . . . . . . manager-properties P
. . . . . . . store-properties P
. . . . . . session-properties P
. . . . . ejb-container P
. . . . . . ejb-timer-service P
. . . . . mdb-container P
. . . . . sip-container P
. . . . . . session-config
. . . . . . . session-manager
. . . . . . . . manager-properties P
. . . . . . . . store-properties P
. . . . . . . session-properties P
. . . . . . stack-config P
. . . . . . . stack-layer P
. . . . . jms-service P
. . . . . . jms-host P
. . . . . log-service P
. . . . . . module-log-levels P
. . . . . security-service P
. . . . . . auth-realm P
. . . . . . jacc-provider P
. . . . . . audit-module P
. . . . . . message-security-config
. . . . . . . provider-config P
. . . . . . . . request-policy
. . . . . . . . response-policy
. . . . . . identity-assertion-trust
. . . . . . . trusted-entity
. . . . . . . ip-address

```

```

. . . . . host-name
. . . . . principal
. . . . . trust-handler P
. . . . . transaction-service P
. . . . . monitoring-service P
. . . . . module-monitoring-levels P
. . . . . diagnostic-service P
. . . . . java-config P
. . . . . profiler P
. . . . . jvm-options
. . . . . jvm-options
. . . . . availability-service P
. . . . . web-container-availability P
. . . . . ejb-container-availability P
. . . . . sip-container-availability P
. . . . . jms-availability P
. . . . . converged-load-balancer
. . . . . proxy P
. . . . . thread-pools
. . . . . thread-pool
. . . . . alert-service P
. . . . . alert-subscription
. . . . . listener-config P
. . . . . filter-config P
. . . . . group-management-service P
. . . . . management-rules
. . . . . management-rule P
. . . . . description
. . . . . event P
. . . . . description
. . . . . system-property
. . . . . description
. . . . . servers
. . . . . server P
. . . . . application-ref
. . . . . resource-ref
. . . . . system-property
. . . . . description
. . . . . clusters . . . cluster P
. . . . . server-ref
. . . . . health-checker
. . . . . resource-ref
. . . . . application-ref
. . . . . system-property
. . . . . description
. . . . . node-agents
. . . . . node-agent P
. . . . . jmx-connector P

```

```

. . . . ssl
. . . . auth-realm      P
. . . . log-service     P
. . . . module-log-levels  P
. lb-configs
. . lb-config      P
. . . cluster-ref
. . . . health-checker
. . . . server-ref
. . . . health-checker
. load-balancers
. . load-balancer  P
. converged-lb-configs
. . converged-lb-config  P
. . . converged-lb-policy  P
. . . converged-lb-cluster-ref
. . . server-ref
. . . . health-checker
. system-property
. . description

```

Alphabetical List of Elements

[“A” on page 22](#)
[“B” on page 35](#)
[“C” on page 35](#)
[“D” on page 54](#)
[“E” on page 59](#)
[“F” on page 71](#)
[“G” on page 72](#)
[“H” on page 73](#)
[“I” on page 84](#)
[“J” on page 86](#)
[“K” on page 100](#)
[“L” on page 101](#)
[“M” on page 108](#)
[“N” on page 120](#)
[“O” on page 121](#)
[“P” on page 124](#)
[“R” on page 131](#)
[“S” on page 137](#)
[“T” on page 159](#)
[“U” on page 165](#)
[“V” on page 165](#)
[“W” on page 170](#)

A

access-log

Defines access log settings for [“sip-service” on page 151](#) and for each [“http-access-log” on page 74](#) subelement of each [“virtual-server” on page 165](#).

Superelements

[“http-service” on page 80](#), [“sip-service” on page 151](#)

Subelements

none

Attributes

The following table describes attributes for the access - log element.

TABLE 1-1 access - log Attributes

Attribute	Default	Description
format	%client.name% %auth-user-name% %datetime% %request% %status% %response.length%	(optional) Specifies the format of the access log. For a complete list of token values you can use in the format, see the online help for the Access Log tab of the HTTP Service or Session Initiation Protocol (SIP) Service page in the Admin Console.
rotation-policy	time	(optional) Specifies the condition that triggers log rotation. The only legal value is time, which rotates log files at the rotation-interval-in-minutes interval.
rotation-interval-in-minutes	15 (developer profile) 1440 (cluster profile)	(optional) Specifies the time interval between log rotations if rotation-policy is set to time.
rotation-suffix	yyyy-MM-dd (developer profile) yyyyMMdd-HH'h'mm'm'ss's' (cluster profile)	(optional) Specifies the format of the timestamp appended to the access log name when log rotation occurs. For supported formats, see http://java.sun.com/javase/6/docs/api/java/text/SimpleDateFormat.html . The following value is supported for backward compatibility. It results in the same format as the default. %YYYY;%MM;%DD;-%hh;h%mm;m%ss;s
rotation-enabled	true	(optional) If true, enables log rotation.

action

Specifies the action of a management rule. The action is implemented as an MBean.

Superelements

“management-rule” on page 110

Subelements

none

Attributes

The following table describes attributes for the action element.

TABLE 1-2 action Attributes

Attribute	Default	Description
action-mbean-name	none	Specifies the name of the “ mbean ” on page 113 that performs the action of a management rule. This MBean must implement <code>javax.management.NotificationListener</code> .

admin-object-resource

Defines an administered object for an inbound resource adapter.

Superelements

“[resources](#)” on page 135

Subelements

The following table describes subelements for the `admin-object-resource` element.

TABLE 1-3 admin-object-resource Subelements

Element	Required	Description
“ description ” on page 56	zero or one	Contains a text description of this element.
“ property ” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `admin-object-resource` element.

TABLE 1-4 admin-object-resource Attributes

Attribute	Default	Description
jndi-name	none	Specifies the JNDI name for the resource.
res-type	none	Specifies the fully qualified type of the resource.
res-adapter	none	Specifies the name of the inbound resource adapter, as specified in the name attribute of a “ connector-module ” on page 46 element.

TABLE 1-4 admin-object-resource Attributes (Continued)

Attribute	Default	Description
object-type	user	(optional) Defines the type of the resource. Allowed values are: <ul style="list-style-type: none"> ▪ system-all - A system resource for all server instances and the domain application server. ▪ system-admin - A system resource only for the domain application server. ▪ system-instance - A system resource for all server instances only. ▪ user - A user resource.
enabled	true	(optional) Determines whether this resource is enabled at runtime.

Properties

Properties of the `admin-object-resource` element are the names of setter methods of the `adminobject-class` specified in the `adminobject` element of the `ra.xml` file. Some of the property names can be specified in the `adminobject` element itself. For example, in `jmsra`, the resource adapter used to communicate with the Sun Java System Message Queue software, `jmsra`, `Name` and `Description` are valid properties.

For a complete list of the available properties (called *administered object attributes* in the Message Queue software), see the [Sun GlassFish Message Queue 4.4 Administration Guide](#).

admin-service

Determines whether the server instance is a regular instance, a domain administration server, or a combination.

Superelements

[“config” on page 39](#)

Subelements

The following table describes subelements for the `admin-service` element.

TABLE 1-5 admin-service Subelements

Element	Required	Description
“jmx-connector” on page 98	zero or more	Configures a JSR 160/255 compliant remote JMX connector.
“das-config” on page 54	only one (developer profile) zero or one (cluster profile)	Defines a domain administration server configuration.

TABLE 1-5 admin-service Subelements (Continued)

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the admin-service element.

TABLE 1-6 admin-service Attributes

Attribute	Default	Description
type	das-and-server (developer profile) server (cluster profile)	Specifies whether the server instance is a regular instance (server), a domain administration server (das), or a combination (das-and-server). modifying this value is not recommended.
system-jmx-connector-name	none	Specifies the name of the internal “jmx-connector” on page 98 .

alert-service

Configures the alert service, which allows you to register for and receive system status alerts.

Superelements

[“config” on page 39](#)

Subelements

The following table describes subelements for the alert-service element.

TABLE 1-7 alert-service Subelements

Element	Required	Description
“alert-subscription” on page 26	zero or more	Configures a subscription to system status alerts.
“property” on page 126	zero or more	Specifies a property or a variable.

alert-subscription

Configures a subscription to system status alerts.

Superelements

[“alert-service” on page 26](#)

Subelements

The following table describes subelements for the `alert-subscription` element.

TABLE 1-8 `alert-subscription` Subelements

Element	Required	Description
“listener-config” on page 103	only one	Configures the listener class that listens for alerts from notification emitters.
“filter-config” on page 71	zero or one	Configures the filter class that filters alerts from notification emitters.

Attributes

The following table describes attributes for the `alert-subscription` element.

TABLE 1-9 `alert-subscription` Attributes

Attribute	Default	Description
<code>name</code>	none	Specifies the name of this alert subscription.

appclient-module

Specifies a deployed application client container (ACC) module.

Superelements

[“applications” on page 29](#)

Subelements

The following table describes subelements for the `appclient-module` element.

TABLE 1-10 `appclient-module` Subelements

Element	Required	Description
“description” on page 56	zero or one	Contains a text description of this element.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `appclient-module` element.

TABLE 1-11 appclient-module Attributes

Attribute	Default	Description
name	none	The name of the ACC module.
location	none	The location of the ACC module in the Communications Server file system.
directory-deployed	false	(optional) Specifies whether the application has been deployed as a directory.
java-web-start-enabled	true	(optional) Specifies whether Java Web Start access is permitted for this application client.

application-ref

References an application or module deployed to the server instance or cluster.

Note – Some topics in the documentation pertain to features that are available only in domains that are configured to support clusters. Examples of domains that support clusters are domains that are created with the cluster profile. For information about profiles, see [“Usage Profiles” in Sun GlassFish Communications Server 2.0 Administration Guide](#).

Superelements

[“cluster” on page 35](#), [“server” on page 140](#)

Subelements

none

Attributes

The following table describes attributes for the application-ref element.

TABLE 1-12 application-ref Attributes

Attribute	Default	Description
enabled	true	(optional) Determines whether the application or module is enabled.
virtual-servers	all virtual servers	(optional) In a comma-separated list, references id attributes of the “virtual-server” on page 165 elements to which the “web-module” on page 174 or the web modules within this “j2ee-application” on page 86 are deployed.
lb-enabled	false	(optional) If true, all load-balancers that reference this application consider it available to them.
disable-timeout-in-minutes	30	(optional) Specifies the time it takes this application to reach a quiescent state after having been disabled.

TABLE 1-12 application-ref Attributes (Continued)

Attribute	Default	Description
ref	none	References the name attribute of a “lifecycle-module” on page 102, “j2ee-application” on page 86, “ejb-module” on page 62, “web-module” on page 174, “connector-module” on page 46, “applcient-module” on page 27, or “extension-module” on page 68 element.

applications

Contains deployed Java EE applications, Java EE modules, and Lifecycle modules.

Superelements

“domain” on page 57

Subelements

The following table describes subelements for the applications element.

TABLE 1-13 applications Subelements

Element	Required	Description
“lifecycle-module” on page 102	zero or more	Specifies a deployed lifecycle module.
“j2ee-application” on page 86	zero or more	Specifies a deployed Java EE application.
“ejb-module” on page 62	zero or more	Specifies a deployed EJB module.
“web-module” on page 174	zero or more	Specifies a deployed web module.
“connector-module” on page 46	zero or more	Specifies a deployed connector module.
“applcient-module” on page 27	zero or more	Specifies a deployed application client container (ACC) module.
“mbean” on page 113	zero or more	Specifies an MBean.
“extension-module” on page 68	zero or more	Specifies an extension module.

Note – Subelements of an applications element can occur in any order.

audit-module

Specifies an optional plug-in module that implements audit capabilities.

Superelements

“security-service” on page 137

Subelements

The following table describes subelements for the `audit-module` element.

TABLE 1-14 `audit-module` Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `audit-module` element.

TABLE 1-15 `audit-module` Attributes

Attribute	Default	Description
<code>name</code>	<code>default</code>	Specifies the name of this audit module.
<code>classname</code>	<code>com.sun.enterprise.security.Audit</code>	Specifies the Java class that implements this audit module.

auth-realm

Defines a realm for authentication.

Authentication realms require provider-specific properties, which vary depending on what a particular implementation needs.

For more information about how to define realms, see the [Sun GlassFish Communications Server 2.0 Administration Guide](#).

Here is an example of the default file realm:

```
<auth-realm name="file"
  classname="com.sun.enterprise.security.auth.realm.file.FileRealm">
  <property name="file" value="domain-dir/config/keyfile"/>
  <property name="jaas-context" value="fileRealm"/>
</auth-realm>
```

Which properties an `auth-realm` element uses depends on the value of the `auth-realm` element's `name` attribute. The file realm uses `file` and `jaas-context` properties. Other realms use different properties.

Superelements

“node-agent” on page 120, “security-service” on page 137

Subelements

The following table describes subelements for the `auth-realm` element.

TABLE 1-16 `auth-realm` Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `auth-realm` element.

TABLE 1-17 `auth-realm` Attributes

Attribute	Default	Description
<code>name</code>	<code>none</code>	Specifies the name of this realm.
<code>classname</code>	<code>none</code>	Specifies the Java class that implements this realm.

Properties

The standard realms provided with Communications Server have required and optional properties. A custom realm might have different properties.

The following table describes properties for the `auth-realm` element.

TABLE 1-18 `auth-realm` Properties

Property	Realms	Description
<code>jaas-context</code>	<code>file</code> , <code>ldap</code> , <code>jdbc</code> , <code>solaris</code>	Specifies the JAAS (Java Authentication and Authorization Service) context.
<code>file</code>	<code>file</code>	Specifies the file that stores user names, passwords, and group names. The default is <code>domain-dir/config/keyfile</code> .
<code>assign-groups</code>	<code>certificate</code> , <code>file</code> , <code>jdbc</code> , <code>ldap</code> , <code>solaris</code>	(optional) If this property is set, its value is taken to be a comma-separated list of group names. All clients who present valid certificates are assigned membership to these groups for the purposes of authorization decisions in the web and EJB containers.
<code>directory</code>	<code>ldap</code>	Specifies the LDAP URL to your server.

TABLE 1-18 auth-realm Properties (Continued)

Property	Realms	Description
base-dn	ldap	Specifies the LDAP base DN for the location of user data. This base DN can be at any level above the user data, since a tree scope search is performed. The smaller the search tree, the better the performance.
search-filter	ldap	(optional) Specifies the search filter to use to find the user. The default is uid=%s (%s expands to the subject name).
group-base-dn	ldap	(optional) Specifies the base DN for the location of groups data. By default, it is same as the base-dn, but it can be tuned, if necessary.
group-search-filter	ldap	(optional) Specifies the search filter to find group memberships for the user. The default is uniquemember=%d (%d expands to the user element DN).
group-target	ldap	(optional) Specifies the LDAP attribute name that contains group name entries. The default is CN.
search-bind-dn	ldap	(optional) Specifies an optional DN used to authenticate to the directory for performing the search-filter lookup. Only required for directories that do not allow anonymous search.
search-bind-password	ldap	(optional) Specifies the LDAP password for the DN given in search-bind-dn.
datasource-jndi	jdbc	Specifies the jndi-name of the “jdbc-resource” on page 94 for the database.
user-table	jdbc	Specifies the name of the user table in the database.
user-name-column	jdbc	Specifies the name of the user name column in the database's user table.
password-column	jdbc	Specifies the name of the password column in the database's user table.
group-table	jdbc	Specifies the name of the group table in the database.
group-name-column	jdbc	Specifies the name of the group name column in the database's group table.
db-user	jdbc	(optional) Allows you to specify the database user name in the realm instead of the “jdbc-connection-pool” on page 90. This prevents other applications from looking up the database, getting a connection, and browsing the user table. By default, the jdbc-connection-pool configuration is used.
db-password	jdbc	(optional) Allows you to specify the database password in the realm instead of the “jdbc-connection-pool” on page 90. This prevents other applications from looking up the database, getting a connection, and browsing the user table. By default, the jdbc-connection-pool configuration is used.
digest-algorithm	jdbc	(optional) Specifies the digest algorithm. The default is MD5. You can use any algorithm supported in the JDK, or none.
encoding	jdbc	(optional) Specifies the encoding. Allowed values are Hex and Base64. If digest-algorithm is specified, the default is Hex. If digest-algorithm is not specified, by default no encoding is specified.
charset	jdbc	(optional) Specifies the charset for the digest algorithm.

availability-service

Configures the availability service. Enables high-availability features, such as session state and stateful session bean state persistence.

Note – Some topics in the documentation pertain to features that are available only in domains that are configured to support clusters. Examples of domains that support clusters are domains that are created with the cluster profile. For information about profiles, see [“Usage Profiles” in *Sun GlassFish Communications Server 2.0 Administration Guide*](#).

Availability can be enabled or disabled at the following levels:

1. The server instance (attribute of `availability-service`). Default is `true` (enabled).
2. The EJB, SIP, or web container (attribute of [“`ejb-container-availability`” on page 61](#), [“`sip-container-availability`” on page 146](#), or [“`web-container-availability`” on page 171](#)). Default is `true` (enabled).
3. The application (attribute of [“`j2ee-application`” on page 86](#)). Default is `false` (disabled).
4. The stand-alone EJB, SIP, or web module (attribute of [“`ejb-module`” on page 62](#), [“`extension-module`” on page 68](#), or [“`web-module`” on page 174](#)). Default is `false` (disabled).
5. The stateful session bean. Default is `false` (disabled). See the [Sun GlassFish Communications Server 2.0 Developer’s Guide](#).

For availability to be enabled at a given level, it must be enabled at all higher levels, as well. For example, to enable availability at the application level, you must also enable it at the server instance and container levels.

Superelements

[“`config`” on page 39](#)

Subelements

The following table describes subelements for the `availability-service` element.

TABLE 1-19 `availability-service` Subelements

Element	Required	Description
“<code>web-container-availability</code>” on page 171	zero or one	Enables availability in the web container.
“<code>ejb-container-availability</code>” on page 61	zero or one	Enables availability in the EJB container.
“<code>sip-container-availability</code>” on page 146	zero or one	Enables availability in the SIP container.

TABLE 1-19 availability-service Subelements (Continued)

Element	Required	Description
“converged-load-balancer” on page 52	zero or one	Defines and configures a converged load balancer.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `availability-service` element.

TABLE 1-20 availability-service Attributes

Attribute	Default	Description
<code>availability-enabled</code>	<code>true</code>	(optional) If set to <code>true</code> , high-availability features apply to all applications deployed to the server instance that do not have availability disabled. All instances in a cluster should have the same availability value to ensure consistent behavior.

Properties

The following table describes properties for the `availability-service` element. For more information about replicated session persistence, see [“web-container-availability” on page 171](#) and [“ejb-container-availability” on page 61](#).

TABLE 1-21 availability-service Properties

Attribute	Default	Description
<code>replication_measurement_enabled</code>	<code>false</code>	If <code>true</code> , logs measurements of replication times. One of these messages appears in the sending instance's log: <code>messageSendSucceeded: id = session-id fastAckTime = 8</code> to partner: <i>instance-name</i> <code>messageSendFailed: id = session-id fastAckTime = 8</code> to partner: <i>instance-name</i> This message appears in the receiving instance's log: <code>messageReceiptSucceeded: bulkId = 1 receiptTime = 12</code> from partner: <i>instance-name</i>
<code>replication_measurement_interval</code>	<code>1</code>	Specifies the frequency of measurement of replication. It must be a positive integer: 1 means every replication, 2 means once every 2 replications, 3 means once every 3 replications, and so on. Applicable only if <code>replication_measurement_enabled</code> is set to <code>true</code> .
<code>rolling-upgrade-backup-directory</code>	<code>instance-dir/rollingupgrade</code>	Specifies where the <code>asadmin backup-session-store</code> command backs up active and replica sessions.

B

backend-principal

Specifies the user name and password required by the Enterprise Information System (EIS).

Superelements

“security-map” on page 137

Subelements

none

Attributes

The following table describes attributes for the backend-principal element.

TABLE 1-22 backend-principal Attributes

Attribute	Default	Description
user-name	none	Specifies the user name required by the EIS.
password	none	(optional) Specifies the password required by the EIS, if any.

C

cluster

Defines a cluster.

Note – Some topics in the documentation pertain to features that are available only in domains that are configured to support clusters. Examples of domains that support clusters are domains that are created with the cluster profile. For information about profiles, see “Usage Profiles” in *Sun GlassFish Communications Server 2.0 Administration Guide*.

Superelements

“clusters” on page 38

Subelements

The following table describes subelements for the cluster element.

TABLE 1-23 cluster Subelements

Element	Required	Description
“server-ref” on page 141	zero or more	References a server instance that belongs to the cluster.
“resource-ref” on page 134	zero or more	References a resource deployed to the cluster.
“application-ref” on page 28	zero or more	References an application or module deployed to the cluster.
“system-property” on page 157	zero or more	Specifies a system property.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `cluster` element.

TABLE 1-24 cluster Attributes

Attribute	Default	Description
<code>name</code>	<code>none</code>	Specifies the name of the cluster.
<code>config-ref</code>	default “config” on page 39 element’s <code>name</code> attribute value, <code>server-config</code>	References the configuration used by the cluster.
<code>heartbeat-port</code>	<code>none</code> ; value automatically generated	Specifies the communication port the Group Management Service uses to listen for group events. Must be a valid port number.
<code>heartbeat-address</code>	<code>none</code> ; value automatically generated	Specifies the address the Group Management Service uses to listen for group events. Must be a multicast address.
<code>heartbeat-enabled</code>	<code>false</code> (developer profile) <code>true</code> (cluster profile)	(optional) If <code>true</code> , the Group Management Service is started as a lifecycle module in each server instance in the cluster and in the Domain Administration Server. The Domain Administration Server participates in each cluster that has this attribute set to <code>true</code> .

Properties

The following table describes properties for the `cluster` element.

TABLE 1-25 cluster Properties

Property	Default	Description
gms-bind-interface-address	none	<p>Specifies which address the group management service uses on a multi-home machine. If a machine has only one network interface, there is no need to set this property.</p> <p>If this property is not set or is set to an invalid value on a multi-home machine, Communications Server uses all available addresses. The primary address is nondeterministic, because the ordering of addresses is specific to the operating system, not the Java network API used to access the network interfaces.</p> <p>You can create “system-property” on page 157 elements to set this value differently for each server instance in the cluster. For example:</p> <pre> <domain> ... <clusters> <cluster name="cluster1" ... > ... <property name="gms-bind-interface-address" value="{GMS_CLUSTER1_BIND_IF_ADDR}"/> </cluster> </clusters> ... <servers> <server name="server1" ... > ... <system-property name="GMS_CLUSTER1_BIND_IF_ADDR" value="123.456.78.910"/> </server> </servers> ... </domain> </pre>

cluster-ref

References a cluster.

Note – Some topics in the documentation pertain to features that are available only in domains that are configured to support clusters. Examples of domains that support clusters are domains that are created with the cluster profile. For information about profiles, see “[Usage Profiles](#)” in *Sun GlassFish Communications Server 2.0 Administration Guide*.

Superelements

[“lb-config” on page 101](#)

Subelements

The following table describes subelements for the `cluster-ref` element.

TABLE 1-26 `cluster-ref` Subelements

Element	Required	Description
“health-checker” on page 73	zero or one	Defines a health checker for the referenced cluster.

Attributes

The following table describes attributes for the `cluster-ref` element.

TABLE 1-27 `cluster-ref` Attributes

Attribute	Default	Description
<code>ref</code>	<code>none</code>	References the name attribute of a “cluster” on page 35 element.
<code>lb-policy</code>	<code>round-robin</code>	(optional) Specifies the load balancing policy. Allowed values are: <ul style="list-style-type: none"> ▪ <code>round-robin</code> — The load balancer cycles through the cluster's server instances in a specified order. ▪ <code>weighted-round-robin</code> — The load balancer cycles through the server instances in a specified order, but routes more requests to instances with greater processing capacity. Processing capacity is represented by values of the <code>lb-weight</code> attribute of each “server” on page 140 element referenced by the cluster. ▪ <code>user-defined</code> — The load balancing policy is defined in a custom module.
<code>lb-policy-module</code>	<code>none</code>	(optional) Specifies the absolute path to the shared library that implements the user-defined policy. The shared library must exist and be readable on the machine where the load balancer is running. Required only if <code>lb-policy</code> is set to <code>user-defined</code> .

clusters

Contains clusters.

Superelements

[“domain” on page 57](#)

Subelements

The following table describes subelements for the `clusters` element.

TABLE 1–28 `clusters` Subelements

Element	Required	Description
“cluster” on page 35	zero or more	Defines a cluster.

config

Defines a configuration, which is a collection of settings that controls how a server instance functions.

Superelements

“configs” on page 40

Subelements

The following table describes subelements for the `config` element.

TABLE 1–29 `config` Subelements

Element	Required	Description
“sip-service” on page 151	zero or one	Configures the SIP service.
“http-service” on page 80	only one	Configures the HTTP service.
“overload-protection-service” on page 122	only one	Configures the overload protection service for HTTP and SIP requests.
“iiop-service” on page 85	only one	Configures the IIOP service.
“admin-service” on page 25	only one	Determines whether the server to which the configuration applies is an administration server.
“connector-service” on page 48	zero or one	Configures the connector service.
“web-container” on page 170	only one	Configures the web container.
“ejb-container” on page 59	only one	Configures the Enterprise JavaBeans™ (EJB™) container.
“mdb-container” on page 114	only one	Configures the message-driven bean (MDB) container.
“sip-container” on page 144	zero or one	Configures the SIP container.
“jms-service” on page 96	zero or one	Configures the Java Message Service (JMS) provider.

TABLE 1–29 config Subelements *(Continued)*

Element	Required	Description
“log-service” on page 106	only one	Configures the system logging service.
“security-service” on page 137	only one	Configures the Java EE security service.
“transaction-service” on page 160	only one	Configures the transaction service.
“monitoring-service” on page 119	only one	Configures the monitoring service.
“diagnostic-service” on page 56	zero or one	Configures the diagnostic service.
“java-config” on page 88	only one	Configures the Java Virtual Machine (JVM™).
“availability-service” on page 33	zero or one	Configures the availability service.
“thread-pools” on page 160	only one	Configures thread pools.
“alert-service” on page 26	zero or one	Configures the alert service.
“group-management-service” on page 72	zero or one	Configures the group management service.
“management-rules” on page 111	zero or one	Configures self-management rules.
“system-property” on page 157	zero or more	Specifies a system property.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the config element.

TABLE 1–30 config Attributes

Attribute	Default	Description
name	server-config (for default instance)	Specifies the name of the configuration.
dynamic-reconfiguration-enabled	true	(optional) If true, any changes to the system (for example, applications deployed, resources created) are automatically applied to the affected servers without a restart being required. If false, such changes are only picked up by the affected servers when each server restarts.

configs

Contains configurations.

Superelements

“domain” on page 57

Subelements

The following table describes subelements for the `configs` element.

TABLE 1-31 `configs` Subelements

Element	Required	Description
“config” on page 39	only one (developer profile) one or more (cluster profile)	Defines a configuration.

connection-pool

Defines a pool of client HTTP or SIP connections used by the [“http-listener” on page 75](#) or [“sip-listener” on page 149](#) subelements of the parent [“http-service” on page 80](#) or [“sip-service” on page 151](#) element.

Superelements

[“http-service” on page 80](#), [“sip-service” on page 151](#)

Subelements

none

Attributes

The following table describes attributes for the `connection-pool` element.

TABLE 1-32 `connection-pool` Attributes

Attribute	Default	Description
<code>queue-size-in-bytes</code>	-1	(optional) Specifies the maximum number of messages that can be queued until threads are available to process them for “http-listener” on page 75 or “sip-listener” on page 149 elements. A value of -1 specifies no limit.
<code>max-pending-count</code>	4096	(optional) Specifies the maximum number of pending connections on an “http-listener” on page 75 or “sip-listener” on page 149 . Not implemented if the parent element is “sip-service” on page 151 .
<code>receive-buffer-size-in-bytes</code>	4096 (<code>http-service</code>) socket channel receive buffer size (<code>sip-service</code>)	(optional) Specifies the size of the receive buffer for all “http-listener” on page 75 or “sip-listener” on page 149 elements. A value of -1 specifies no limit.

TABLE 1-32 `connection-pool` Attributes (Continued)

Attribute	Default	Description
<code>send-buffer-size-in-bytes</code>	8192	(optional) Specifies the size of the send buffer for all <code>“http-listener”</code> on page 75 or <code>“sip-listener”</code> on page 149 elements.

connector-connection-pool

Defines a connector connection pool.

Superelements

`“resources”` on page 135

Subelements

The following table describes subelements for the `connector-connection-pool` element.

TABLE 1-33 `connector-connection-pool` Subelements

Element	Required	Description
<code>“description”</code> on page 56	zero or one	Contains a text description of this element.
<code>“security-map”</code> on page 137	zero or more	Maps the principal received during servlet or EJB authentication to the credentials accepted by the EIS.
<code>“property”</code> on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `connector-connection-pool` element. Changing the following attributes requires a server restart: `resource-adapter-name`, `connection-definition-name`, `transaction-support`, `associate-with-thread`, `lazy-connection-association`, and `lazy-connection-enlistment`.

TABLE 1-34 `connector-connection-pool` Attributes

Attribute	Default	Description
<code>name</code>	none	Specifies the name of the connection pool. A <code>“connector-resource”</code> on page 47 element’s <code>pool-name</code> attribute refers to this name.
<code>resource-adapter-name</code>	none	Specifies the name attribute of the deployed <code>“connector-module”</code> on page 46. If no name is specified during deployment, the name of the <code>.rar</code> file is used. If the resource adapter is embedded in an application, then it is <code>app_name#rar_name</code> .

TABLE 1-34 connector-connection-pool Attributes (Continued)

Attribute	Default	Description
connection-definition-name	none	Specifies a unique name, identifying a resource adapter's connection-definition element in the ra.xml file. This is usually the connectionfactory-interface of the connection-definition element.
steady-pool-size	8	(optional) Specifies the initial and minimum number of connections maintained in the pool.
max-pool-size	32	(optional) Specifies the maximum number of connections that can be created to satisfy client requests.
max-wait-time-in-millis	60000	(optional) Specifies the amount of time, in milliseconds, that the caller is willing to wait for a connection. If 0, the caller is blocked indefinitely until a resource is available or an error occurs.
pool-resize-quantity	2	(optional) Specifies the number of idle connections to be destroyed if the existing number of connections is above the steady-pool-size (subject to the max-pool-size limit). This is enforced periodically at the idle-timeout-in-seconds interval. An idle connection is one that has not been used for a period of idle-timeout-in-seconds. When the pool size reaches steady-pool-size, connection removal stops.
idle-timeout-in-seconds	300	(optional) Specifies the maximum time that a connection can remain idle in the pool. After this amount of time, the pool can close this connection.
fail-all-connections	false	(optional) If true, closes all connections in the pool if a single validation check fails.
transaction-support	none	(optional) Specifies the transaction support for this connection pool. Overrides the transaction support defined in the resource adapter in a downward compatible way: supports a transaction level lower than or equal to the resource adapter's, but not higher. Allowed values in descending order are: <ul style="list-style-type: none"> ■ XATransaction - Supports distributed transactions. ■ LocalTransaction - Supports local transactions only. ■ NoTransaction - No transaction support.
is-connection-validation-required	false	(optional) Specifies whether connections have to be validated before being given to the application. If a resource's validation fails, it is destroyed, and a new resource is created and returned.
connection-leak-timeout-in-seconds	0	Detects potential connection leaks by the application. A connection that is not returned back to the pool by the application within the specified period is assumed to be potentially leaking, and a stack trace of the caller is logged. A zero value disables leak detection. A nonzero value enables leak tracing.
connection-leak-reclaim	false	If true, the pool will reclaim a connection after connection-leak-timeout-in-seconds occurs.
connection-creation-retry-attempts	0	Specifies the number of attempts to create a new connection.

TABLE 1-34 connector-connection-pool Attributes (Continued)

Attribute	Default	Description
connection-creation-retry-interval-in-seconds	10	Specifies the time interval between attempts to create a connection when connection-creation-retry-attempts is greater than 0.
validate-atmost-once-period-in-seconds	60	Specifies the time interval within which a connection is validated at most once. Minimizes the number of validation calls.
lazy-connection-enlistment	false	If true, a connection is not enlisted in a transaction until it is used. If false, any connection object available to a transaction is enlisted in the transaction.
lazy-connection-association	false	If true, a physical connection is not associated with a logical connection until it is used. If false, a physical connection is associated with a logical connection even before it is used.
associate-with-thread	false	If true, allows a connection to be saved as a ThreadLocal in the calling thread. This connection gets reclaimed only when the calling thread dies or when the calling thread is not in use and the pool has run out of connections.
match-connections	true	If true, enables connection matching. You can set to false if connections are homogeneous.
max-connection-usage-count	0	Specifies the number of times a connections is reused by the pool, after which it is closed. A zero value disables this feature.

Properties

Most properties of the `connector-connection-pool` element are the names of setter methods of the `managedconnectionfactory-class` element in the `ra.xml` file. Properties of the `connector-connection-pool` element override the `ManagedConnectionFactory` JavaBean configuration settings.

All but the last four properties in the following table are `connector-connection-pool` properties of `jmsra`, the resource adapter used to communicate with the Sun GlassFish Message Queue software. For a complete list of the available properties (called *administered object attributes* in the Message Queue software), see the [Sun GlassFish Message Queue 4.4 Administration Guide](#).

Changes to `connector-connection-pool` properties require a server restart.

TABLE 1-35 connector-connection-pool Properties

Property	Default	Description
AddressList	none	Specifies a list of host/port combinations of the Message Queue software. For JMS resources of the Type <code>javax.jms.TopicConnectionFactory</code> or <code>javax.jms.QueueConnectionFactory</code> .

TABLE 1-35 connector-connection-pool Properties (Continued)

Property	Default	Description
ClientId	none	Specifies the JMS Client Identifier to be associated with a Connection created using the createTopicConnection method of the TopicConnectionFactory class. For JMS resources of the Type javax.jms.TopicConnectionFactory. Durable subscription names are unique and only valid within the scope of a client identifier. To create or reactivate a durable subscriber, the connection must have a valid client identifier. The JMS specification ensures that client identifiers are unique and that a given client identifier is allowed to be used by only one active connection at a time.
UserName	guest	Specifies the user name for connecting to the Message Queue software. For JMS resources of the Type javax.jms.TopicConnectionFactory or javax.jms.QueueConnectionFactory.
Password	guest	Specifies the password for connecting to the Message Queue software. For JMS resources of the Type javax.jms.TopicConnectionFactory or javax.jms.QueueConnectionFactory.
ReconnectAttempts	6	Specifies the number of attempts to connect (or reconnect) for each address in the imqAddressList before the client runtime moves on to try the next address in the list. A value of -1 indicates that the number of reconnect attempts is unlimited (the client runtime attempts to connect to the first address until it succeeds).
ReconnectInterval	30000	Specifies the interval between reconnect attempts in milliseconds. This applies to attempts on each address in the imqAddressList and on successive addresses in the list. If too short, this time interval does not give a broker time to recover. If too long, the reconnect might represent an unacceptable delay.
ReconnectEnabled	false	If true, specifies that the client runtime attempts to reconnect to a message server (or the list of addresses in imqAddressList) when a connection is lost.
AddressListBehavior	priority	Specifies whether connection attempts are in the order of addresses in the imqAddressList attribute (priority) or in a random order (random). If many clients are attempting a connection using the same connection factory, use a random order to prevent them from all being connected to the same address.
AddressListIterations	-1	Specifies the number of times the client runtime iterates through the imqAddressList in an effort to establish (or reestablish) a connection. A value of -1 indicates that the number of attempts is unlimited.
LazyConnectionEnlistment	false	Deprecated. Use the equivalent attribute.
LazyConnectionAssociation	false	Deprecated. Use the equivalent attribute.
AssociateWithThread	false	Deprecated. Use the equivalent attribute.
MatchConnections	true	Deprecated. Use the equivalent attribute.

Note – All JMS administered object resource properties that worked with version 7 of the Communications Server are supported for backward compatibility.

connector-module

Specifies a deployed connector module.

Superelements

[“applications” on page 29](#)

Subelements

The following table describes subelements for the `connector-module` element.

TABLE 1–36 `connector-module` Subelements

Element	Required	Description
“description” on page 56	zero or one	Contains a text description of this element.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `connector-module` element.

TABLE 1–37 `connector-module` Attributes

Attribute	Default	Description
<code>name</code>	<code>none</code>	The name of the connector module.
<code>location</code>	<code>none</code>	The location of the connector module in the Communications Server file system.
<code>object-type</code>	<code>user</code>	(optional) Defines the type of the resource. Allowed values are: <ul style="list-style-type: none"> ▪ <code>system-all</code> - A system resource for all server instances and the domain application server. ▪ <code>system-admin</code> - A system resource only for the domain application server. ▪ <code>system-instance</code> - A system resource for all server instances only. ▪ <code>user</code> - A user resource.
<code>enabled</code>	<code>true</code>	(optional) Determines whether the connector module is enabled.

TABLE 1-37 connector-module Attributes (Continued)

Attribute	Default	Description
directory-deployed	false	(optional) Specifies whether the application has been deployed as a directory.

connector-resource

Defines the connection factory object of a specific connection definition in a connector (resource adapter).

Superelements

[“resources” on page 135](#)

Subelements

The following table describes subelements for the connector-resource element.

TABLE 1-38 connector-resource Subelements

Element	Required	Description
“description” on page 56	zero or one	Contains a text description of this element.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the connector-resource element.

TABLE 1-39 connector-resource Attributes

Attribute	Default	Description
jndi-name	none	Specifies the JNDI name for the resource.
pool-name	none	Specifies the name of the associated connector connection pool, defined in a “connector-connection-pool” on page 42 element.
object-type	user	(optional) Defines the type of the resource. Allowed values are: <ul style="list-style-type: none"> ▪ system-all - A system resource for all server instances and the domain application server. ▪ system-admin - A system resource only for the domain application server. ▪ system-instance - A system resource for all server instances only. ▪ user - A user resource.

TABLE 1-39 connector - resource Attributes (Continued)

Attribute	Default	Description
enabled	true	(optional) Determines whether this resource is enabled at runtime.

connector-service

Configures the connector service.

Superelements

[“config” on page 39](#)

Subelements

none

Attributes

The following table describes attributes for the connector - service element.

TABLE 1-40 connector - service Attributes

Attribute	Default	Description
shutdown - timeout - in - seconds	30	(optional) Specifies the maximum time allowed during application server shutdown for the <code>ResourceAdapter . stop ()</code> method of a connector module’s instance to complete. Resource adapters that take longer to shut down are ignored, and Communications Server shutdown continues.

converged-lb-cluster-ref

References a target cluster to which requests are forwarded by a converged load balancer.

Note – Some topics in the documentation pertain to features that are available only in domains that are configured to support clusters. Examples of domains that support clusters are domains that are created with the cluster profile. For information about profiles, see [“Usage Profiles” in *Sun GlassFish Communications Server 2.0 Administration Guide*](#).

Superelements

[“converged-lb-config” on page 49](#)

Subelements

none

Attributes

The following table describes attributes for the `converged-lb-cluster-ref` element.

TABLE 1–41 `converged-lb-cluster-ref` Attributes

Attribute	Default	Description
<code>ref</code>	none	References the name attribute of a “ cluster ” on page 35 element.
<code>self-loadbalance</code>	true	(optional) If <code>true</code> , specifies that a configured cluster load balances incoming requests to itself. If <code>true</code> , the parent “ converged-lb-config ” on page 49 element must have exactly one <code>converged-lb-cluster-ref</code> subelement. In this case, the load balancer is an intrinsic component of the participating server instances in the cluster. For production environments, only the <code>true</code> setting is supported.

converged-lb-config

Defines a converged load balancer configuration, which can be referenced by a “[converged-load-balancer](#)” on page 52.

Note – Some topics in the documentation pertain to features that are available only in domains that are configured to support clusters. Examples of domains that support clusters are domains that are created with the cluster profile. For information about profiles, see “[Usage Profiles](#)” in *Sun GlassFish Communications Server 2.0 Administration Guide*.

Superelements

“[converged-lb-configs](#)” on page 51

Subelements

The following table describes subelements for the `converged-lb-config` element.

TABLE 1–42 `converged-lb-config` Subelements

Element	Required	Description
“ converged-lb-policy ” on page 51	only one	Specifies the load balancing policy used by the converged load balancer.

TABLE 1-42 converged-lb-config Subelements (Continued)

Element	Required	Description
“converged-lb-cluster-ref” on page 48	one or more; only one if this subelement's <code>selfloadbalance</code> attribute is <code>true</code> ; zero if a <code>server-ref</code> is defined	References a cluster. This element contains some attributes related to load balancing.
“server-ref” on page 141	one or more; zero if a <code>converged-lb-cluster-ref</code> is defined	References a stand-alone server instance, which does not belong to a cluster. The referenced “server” on page 140 element contains some attributes related to load balancing.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `converged-lb-config` element.

TABLE 1-43 converged-lb-config Attributes

Attribute	Default	Description
<code>name</code>	<code>none</code>	Specifies the name of the converged load balancer configuration.

Properties

The following table describes properties for the `converged-lb-config` element.

TABLE 1-44 converged-lb-config Properties

Property	Default	Description
<code>load-increase-factor</code>	1	<p>Specifies the factor by which a single recovered server instance is incrementally included in load distribution. Allowed values are decimal numbers between 0 and 1.</p> <p>The load factor starts at zero and increases by <code>load-increase-factor</code> every <code>load-factor-increase-period-in-seconds</code> until it reaches 1. For example, if <code>load-increase-factor</code> is set to 0.1 and <code>load-factor-increase-period-in-seconds</code> is set to 60, it takes ten minutes for a recovered instance to be fully included in load distribution.</p> <p>The <code>load-increase-factor</code> and <code>load-factor-increase-period-in-seconds</code> properties are applicable to all SIP requests and to HTTP requests for converged applications only if data-centric rules are specified.</p> <p>The <code>load-increase-factor</code> and <code>load-factor-increase-period-in-seconds</code> properties have no effect on the round-robin algorithm, which is applicable to HTTP requests for pure web applications.</p>

TABLE 1-44 converged-lb-config Properties (Continued)

Property	Default	Description
load-factor-increase-period-in-seconds	0	Specifies the number of seconds between load factor increases for a recovered server instance. If load-factor-increase-period-in-seconds is set to zero, load-increase-factor has no effect. The load factor for the recovered instance becomes 1 immediately. If load-factor-increase-period-in-seconds is set and load-increase-factor is not set, the recovered instance gets no load for load-factor-increase-period-in-seconds. After load-factor-increase-period-in-seconds lapses, the load factor for the recovered instance becomes 1.
sendUDPResponseFromBackend	false	If true, specifies that UDP responses are sent to the client from the back end instead of the front end, saving an extra network hop.

converged-lb-configs

Contains converged load balancer configurations.

Superelements

[“domain” on page 57](#)

Subelements

The following table describes subelements for the converged-lb-configs element.

TABLE 1-45 converged-lb-configs Subelements

Element	Required	Description
“converged-lb-config” on page 49	zero or more	Defines a converged load balancer configuration.

converged-lb-policy

Specifies the load balancing policy used by the converged load balancer.

Note – Some topics in the documentation pertain to features that are available only in domains that are configured to support clusters. Examples of domains that support clusters are domains that are created with the cluster profile. For information about profiles, see [“Usage Profiles” in Sun GlassFish Communications Server 2.0 Administration Guide](#).

Superelements

[“converged-lb-config” on page 49](#)

Subelements

The following table describes subelements for the `converged-lb-policy` element.

TABLE 1–46 `converged-lb-policy` Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `converged-lb-policy` element.

TABLE 1–47 `converged-lb-policy` Attributes

Attribute	Default	Description
<code>http</code>	<code>round-robin</code>	(optional) Specifies the load balancing policy for pure HTTP requests. This attribute applies to the HTTP part of converged HTTP/SIP requests if <code>dcr-file</code> is not specified. The only allowed value is <code>round-robin</code> , which means that the load balancer cycles through the cluster's server instances in a specified order.
<code>sip</code>	<code>from-tag, call-id</code>	(optional) Specifies the load balancing policy for SIP requests if <code>dcr-file</code> is not specified. Specifies the parameters on which a consistent hashing policy is applied to obtain the hash key. The default is the only allowed value.
<code>dcr-file</code>	<code>none</code>	(optional) Specifies the <code>data-centric-rules.xml</code> file path name, which provides the rules for applying consistent hashing on SIP and converged HTTP/SIP requests. By default this file is not specified. If specified, this file takes precedence over the <code>http</code> and <code>sip</code> attributes. This can be an absolute or relative path. A relative path is relative to <code>domain-dir/cluster/config</code> . If a request doesn't match any DCR file rules, a hash key is generated using <code>from-tag, call-id</code> . For an HTTP request, this is the remote host port and address.

converged-load-balancer

Defines and configures a converged load balancer. For more information about load balancing in the Communications Server, see the [Sun GlassFish Communications Server 2.0 High Availability Administration Guide](#).

Note – Some topics in the documentation pertain to features that are available only in domains that are configured to support clusters. Examples of domains that support clusters are domains that are created with the cluster profile. For information about profiles, see [“Usage Profiles” in Sun GlassFish Communications Server 2.0 Administration Guide](#).

Superelements

[“availability-service” on page 33](#)

Subelements

The following table describes subelements for the `converged-load-balancer` element.

TABLE 1–48 `converged-load-balancer` Subelements

Element	Required	Description
“proxy” on page 129	only one	Specifies the proxy configuration for the converged load balancer.

Attributes

The following table describes attributes for the `converged-load-balancer` element.

TABLE 1–49 `converged-load-balancer` Attributes

Attribute	Default	Description
<code>name</code>	<code>none</code>	Specifies a unique name for the load balancer.
<code>config-file</code>	<code>domain-dir/cluster/config/converged-loadbalancer.xml</code>	Specifies the load balancer's configuration file, <code>converged-loadbalancer.xml</code> . This can be an absolute or relative path. A relative path is relative to <code>domain-dir/cluster/config</code> .
<code>auto-commit</code>	<code>false</code>	(optional) If <code>true</code> , configuration file changes are propagated to load balancer instances immediately.
<code>converged-lb-config-name</code>	<code>none</code>	Specifies the name of the “converged-lb-config” on page 49 used by the load balancer.

custom-resource

Defines a custom resource, which specifies a custom server-wide resource object factory. Such object factories implement the `javax.naming.spi.ObjectFactory` interface.

Superelements

[“resources” on page 135](#)

Subelements

The following table describes subelements for the `custom-resource` element.

TABLE 1-50 custom-resource Subelements

Element	Required	Description
“description” on page 56	zero or one	Contains a text description of this element.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the custom-resource element.

TABLE 1-51 custom-resource Attributes

Attribute	Default	Description
jndi-name	none	Specifies the JNDI name for the resource.
res-type	none	Specifies the fully qualified type of the resource.
factory-class	none	Specifies the fully qualified name of the user-written factory class, which implements <code>javax.naming.spi.ObjectFactory</code> .
object-type	user	(optional) Defines the type of the resource. Allowed values are: <ul style="list-style-type: none"> ▪ <code>system-all</code> - A system resource for all server instances and the domain application server. ▪ <code>system-admin</code> - A system resource only for the domain application server. ▪ <code>system-instance</code> - A system resource for all server instances only. ▪ <code>user</code> - A user resource.
enabled	true	(optional) Determines whether this resource is enabled at runtime.

D

das-config

Defines a domain administration server configuration. The domain administration server runs the Administration Console.

Superelements

[“admin-service” on page 25](#)

Subelements

The following table describes subelements for the `das-config` element.

TABLE 1-52 das-config Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `das-config` element. For more information about deployment topics such as dynamic reloading and autodeployment, see the *Sun GlassFish Communications Server 2.0 Developer's Guide*.

TABLE 1-53 das-config Attributes

Attribute	Default	Description
<code>dynamic-reload-enabled</code>	<code>false</code>	(optional) If <code>true</code> , checks the timestamp on a <code>.reload</code> file at every module and application directory level, to trigger dynamic reloading.
<code>dynamic-reload-poll-interval-in-seconds</code>	2	(optional) Controls the polling frequency of dynamic reloading.
<code>autodeploy-enabled</code>	<code>false</code>	(optional) If <code>true</code> , enables autodeployment, which lets you quickly deploy applications and modules to a running Communications Server without performing an explicit server instance restart or a separate deployment operation.
<code>autodeploy-polling-interval-in-seconds</code>	2	(optional) Controls the polling frequency of autodeployment.
<code>autodeploy-dir</code>	<code>autodeploy</code>	(optional) Specifies the source directory (absolute or relative to <i>domain-dir</i>) in which autodeployment looks for deployable components.
<code>autodeploy-verifier-enabled</code>	<code>false</code>	(optional) If <code>true</code> , the verifier is run before autodeployment. If verification fails, deployment is not performed.
<code>autodeploy-jsp-precompilation-enabled</code>	<code>false</code>	(optional) If <code>true</code> , JSP pages are precompiled during autodeployment.
<code>deploy-xml-validation</code>	<code>full</code>	(optional) Specifies the type of XML validation performed on standard and Communications Server deployment descriptors: <ul style="list-style-type: none"> ■ <code>full</code> - If XML validation fails, deployment fails. ■ <code>parsing</code> - XML validation errors are reported but deployment occurs. ■ <code>none</code> - No XML validation is performed.

TABLE 1-53 `das-config` Attributes (Continued)

Attribute	Default	Description
<code>admin-session-timeout-in-minutes</code>	<code>sun-web.xml</code> <code>timeoutSeconds</code> property value or <code>web.xml</code> <code>session-timeout</code> attribute value	(optional) Specifies the Administration Console timeout.

description

Contains a text description of the parent element.

Superelements

“[admin-object-resource](#)” on page 24, “[appclient-module](#)” on page 27, “[connector-connection-pool](#)” on page 42, “[connector-module](#)” on page 46, “[connector-resource](#)” on page 47, “[custom-resource](#)” on page 53, “[ejb-module](#)” on page 62, “[event](#)” on page 64, “[extension-module](#)” on page 68, “[external-jndi-resource](#)” on page 70, “[j2ee-application](#)” on page 86, “[jdbc-connection-pool](#)” on page 90, “[jdbc-resource](#)” on page 94, “[lifecycle-module](#)” on page 102, “[mail-resource](#)” on page 108, “[management-rule](#)” on page 110, “[mbean](#)” on page 113, “[persistence-manager-factory-resource](#)” on page 124, “[property](#)” on page 126, “[system-property](#)” on page 157, “[transformation-rule](#)” on page 162, “[web-module](#)” on page 174

Subelements

none - contains data

diagnostic-service

Configures the Diagnostic Service, which lets you generate a diagnostic report for troubleshooting in case of Communications Server malfunctioning such as exceptions, performance bottlenecks, or unexpected results.

Superelements

“[config](#)” on page 39

Subelements

The following table describes subelements for the `diagnostic-service` element.

TABLE 1-54 diagnostic-service Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `diagnostic-service` element.

TABLE 1-55 diagnostic-service Attributes

Attribute	Default	Description
<code>compute-checksum</code>	<code>true</code>	(optional) If <code>true</code> , computes a checksum of binaries.
<code>verify-config</code>	<code>true</code>	(optional) If <code>true</code> , captures the output of the <code>asadmin verify-domain-xml</code> command.
<code>capture-install-log</code>	<code>true</code>	(optional) If <code>true</code> , captures the log generated during Communications Server installation.
<code>capture-system-info</code>	<code>true</code>	(optional) If <code>true</code> , collects operating system level information.
<code>capture-app-dd</code>	<code>true</code>	(optional) If <code>true</code> , captures application deployment descriptors in plain text. If any deployment descriptors contain confidential information, you should set it to <code>false</code> .
<code>min-log-level</code>	<code>INFO</code>	(optional) Specifies the log level for the diagnostic report. See “module-log-levels” on page 116 for a description of log levels. If set to <code>OFF</code> , log contents are not captured.
<code>max-log-entries</code>	<code>500</code>	(optional) Specifies the maximum number of log entries captured.

domain

Defines a domain. This is the root element; there can only be one `domain` element in a `domain.xml` file.

Superelements

none

Subelements

The following table describes subelements for the `domain` element.

TABLE 1-56 domain Subelements

Element	Required	Description
“applications” on page 29	zero or one	Contains deployed Java EE applications, Java EE modules, and lifecycle modules.

TABLE 1-56 domain Subelements (Continued)

Element	Required	Description
“resources” on page 135	zero or one	Contains configured resources.
“configs” on page 40	only one	Contains configurations.
“servers” on page 142	only one	Contains server instances.
“clusters” on page 38	zero or one	Contains clusters.
“node-agents” on page 121	zero or one	Contains node agents.
“lb-configs” on page 102	zero or one	Contains load balancing configurations.
“converged-lb-configs” on page 51	zero or one	Contains converged load balancing configurations.
“load-balancers” on page 106	zero or one	Contains load balancers.
“system-property” on page 157	zero or more	Specifies a system property.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the domain element.

TABLE 1-57 domain Attributes

Attribute	Default	Description
application-root	<i>domain-dir</i> /applications	(optional) Specifies the absolute path where deployed applications reside for this domain.
log-root	<i>domain-dir</i> /logs	(optional) Specifies where the domain’s log files are kept. The directory in which the log is kept must be writable by whatever user account the server runs as. See the “log-service” on page 106 description for details about logs.
locale	operating system default	(optional) Specifies the domain’s language.

host-name

Identifies the trusted host on the network using a domain name, for example, sun.com or company22.com.

Superelements

“trusted-entity” on page 163

Subelements

none - contains data

E

ejb-container

Configures the EJB container. Stateless session beans are maintained in pools. Stateful session beans have session affinity and are cached. Entity beans associated with a database primary key are also cached. Entity beans not yet associated with a primary key are maintained in pools. Pooled entity beans are used to run `ejbCreate()` and finder methods.

Superelements

[“config” on page 39](#)

Subelements

The following table describes subelements for the `ejb-container` element.

TABLE 1-58 `ejb-container` Subelements

Element	Required	Description
“ejb-timer-service” on page 63	zero or one	Configures the EJB timer service.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `ejb-container` element.

TABLE 1-59 `ejb-container` Attributes

Attribute	Default	Description
<code>steady-pool-size</code>	32	<p>(optional) Specifies the initial and minimum number of beans maintained in the pool. Must be 0 or greater and less than <code>max-pool-size</code>.</p> <p>Bean instances are removed from the pool and returned after use. The pool is replenished or cleaned up periodically to maintain this size.</p> <p>Applies to stateless session beans and entity beans.</p>

TABLE 1-59 `ejb-container` Attributes (Continued)

Attribute	Default	Description
<code>pool-resize-quantity</code>	16	(optional) Specifies the number of beans to be removed when the <code>pool-idle-timeout-in-seconds</code> timer expires. A cleaner thread removes any unused instances. Must be 0 or greater and less than <code>max-pool-size</code> . The pool is not resized below the <code>steady-pool-size</code> . Applies to stateless session beans and entity beans.
<code>max-pool-size</code>	64	(optional) Specifies the maximum number of beans that can be created to satisfy client requests. A value of 0 indicates an unbounded pool. Applies to stateless session beans and entity beans.
<code>cache-resize-quantity</code>	32	(optional) Specifies the number of beans to be: <ul style="list-style-type: none"> ■ created if a request arrives when the pool has no available beans (subject to the <code>max-cache-size</code> limit) ■ passivated when the <code>cache-idle-timeout-in-seconds</code> timer expires and a cleaner thread removes any unused instances, or when the cache size exceeds <code>max-cache-size</code>. Must be greater than 1 and less than <code>max-cache-size</code> . Applies to stateful session beans and entity beans.
<code>max-cache-size</code>	512	(optional) Specifies the maximum number of beans in the cache. A value of 0 indicates an unbounded cache. Applies to stateful session beans and entity beans.
<code>pool-idle-timeout-in-seconds</code>	600	(optional) Specifies the maximum time that a bean can remain idle in the pool. After this amount of time, the pool can remove this bean. A value of 0 specifies that idle beans can remain in the pool indefinitely. Applies to stateless session beans and entity beans.
<code>cache-idle-timeout-in-seconds</code>	600	(optional) Specifies the maximum time that a bean can remain idle in the cache. After this amount of time, the container can passivate this bean. A value of 0 specifies that beans never become candidates for passivation. Applies to stateful session beans and entity beans.
<code>removal-timeout-in-seconds</code>	5400	(optional) Specifies the amount of time that a bean can remain passivated before it is removed from the session store. A value of 0 specifies that the container does not remove inactive beans automatically. If <code>removal-timeout-in-seconds</code> is less than or equal to <code>cache-idle-timeout-in-seconds</code> , beans are removed immediately without being passivated. The <code>session-store</code> attribute of the “ server ” on page 140 element determines the location of the session store. Applies to stateful session beans.

TABLE 1-59 `ejb-container` Attributes (Continued)

Attribute	Default	Description
<code>victim-selection-policy</code>	<code>nru</code>	(optional) Specifies how stateful session beans are selected for passivation. Allowed values are <code>fifo</code> , <code>lru</code> , and <code>nru</code> : <ul style="list-style-type: none"> ■ <code>fifo</code> - Selects the oldest instance. ■ <code>lru</code> - Selects the least recently accessed instance. ■ <code>nru</code> - Selects a not recently used instance.
<code>commit-option</code>	<code>B</code>	(optional) Determines which commit option is used for entity beans. Legal values are <code>B</code> or <code>C</code> .
<code>session-store</code>	<code>domain-dir/session-store</code>	(optional) Specifies the directory where passivated stateful session beans and persisted HTTP sessions are stored in the file system.

ejb-container-availability

Enables availability in the EJB container, including stateful session bean (SFSB) state persistence. For additional replicated session persistence properties you can set, see [“availability-service” on page 33](#).

Superelements

[“availability-service” on page 33](#)

Subelements

The following table describes subelements for the `ejb-container-availability` element.

TABLE 1-60 `ejb-container-availability` Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `ejb-container-availability` element.

TABLE 1-61 `ejb-container-availability` Attributes

Attribute	Default	Description
<code>availability-enabled</code>	<code>true</code>	(optional) If set to <code>true</code> , and if availability is enabled for the server instance (see “ availability-service ” on page 33), high-availability features apply to all SFSBs deployed to the server instance that do not have availability disabled. All instances in a cluster should have the same availability value to ensure consistent behavior.
<code>sfsb-ha-persistence-type</code>	<code>ha</code>	(optional) Specifies the session persistence and passivation mechanism for SFSBs that have availability enabled. Allowed values are <code>file</code> (the file system) and <code>replicated</code> (other servers). If set to <code>file</code> , the “ ejb-container ” on page 59 element’s <code>session-store</code> attribute specifies the file system location where the passivated session bean state is stored. Checkpointing to the file system is useful for internal testing but is not supported for production environments.
<code>sfsb-persistence-type</code>	<code>file</code>	(optional) Specifies the passivation mechanism for SFSBs that <i>do not</i> have availability enabled. Allowed values are <code>file</code> and <code>replicated</code> .

ejb-module

Specifies a deployed EJB module.

Superelements

“[applications](#)” on page 29

Subelements

The following table describes subelements for the `ejb-module` element.

TABLE 1-62 `ejb-module` Subelements

Element	Required	Description
“ description ” on page 56	zero or one	Contains a text description of this element.
“ web-service-endpoint ” on page 175	zero or more	Configures a web service endpoint.
“ property ” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `ejb-module` element.

TABLE 1-63 `ejb-module` Attributes

Attribute	Default	Description
<code>name</code>	<code>none</code>	The name of the EJB module.
<code>location</code>	<code>none</code>	The location of the EJB module in the Communications Server file system.
<code>object-type</code>	<code>user</code>	(optional) Defines the type of the resource. Allowed values are: <ul style="list-style-type: none"> ▪ <code>system-all</code> - A system resource for all server instances and the domain application server. ▪ <code>system-admin</code> - A system resource only for the domain application server. ▪ <code>system-instance</code> - A system resource for all server instances only. ▪ <code>user</code> - A user resource.
<code>enabled</code>	<code>true</code>	(optional) Determines whether the EJB module is enabled.
<code>libraries</code>	<code>none</code>	(optional) Specifies an absolute or relative path to libraries specific to this module or application. A relative path is relative to <code>domain-dir/lib/applibs</code> . If the path is absolute, the path must be accessible to the domain administration server (DAS), which means it must be under <code>domain-dir</code> . To include more than one path, use a system-specific separator, such as a colon for Solaris or a semicolon for Windows. The libraries are made available to the application in the order in which they are specified.
<code>availability-enabled</code>	<code>false</code>	(optional) Specifies whether availability is enabled in this EJB module for SFSB checkpointing (and potentially passivation). Availability must also be enabled for the application or stand-alone EJB module during deployment. For more information about availability, see “availability-service” on page 33 .
<code>directory-deployed</code>	<code>false</code>	(optional) Specifies whether the application has been deployed as a directory.

ejb-timer-service

Configures the EJB timer service.

Superelements

[“ejb-container” on page 59](#)

Subelements

The following table describes subelements for the `ejb-timer-service` element.

TABLE 1-64 `ejb-timer-service` Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `ejb-timer-service` element.

TABLE 1-65 `ejb-timer-service` Attributes

Attribute	Default	Description
<code>minimum-delivery-interval-in-millis</code>	7000	(optional) Specifies the minimum time before an expiration for a particular timer can occur. This guards against extremely small timer increments that can overload the server.
<code>max-redeliveries</code>	1	(optional) Specifies the maximum number of times the EJB timer service attempts to redeliver a timer expiration due for exception or rollback.
<code>timer-datasource</code>	<code>jdbc/__TimerPool</code>	(optional) Overrides, for the cluster or server instance, the <code>cmp-resource</code> value specified in <code>sun-ejb-jar.xml</code> for the timer service system application (<code>__ejb_container_timer_app</code>).
<code>redelivery-interval-internal-in-millis</code>	5000	(optional) Specifies how long the EJB timer service waits after a failed <code>ejbTimeout</code> delivery before attempting a redelivery.

event

Defines the event that triggers the action associated with a management rule.

Predefined events are provided with the Communications Server. You can configure these events by changing event element attributes and properties.

You can create custom events by creating custom MBeans that implement the JMX `NotificationEmitter` interface. For more information about MBeans, see the *Sun GlassFish Communications Server 2.0 Developer's Guide* and <http://java.sun.com/javase/6/docs/api/javax/management/package-summary.html>. For information about monitor MBeans, see <http://java.sun.com/javase/6/docs/api/javax/management/monitor/package-summary.html>.

Note – If multiple rules are associated with the same event, ordering of action execution is not guaranteed.

Superelements

“`management-rule`” on page 110

Subelements

The following table describes subelements for the event element.

TABLE 1-66 event Subelements

Element	Required	Description
“description” on page 56	zero or one	Contains a text description of this element.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the event element.

TABLE 1-67 event Attributes

Attribute	Default	Description
type	none	<p>Specifies the type of event that triggers the management rule's action. Allowed values are as follows. The <code>cluster</code>, <code>lifecycle</code>, <code>log</code>, <code>monitor</code>, <code>timer</code>, and <code>trace</code> types are predefined events provided by the Communications Server.</p> <p>Note – Some topics in the documentation pertain to features that are available only in domains that are configured to support clusters. Examples of domains that support clusters are domains that are created with the cluster profile. For information about profiles, see “Usage Profiles” in Sun GlassFish Communications Server 2.0 Administration Guide.</p> <ul style="list-style-type: none"> ■ <code>cluster</code> — A Group Management Service (GMS) event. For more information, see “group-management-service” on page 72. ■ <code>lifecycle</code> — A lifecycle event. For more information about the server life cycle, see the Sun GlassFish Communications Server 2.0 Developer's Guide. ■ <code>log</code> — An event in the server log. For more information about the server log, see “log-service” on page 106. ■ <code>monitor</code> — A monitoring event, which is a change in the attribute of a monitored “mbean” on page 113. ■ <code>notification</code> — A JMX notification event. Any custom “mbean” on page 113 that implements the JMX NotificationEmitter interface can be a notification event. ■ <code>timer</code> — An event that occurs at a specified time. ■ <code>trace</code> — A trace event. <p>For descriptions of required and optional properties corresponding to each of these types, see the following table.</p>
level	INFO	(optional) Specifies the level at which to log the event occurrence. For information about log levels, see “module-log-levels” on page 116 . Applicable only if <code>record-event</code> is set to <code>true</code> .
record-event	true	<p>(optional) Specifies whether the occurrence of the event is logged. If no “action” on page 23 is specified for the parent “management-rule” on page 110, the event is logged regardless of this setting.</p> <p>Note – Setting the type to <code>log</code> is different from setting <code>record-event</code> to <code>true</code>. The former specifies what the event is. The latter specifies what happens after the event occurs.</p>

Properties

The following table describes properties for the event element. Property names are case insensitive.

TABLE 1–68 event Properties

Event Type	Property	Values	Description
cluster	name	start, stop, fail	Notifies when the GMS starts, stops, or reports failure of a server instance.
cluster	serverName	A comma-separated list of server instance names, or * for all server instances	Specifies the server instances about which GMS notifications are given.
lifecycle	name	ready, shutdown, termination	Specifies a server life cycle event. Values correspond to events defined in the <code>com.sun.appserv.server.LifecycleEvent</code> interface.
log	loggerNames	A comma-separated list of logger names, or * for all loggers, which is the default	(optional) Notifies when the specified loggers write messages to the server log. For a list of logger names, see “module-log-levels” on page 116 .
log	level	A comma-separated list of log levels	(optional) Notifies when messages of the specified level are written to the server log. For information about log levels, see “module-log-levels” on page 116 .
monitor	observedMbean	A name attribute of a user-defined “mbean” on page 113 , or a JMX <code>ObjectName</code> for a system mbean	Specifies the name of the monitored MBean. Either this property or <code>observedObject</code> must be specified.
monitor	observedObject	An object-name attribute of a user-defined “mbean” on page 113 , or a JMX <code>ObjectName</code> for a system mbean	Specifies the name of the monitored MBean. Either this property or <code>observedMbean</code> must be specified.
monitor	observedAttribute	An “mbean” on page 113 Attribute name	Specifies the monitored attribute of the monitored MBean.
monitor	monitorType	<code>CounterMonitor</code> , <code>GaugeMonitor</code> , <code>StringMonitor</code>	The type of monitoring of the attribute.
monitor	granularityPeriod	Time interval in seconds (long int)	(optional) Specifies the granularity at which the monitoring data should be collected.
monitor	notifyMatch	true or false	Specifies that the attribute value must match the <code>stringToCompare</code> value. Either this property or <code>notifyDiffer</code> is required if the monitor type is <code>StringMonitor</code> .

TABLE 1-68 event Properties (Continued)

Event Type	Property	Values	Description
monitor	notifyDiffer	true or false	Specifies that the attribute value must not match the <code>stringToCompare</code> value. Either this property or <code>notifyMatch</code> is required if the monitor type is <code>StringMonitor</code> .
monitor	stringToCompare	A String	Specifies the value to which the attribute value is compared. Required if the monitor type is <code>StringMonitor</code> .
monitor	numberType	byte, double, float, int, long, short	Specifies the type of the numeric value being monitored. Required if the monitor is of type <code>CounterMonitor</code> or <code>GaugeMonitor</code> .
monitor	differenceMode	true or false	Specifies the difference mode flag value common to all observed MBeans. Required if the monitor is of type <code>CounterMonitor</code> or <code>GaugeMonitor</code> .
monitor	initThreshold	A positive number of the type specified by <code>numberType</code>	Specifies a value above which notification occurs. Required if the monitor is of type <code>CounterMonitor</code> .
monitor	offset	A positive number of the type specified by <code>numberType</code>	(optional) Specifies that the event should be re-triggered when the <code>initThreshold</code> value plus this offset value is reached. Applicable if the monitor is of type <code>CounterMonitor</code> .
monitor	modulus	A positive number of the type specified by <code>numberType</code>	(optional) Specifies the modulus value common to all observed MBeans. Applicable if the monitor is of type <code>CounterMonitor</code> .
monitor	highThreshold	A positive number of the type specified by <code>numberType</code>	Specifies the upper limit of the range within which notification occurs. Required if the monitor is of type <code>GaugeMonitor</code> .
monitor	lowThreshold	A positive number of the type specified by <code>numberType</code>	Specifies the lower limit of the range within which notification occurs. Required if the monitor is of type <code>GaugeMonitor</code> .
notification	sourceMBean	name of “mbean” on page 113	Specifies a custom MBean that implements the <code>JMX NotificationEmitter</code> interface. Either this property or <code>sourceObjectName</code> must be specified.
notification	sourceObjectName	object - name of “mbean” on page 113	Specifies a custom MBean that implements the <code>JMX NotificationEmitter</code> interface. Either this property or <code>sourceMBean</code> must be specified.
notification	type	The notification type	(optional) Specifies the notification type. If this property is specified, the action of the parent “management-rule” on page 110 is performed only if the notification type emitted is same as this property's value.

TABLE 1-68 event Properties (Continued)

Event Type	Property	Values	Description
timer	dateString	Input format determined by pattern property	Begins notification at the specified date and time.
timer	pattern	SimpleDateFormat pattern	(optional) Specifies the date and time input format. The default is mm/dd/yyyy hh:mm:ss.
timer	period	Time interval in milliseconds (long int)	(optional) Notification repeats at the specified time interval.
timer	numberOfOccurrences	A positive number (long int)	(optional) Specifies the number of times notification occurs.
timer	message	A String	(optional) Specifies a message that is delivered as part of timer notification.
trace	name	web_component_method_entry, web_component_method_exit, ejb_component_method_entry, ejb_component_method_exit, request_start, request_end	Notifies at the specified trace point.
trace	ipAddress	An IP address	Specifies the IP address for which trace notifications are sent.
trace	callerPrincipal	A String	Specifies the caller principal for which trace notifications are sent.
trace	componentName	A String	Specifies the component name for which trace notifications are sent.

extension-module

Specifies a deployed extension module.

Superelements

[“applications” on page 29](#)

Subelements

The following table describes subelements for the `extension-module` element.

TABLE 1-69 extension-module Subelements

Element	Required	Description
“description” on page 56	zero or one	Contains a text description of this element.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `extension-module` element.

TABLE 1-70 extension-module Attributes

Attribute	Default	Description
<code>name</code>	<code>none</code>	The name of the extension module.
<code>location</code>	<code>none</code>	The location of the extension module in the Communications Server file system.
<code>module-type</code>	<code>none</code>	Specifies a <code>String</code> that identifies the extension module type, which the runtime uses to find the appropriate add-on container. When an extension module is registered with the Communications Server, the Communications Server specifies the module type automatically. For example, the module type for a Session Initiation Protocol (SIP) servlet is <code>com.sun.enterprise.deployment.backend.extensions.sip.SipArchiveDeployer</code> .
<code>object-type</code>	<code>user</code>	(optional) Defines the type of the resource. Allowed values are: <ul style="list-style-type: none"> ▪ <code>system-all</code> - A system resource for all server instances and the domain application server. ▪ <code>system-admin</code> - A system resource only for the domain application server. ▪ <code>system-instance</code> - A system resource for all server instances only. ▪ <code>user</code> - A user resource.
<code>enabled</code>	<code>true</code>	(optional) Determines whether the extension module is enabled.
<code>libraries</code>	<code>none</code>	(optional) Specifies an absolute or relative path to libraries specific to this module or application. A relative path is relative to <code>domain-dir/lib/applibs</code> . If the path is absolute, the path must be accessible to the domain administration server (DAS), which means it must be under <code>domain-dir</code> . To include more than one path, use a system-specific separator, such as a colon for Solaris or a semicolon for Windows. The libraries are made available to the application in the order in which they are specified.
<code>availability-enabled</code>	<code>false</code>	(optional) Specifies whether availability is enabled in this extension module. Availability must also be enabled for the application or stand-alone extension module during deployment. For more information about availability, see “availability-service” on page 33 .
<code>directory-deployed</code>	<code>false</code>	(optional) Specifies whether the application has been deployed as a directory.

Properties

The following table describes properties for the `extension-module` element.

TABLE 1-71 extension-module Properties

Property	Default	Description
context-root	none	<p>The context root at which the SIP or converged web/SIP extension module is deployed. The context root can be the empty string or just /. The context root can start with the / character, but doesn't have to.</p> <p>For load balancing to work, SIP or converged web/SIP extension module context roots must be unique within a cluster. See the <i>Sun GlassFish Communications Server 2.0 High Availability Administration Guide</i> for more information about load balancing.</p> <p>Note – Some topics in the documentation pertain to features that are available only in domains that are configured to support clusters. Examples of domains that support clusters are domains that are created with the cluster profile. For information about profiles, see “Usage Profiles” in <i>Sun GlassFish Communications Server 2.0 Administration Guide</i>.</p>
isConverged	false	If true, specifies that the SIP extension module contains both SIP and HTTP servlets and is converged. If false, specifies that the SIP extension module contains only SIP servlets.

external-jndi-resource

Defines a resource that resides in an external JNDI repository. For example, a generic Java object could be stored in an LDAP server. An external JNDI factory must implement the `javax.naming.spi.InitialContextFactory` interface.

Superelements

“resources” on page 135

Subelements

The following table describes subelements for the `external-jndi-resource` element.

TABLE 1-72 external-jndi-resource Subelements

Element	Required	Description
“description” on page 56	zero or one	Contains a text description of this element.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `external-jndi-resource` element.

TABLE 1-73 external-jndi-resource Attributes

Attribute	Default	Description
jndi-name	none	Specifies the JNDI name for the resource.
jndi-lookup-name	none	Specifies the JNDI lookup name for the resource.
res-type	none	Specifies the fully qualified type of the resource.
factory-class	none	Specifies the fully qualified name of the factory class, which implements <code>javax.naming.spi.InitialContextFactory</code> . For more information about JNDI, see the <i>Sun GlassFish Communications Server 2.0 Developer's Guide</i> .
object-type	user	(optional) Defines the type of the resource. Allowed values are: <ul style="list-style-type: none"> ▪ <code>system-all</code> - A system resource for all server instances and the domain application server. ▪ <code>system-admin</code> - A system resource only for the domain application server. ▪ <code>system-instance</code> - A system resource for all server instances only. ▪ <code>user</code> - A user resource.
enabled	true	(optional) Determines whether this resource is enabled at runtime.

F

filter-config

Configures the filter class that filters alerts from notification emitters. See also “[listener-config](#)” on page 103.

Superelements

“[alert-subscription](#)” on page 26

Subelements

The following table describes subelements for the `filter-config` element.

TABLE 1-74 filter-config Subelements

Element	Required	Description
“ property ” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `filter-config` element.

TABLE 1-75 `filter-config` Attributes

Attribute	Default	Description
<code>filter-class-name</code>	none	Specifies the class name of the filter.

G

group-management-service

Configures the Group Management Service (GMS), an in-process service that provides cluster monitoring, cluster membership, and group communication services. The GMS performs the following functions:

- Notifies registered modules in an Communications Server instance when one or more member instances are added to or removed from a cluster, or are suspected or confirmed to have failed.
- Provides the ability to send and receive messages between a group of processes.

The GMS is built atop a configurable stack of group membership discovery and health monitoring protocols. These protocols have properties that can be changed for a given network and deployment topology. Protocols in the GMS are as follows:

- Failure detection protocol - enables its members to periodically monitor other group members to determine their availability in the group.
- Discovery protocol - is used for discovery of the group and its members.
- Verify failure protocol - verifies suspect instances by adding a verification layer to mark a failure suspicion as a confirmed failure.

Note – Some topics in the documentation pertain to features that are available only in domains that are configured to support clusters. Examples of domains that support clusters are domains that are created with the cluster profile. For information about profiles, see [“Usage Profiles” in *Sun GlassFish Communications Server 2.0 Administration Guide*](#).

Superelements

[“config” on page 39](#)

Subelements

The following table describes subelements for the `group-management-service` element.

TABLE 1-76 `group-management-service` Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `group-management-service` element.

TABLE 1-77 `group-management-service` Attributes

Attribute	Default	Description
<code>failure-detection-max-tries</code>	3	(optional) Specifies the maximum number of monitoring attempts before the GMS confirms that a failure is suspected in the group.
<code>failure-detection-timeout-in-millis</code>	2000	(optional) Specifies the time between monitoring attempts.
<code>discovery-timeout-in-millis</code>	2000	(optional) Specifies the time that the GMS waits for discovery of other members in the group.
<code>verify-failure-timeout-in-millis</code>	1500	(optional) Specifies the timeout after which a suspected failure is marked as verified.

H

health-checker

Defines a health checker for the parent [“server-ref” on page 141](#) or [“cluster-ref” on page 37](#) element.

Superelements

[“cluster-ref” on page 37](#), [“server-ref” on page 141](#)

Subelements

none

Attributes

The following table describes attributes for the `health-checker` element.

TABLE 1-78 health-checker Attributes

Attribute	Default	Description
url	/	Specifies the URL to ping to determine the health state of a listener. This must be a relative URL.
interval-in-seconds	30	Specifies the interval between health checks. A value of zero means that health checking is disabled.
timeout-in-seconds	10	Specifies the maximum time in which a server must respond to a health check request to be considered healthy. If <code>interval-in-seconds</code> is greater than zero, <code>timeout-in-seconds</code> must be less than or equal to <code>interval-in-seconds</code> .

http-access-log

Defines an access log file for a “[virtual-server](#)” on page 165. The “[access-log](#)” on page 22 subelement of the virtual server’s parent “[http-service](#)” on page 80 element determines the access log file’s format and rotation settings.

Superelements

“[virtual-server](#)” on page 165

Subelements

none

Attributes

The following table describes attributes for the `http-access-log` element.

TABLE 1-79 http-access-log Attributes

Attribute	Default	Description
log-directory	<code>\${com.sun.aas.instanceRoot}/logs/access</code>	(optional) Specifies the location of the access log file.
iponly	true	(optional) If true, specifies that only the IP address of the user agent is listed. If false, performs a DNS lookup.

http-file-cache

Configures the HTTP file cache.

Superelements

“[http-service](#)” on page 80

Subelements

none

Attributes

The following table describes attributes for the `http-file-cache` element.

TABLE 1-80 `http-file-cache` Attributes

Attribute	Default	Description
<code>globally-enabled</code>	false (developer profile) true (cluster profile)	(optional) If true, enables the file cache.
<code>file-caching-enabled</code>	false (developer profile) true (cluster profile)	(optional) If true, enables caching of the file content if the file size exceeds the <code>small-file-size-limit-in-bytes</code> .
<code>max-age-in-seconds</code>	30	(optional) Specifies the maximum age of a file cache entry.
<code>medium-file-size-limit-in-bytes</code>	537600	(optional) Specifies the maximum size of a file that can be cached as a memory mapped file.
<code>medium-file-space-in-bytes</code>	10485760	(optional) Specifies the total size of all files that are cached as memory mapped files.
<code>small-file-size-limit-in-bytes</code>	2048	(optional) Specifies the maximum size of a file that can be read into memory.
<code>small-file-space-in-bytes</code>	1048576	(optional) Specifies the total size of all files that are read into memory.
<code>file-transmission-enabled</code>	false	(optional) If true, enables the use of <code>TransmitFileSystem</code> calls. Meaningful only for Windows.
<code>max-files-count</code>	1024	(optional) Specifies the maximum number of files in the file cache.
<code>hash-init-size</code>	0	(optional) Specifies the initial number of hash buckets.

http-listener

Defines an HTTP listen socket. The “[connection-pool](#)” on page 41 subelement of the parent “[http-service](#)” on page 80 element also configures some listen socket settings.

Superelements

“[http-service](#)” on page 80

Subelements

The following table describes subelements for the `http-listener` element.

TABLE 1-81 `http-listener` Subelements

Element	Required	Description
“ssl” on page 153	zero or one	Defines Secure Socket Layer (SSL) parameters.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `http-listener` element.

TABLE 1-82 `http-listener` Attributes

Attribute	Default	Description
<code>id</code>	none	The unique listener name. An <code>http-listener</code> name cannot begin with a number.
<code>address</code>	none	IP address of the listener. Can be in dotted-pair or IPv6 notation. Can be any (for <code>INADDR_ANY</code>) to listen on all IP addresses. Can be a hostname.
<code>port</code>	none	Port number on which the listener listens. Legal values are 1 - 65535. On UNIX, creating sockets that listen on ports 1 - 1024 requires superuser privileges. Configuring an SSL listener to listen on port 443 is standard.
<code>external-port</code>	none	(optional) Specifies the external port on which the connection is made.
<code>family</code>		(optional) Deprecated. Do not use.
<code>blocking-enabled</code>	false	(optional) If true, uses a blocking socket for servicing a request.
<code>acceptor-threads</code>	1	(optional) Specifies the number of processors in the machine. To set the number of request processing threads, use the <code>thread-count</code> attribute of the “request-processing” on page 132 element.
<code>security-enabled</code>	false	(optional) Determines whether the listener runs SSL. To turn SSL2 or SSL3 on or off and set ciphers, use an <code>ssl</code> subelement.
<code>default-virtual-server</code>	none	References the <code>id</code> attribute of the default “virtual-server” on page 165 for this particular listener.
<code>server-name</code>	none	Tells the server what to put in the host name section of any URLs it sends to the client. This affects URLs the server automatically generates; it doesn't affect the URLs for directories and files stored in the server. If your server uses an alias, the <code>server-name</code> should be the alias name. If a colon and port number are appended, that port is used in URLs the server sends to the client. If load balancing is enabled, use the server name of the load balancer.

TABLE 1-82 http-listener Attributes (Continued)

Attribute	Default	Description
redirect-port	none	(optional) If the listener is supporting non-SSL requests and a request is received for which a matching <security-constraint> requires SSL transport, the request is automatically redirected to the port number specified here. If load balancing is enabled, use the redirect port of the load balancer.
xpowered-by	true	(optional) If true, X-Powered-By headers are used according to the Servlet 2.4 and JSP 2.0 specifications.
enabled	true	(optional) Determines whether the listener is active. If set to false, any attempts to connect to the listener result in a socket exception (java.net.ConnectException). In Communications Server versions prior to 9.1, a listener whose enabled attribute was set to false returned a 404 response code for any requests sent to it. To achieve this behavior in the current Communications Server version, set the listener's enabled attribute to true, and set every associated virtual server's state to off. A “virtual-server” on page 165 lists its associated listeners in its http-listeners attribute.
type	default	Specifies the listener type for machines with multiple IP addresses that have separate internal and external communication. Allowed values are as follows: <ul style="list-style-type: none"> ▪ internal — Used strictly for proxying by the load balancer. ▪ external — Used only by user agents and not by the load balancer. ▪ default — Can be used by user agents or the load balancer.

Properties

The following table describes properties for the http-listener element. Any of these properties can be defined as an “http-service” on page 80 property, so that it applies to all http-listener elements.

TABLE 1-83 http-listener Properties

Property	Default	Description
recycle-objects	true	If true, recycles internal objects instead of using the VM garbage collector.
reader-threads	0	Specifies the number of reader threads, which read bytes from the non-blocking socket.
acceptor-queue-length	4096	Specifies the length of the acceptor thread queue. Once full, connections are rejected.
reader-queue-length	4096	Specifies the length of the reader thread queue. Once full, connections are rejected.
use-nio-direct-bytebuffer	true	If true, specifies that the NIO direct ByteBuffer is used. In a limited resource environment, it might be faster to use non-direct Java's ByteBuffer by setting a value of false.

TABLE 1-83 http-listener Properties (Continued)

Property	Default	Description
authPassthroughEnabled	false	If true, indicates that this http-listener element receives traffic from an SSL-terminating proxy server. Overrides the authPassthroughEnabled property of the parent “http-service” on page 80 element.
proxyHandler	com.sun.enterprise.web.ProxyHandlerImpl	Specifies the fully qualified class name of a custom implementation of the com.sun.appserv.ProxyHandler abstract class that this http-listener uses. Only used if the authPassthroughEnabled property of this http-listener and the parent “http-service” on page 80 element are both set to true. Overrides the proxyHandler property of the parent http-service element.
proxiedProtocol	none	Specifies a comma-separated list of protocols that can use the same port. Allowed values are ws/tcp (SOAP over TCP), http, https and tls. For example, if you set this property to http, https and set the port to 4567, you can access the port with either http://host:4567/ or https://host:4567/. Specifying this property at the “http-service” on page 80 level overrides settings at the http-listener level. If this property is not set at either level, this feature is disabled.
bufferSize	4096	Specifies the size, in bytes, of the buffer to be provided for input streams created by HTTP listeners.
connectionTimeout	30	Specifies the number of seconds HTTP listeners wait, after accepting a connection, for the request URI line to be presented.
maxKeepAliveRequests	250	Specifies the maximum number of HTTP requests that can be pipelined until the connection is closed by the server. Set this property to 1 to disable HTTP/1.0 keep-alive, as well as HTTP/1.1 keep-alive and pipelining.
traceEnabled	true	If true, enables the TRACE operation. Set this property to false to make the Communications Server less susceptible to cross-site scripting attacks.
cometSupport	false	If true, enables Comet support for this listener. If your servlet or JSP page uses Comet technology, make sure it is initialized when the Communications Server starts up by adding the load-on-startup element to your web.xml file. For example: <pre><servlet> <servlet-name>CheckIn</servlet-name> <servlet-class>CheckInServlet</servlet-class> <load-on-startup>0</load-on-startup> </servlet></pre>

TABLE 1-83 http-listener Properties (Continued)

Property	Default	Description
compression	off	Specifies use of HTTP/1.1 GZIP compression to save server bandwidth. Allowed values are: <ul style="list-style-type: none"> ■ off – Disables compression. ■ on – Compresses data. ■ force – Forces data compression in all cases. ■ positive integer – Specifies the minimum amount of data required before the output is compressed. If the content-length is not known, the output is compressed only if compression is set to on or force.
compressableMimeType	text/html, text/xml, text/plain	Specifies a comma-separated list of MIME types for which HTTP compression is used.
noCompressionUserAgents	empty String (regex matching disabled)	Specifies a comma-separated list of regular expressions matching user-agents of HTTP clients for which compression should not be used.
minCompressionSize	none	Specifies the minimum size of a file when compression is applied.
crlFile	none	Specifies the location of the Certificate Revocation List (CRL) file to consult during SSL client authentication. This can be an absolute or relative file path. If relative, it is resolved against <i>domain-dir</i> . If unspecified, CRL checking is disabled.
trustAlgorithm	none	Specifies the name of the trust management algorithm (for example, PKIX) to use for certification path validation.
trustMaxCertLength	5	Specifies the maximum number of non-self-issued intermediate certificates that can exist in a certification path. This property is considered only if trustAlgorithm is set to PKIX. A value of zero implies that the path can only contain a single certificate. A value of -1 implies that the path length is unconstrained (there is no maximum). Setting a value less than -1 causes an exception to be thrown.
disableUploadTimeout	true	if false, the connection for a servlet that reads bytes slowly is closed after the connectionUploadTimeout is reached.
connectionUploadTimeout	5	Specifies the timeout for uploads. Applicable only if disableUploadTimeout is set to false.
uriEncoding	UTF-8	Specifies the character set used to decode the request URIs received on this HTTP listener. Must be a valid IANA character set name. Overrides the uriEncoding property of the parent “ http-service ” on page 80 element.

http-protocol

Configures HTTP protocol settings.

Superelements

[“http-service” on page 80](#)

Subelements

none

Attributes

The following table describes attributes for the `http-protocol` element.

TABLE 1-84 http-protocol Attributes

Attribute	Default	Description
<code>version</code>	HTTP/1.1	(optional) Specifies the version of the HTTP protocol used.
<code>dns-lookup-enabled</code>	<code>true</code>	(optional) If <code>true</code> , looks up the DNS entry for the client.
<code>forced-type</code>	ISO-8859-1;en; ISO-8859-1	(optional) Specifies the request type used if no MIME mapping is available that matches the file extension. The format is a semicolon-delimited string consisting of the content-type, encoding, language, and charset.
<code>default-type</code>	text/html; ISO-8859-1;en; ISO-8859-1	(optional) Specifies the default response type. The format is a semicolon-delimited string consisting of the content-type, encoding, language, and charset.
<code>forced-response-type</code>	AttributeDeprecated	(optional) Deprecated. Do not use.
<code>default-response-type</code>	AttributeDeprecated	(optional) Deprecated. Do not use.
<code>ssl-enabled</code>	<code>true</code>	(optional) Not implemented. Use <code>ssl</code> subelements of “http-listener” on page 75 elements.

http-service

Defines the HTTP service.

Superelements

[“config” on page 39](#)

Subelements

The following table describes subelements for the `http-service` element.

TABLE 1-85 http-service Subelements

Element	Required	Description
“access-log” on page 22	zero or one	Defines access log settings for each “http-access-log” on page 74 subelement of each “virtual-server” on page 165.
“http-listener” on page 75	one or more	Defines an HTTP listen socket.
“virtual-server” on page 165	one or more	Defines a virtual server.
“request-processing” on page 132	zero or one	Configures request processing threads.
“keep-alive” on page 100	zero or one	Configures keep-alive threads.
“connection-pool” on page 41	zero or one	Defines a pool of client HTTP connections.
“http-protocol” on page 79	zero or one	Configures HTTP protocol settings.
“property” on page 126	zero or more	Specifies a property or a variable.

Properties

The following table describes properties for the `http-service` element. These properties apply to all “http-listener” on page 75 subelements, except for `accessLoggingEnabled`, `accessLogBufferSize`, and `accessLogWriterInterval`, which apply to all “virtual-server” on page 165 subelements.

TABLE 1-86 http-service Properties

Property	Default	Description
<code>monitoring-cache-enabled</code>	<code>true</code>	If <code>true</code> , enables the monitoring cache.
<code>monitoring-cache-refresh-in-millis</code>	<code>5000</code>	Specifies the interval between refreshes of the monitoring cache.
<code>ssl-cache-entries</code>	<code>10000</code>	Specifies the number of SSL sessions to be cached.
<code>ssl3-session-timeout</code>	<code>86400</code>	Specifies the interval at which SSL3 sessions are cached.
<code>ssl-session-timeout</code>	<code>100</code>	Specifies the interval at which SSL2 sessions are cached.
<code>recycle-objects</code>	<code>true</code>	If <code>true</code> , recycles internal objects instead of using the VM garbage collector.
<code>reader-threads</code>	<code>0</code>	Specifies the number of reader threads, which read bytes from the non-blocking socket.
<code>acceptor-queue-length</code>	<code>4096</code>	Specifies the length of the acceptor thread queue. Once full, connections are rejected.
<code>reader-queue-length</code>	<code>4096</code>	Specifies the length of the reader thread queue. Once full, connections are rejected.

TABLE 1-86 http-service Properties (Continued)

Property	Default	Description
use-nio-direct-bytebuffer	true	If true, specifies that the NIO direct ByteBuffer is used. In a limited resource environment, it might be faster to use non-direct Java's ByteBuffer by setting a value of false.
authPassthroughEnabled	false	If true, indicates that the “http-listener” on page 75 subelements receive traffic from an SSL-terminating proxy server, which is responsible for forwarding any information about the original client request (such as client IP address, SSL key size, and authenticated client certificate chain) to the HTTP listeners using custom request headers. Each http-listener subelement can override this setting for itself.
proxyHandler	com.sun.enterprise.web.ProxyHandlerImpl	Specifies the fully qualified class name of a custom implementation of the com.sun.appserv.ProxyHandler abstract class, which allows a back-end application server instance to retrieve information about the original client request that was intercepted by an SSL-terminating proxy server (for example, a load balancer). An implementation of this abstract class inspects a given request for the custom request headers through which the proxy server communicates the information about the original client request to the Communications Server instance, and returns that information to its caller. The default implementation reads the client IP address from an HTTP request header named Proxy-ip, the SSL key size from an HTTP request header named Proxy-key size, and the SSL client certificate chain from an HTTP request header named Proxy-auth-cert. The Proxy-auth-cert value must contain the BASE-64 encoded client certificate chain without the BEGIN CERTIFICATE and END CERTIFICATE boundaries and with \n replaced with % d% a. Only used if authPassthroughEnabled is set to true. Each “http-listener” on page 75 subelement can override the proxyHandler setting for itself.
proxiedProtocol	none	Specifies a comma-separated list of protocols that can use the same port. Allowed values are ws/tcp (SOAP over TCP), http, https and tls. For example, if you set this property to http, https and the port is 4567, you can access the port with either http://host:4567/ or https://host:4567/. Specifying this property at the http-service level overrides settings at the “http-listener” on page 75 level. If this property is not set at either level, this feature is disabled.
bufferSize	4096	Specifies the size, in bytes, of the buffer to be provided for input streams created by HTTP listeners.
connectionTimeout	30	Specifies the number of seconds HTTP listeners wait, after accepting a connection, for the request URI line to be presented.

TABLE 1-86 http-service Properties (Continued)

Property	Default	Description
maxKeepAliveRequests	250	Specifies the maximum number of HTTP requests that can be pipelined until the connection is closed by the server. Set this property to 1 to disable HTTP/1.0 keep-alive, as well as HTTP/1.1 keep-alive and pipelining.
traceEnabled	true	If true, enables the TRACE operation. Set this property to false to make the Communications Server less susceptible to cross-site scripting attacks.
accessLoggingEnabled	false (developer and cluster profiles)	If true, enables access logging for all “virtual-server” on page 165 subelements that do not specify this property. If false, disables access logging for all virtual-server subelements that do not specify this property.
accessLogBufferSize	32768	Specifies the size, in bytes, of the buffer where access log calls are stored. If the value is less than 5120, a warning message is issued, and the value is set to 5120.
accessLogWriterInterval	300	Specifies the number of seconds before the log is written to the disk. The access log is written when the buffer is full or when the interval expires. If the value is 0, the buffer is always written even if it is not full. This means that each time the server is accessed, the log message is stored directly to the file.
sso-enabled	false (developer and cluster profiles)	If true, single sign-on is enabled by default for all web applications on all virtual servers on this server instance that are configured for the same realm. If false, single sign-on is disabled by default for all virtual servers, and users must authenticate separately to every application on each virtual server. The sso-enabled property setting of the “virtual-server” on page 165 element overrides this setting for an individual virtual server. At the http-service level, you cannot change the sso-max-inactive-seconds and sso-reap-interval-seconds values from their defaults. However, you can change these values at the virtual-server level.
disableUploadTimeout	true	if false, the connection for a servlet that reads bytes slowly is closed after the connectionUploadTimeout is reached.
connectionUploadTimeout	5	Specifies the timeout for uploads. Applicable only if disableUploadTimeout is set to false.
uriEncoding	UTF-8	Specifies the character set used to decode the request URIs received on “http-listener” on page 75 subelements that do not define this property. Must be a valid IANA character set name.

identity-assertion-trust

Specifies identity assertion trust domain configuration information according to RFC 3325. P-asserted identity headers received from hosts and domains configured under this element can be trusted. A P-asserted identity header specifies the identity of a user who was authenticated at another node in the network.

If no `identity-assertion-trust` is defined, this represents presumed trust, that is, any identity assertion that is received is trusted based on a presumption that the network topology would prevent non-trusted assertions from reaching the server.

Superelements

[“security-service” on page 137](#)

Subelements

The following table describes subelements for the `identity-assertion-trust` element.

TABLE 1-87 `identity-assertion-trust` Subelements

Element	Required	Description
“trusted-entity” on page 163	zero or more if no <code>trust-handler</code> is defined	Specifies intermediate hosts and domains according to RFC 3325.
“trust-handler” on page 164	zero or one if no <code>trusted-entity</code> is defined	Specifies a custom trust handler according to RFC 3325.

Attributes

The following table describes attributes for the `identity-assertion-trust` element.

TABLE 1-88 `identity-assertion-trust` Attributes

Attribute	Default	Description
<code>id</code>	none	Specifies a unique identifier for the <code>identity-assertion-trust</code> element.
<code>is-default</code>	false	If true, specifies that this is the default <code>identity-assertion-trust</code> . There can be only one default <code>identity-assertion-trust</code> .

iiop-listener

Defines an IIOP listen socket. To enable SSL for this listener, include an `ssl` subelement.

Superelements

[“iiop-service” on page 85](#)

Subelements

The following table describes subelements for the `iiop-listener` element.

TABLE 1-89 `iiop-listener` Subelements

Element	Required	Description
“ssl” on page 153	zero or one	Defines SSL parameters.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `iiop-listener` element.

TABLE 1-90 `iiop-listener` Attributes

Attribute	Default	Description
<code>id</code>	none	The listener name. An <code>iiop-listener</code> name cannot begin with a number.
<code>address</code>	none	IP address of the listener. Can be in dotted-pair or IPv6 notation, or just a name.
<code>port</code>	1072	(optional) Port number for the listener. Legal values are 1 - 65535. On UNIX, creating sockets that listen on ports 1 - 1024 requires superuser privileges.
<code>security-enabled</code>	false	(optional) Determines whether the listener runs SSL. To turn SSL2 or SSL3 on or off and set ciphers, use an <code>ssl</code> element.
<code>enabled</code>	true	(optional) Determines whether the listener is active.

iiop-service

Defines the IIOP service.

Superelements

[“config” on page 39](#)

Subelements

The following table describes subelements for the `iiop-service` element.

TABLE 1-91 `iiop-service` Subelements

Element	Required	Description
“orb” on page 121	only one	Configures the ORB.
“ssl-client-config” on page 155	zero or one	Defines SSL parameters for the ORB.
“iiop-listener” on page 85	zero or more	Defines an IIOP listen socket.

Attributes

The following table describes attributes for the `iiop-service` element.

TABLE 1-92 `iiop-service` Attributes

Attribute	Default	Description
<code>client-authentication-required</code>	<code>false</code>	(optional) If <code>true</code> , the server rejects unauthenticated requests and inserts an <code>authentication-required</code> bit in IORs sent to clients.

ip-address

Identifies the trusted host on the network using an IP address.

Superelements

[“trusted-entity” on page 163](#)

Subelements

none - contains data

j2ee-application

Specifies a deployed Java EE application.

Superelements

[“applications” on page 29](#)

Subelements

The following table describes subelements for the `j2ee-application` element.

TABLE 1-93 `j2ee-application` Subelements

Element	Required	Description
“description” on page 56	zero or one	Contains a text description of this element.
“web-service-endpoint” on page 175	zero or more	Configures a web service endpoint.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `j2ee-application` element.

TABLE 1-94 `j2ee-application` Attributes

Attribute	Default	Description
<code>name</code>	<code>none</code>	The name of the application.
<code>location</code>	<code>none</code>	The location of the application in the Communications Server file system.
<code>object-type</code>	<code>user</code>	(optional) Defines the type of the resource. Allowed values are: <ul style="list-style-type: none"> ■ <code>system-all</code> - A system resource for all server instances and the domain application server. ■ <code>system-admin</code> - A system resource only for the domain application server. ■ <code>system-instance</code> - A system resource for all server instances only. ■ <code>user</code> - A user resource.
<code>enabled</code>	<code>true</code>	(optional) Determines whether the application is enabled.
<code>libraries</code>	<code>none</code>	(optional) Specifies an absolute or relative path to libraries specific to this module or application. A relative path is relative to <code>domain-dir/lib/applibs</code> . If the path is absolute, the path must be accessible to the domain administration server (DAS), which means it must be under <code>domain-dir</code> . To include more than one path, use a system-specific separator, such as a colon for Solaris or a semicolon for Windows. The libraries are made available to the application in the order in which they are specified.
<code>availability-enabled</code>	<code>false</code>	(optional) Specifies whether availability is enabled in this Java EE application for HTTP session persistence and SFSB checkpointing (and potentially passivation). Availability must also be enabled for the application during deployment. For more information about availability, see “availability-service” on page 33 .
<code>directory-deployed</code>	<code>false</code>	(optional) Specifies whether the application has been deployed as a directory.
<code>java-web-start-enabled</code>	<code>true</code>	(optional) Specifies whether Java Web Start access is permitted for application clients in this application.

jacc-provider

Specifies a Java Authorization Contract for Containers (JACC) provider for pluggable authorization.

Superelements

[“security-service” on page 137](#)

Subelements

The following table describes subelements for the `jacc-provider` element.

TABLE 1-95 `jacc-provider` Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `jacc-provider` element.

TABLE 1-96 `jacc-provider` Attributes

Attribute	Default	Description
<code>name</code>	<code>default</code>	Specifies the name of the JACC provider.
<code>policy-provider</code>	<code>com.sun.enterprise.security.provider.PolicyWrapper</code>	Corresponds to and can be overridden by the system property <code>javax.security.jacc.policy.provider</code> .
<code>policy-configuration-factory-provider</code>	<code>com.sun.enterprise.security.provider.PolicyConfigurationFactoryImpl</code>	Corresponds to and can be overridden by the system property <code>javax.security.jacc.PolicyConfigurationFactory.provider</code> .

java-config

Specifies Java Virtual Machine (JVM) configuration parameters.

Superelements

[“config” on page 39](#)

Subelements

The following table describes subelements for the `java-config` element.

TABLE 1-97 java-config Subelements

Element	Required	Description
“profiler” on page 126	zero or one	Configures a profiler for use with the Communications Server.
“jvm-options” on page 99	zero or more	Contains JVM command line options.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `java-config` element.

TABLE 1-98 java-config Attributes

Attribute	Default	Description
<code>java-home</code>	none	The path to the directory where the JDK is installed.
<code>debug-enabled</code>	false	(optional) If <code>true</code> , the server starts up in debug mode ready for attachment with a JPDA-based debugger.
<code>debug-options</code>	<code>-Xdebug -Xrunjdpw: transport= dt_socket,server=y, suspend=n</code>	(optional) Specifies JPDA (Java Platform Debugger Architecture) options. A list of debugging options is available at http://java.sun.com/products/jpda/doc/conninv.html#Invocation . For more information about debugging, see the <i>Sun GlassFish Communications Server 2.0 Developer's Guide</i> .
<code>rmic-options</code>	<code>-iioop -poa -alwaysgenerate -keepgenerated -g</code>	(optional) Specifies options passed to the RMI compiler at application deployment time. The <code>-keepgenerated</code> option saves generated source for stubs and ties. For details about the <code>rmic</code> command, see http://java.sun.com/javase/6/docs/technotes/tools/solaris/rmic.html .
<code>javac-options</code>	<code>-g</code>	(optional) Specifies options passed to the Java compiler at application deployment time.
<code>classpath-prefix</code>	none	(optional) Specifies a prefix for the server classpath. Only prefix this classpath to override Communications Server classes. Use this attribute with caution.
<code>classpath-suffix</code>	none	(optional) Specifies a suffix for the server classpath.
<code>server-classpath</code>	none	(optional) Specifies additions to the server classpath. Supported for backward compatibility. Use <code>classpath-suffix</code> instead.
<code>system-classpath</code>	JVM classes	(optional) Specifies additions to the system classpath, which is supplied to the JVM at server startup. These classes are loaded by the System Classloader. Note – Do not remove the default path.

TABLE 1-98 java-config Attributes (Continued)

Attribute	Default	Description
native-library-path-prefix	none	(optional) Specifies a prefix for the native library path. The native library path is the automatically constructed concatenation of the Communications Server installation relative path for its native shared libraries, the standard JRE native library path, the shell environment setting (LD_LIBRARY_PATH on UNIX), and any path specified in the <code>profiler</code> element. Since this is synthesized, it does not appear explicitly in the server configuration.
native-library-path-suffix	none	(optional) Specifies a suffix for the native library path.
bytecode-preprocessors	none	(optional) A comma separated list of class names, each of which must implement the <code>com.sun.appserv.BytecodePreprocessor</code> interface. Each of the specified preprocessor classes is called in the order specified.
env-classpath-ignored	true	(optional) If <code>false</code> , the CLASSPATH environment variable is read and appended to the Communications Server classpath. The CLASSPATH environment variable is added after the <code>classpath-suffix</code> , at the very end. For a development environment, this value should be set to <code>false</code> . To prevent environment variable side effects in a production environment, set this value to <code>true</code> .

jdbc-connection-pool

Defines the properties that are required for creating a JDBC connection pool.

Superelements

[“resources” on page 135](#)

Subelements

The following table describes subelements for the `jdbc-connection-pool` element.

TABLE 1-99 jdbc-connection-pool Subelements

Element	Required	Description
“description” on page 56	zero or one	Contains a text description of this element.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `jdbc-connection-pool` element. Changing the following attributes requires a server restart: `datasource-classname`, `associate-with-thread`, `lazy-connection-association`, and `lazy-connection-enlistment`.

TABLE 1-100 jdbc-connection-pool Attributes

Attribute	Default	Description
<code>name</code>	none	Specifies the name of the connection pool. A “ <code>jdbc-resource</code> ” on page 94 element’s <code>pool-name</code> attribute refers to this name.
<code>datasource-classname</code>	none	Specifies the class name of the associated vendor-supplied data source. This class must implement <code>javax.sql.DataSource</code> , <code>javax.sql.XADataSource</code> , <code>javax.sql.ConnectionPoolDataSource</code> , or a combination.
<code>res-type</code>	<code>javax.sql.DataSource</code>	(optional) Specifies the interface the data source class implements. The value of this attribute can be <code>javax.sql.DataSource</code> , <code>javax.sql.XADataSource</code> , or <code>javax.sql.ConnectionPoolDataSource</code> . If the value is not one of these interfaces, the default is used. An error occurs if this attribute has a legal value and the indicated interface is not implemented by the data source class.
<code>steady-pool-size</code>	8	(optional) Specifies the initial and minimum number of connections maintained in the pool.
<code>max-pool-size</code>	32	(optional) Specifies the maximum number of connections that can be created to satisfy client requests.
<code>max-wait-time-in-millis</code>	60000	(optional) Specifies the amount of time, in milliseconds, that the caller is willing to wait for a connection. If 0, the caller is blocked indefinitely until a resource is available or an error occurs.
<code>pool-resize-quantity</code>	2	(optional) Specifies the number of idle connections to be destroyed if the existing number of connections is above the <code>steady-pool-size</code> (subject to the <code>max-pool-size</code> limit). This is enforced periodically at the <code>idle-timeout-in-seconds</code> interval. An idle connection is one that has not been used for a period of <code>idle-timeout-in-seconds</code> . When the pool size reaches <code>steady-pool-size</code> , connection removal stops.
<code>idle-timeout-in-seconds</code>	300	(optional) Specifies the maximum time that a connection can remain idle in the pool. After this amount of time, the pool can close this connection.
<code>transaction-isolation-level</code>	default JDBC driver isolation level	(optional) Specifies the transaction isolation level on the pooled database connections. Allowed values are <code>read-uncommitted</code> , <code>read-committed</code> , <code>repeatable-read</code> , or <code>serializable</code> . Applications that change the isolation level on a pooled connection programmatically risk polluting the pool, which can lead to errors. See <code>is-isolation-level-guaranteed</code> for more details.

TABLE 1-100 jdbc-connection-pool Attributes (Continued)

Attribute	Default	Description
is-isolation-level-guaranteed	true	(optional) Applicable only when transaction-isolation-level is explicitly set. If true, every connection obtained from the pool is guaranteed to have the desired isolation level. This might impact performance on some JDBC drivers. Only set this attribute to false if you are certain that the hosted applications do not return connections with altered isolation levels.
is-connection-validation-required	false	(optional) Specifies whether connections have to be validated before being given to the application. If a resource's validation fails, it is destroyed, and a new resource is created and returned.
connection-validation-method	auto-commit	(optional) Legal values are as follows: <ul style="list-style-type: none"> ▪ auto-commit (default), which uses <code>Connection.setAutoCommit(Connection.getAutoCommit())</code> ▪ meta-data, which uses <code>Connection.getMetaData()</code> ▪ table, which performs a query on a table specified in the validation-table-name attribute
validation-table-name	none	(optional) Specifies the table name to be used to perform a query to validate a connection. This parameter is mandatory if and only if connection-validation-method is set to table.
fail-all-connections	false	(optional) If true, closes all connections in the pool if a single validation check fails. This parameter is mandatory if and only if is-connection-validation-required is set to true.
non-transactional-connections	false	(optional) If true, non-transactional connections can be made to the JDBC connection pool. These connections are not automatically enlisted with the transaction manager.
allow-non-component-callers	false	(optional) If true, non-Java-EE components, such as servlet filters, lifecycle modules, and third party persistence managers, can use this JDBC connection pool. The returned connection is automatically enlisted with the transaction context obtained from the transaction manager. Standard Java EE components can also use such pools. Connections obtained by non-component callers are not automatically closed at the end of a transaction by the container. They must be explicitly closed by the caller.
connection-leak-timeout-in-seconds	0	Detects potential connection leaks by the application. A connection that is not returned back to the pool by the application within the specified period is assumed to be potentially leaking, and a stack trace of the caller is logged. A zero value disables leak detection. A nonzero value enables leak tracing.
connection-leak-reclaim	false	If true, the pool will reclaim a connection after connection-leak-timeout-in-seconds occurs.
connection-creation-retry-attempts	0	Specifies the number of attempts to create a new connection.
connection-creation-retry-interval-in-seconds	10	Specifies the time interval between attempts to create a connection when connection-creation-retry-attempts is greater than 0.

TABLE 1-100 jdbc-connection-pool Attributes (Continued)

Attribute	Default	Description
validate-atmost-once-period-in-seconds	0	Specifies the time interval within which a connection is validated at most once. Minimizes the number of validation calls.
statement-timeout-in-seconds	-1	Sets the query timeout property of a statement to enable termination of abnormally long running queries. The default value of -1 disables this feature.
lazy-connection-enlistment	false	If true, a connection is not enlisted in a transaction until it is used. If false, any connection object available to a transaction is enlisted in the transaction.
lazy-connection-association	false	If true, a physical connection is not associated with a logical connection until it is used. If false, a physical connection is associated with a logical connection even before it is used.
associate-with-thread	false	If true, allows a connection to be saved as a ThreadLocal in the calling thread. This connection gets reclaimed only when the calling thread dies or when the calling thread is not in use and the pool has run out of connections.
match-connections	false	If true, enables connection matching. You can set to false if connections are homogeneous.
max-connection-usage-count	0	Specifies the number of times a connections is reused by the pool, after which it is closed. A zero value disables this feature.
wrap-jdbc-objects	false	If true, the application returns wrapped JDBC objects for Statement, PreparedStatement, CallableStatement, ResultSet, and DatabaseMetaData.

Properties

Most JDBC drivers allow use of standard property lists to specify the user, password, and other resource configuration information. Although properties are optional with respect to the Communications Server, some properties might be necessary for most databases. For details, see the JDBC 4.0 Standard Extension API.

When properties are specified, they are passed to the vendor's data source class (specified by the `datasource-classname` attribute) as is using `setName(value)` methods.

The `user` and `password` properties are used as the default principal if container managed authentication is specified and a `default-resource-principal` is not found in the application deployment descriptors.

The following table describes some common properties for the `jdbc-connection-pool` element.

Changing JDBC driver properties requires a server restart.

TABLE 1-101 jdbc-connection-pool Properties

Property	Description
user	Specifies the user name for connecting to the database.
password	Specifies the password for connecting to the database.
databaseName	Specifies the database for this connection pool.
serverName	Specifies the database server for this connection pool.
port	Specifies the port on which the database server listens for requests.
networkProtocol	Specifies the communication protocol.
roleName	Specifies the initial SQL role name.
datasourceName	Specifies an underlying <code>XADataSource</code> , or a <code>ConnectionPoolDataSource</code> if connection pooling is done.
description	Specifies a text description.
url	Specifies the URL for this connection pool. Although this is not a standard property, it is commonly used.
LazyConnection Enlistment	Deprecated. Use the equivalent attribute.
LazyConnection Association	Deprecated. Use the equivalent attribute.
AssociateWithThread	Deprecated. Use the equivalent attribute.
MatchConnections	Deprecated. Use the equivalent attribute.

jdbc-resource

Defines a JDBC (`javax.sql.DataSource`) resource.

Superelements

[“resources” on page 135](#)

Subelements

The following table describes subelements for the `jdbc-resource` element.

TABLE 1-102 jdbc-resource Subelements

Element	Required	Description
“description” on page 56	zero or one	Contains a text description of this element.

TABLE 1-102 jdbc-resource Subelements (Continued)

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `jdbc-resource` element.

TABLE 1-103 jdbc-resource Attributes

Attribute	Default	Description
<code>jndi-name</code>	none	Specifies the JNDI name for the resource.
<code>pool-name</code>	none	Specifies the name of the associated “jdbc-connection-pool” on page 90 .
<code>object-type</code>	user	(optional) Defines the type of the resource. Allowed values are: <ul style="list-style-type: none"> ▪ <code>system-all</code> - A system resource for all server instances and the domain application server. ▪ <code>system-admin</code> - A system resource only for the domain application server. ▪ <code>system-instance</code> - A system resource for all server instances only. ▪ <code>user</code> - A user resource.
<code>enabled</code>	true	(optional) Determines whether this resource is enabled at runtime.

jms-host

Configures the host of the built-in Java Message Service (JMS) that is managed by the Communications Server.

Superelements

[“jms-service” on page 96](#)

Subelements

The following table describes subelements for the `jms-host` element.

TABLE 1-104 jms-host Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `jms-host` element.

TABLE 1-105 jms-host Attributes

Attribute	Default	Description
name	none	Specifies the name of the JMS host.
host	<i>machine-name</i>	(optional) Specifies the host name of the JMS host.
port	7676	(optional) Specifies the port number used by the JMS provider.
admin-user-name	admin	(optional) Specifies the administrator user name for the JMS provider.
admin-password	admin	(optional) Specifies the administrator password for the JMS provider.

jms-service

Configures the built-in Java Message Service (JMS) that is managed by the Communications Server.

Superelements

[“config” on page 39](#)

Subelements

The following table describes subelements for the `jms-service` element.

TABLE 1-106 jms-service Subelements

Element	Required	Description
“jms-host” on page 95	zero or more	Specifies a host.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `jms-service` element.

TABLE 1-107 jms-service Attributes

Attribute	Default	Description
<code>init-timeout-in-seconds</code>	60	(optional) Specifies the amount of time the server instance waits at startup for its configured default JMS host to respond. If there is no response, startup is aborted. If set to 0, the server instance waits indefinitely.

TABLE 1-107 `jms-service` Attributes (Continued)

Attribute	Default	Description
<code>type</code>	EMBEDDED (DAS) or LOCAL (other server instances)	Specifies the type of JMS service: <ul style="list-style-type: none"> ■ EMBEDDED means the JMS provider is started in the same JVM as the Communications Server, and the networking stack is bypassed. Lazy initialization starts the default embedded broker on the first access of JMS services rather than at Communications Server startup. EMBEDDED mode is not a supported configuration for a cluster. ■ LOCAL means the JMS provider is started along with the Communications Server. The LOCAL setting implicitly sets up a 1:1 relationship between an Communications Server instance and a Message Queue broker. When you create an Communications Server cluster, a Message Queue cluster is automatically created as well. During cluster creation, each instance in the Communications Server cluster is automatically configured with a broker in the Message Queue cluster, and a unique broker port is determined. ■ REMOTE means the JMS provider is remote and is not started by the Communications Server.
<code>start-args</code>	none	(optional) Specifies the string of arguments supplied for startup of the corresponding JMS instance.
<code>default-jms-host</code>	none	Specifies the name of the default “ <code>jms-host</code> ” on page 95. If <code>type</code> is set to LOCAL, this <code>jms-host</code> is automatically started at Communications Server startup.
<code>reconnect-interval-in-seconds</code>	5 (developer profile) 60 (cluster profile)	(optional) Specifies the interval between reconnect attempts.
<code>reconnect-attempts</code>	3	(optional) Specifies the number of reconnect attempts.
<code>reconnect-enabled</code>	true	(optional) If true, reconnection is enabled. The JMS service automatically tries to reconnect to the JMS provider when the connection is broken. When the connection is broken, depending on the message processing stage, the <code>onMessage()</code> method might not be able to complete successfully or the transaction might be rolled back due to a JMS exception. When the JMS service reestablishes the connection, JMS message redelivery semantics apply.
<code>addresslist-behavior</code>	random	(optional) Specifies whether the reconnection logic selects the broker from the <code>imqAddressList</code> in a random or sequential (priority) fashion.
<code>addresslist-iterations</code>	3	(optional) Specifies the number of times the reconnection logic iterates over the <code>imqAddressList</code> if <code>addresslist-behavior</code> is set to PRIORITY.
<code>mq-scheme</code>	mq	(optional) Specifies the scheme for establishing connection with the broker. For example, specify <code>http</code> for connecting to the broker over HTTP.

TABLE 1-107 `jms-service` Attributes (Continued)

Attribute	Default	Description
<code>mq-service</code>	<code>jms</code>	(optional) Specifies the type of broker service. If a broker supports SSL, the type of service can be <code>ssljms</code> .

Properties

The following table describes properties for the `jms-service` element.

TABLE 1-108 `jms-service` Properties

Property	Default	Description
<code>instance-name</code>	<code>imqbroker</code>	Specifies the full Sun GlassFish Message Queue broker instance name.
<code>instance-name-suffix</code>	<code>none</code>	Specifies a suffix to add to the full Message Queue broker instance name. The suffix is separated from the instance name by an underscore character (<code>_</code>). For example, if the instance name is <code>imqbroker</code> , appending the suffix <code>xyz</code> changes the instance name to <code>imqbroker_xyz</code> .
<code>append-version</code>	<code>false</code>	If <code>true</code> , appends the major and minor version numbers, preceded by underscore characters (<code>_</code>), to the full Message Queue broker instance name. For example, if the instance name is <code>imqbroker</code> , appending the version numbers changes the instance name to <code>imqbroker_8_0</code> .
<code>user-name</code>	<code>guest</code>	Specifies the user name for creating the JMS connection. Needed only if the default username/password of <code>guest/guest</code> is not available in the broker.
<code>password</code>	<code>guest</code>	Specifies the password for creating the JMS connection. Needed only if the default username/password of <code>guest/guest</code> is not available in the broker.

jmx-connector

Configures a JSR 160/255 compliant remote JMX connector, which handles the JMX communication between the domain administration server, the node agents, and the remote server instances. This JMX connector also handles JMX communication between an external management client and the domain administration server.

Only the system JMX connector is started by the server processes at startup. Do not configure additional JMX connectors.

Superelements

[“admin-service” on page 25](#), [“node-agent” on page 120](#)

Subelements

The following table describes subelements for the `jmx-connector` element.

TABLE 1-109 jmx-connector Subelements

Element	Required	Description
“ssl” on page 153	zero or one	Defines SSL parameters.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `jmx-connector` element.

TABLE 1-110 jmx-connector Attributes

Attribute	Default	Description
<code>name</code>	<code>none</code>	Specifies the name of the connector used by the designated system JMX connector for JMX communication between server instances. Do not modify this name.
<code>protocol</code>	<code>rmi_jrmp</code>	(optional) Specifies the protocol that this JMX connector supports. The only supported protocol is <code>rmi_jrmp</code> . Do not modify this value.
<code>address</code>	<code>0.0.0.0</code>	Specifies the IP address of the naming service where the JMX connector server stub is registered. This is not the port of the server socket that does the actual JMX communication. This is the address of the network interface where the RMI registry is started. If your system has multiple network interfaces, modify this value so that only a particular interface is selected.
<code>port</code>	8686 (DAS, all profiles; server instance, developer profile) 38686 (server instances, cluster profile)	Specifies the port number on which the naming service (RMI registry) listens for RMI client connections. The only use of this naming service is to download the RMI stubs. If the default port is occupied, a free port is used. Legal values are 1 - 65535. On UNIX, creating sockets that listen on ports 1 - 1024 requires superuser privileges.
<code>auth-realm-name</code>	<code>admin-realm</code>	Specifies the name of an “auth-realm” on page 30 subelement of the “security-service” on page 137 element for the server instance that is running this JMX connector's server end. Note that this is a dedicated administration security realm.
<code>security-enabled</code>	<code>false</code> (developer profile) <code>true</code> (cluster profile)	(optional) Determines whether JMX communication is encrypted.

jvm-options

Contains JVM command line options, for example:

```
<jvm-options>-Xdebug -Xmx128m</jvm-options>
```

For information about JVM options, see <http://java.sun.com/docs/hotspot/VMOptions.html>.

Superelements

“java-config” on page 88, “profiler” on page 126

Subelements

none - contains data

K

keep-alive

Configures keep-alive threads.

Superelements

“http-service” on page 80, “sip-service” on page 151

Subelements

none

Attributes

The following table describes attributes for the keep-alive element.

TABLE 1-111 keep-alive Attributes

Attribute	Default	Description
thread-count	1	(optional) Specifies the number of keep-alive threads. The value must be 1 or greater. Not implemented if the parent element is “sip-service” on page 151.
max-connections	256	(optional) Specifies the maximum number of keep-alive connections. A value of 0 means requests are always rejected. A value of -1 sets no limit to the number of keep-alive connections. Not implemented if the parent element is “sip-service” on page 151.
timeout-in-seconds	60 (http-service) 0 (sip-service)	(optional) Specifies the maximum time for which a keep alive connection is kept open. A value of 0 or less means keep alive connections are kept open indefinitely.

L

lb-config

Defines a load balancer configuration, which can be referenced by a physical “load-balancer” on [page 104](#).

Note – Some topics in the documentation pertain to features that are available only in domains that are configured to support clusters. Examples of domains that support clusters are domains that are created with the cluster profile. For information about profiles, see “Usage Profiles” in *Sun GlassFish Communications Server 2.0 Administration Guide*.

Superelements

“lb-configs” on [page 102](#)

Subelements

The following table describes subelements for the lb-config element.

TABLE 1-112 lb-config Subelements

Element	Required	Description
“cluster-ref” on page 37	zero or more; zero if a server-ref is defined	References a cluster. This element contains some attributes related to load balancing.
“server-ref” on page 141	zero or more; zero if a cluster-ref is defined	References a server instance that does not belong to a cluster. The referenced “server” on page 140 element contains some attributes related to load balancing.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the lb-config element.

TABLE 1-113 lb-config Attributes

Attribute	Default	Description
name	none	Specifies the name of the load balancer configuration.
response-timeout-in-seconds	60	(optional) Specifies the time within which a server must return a response or it is considered unhealthy.

TABLE 1-113 lb-config Attributes (Continued)

Attribute	Default	Description
https-routing	false	(optional) If true, HTTPS requests to the load balancer result in HTTPS requests to the server. If false, HTTPS requests to the load balancer result in HTTP requests to the server.
reload-poll-interval-in-seconds	60	(optional) Specifies the interval between checks for changes to the load balancer configuration file (loadbalancer.xml). When changes are detected, the file is reloaded. A value of zero disables reloading.
monitoring-enabled	false	(optional) If true, enables monitoring of load balancing.

lb-configs

Contains load balancer configurations.

Superelements

[“domain” on page 57](#)

Subelements

The following table describes subelements for the lb-configs element.

TABLE 1-114 lb-configs Subelements

Element	Required	Description
“lb-config” on page 101	zero or more	Defines a load balancer configuration.

lifecycle-module

Specifies a deployed lifecycle module. For more information about lifecycle modules, see the [Sun GlassFish Communications Server 2.0 Developer’s Guide](#).

Superelements

[“applications” on page 29](#)

Subelements

The following table describes subelements for the lifecycle-module element.

TABLE 1-115 lifecycle-module Subelements

Element	Required	Description
“description” on page 56	zero or one	Contains a text description of this element.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `lifecycle-module` element.

TABLE 1-116 lifecycle-module Attributes

Attribute	Default	Description
<code>name</code>	none	The name of the lifecycle module.
<code>class-name</code>	none	The fully qualified name of the lifecycle module's class file, which must implement the <code>com.sun.appserv.server.LifecycleListener</code> interface.
<code>classpath</code>	value of application - root attribute of “domain” on page 57 element	(optional) The classpath for the lifecycle module. Specifies where the module is located.
<code>load-order</code>	none	(optional) Determines the order in which lifecycle modules are loaded at startup. Modules with smaller integer values are loaded sooner. Values can range from 101 to the operating system's MAXINT. Values from 1 to 100 are reserved.
<code>is-failure-fatal</code>	false	(optional) Determines whether the server is shut down if the lifecycle module fails.
<code>object-type</code>	user	(optional) Defines the type of the resource. Allowed values are: <ul style="list-style-type: none"> ▪ <code>system-all</code> - A system resource for all server instances and the domain application server. ▪ <code>system-admin</code> - A system resource only for the domain application server. ▪ <code>system-instance</code> - A system resource for all server instances only. ▪ <code>user</code> - A user resource.
<code>enabled</code>	true	(optional) Determines whether the lifecycle module is enabled.

listener-config

Configures the listener class that listens for alerts from notification emitters. For example:

```
<listener-config
  listener-class-name="com.sun.enterprise.admin.notification.MailAlert"
  subscribe-listener-with="LogMBean,ServerStatusMonitor" >
```

```

<property name="recipients" value="Huey@sun.com,Dewey@sun.com" />
<property name="fromAddress" value="Louie@sun.com" />
<property name="subject" value="Help!" />
<property name="includeDiagnostics" value="false" />
<property name="mailSMTPHost" value="ducks.sun.com" />
</listener-config>

```

Superelements

[“alert-subscription” on page 26](#)

Subelements

The following table describes subelements for the `listener-config` element.

TABLE 1-117 `listener-config` Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `listener-config` element.

TABLE 1-118 `listener-config` Attributes

Attribute	Default	Description
<code>listener-class-name</code>	none	Specifies the class name of the listener. The <code>com.sun.appserv.admin.notification.MailAlert</code> class is provided with the Communications Server, but a custom listener can be used.
<code>subscribe-listener-with</code>	none	Specifies a comma-separated list of notification emitters to which the listener listens. The <code>LogMBean</code> and <code>ServerStatusMonitor</code> notification emitters are provided with the Communications Server, but custom emitters can be used.

load-balancer

Defines and configures a load balancer. For more information about load balancing in the Communications Server, see the *Sun GlassFish Communications Server 2.0 High Availability Administration Guide*.

Note – Some topics in the documentation pertain to features that are available only in domains that are configured to support clusters. Examples of domains that support clusters are domains that are created with the cluster profile. For information about profiles, see [“Usage Profiles” in Sun GlassFish Communications Server 2.0 Administration Guide](#).

Superelements

[“load-balancers” on page 106](#)

Subelements

The following table describes subelements for the load-balancer element.

TABLE 1–119 load-balancer Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the load-balancer element.

TABLE 1–120 load-balancer Attributes

Attribute	Default	Description
name	none	Specifies the name of the load balancer.
lb-config-name	none	Specifies the name of the “lb-config” on page 101 used by the load balancer.
auto-apply-enabled	false	(optional) If true, changes to the specified “lb-config” on page 101 are automatically applied to the load balancer.

Properties

The following table describes properties for the load-balancer element.

TABLE 1–121 load-balancer Properties

Property	Default	Description
device-host	none	Specifies the host name or IP address for the load balancer.
device-admin-port	none	Specifies the load balancer's administration port number.
ssl-proxy-host	none	Specifies the load balancer's proxy host used for outbound HTTP.

TABLE 1-121 load-balancer Properties (Continued)

Property	Default	Description
ssl-proxy-port	none	Specifies the load balancer's proxy port used for outbound HTTP.

load-balancers

Contains load balancers.

Superelements

[“domain” on page 57](#)

Subelements

The following table describes subelements for the load-balancers element.

TABLE 1-122 load-balancers Subelements

Element	Required	Description
“load-balancer” on page 104	zero or more	Defines a load balancer.

log-service

Configures the *server log* file, which stores messages from the default virtual server. Messages from other configured virtual servers also go here, unless the `log-file` attribute is explicitly specified in the `virtual-server` element. The default name is `server.log`.

Other log files are configured by other elements:

- A *virtual server log* file stores messages from a `virtual-server` element that has an explicitly specified `log-file` attribute. See [“virtual-server” on page 165](#).
- The *access log* file stores HTTP access messages from the default virtual server. The default name is `access.log`. See [“access-log” on page 22](#) and [“http-access-log” on page 74](#).
- The *transaction log* files store transaction messages from the default virtual server. The default name of the directory for these files is `tx`. See [“transaction-service” on page 160](#).

Superelements

[“config” on page 39](#), [“node-agent” on page 120](#)

Subelements

The following table describes subelements for the log-service element.

TABLE 1-123 log-service Subelements

Element	Required	Description
“module-log-levels” on page 116	zero or one	Specifies log levels.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the log-service element.

TABLE 1-124 log-service Attributes

Attribute	Default	Description
file	server.log in the directory specified by the log-root attribute of the “domain” on page 57 element	(optional) Overrides the name or location of the server log. The file and directory in which the server log is kept must be writable by the user account under which the server runs. An absolute path overrides the log-root attribute of the “domain” on page 57 element. A relative path is relative to the log-root attribute of the “domain” on page 57 element. If no log-root value is specified, it is relative to <i>domain-dir/config</i> .
use-system-logging	false	(optional) If true, uses the UNIX syslog service to produce and manage logs.
log-handler	none	(optional) Specifies a custom log handler to be added to end of the chain of system handlers to log to a different destination.
log-filter	none	(optional) Specifies a log filter to do custom filtering of log records.
log-to-console	false	(optional) Deprecated and ignored.
log-rotation-limit-in-bytes	2000000	(optional) Log files are rotated when the file size reaches the specified limit.
log-rotation-timelimit-in-minutes	0	(optional) Enables time-based log rotation. The valid range is 60 minutes (1 hour) to 14400 minutes (10*24*60 minutes or 10 days). If the value is zero, the files are rotated based on the size specified in log-rotation-limit-in-bytes. If the value is greater than zero, log-rotation-timelimit-in-minutes takes precedence over log-rotation-limit-in-bytes.
retain-error-statistics-for-hours	5	(optional) Specifies the number of most recent hours for which error statistics are retained in memory. The default and minimum value is 5 hours. The maximum value allowed is 500 hours. Larger values incur additional memory overhead.

Properties

The following table describes properties for the log-service element.

TABLE 1-125 log-service Properties

Property	Default	Description
format	time-stamp,product-id, logger-name,thread-info, name-value-pairs, raw-message	Specifies the format of the server log. The comma-separated format tokens can appear in any order and any of them can be omitted.
max-buffered-messages	8192	Specifies the maximum number of log records buffered in memory before being pushed to the server log. This property applies only if asynchronous logging has been enabled by specifying the <code>org.glassfish.logging.async</code> JVM option using the “ jvm-options ” on page 99 element.
push-interval-in-seconds	60	Specifies the interval in seconds at which log messages are written to the server log. This property applies only if asynchronous logging has been enabled by specifying the <code>org.glassfish.logging.async</code> JVM option using the “ jvm-options ” on page 99 element.

M

mail-resource

Defines a JavaMail (`javax.mail.Session`) resource.

Superelements

“[resources](#)” on page 135

Subelements

The following table describes subelements for the `mail-resource` element.

TABLE 1-126 mail-resource Subelements

Element	Required	Description
“ description ” on page 56	zero or one	Contains a text description of this element.
“ property ” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `mail-resource` element.

TABLE 1-127 mail - resource Attributes

Attribute	Default	Description
jndi-name	none	Specifies the JNDI name for the resource.
store-protocol	imap	(optional) Specifies the storage protocol service, which connects to a mail server, retrieves messages, and saves messages in folder(s). Allowed values are <code>imap</code> , <code>pop3</code> , <code>imaps</code> , and <code>pop3s</code> .
store-protocol-class	<code>com.sun.mail.imap.IMAPStore</code>	(optional) Specifies the service provider implementation class for storage. Allowed values are: <code>com.sun.mail.imap.IMAPStore</code> <code>com.sun.mail.pop3.POP3Store</code> <code>com.sun.mail.imap.IMAPSSLStore</code> <code>com.sun.mail.pop3.POP3SSLStore</code>
transport-protocol	smtp	(optional) Specifies the transport protocol service, which sends messages. Allowed values are <code>smtp</code> and <code>smtps</code> .
transport-protocol-class	<code>com.sun.mail.smtp.SMTPTransport</code>	(optional) Specifies the service provider implementation class for transport. Allowed values are: <code>com.sun.mail.smtp.SMTPTransport</code> <code>com.sun.mail.smtp.SMTPSSLTransport</code>
host	none	The mail server host name.
user	none	The mail server user name.
from	none	The email address the mail server uses to indicate the message sender.
debug	false	(optional) Determines whether debugging for this resource is enabled.
object-type	user	(optional) Defines the type of the resource. Allowed values are: <ul style="list-style-type: none"> ▪ <code>system-all</code> - A system resource for all server instances and the domain application server. ▪ <code>system-admin</code> - A system resource only for the domain application server. ▪ <code>system-instance</code> - A system resource for all server instances only. ▪ <code>user</code> - A user resource.
enabled	true	(optional) Determines whether this resource is enabled at runtime.

Properties

You can set properties for the `mail - resource` element and then get these properties in a `JavaMailSession` object later. Every property name must start with a `mail - prefix`. The Communications Server changes the dash (-) character to a period (.) in the name of the

property, then saves the property to the MailConfiguration and JavaMail Session objects. If the name of the property doesn't start with mail-, the property is ignored.

For example, to define the property mail.password in a JavaMail Session object, first edit domain.xml as follows:

```
...
<mail-resource jndi-name="mail/Session" ...>
  <property name="mail-password" value="adminadmin"/>
</mail-resource>
...
```

After getting the JavaMail Session object, get the mail.password property to retrieve the value adminadmin, as follows:

```
String password = session.getProperty("mail.password");
```

For more information about JavaMail properties, see [JavaMail API Documentation](http://java.sun.com/products/javamail/javadocs/index.html) (<http://java.sun.com/products/javamail/javadocs/index.html>).

management-rule

Configures a self-management rule, which associates a custom self-tuning, self-configuring, or self-healing action with an event in the Communications Server. The action is implemented by an MBean.

Superelements

[“management-rules” on page 111](#)

Subelements

The following table describes subelements for the management-rule element.

TABLE 1-128 management-rule Subelements

Element	Required	Description
“description” on page 56	zero or one	Contains a text description of this element. This description is included in server log messages about the management rule. For more information on logging, see “log-service” on page 106 and “module-log-levels” on page 116 .
“event” on page 64	only one	Defines the event that triggers the action associated with a management rule.

TABLE 1-128 management - rule Subelements *(Continued)*

Element	Required	Description
“action” on page 23	zero or one	Specifies the action of this management rule. If no action is specified, occurrence of the associated event is logged.

Attributes

The following table describes attributes for the management - rule element.

TABLE 1-129 management - rule Attributes

Attribute	Default	Description
name	none	Specifies the name of this management rule.
enabled	true	(optional) If false, disables this management rule.

management-rules

Configures self-management rules, which associate custom self-tuning, self-configuring, and self-healing actions with events in the Communications Server.

Superelements

[“config” on page 39](#)

Subelements

The following table describes subelements for the management - rules element.

TABLE 1-130 management - rules Subelements

Element	Required	Description
“management-rule” on page 110	zero or more	Specifies a management rule.

Attributes

The following table describes attributes for the management - rules element.

TABLE 1-131 management - rules Attributes

Attribute	Default	Description
enabled	true	(optional) If false, disables all management rules. If true, the enabled attribute of each rule determines whether it is enabled.

manager-properties

Specifies session manager properties.

Superelements

[“session-manager” on page 143](#)

Subelements

The following table describes subelements for the `manager-properties` element.

TABLE 1-132 manager-properties Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `manager-properties` element.

TABLE 1-133 manager-properties Attributes

Attribute	Default	Description
session-file-name	none; state is not preserved across restarts	(optional) Specifies the absolute or relative path to the directory in which the session state is preserved between application restarts, if preserving the state is possible. A relative path is relative to the temporary directory for this web application. Applicable to the web container only if the <code>persistence-type</code> attribute of the “web-container-availability” on page 171 element is memory.
reap-interval-in-seconds	60	(optional) Specifies the time between checks for expired sessions. If the <code>persistence-frequency</code> attribute of the <code>web-container-availability</code> element is set to <code>time-based</code> , active sessions are stored at this interval. Set this value lower than the frequency at which session data changes. For example, this value should be as low as possible (1 second) for a hit counter servlet on a frequently accessed web site, or you could lose the last few hits each time you restart the server.

TABLE 1-133 manager-properties Attributes (Continued)

Attribute	Default	Description
max-sessions	-1	(optional) Specifies the maximum number of sessions that can be in cache, or -1 for no limit. After this, an attempt to create a new session causes an <code>IllegalStateException</code> to be thrown.
session-id-generator-classname	internal class generator	(optional) Not implemented. Use the <code>uuid-impl-class</code> property of the “web-container-availability” on page 171 or “sip-container-availability” on page 146 element instead.

mbean

Specifies an MBean, which implements the `javax.management.NotificationListener` interface.

Superelements

“applications” on page 29

Subelements

The following table describes subelements for the `mbean` element.

TABLE 1-134 mbean Subelements

Element	Required	Description
“description” on page 56	zero or one	Contains a text description of this element.
“property” on page 126	zero or more	Specifies a property. Property subelements of the <code>mbean</code> element store the names and values of attributes defined in the MBean implementation class.

Attributes

The following table describes attributes for the `mbean` element.

TABLE 1-135 mbean Attributes

Attribute	Default	Description
name	value of <code>impl-class-name</code>	The name of the MBean. The name must represent a value of a property in the <code>property-list</code> of an MBean <code>ObjectName</code> . The name is a primary key for the MBean. This is read-only.

TABLE 1-135 mbean Attributes (Continued)

Attribute	Default	Description
object-type	user	(optional) Defines the type of the resource. This is read-only. Allowed values are: <ul style="list-style-type: none"> ■ system-all - A system resource for all server instances and the domain application server. ■ system-admin - A system resource only for the domain application server. ■ system-instance - A system resource for all server instances only. ■ user - A user resource.
impl-class-name	none	Defines the fully qualified class name of the MBean implementation. This is read-only.
object-name	none	Defines a system-generated object name for this MBean. This is read-only.
enabled	true	(optional) Determines whether the MBean is enabled. If false, the MBean is not registered in the runtime environment even if the reference is enabled.

mdb-container

Configures the message-driven bean (MDB) container.

Superelements

[“config” on page 39](#)

Subelements

The following table describes subelements for the `mdb-container` element.

TABLE 1-136 mdb-container Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `mdb-container` element.

TABLE 1-137 mdb-container Attributes

Attribute	Default	Description
steady-pool-size	10	(optional) Specifies the initial and minimum number of beans maintained in the pool.

TABLE 1-137 mdb-container Attributes (Continued)

Attribute	Default	Description
pool-resize-quantity	2	(optional) Specifies the number of beans to be removed when the <code>idle-timeout-in-seconds</code> timer expires. A cleaner thread removes any unused instances. Must be 0 or greater and less than <code>max-pool-size</code> . The pool is not resized below the <code>steady-pool-size</code> .
max-pool-size	60	(optional) Specifies the maximum number of beans that can be created to satisfy client requests.
idle-timeout-in-seconds	600	(optional) Specifies the maximum time that a bean can remain idle in the pool. After this amount of time, the bean is destroyed. A value of 0 means a bean can remain idle indefinitely.

Properties

The following table describes properties for the `mdb-container` element.

TABLE 1-138 mdb-container Properties

Property	Default	Description
<code>cmt-max-runtime-exceptions</code>	1	Specifies the maximum number of <code>RuntimeException</code> occurrences allowed from a message-driven bean's <code>onMessage()</code> method when container-managed transactions are used. Deprecated.

message-security-config

Specifies configurations for message security providers.

Superelements

[“security-service” on page 137](#)

Subelements

The following table describes subelements for the `message-security-config` element.

TABLE 1-139 message-security-config Subelements

Element	Required	Description
“provider-config” on page 128	one or more	Specifies a configuration for one message security provider.

Attributes

The following table describes attributes for the `message-security-config` element.

TABLE 1-140 message-security-config Attributes

Attribute	Default	Description
auth-layer	SOAP	Specifies the message layer at which authentication is performed. The value must be SOAP or HttpServlet.
default-provider	none	(optional) Specifies the server provider that is invoked for any application not bound to a specific server provider.
default-client-provider	none	(optional) Specifies the client provider that is invoked for any application not bound to a specific client provider.

module-log-levels

Controls the level of messages logged by server subsystems to the server log. Allowed values (levels) of each subsystem attribute are, from highest to lowest: FINEST , FINER, FINE, CONFIG, INFO, WARNING, SEVERE, and OFF. Each value logs all messages for all lower values. The default value is INFO, which logs all INFO, SEVERE , and WARNING messages.

Superelements

[“log-service” on page 106](#)

Subelements

The following table describes subelements for the module-log-levels element.

TABLE 1-141 module-log-levels Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the module-log-levels element. The attribute names are the names of the Communications Server system loggers.

TABLE 1-142 module-log-levels Attributes

Attribute	Default	Description
root	INFO	(optional) Specifies the default level of messages logged by the entire Communications Server installation.
server	INFO	(optional) Specifies the default level of messages logged by the server instance.

TABLE 1-142 module-log-levels Attributes (Continued)

Attribute	Default	Description
ejb-container	INFO	(optional) Specifies the level of messages logged by the EJB container.
cmp-container	INFO	(optional) Specifies the level of messages logged by the CMP subsystem of the EJB container.
mdb-container	INFO	(optional) Specifies the level of messages logged by the MDB container.
web-container	INFO	(optional) Specifies the level of messages logged by the web container.
classloader	INFO	(optional) Specifies the level of messages logged by the classloader hierarchy.
configuration	INFO	(optional) Specifies the level of messages logged by the configuration subsystem.
naming	INFO	(optional) Specifies the level of messages logged by the naming subsystem.
security	INFO	(optional) Specifies the level of messages logged by the security subsystem.
jts	INFO	(optional) Specifies the level of messages logged by the Java Transaction Service.
jta	INFO	(optional) Specifies the level of messages logged by the Java Transaction API.
admin	INFO	(optional) Specifies the level of messages logged by the Administration Console subsystem.
deployment	INFO	(optional) Specifies the level of messages logged by the deployment subsystem.
verifier	INFO	(optional) Specifies the level of messages logged by the deployment descriptor verifier.
jaxr	INFO	(optional) Specifies the level of messages logged by the XML registry.
jaxrpc	INFO	(optional) Specifies the level of messages logged by the XML RPC module.
saaj	INFO	(optional) Specifies the level of messages logged by the SOAP with Attachments API for Java module.
corba	INFO	(optional) Specifies the level of messages logged by the ORB.
javamail	INFO	(optional) Specifies the level of messages logged by the JavaMail subsystem.
jms	INFO	(optional) Specifies the level of messages logged by the Java Message Service.
connector	INFO	(optional) Specifies the level of messages logged by the connector subsystem.
jdo	INFO	(optional) Specifies the level of messages logged by the Java Data Objects module.
cmp	INFO	(optional) Specifies the level of messages logged by the CMP subsystem.
util	INFO	(optional) Specifies the level of messages logged by the utility subsystem.
resource-adapter	INFO	(optional) Specifies the level of messages logged by the resource adapter subsystem.
synchronization	INFO	(optional) Specifies the level of messages logged by the synchronization subsystem.
node-agent	INFO	(optional) Specifies the level of messages logged by the node agent subsystem.
self-management	INFO	(optional) Specifies the level of messages logged by the self-management (management rules) subsystem.

TABLE 1-142 module-log-levels Attributes (Continued)

Attribute	Default	Description
group-management-service	INFO	(optional) Specifies the level of messages logged by the Group Management Service.
management-event	INFO	(optional) Specifies the level of messages logged by the self-management event subsystem.

Properties

The following table describes properties for the `module-log-levels` element. The property names are the names of the Communications Server system loggers.

TABLE 1-143 module-log-levels Properties

Property	Default	Description
sip	INFO	Specifies the level of messages logged by the SIP container.
clb	INFO	Specifies the level of messages logged by the converged load balancer subsystem.
ar	INFO	Specifies the level of messages logged by the application router subsystem.
ssr	INFO	Specifies the level of messages logged by the session state replication subsystem.
smi	INFO	Specifies the level of messages logged by the SIP message inspection subsystem.

module-monitoring-levels

Controls the level of monitoring of server subsystems. Allowed values of each subsystem attribute are LOW, HIGH, and OFF.

Superelements

[“monitoring-service” on page 119](#)

Subelements

The following table describes subelements for the `module-monitoring-levels` element.

TABLE 1-144 module-monitoring-levels Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

TABLE 1-145 module-monitoring-levels Attributes

Attribute	Default	Description
thread-pool	OFF	(optional) Specifies the level of monitoring of the thread pool subsystem.
orb	OFF	(optional) Specifies the level of monitoring of the ORB.
ejb-container	OFF	(optional) Specifies the level of monitoring of the EJB container.
web-container	OFF	(optional) Specifies the level of monitoring of the web container.
transaction-service	OFF	(optional) Specifies the level of monitoring of the transaction service.
http-service	OFF	(optional) Specifies the level of monitoring of the HTTP service.
jdbc-connection-pool	OFF	(optional) Specifies the level of monitoring of the JDBC connection pool subsystem.
connector-connection-pool	OFF	(optional) Specifies the level of monitoring of the connector connection pool subsystem.
connector-service	OFF	(optional) Specifies the level of monitoring of the connector service.
jms-service	OFF	(optional) Specifies the level of monitoring of the JMS service.
jvm	OFF	(optional) Specifies the level of monitoring of the JVM.

Properties

TABLE 1-146 module-monitoring-levels Properties

Attribute	Default	Description
sip-service	OFF	Specifies the level of monitoring of the SIP service.
converged-load-balancer	OFF	Specifies the level of monitoring of the converged load balancer subsystem.

monitoring-service

Configures the monitoring service.

Superelements

[“config” on page 39](#)

Subelements

The following table describes subelements for the `monitoring-service` element.

TABLE 1-147 monitoring-service Subelements

Element	Required	Description
“module-monitoring-levels” on page 118	zero or one	Controls the level of monitoring of server subsystems.
“property” on page 126	zero or more	Specifies a property or a variable.

N

node-agent

Defines a node agent, which manages server instances on a host machine.

Superelements

[“node-agents” on page 121](#)

Subelements

The following table describes subelements for the node-agent element.

TABLE 1-148 node-agent Subelements

Element	Required	Description
“jmx-connector” on page 98	zero or one	Configures a JSR 160/255 compliant remote JMX connector.
“auth-realm” on page 30	zero or one	Defines a realm for authentication.
“log-service” on page 106	only one	Configures the system logging service.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the node-agent element.

TABLE 1-149 node-agent Attributes

Attribute	Default	Description
name	none	Specifies the node agent name.
system-jmx-connector-name	none	Specifies the name of the internal “jmx-connector” on page 98 .

TABLE 1-149 node-agent Attributes (Continued)

Attribute	Default	Description
start-servers-in-startup	true	(optional) If true, starts all managed server instances when the node agent is started.

Properties

The following table describes properties for the node-agent element.

TABLE 1-150 node-agent Properties

Property	Default	Description
INSTANCE-SYNC-JVM-OPTIONS	default Communications Server JVM options	Sets options for the server instance synchronization JVM. Setting options that limit memory usage helps prevent OutOfMemory errors when large applications are synchronized or when memory is constrained. For more information, see the Sun GlassFish Communications Server 2.0 Administration Guide .

node-agents

Contains node agents.

Superelements

[“domain” on page 57](#)

Subelements

The following table describes subelements for the node-agents element.

TABLE 1-151 node-agents Subelements

Element	Required	Description
“node-agent” on page 120	zero or more	Defines a node agent, which manages server instances on a host machine.

0

orb

Configures the ORB.

To enable SSL for outbound connections, include an [“ssl-client-config” on page 155](#) subelement in the parent `iiop-service` element.

Superelements

[“iiop-service” on page 85](#)

Subelements

The following table describes subelements for the orb element.

TABLE 1–152 orb Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the orb element.

TABLE 1–153 orb Attributes

Attribute	Default	Description
use-thread-pool-ids	none	Specifies a comma-separated list of thread-pool-id values defined in “thread-pool” on page 159 elements used by the ORB.
message-fragment-size	1024	(optional) GIOPv1.2 messages larger than this number of bytes are fragmented.
max-connections	1024	(optional) The maximum number of incoming connections on all IIOP listeners. Legal values are integers.

overload-protection-service

Configures the overload protection service for HTTP and SIP requests.

Superelements

[“config” on page 39](#)

Subelements

none

Attributes

The following table describes attributes for the overload-protection-service element.

TABLE 1-154 overload-protection-service Attributes

Attribute	Default	Description
enabled	false	If true, the overload protection manager is enabled and operates according to <code>cpu-overload-protection</code> , <code>memory-overload-protection</code> , and other <code>overload-protection-service</code> attributes. Overload regulation protects the HTTP and SIP containers from too high CPU or memory usage.
<code>cpu-overload-protection</code>	false	If true, CPU overload protection is enabled. Applicable only if <code>enabled</code> is set to true.
<code>memory-overload-protection</code>	false	If true, memory overload protection is enabled. Applicable only if <code>enabled</code> is set to true.
<code>cpu-ir-threshold</code>	70	Specifies the CPU usage threshold level for SIP initial requests. Allowed values are 0 to 100. Any SIP requests received when the system is operating beyond this threshold are responded to with a 503 error. Applicable only if <code>cpu-overload-protection</code> is set to true.
<code>mem-ir-threshold</code>	85	Specifies the memory usage threshold level for SIP initial requests. Allowed values are 0 to 100. Any SIP requests received when the system is operating beyond this threshold are responded to with a 503 error. Applicable only if <code>memory-overload-protection</code> is set to true.
<code>cpu-sr-threshold</code>	90	Specifies the CPU usage threshold level for SIP subsequent requests. Allowed values are 0 to 100. Must be set higher than the <code>cpu-ir-threshold</code> value. Any SIP requests received when the system is operating beyond this threshold are responded to with a 503 error. Applicable only if <code>cpu-overload-protection</code> is set to true.
<code>mem-sr-threshold</code>	85	Specifies the memory usage threshold level for SIP subsequent requests. Allowed values are 0 to 100. Must be set higher than the <code>mem-ir-threshold</code> value. Any SIP requests received when the system is operating beyond this threshold are responded to with a 503 error. Applicable only if <code>memory-overload-protection</code> is set to true.
<code>cpu-http-threshold</code>	70	Specifies the CPU usage threshold level for HTTP requests. Allowed values are 0 to 100. Any SIP requests received when the system is operating beyond this threshold are responded to with a 503 error. Applicable only if <code>cpu-overload-protection</code> is set to true.
<code>mem-http-threshold</code>	85	Specifies the memory usage threshold level for HTTP requests. Allowed values are 0 to 100. Any SIP requests received when the system is operating beyond this threshold are responded to with a 503 error. Applicable only if <code>memory-overload-protection</code> is set to true.
<code>cpu-mm-threshold</code>	99	Specifies the CPU usage threshold level when all messages are dropped. Allowed values are 0 to 100. Applicable only if <code>cpu-overload-protection</code> is set to true.
<code>mem-mm-threshold</code>	99	Specifies the memory usage threshold level when all messages are dropped. Allowed values are 0 to 100. Applicable only if <code>memory-overload-protection</code> is set to true.
<code>sample-rate</code>	2	Specifies the sample rate in seconds for updating threshold levels. Allowed values are 1 to 120 seconds.

TABLE 1-154 overload-protection-service Attributes (Continued)

Attribute	Default	Description
number-of-samples	5	Specifies the number of consecutive samples needed before a threshold is raised. Allowed values are 2 to 20.
retry-after-interval	10	Specifies the interval in seconds between response retries. This is part of the <code>retry-after</code> header in a 503 response.
cpu-overload-activation-algorithm	MEDIAN	Specifies the activation algorithm for CPU overload protection. Allowed values are MEDIAN and CONSECUTIVE.
cpu-overload-deactivation-algorithm	CONSECUTIVE	Specifies the deactivation algorithm for CPU overload protection. Allowed values are MEDIAN and CONSECUTIVE.
mem-overload-activation-algorithm	MEDIAN	Specifies the activation algorithm for memory overload protection. Allowed values are MEDIAN and CONSECUTIVE.
mem-overload-deactivation-algorithm	CONSECUTIVE	Specifies the deactivation algorithm for memory overload protection. Allowed values are MEDIAN and CONSECUTIVE.
mm-threshold-http-wait-time	2	Specifies the time in seconds for which a thread is held before being released back to the thread pool. Used in the context of maximum overload for HTTP requests.

P

persistence-manager-factory-resource

Defines a persistence manager factory resource for container-managed persistence (CMP). Deprecated, and included for backward compatibility only. Use a [“jdbc-resource” on page 94](#) element instead.

Superelements

[“resources” on page 135](#)

Subelements

The following table describes subelements for the `persistence-manager-factory-resource` element.

TABLE 1-155 persistence-manager-factory-resource Subelements

Element	Required	Description
“description” on page 56	zero or one	Contains a text description of this element.

TABLE 1-155 persistence-manager-factory-resource Subelements (Continued)

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the persistence-manager-factory-resource element.

TABLE 1-156 persistence-manager-factory-resource Attributes

Attribute	Default	Description
jndi-name	none	Specifies the JNDI name for the resource.
factory-class	com.sun.jdo.spi.persistence.support.sqlstore.impl.PersistenceManagerFactoryImpl	(optional) Deprecated. Do not specify this attribute for the built-in CMP implementation.
jdbc-resource-jndi-name	none	Specifies the “jdbc-resource” on page 94 from which database connections are obtained. Must be the jndi-name of an existing jdbc-resource.
object-type	user	(optional) Defines the type of the resource. Allowed values are: <ul style="list-style-type: none"> ▪ system-all - A system resource for all server instances and the domain application server. ▪ system-admin - A system resource only for the domain application server. ▪ system-instance - A system resource for all server instances only. ▪ user - A user resource.
enabled	true	(optional) Determines whether this resource is enabled at runtime.

principal

Contains the principal of the servlet, trusted entity, or EJB client.

Superelements

“security-map” on page 137, “trusted-entity” on page 163

Subelements

none - contains data

profiler

Configures a profiler for use with the Communications Server. For more information about profilers, see the *Sun GlassFish Communications Server 2.0 Developer's Guide*.

Superelements

“java-config” on page 88

Subelements

The following table describes subelements for the `profiler` element.

TABLE 1-157 profiler Subelements

Element	Required	Description
“jvm-options” on page 99	zero or more	Contains profiler-specific JVM command line options.
“property” on page 126	zero or more	Specifies a property or a variable.

Note – Subelements of a `profiler` element can occur in any order.

Attributes

The following table describes attributes for the `profiler` element.

TABLE 1-158 profiler Attributes

Attribute	Default	Description
name	none	Specifies the name of the profiler.
classpath	none	(optional) Specifies the classpath for the profiler.
native-library-path	none	(optional) Specifies the native library path for the profiler.
enabled	true	(optional) Determines whether the profiler is enabled.

property

Specifies a property. A property adds configuration information to its parent element that is one or both of the following:

- Optional with respect to the Communications Server
- Needed by a system or object that the Communications Server doesn't have knowledge of, such as an LDAP server or a Java class

For example, an `auth-realm` element can include property subelements:

```
<auth-realm name="file"
  classname="com.sun.enterprise.security.auth.realm.file.FileRealm">
  <property name="file" value="domain-dir/config/keyfile"/>
  <property name="jaas-context" value="fileRealm"/>
</auth-realm>
```

Which properties an `auth-realm` element uses depends on the value of the `auth-realm` element's name attribute. The file realm uses `file` and `jaas-context` properties. Other realms use different properties.

Superelements

“`admin-object-resource`” on page 24, “`admin-service`” on page 25, “`alert-service`” on page 26, “`appclient-module`” on page 27, “`audit-module`” on page 29, “`auth-realm`” on page 30, “`availability-service`” on page 33, “`cluster`” on page 35, “`config`” on page 39, “`connector-connection-pool`” on page 42, “`connector-module`” on page 46, “`connector-resource`” on page 47, “`converged-lb-config`” on page 49, “`converged-lb-policy`” on page 51, “`custom-resource`” on page 53, “`das-config`” on page 54, “`diagnostic-service`” on page 56, “`domain`” on page 57, “`ejb-container`” on page 59, “`ejb-container-availability`” on page 61, “`ejb-module`” on page 62, “`ejb-timer-service`” on page 63, “`event`” on page 64, “`extension-module`” on page 68, “`external-jndi-resource`” on page 70, “`filter-config`” on page 71, “`group-management-service`” on page 72, “`http-listener`” on page 75, “`http-service`” on page 80, “`iiop-listener`” on page 85, “`j2ee-application`” on page 86, “`jacc-provider`” on page 88, “`java-config`” on page 88, “`jdbc-connection-pool`” on page 90, “`jdbc-resource`” on page 94, “`jms-host`” on page 95, “`jms-service`” on page 96, “`jmx-connector`” on page 98, “`lb-config`” on page 101, “`lifecycle-module`” on page 102, “`listener-config`” on page 103, “`load-balancer`” on page 104, “`log-service`” on page 106, “`mail-resource`” on page 108, “`management-rule`” on page 110, “`manager-properties`” on page 112, “`mbean`” on page 113, “`mdb-container`” on page 114, “`module-log-levels`” on page 116, “`module-monitoring-levels`” on page 118, “`monitoring-service`” on page 119, “`node-agent`” on page 120, “`orb`” on page 121, “`persistence-manager-factory-resource`” on page 124, “`profiler`” on page 126, “`provider-config`” on page 128, “`proxy`” on page 129, “`resource-adapter-config`” on page 133, “`security-service`” on page 137, “`server`” on page 140, “`session-properties`” on page 143, “`sip-container`” on page 144, “`sip-container-availability`” on page 146, “`sip-listener`” on page 149, “`sip-protocol`” on page 150, “`sip-service`” on page 151, “`stack-config`” on page 155, “`stack-layer`” on page 156, “`store-properties`” on page 156, “`transaction-service`” on page 160, “`trust-handler`” on page 164, “`virtual-server`” on page 165, “`web-container`” on page 170, “`web-container-availability`” on page 171, “`web-module`” on page 174

Subelements

The following table describes subelements for the property element.

TABLE 1-159 property Subelements

Element	Required	Description
“description” on page 56	zero or one	Contains a text description of this element.

Attributes

The following table describes attributes for the property element.

TABLE 1-160 property Attributes

Attribute	Default	Description
name	none	Specifies the name of the property or variable.
value	none	Specifies the value of the property or variable.

provider-config

Specifies a configuration for one message security provider.

Although the `request-policy` and `response-policy` subelements are optional, the `provider-config` element does nothing if they are not specified.

Use property subelements to configure provider-specific properties. Property values are passed to the provider when its `initialize` method is called.

Superelements

[“message-security-config” on page 115](#)

Subelements

The following table describes subelements for the `provider-config` element.

TABLE 1-161 provider-config Subelements

Element	Required	Description
“request-policy” on page 131	zero or one	Defines the authentication policy requirements of the authentication provider’s request processing.
“response-policy” on page 136	zero or one	Defines the authentication policy requirements of the authentication provider’s response processing.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `provider-config` element.

TABLE 1-162 `provider-config` Attributes

Attribute	Default	Description
<code>provider-id</code>	none	Specifies a unique identifier for this <code>provider-config</code> element.
<code>provider-type</code>	none	Specifies whether the provider is a <code>client</code> , <code>server</code> , or <code>client-server</code> authentication provider.
<code>class-name</code>	none	Specifies the Java implementation class of the provider. Client authentication providers must implement the <code>com.sun.enterprise.security.jauth.ClientAuthModule</code> interface. Server authentication providers must implement the <code>com.sun.enterprise.security.jauth.ServerAuthModule</code> interface. Client-server providers must implement both interfaces.

Properties

The following table describes properties for the `provider-config` element.

TABLE 1-163 `provider-config` Properties

Property	Default	Description
<code>security.config</code>	<code>domain-dir/config/wss-server-config-1.0.xml</code>	Specifies the location of the message security configuration file. To point to a configuration file in the <code>domain-dir/config</code> directory, use the prefix <code>\${com.sun.aas.instanceRoot}/config/</code> , for example: <code>\${com.sun.aas.instanceRoot}/config/wss-server-config-1.0.xml</code>
<code>debug</code>	<code>false</code>	If <code>true</code> , enables dumping of server provider debug messages to the server log.
<code>dynamic.username.password</code>	<code>false</code>	If <code>true</code> , signals the provider runtime to collect the user name and password from the <code>CallbackHandler</code> for each request. If <code>false</code> , the user name and password for <code>wsse:UsernameToken(s)</code> is collected once, during module initialization. This property is only applicable for a <code>ClientAuthModule</code> .
<code>encryption.key.alias</code>	<code>s1as</code>	Specifies the encryption key used by the provider. The key is identified by its <code>keystore</code> alias.
<code>signature.key.alias</code>	<code>s1as</code>	Specifies the signature key used by the provider. The key is identified by its <code>keystore</code> alias.

proxy

Specifies the proxy for converged load balancing. This provides for pass-through of HTTP and SIP requests to remote HTTP and SIP listeners, which are configured using the “[http-service](#)” on page 80 or “[sip-service](#)” on page 151 of the remote instance.

Note – Some topics in the documentation pertain to features that are available only in domains that are configured to support clusters. Examples of domains that support clusters are domains that are created with the cluster profile. For information about profiles, see [“Usage Profiles” in Sun GlassFish Communications Server 2.0 Administration Guide](#).

Superelements

“converged-load-balancer” on page 52

Subelements

The following table describes subelements for the proxy element.

TABLE 1–164 proxy Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the proxy element.

TABLE 1–165 proxy Attributes

Attribute	Default	Description
request-pool-size	50	Specifies the number of request objects created and pooled by the proxy.
send-retry-count	3	Specifies the number of retries the proxy attempts with the remote instance when sending of data fails.
read-time-out	1500	Specifies in milliseconds how long the proxy waits for data from the client in the socket channel.

Properties

The following table describes properties for the proxy element.

TABLE 1–166 proxy Properties

Attribute	Default	Description
max-parallel-connections	none	Specifies the maximum number of outbound connections to a back-end instance.
high-water-mark	none	Specifies the maximum number of active outbound connections the controller handles.

TABLE 1-166 proxy Properties (Continued)

Attribute	Default	Description
connections-to-reclaim	none	Specifies the number of LRU connections reclaimed if the high-water-mark limit is reached.
proxy-server-read-timeout	none	Specifies the timeout for the proxy to read from the server channel once a response is available.
socket-receive-buffer-size	none	Specifies the proxy back-end socket receive buffer size.
socket-send-buffer-size	none	Specifies the proxy back-end socket send buffer size.
client-socket-read-timeout	none	Specifies the client socket send read timeout.

R

registry-location

Specifies the registry where web service endpoint artifacts are published.

Superelements

[“web-service-endpoint” on page 175](#)

Subelements

none

Attributes

The following table describes attributes for the `registry-location` element.

TABLE 1-167 registry-location Attributes

Attribute	Default	Description
connector-resource-jndi-name	none	Specifies the jndi-name of the “connector-resource” on page 47 used as the registry.

request-policy

Defines the authentication policy requirements of the authentication provider’s request processing.

Superelements

[“provider-config” on page 128](#)

Subelements

none

Attributes

The following table describes attributes for the `request-policy` element.

TABLE 1-168 `request-policy` Attributes

Attribute	Default	Description
<code>auth-source</code>	none	Specifies the type of required authentication, either sender (user name and password) or content (digital signature).
<code>auth-recipient</code>	none	Specifies whether recipient authentication occurs before or after content authentication. Allowed values are <code>before-content</code> and <code>after-content</code> .

request-processing

Configures request processing threads.

Superelements

[“http-service” on page 80](#), [“sip-service” on page 151](#)

Subelements

none

Attributes

The following table describes attributes for the `request-processing` element.

TABLE 1-169 `request-processing` Attributes

Attribute	Default	Description
<code>thread-count</code>	5 (<code>http-service</code>) 10 (<code>sip-service</code>)	(optional) Specifies the maximum number of request processing threads.
<code>initial-thread-count</code>	2 (<code>http-service</code>) 10 (<code>sip-service</code>)	(optional) Specifies the number of request processing threads that are available when the server starts up.

TABLE 1-169 request-processing Attributes (Continued)

Attribute	Default	Description
thread-increment	1	(optional) Specifies the number of request processing threads added when the number of requests exceeds the <code>initial-thread-count</code> . Set this attribute to a value greater than 1 if <code>thread-count</code> is greater than 10.
request-timeout-in-seconds	60 (<code>http-service</code>) 60 (<code>sip-service</code>)	(optional) Specifies the time at which the request times out.
header-buffer-length-in-bytes	8192	(optional) Specifies the size of the buffer used by the request processing threads to read the request data. For SIP applications, the optimal value depends on the SIP message header size.

resource-adapter-config

Defines a connector (resource adapter) configuration. Stores configuration information for the resource adapter JavaBean in property subelements.

Superelements

[“resources” on page 135](#)

Subelements

The following table describes subelements for the `resource-adapter-config` element.

TABLE 1-170 resource-adapter-config Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `resource-adapter-config` element.

TABLE 1-171 resource-adapter-config Attributes

Attribute	Default	Description
name	none	(optional) Not used. See <code>resource-adapter-name</code> .
thread-pool-ids	none	(optional) Specifies the id of a “thread-pool” on page 159 element.

TABLE 1-171 resource-adapter-config Attributes (Continued)

Attribute	Default	Description
object-type	user	(optional) Defines the type of the resource. Allowed values are: <ul style="list-style-type: none"> ▪ system-all - A system resource for all server instances and the domain application server. ▪ system-admin - A system resource only for the domain application server. ▪ system-instance - A system resource for all server instances only. ▪ user - A user resource.
resource-adapter-name	none	Specifies the name attribute of a deployed “connector-module” on page 46. If the resource adapter is embedded in an application, then it is <i>app_name#rar_name</i> .

Properties

Properties of the resource-adapter-config element are the names of setter methods of the resourceadapter-class element in the ra.xml file, which defines the class name of the resource adapter JavaBean. Any properties defined here override the default values present in ra.xml.

resource-ref

References a resource deployed to the server instance or cluster.

Note – Some topics in the documentation pertain to features that are available only in domains that are configured to support clusters. Examples of domains that support clusters are domains that are created with the cluster profile. For information about profiles, see “Usage Profiles” in *Sun GlassFish Communications Server 2.0 Administration Guide*.

Superelements

“cluster” on page 35, “server” on page 140

Subelements

none

Attributes

The following table describes attributes for the resource-ref element.

TABLE 1-172 resource-ref Attributes

Attribute	Default	Description
enabled	true	(optional) Determines whether the resource is enabled.
ref	none	References the name attribute of a “custom-resource” on page 53, “external-jndi-resource” on page 70, “jdbc-resource” on page 94, “mail-resource” on page 108, “persistence-manager-factory-resource” on page 124, “admin-object-resource” on page 24 “resource-adapter-config” on page 133, “jdbc-connection-pool” on page 90, or “connector-connection-pool” on page 42 element.

resources

Contains configured resources, such as database connections, JavaMail™ sessions, and so on.

Note – You must specify a Java Naming and Directory Interface™ (JNDI) name for each resource. To avoid collisions with names of other enterprise resources in JNDI, and to avoid portability problems, all names in an Communications Server application should begin with the string `java:comp/env`.

Superelements

“domain” on page 57

Subelements

The following table describes subelements for the resources element.

TABLE 1-173 resources Subelements

Element	Required	Description
“custom-resource” on page 53	zero or more	Defines a custom resource.
“external-jndi-resource” on page 70	zero or more	Defines a resource that resides in an external JNDI repository.
“jdbc-resource” on page 94	zero or more	Defines a JDBC (Java Database Connectivity) resource.
“mail-resource” on page 108	zero or more	Defines a JavaMail resource.
“persistence-manager-factory-resource” on page 124	zero or more	Defines a persistence manager factory resource for CMP. Deprecated. Use a “jdbc-resource” on page 94 element instead.
“admin-object-resource” on page 24	zero or more	Defines an administered object for an inbound resource adapter.
“connector-resource” on page 47	zero or more	Defines a connector (resource adapter) resource.
“resource-adapter-config” on page 133	zero or more	Defines a resource adapter configuration.

TABLE 1-173 resources Subelements (Continued)

Element	Required	Description
“jdbc-connection-pool” on page 90	zero or more	Defines the properties that are required for creating a JDBC connection pool.
“connector-connection-pool” on page 42	zero or more	Defines the properties that are required for creating a connector connection pool.

Note – Subelements of a resources element can occur in any order.

response-policy

Defines the authentication policy requirements of the authentication provider’s response processing.

Superelements

[“provider-config” on page 128](#)

Subelements

none

Attributes

The following table describes attributes for the response-policy element.

TABLE 1-174 response-policy Attributes

Attribute	Default	Description
auth-source	none	Specifies the type of required authentication, either sender (user name and password) or content (digital signature).
auth-recipient	none	Specifies whether recipient authentication occurs before or after content authentication. Allowed values are before-content and after-content.

S

security-map

Maps the principal received during servlet or EJB authentication to the credentials accepted by the EIS.

Superelements

[“connector-connection-pool” on page 42](#)

Subelements

The following table describes subelements for the `security-map` element.

TABLE 1-175 `security-map` Subelements

Element	Required	Description
“principal” on page 125	one or more	Contains the principal of the servlet or EJB client.
“user-group” on page 165	one or more	Contains the group to which the principal belongs.
“backend-principal” on page 35	only one	Specifies the user name and password required by the EIS.

Attributes

The following table describes attributes for the `security-map` element.

TABLE 1-176 `security-map` Attributes

Attribute	Default	Description
<code>name</code>	<code>none</code>	Specifies a name for the security mapping.

security-service

Defines parameters and configuration information needed by the Java EE security service. For SSL configuration, see [“ssl” on page 153](#). For connector module security, see [“security-map” on page 137](#).

Superelements

[“config” on page 39](#)

Subelements

The following table describes subelements for the `security-service` element.

TABLE 1-177 `security-service` Subelements

Element	Required	Description
“auth-realm” on page 30	one or more	Defines a realm for authentication.
“jacc-provider” on page 88	one or more	Specifies a Java Authorization Contract for Containers (JACC) provider for pluggable authorization.
“audit-module” on page 29	zero or more	Specifies an optional plug-in module that implements audit capabilities.
“message-security-config” on page 115	zero or more	Specifies configurations for message security providers.
“identity-assertion-trust” on page 84	zero or more	Specifies identity assertion trust domain configuration information.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `security-service` element.

TABLE 1-178 `security-service` Attributes

Attribute	Default	Description
<code>default-realm</code>	<code>file</code>	(optional) Specifies the active authentication realm (an <code>auth-realm</code> name attribute) for this server instance.
<code>default-principal</code>	<code>none</code>	(optional) Used as the identity of the default security context when necessary and when no principal is provided. This attribute need not be set for normal server operation.
<code>default-principal-password</code>	<code>none</code>	(optional) The password of the default principal. This attribute need not be set for normal server operation.
<code>anonymous-role</code>	attribute is deprecated	(optional) Deprecated. Do not use.
<code>audit-enabled</code>	<code>false</code>	(optional) If <code>true</code> , additional access logging is performed to provide audit information. Audit information consists of: <ul style="list-style-type: none"> ■ Authentication success and failure events ■ Servlet and EJB access grants and denials
<code>jacc</code>	<code>default</code>	(optional) Specifies the name of the “jacc-provider” on page 88 element to use for setting up the JACC infrastructure. Do not change the default value unless you are adding a custom JACC provider.

TABLE 1-178 security-service Attributes (Continued)

Attribute	Default	Description
audit-modules	default	(optional) Specifies a space-separated list of audit provider modules used by the audit subsystem. The default value refers to the internal log-based audit module.
activate-default-principal-to-role-mapping	false	(optional) Applies a default principal for role mapping to any application that does not have an application-specific mapping defined. Every role is mapped to an instance of a <code>java.security.Principal</code> implementation class defined by <code>mapped-principal-class</code> . This class has the same name as the role.
mapped-principal-class	<code>com.sun.enterprise.deployment.Group</code>	(optional) Customizes the <code>java.security.Principal</code> implementation class used when <code>activate-default-principal-to-role-mapping</code> is set to true.

Properties

The following table describes properties for the security-service element.

TABLE 1-179 security-service Properties

Property	Default	Description
IdentityValidator Configuration	none	Specifies a comma-separated list of <i>parameter=value</i> pairs that configure the identity authentication module (RFC 4474). Parameters are as follows: <ul style="list-style-type: none"> ■ <code>maxClockSkew</code> — Specifies the maximum difference in milliseconds allowed between the system clocks of the sender and recipient. The default is 0 (zero). ■ <code>timestampFreshnessLimit</code> — Specifies the maximum duration of time in milliseconds after which the timestamp becomes stale. The default is 600000 (600 seconds or 10 minutes). ■ <code>enableRevocationCheck</code> — If set to true, uses the default revocation checking mechanism of the underlying PKIX service provider. The default is false. ■ <code>certificateValidator</code> — Specifies the class name of a custom certificate validator implementation. This class must implement the <code>org.glassfish.comms.api.security.auth.CertificateValidator</code> interface.
PrincipalMapper	none	Specifies the name of a custom class that converts user names to a format understood by the SIP container. The class must implement the <code>com.sun.enterprise.security.auth.PrincipalMapper</code> interface. The Communications Server provides a default <code>PrincipalMapper</code> implementation. Each application using P-asserted identity authentication creates its own instance of the <code>PrincipalMapper</code> implementation class.

TABLE 1-179 security-service Properties (Continued)

Property	Default	Description
NonceManager	none	<p>Specifies the Nonce Manager configuration. Identity authentication and SIP digest authentication modules need the Nonce Manager to cache nonce and call-id values respectively. The syntax for the property's value attribute is as follows:</p> <pre>id=identity-nonce-config,maxNonceAge=millis;id=sip-nonce-config,maxNonceAge=millis</pre> <p>You can specify <code>identity-nonce-config</code>, <code>sip-nonce-config</code>, or both. The <code>maxNonceAge</code> parameter units are milliseconds. The default for the <code>identity-nonce-config</code> <code>maxNonceAge</code> is <code>3600000</code> (1 hour). The default for the <code>sip-nonce-config</code> <code>maxNonceAge</code> is <code>600000</code> (10 minutes).</p>

server

Defines a server instance, which is a Java EE compliant container. One server instance is specially designated as a domain administration server (DAS). The [“admin-service” on page 25](#) subelement of the [“config” on page 39](#) element referenced by a server's `config-ref` attribute determines whether the server is the DAS.

Note – Server instances are not the same thing as virtual servers. Each server instance is a completely separate server that contains one or more virtual servers.

Superelements

[“servers” on page 142](#)

Subelements

The following table describes subelements for the server element.

TABLE 1-180 server Subelements

Element	Required	Description
“application-ref” on page 28	zero or more	References an application or module deployed to the server instance.
“resource-ref” on page 134	zero or more	References a resource deployed to the server instance.
“system-property” on page 157	zero or more	Specifies a system property.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the server element.

TABLE 1-181 server Attributes

Attribute	Default	Description
name	none	Specifies the name of the server instance.
config-ref	default “config” on page 39 element’s name, server-config	(optional) References the name of the “config” on page 39 used by the server instance.
node-agent-ref	node agent created when the server instance was created	(optional) References the name of the “node-agent” on page 120 used by the server instance.
lb-weight	100	(optional) Specifies a server instance’s relative weight for load balancing. Each server instance in a cluster has a weight, which represents the relative processing capacity of that instance. Weighted load balancing policies use this weight for load balancing requests within the cluster. It is the responsibility of the administrator to set the relative weights correctly, keeping in mind deployed hardware capacity.

server-ref

References a server instance.

Note – Some topics in the documentation pertain to features that are available only in domains that are configured to support clusters. Examples of domains that support clusters are domains that are created with the cluster profile. For information about profiles, see “Usage Profiles” in *Sun GlassFish Communications Server 2.0 Administration Guide*.

Superelements

“cluster” on page 35, “lb-config” on page 101, “converged-lb-config” on page 49

Subelements

The following table describes subelements for the server-ref element.

TABLE 1-182 server-ref Subelements

Element	Required	Description
“health-checker” on page 73	zero or one	Defines a health checker for the referenced server instance.

Attributes

The following table describes attributes for the server-ref element.

TABLE 1-183 server-ref Attributes

Attribute	Default	Description
ref	none	References the name attribute of a “server” on page 140 element.
disable-timeout-in-minutes	30	(optional) Specifies the time it takes this server instance to reach a quiescent state after having been disabled.
lb-enabled	false	(optional) If true, all load-balancers that reference this server instance consider it available to them.
enabled	true	(optional) Determines whether the server instance is enabled.

servers

Contains server instances.

Superelements

“domain” on page 57

Subelements

The following table describes subelements for the servers element.

TABLE 1-184 servers Subelements

Element	Required	Description
“server” on page 140	only one (developer profile) zero or more (cluster profile)	Defines a server instance.

session-config

Specifies session configuration information for the entire web or SIP container. Individual web applications or SIP extension modules can override these settings using the corresponding elements in their sun-web.xml or sun-sip.xml files.

Superelements

“web-container” on page 170, “sip-container” on page 144

Subelements

The following table describes subelements for the session-config element.

TABLE 1-185 session-config Subelements

Element	Required	Description
“session-manager” on page 143	zero or one	Specifies session manager configuration information.
“session-properties” on page 143	zero or one	Specifies session properties.

session-manager

Specifies session manager information.

Note – The session manager interface is unstable. An unstable interface might be experimental or transitional, and hence might change incompatibly, be removed, or be replaced by a more stable interface in the next release.

Superelements

[“session-config” on page 142](#)

Subelements

The following table describes subelements for the `session-manager` element.

TABLE 1-186 session-manager Subelements

Element	Required	Description
“manager-properties” on page 112	zero or one	Specifies session manager properties.
“store-properties” on page 156	zero or one	Specifies session persistence (storage) properties.

session-properties

Specifies session properties.

Superelements

[“session-config” on page 142](#)

Subelements

The following table describes subelements for the `session-properties` element.

TABLE 1-187 session-properties Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

TABLE 1-188 session-properties Attributes

Attribute	Default	Description
timeout-in-seconds	600	<p>(optional) Specifies the default maximum inactive interval (in seconds) for all sessions created in this web or SIP module. If set to 0 or less, sessions in this web or SIP module never expire.</p> <p>If a session-timeout element is specified in the web.xml or sip.xml file, the session-timeout value overrides any timeout-in-seconds value. If neither session-timeout nor timeout-in-seconds is specified, the timeout-in-seconds default is used.</p> <p>Note that the session-timeout element in web.xml or sip.xml is specified in minutes, not seconds.</p>

Properties

The following table describes properties for the session-properties element.

TABLE 1-189 session-properties Properties

Property	Default	Description
enableCookies	true	Uses cookies for session tracking if set to true.
enableURLRewriting	true	Enables URL rewriting. This provides session tracking via URL rewriting when the browser does not accept cookies. You must also use an encodeURL or encodeRedirectURL call in the servlet or JavaServer Pages™ (JSP™) page.
idLengthBytes	128	Specifies the number of bytes in this web or SIP extension module’s session ID.

sip-container

Configures the Session Initiation Protocol (SIP) container.

Superelements

[“config” on page 39](#)

Subelements

The following table describes subelements for the sip-container element.

TABLE 1-190 sip-container Subelements

Element	Required	Description
“session-config” on page 142	zero or one	Specifies session configuration information for the SIP container.
“stack-config” on page 155	zero or one	Specifies the configuration of a stack of layers, typically related to protocols such as SIP.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the sip-container element.

TABLE 1-191 sip-container Attributes

Attribute	Default	Description
external-address	determined by SIP container based on network interfaces	Specifies the address that is externally visible to clients. The clients see the entire cluster. In some cases, when providing addresses to clients, the servers must use this address to make sure the client can call back the load-balanced cluster instead of the individual server instance that provided the callback.
external-sip-port	SIP port of default “sip-listener” on page 149 (developer profile)	Specifies the SIP port that is externally visible to clients for call backs.
external-sips-port	SIPS port of default “sip-listener” on page 149 (developer profile)	Specifies the secure SIP (SIPS) port that is externally visible to clients for call backs.

Properties

The following table describes properties for the sip-container element.

TABLE 1-192 sip-container Properties

Property	Default	Description
timeoutBasedQuarantineTime	0	Specifies the quarantine timeout in seconds for 503 responses. A value of zero disables this timeout. See also the <code>udpStaleConnectionsTimeout</code> property of “sip-service” on page 151 .
defaultQuarantineTime	1	Specifies the quarantine timeout in seconds for 408 responses. A value of zero disables this timeout. See also the <code>udpStaleConnectionsTimeout</code> property of “sip-service” on page 151 .

TABLE 1-192 sip-container Properties (Continued)

Property	Default	Description
olpInserted	true	Always true. Use the enabled attribute of “overload-protection-service” on page 122 instead.
CpuOverloadRegulation	false	Deprecated. Use the cpu-overload-protection attribute of “overload-protection-service” on page 122 instead.
MemOverloadRegulation	false	Deprecated. Use the memory-overload-protection attribute of “overload-protection-service” on page 122 instead.
SampleRate	2	Deprecated. Use the sample-rate attribute of “overload-protection-service” on page 122 instead.
NumberOfSamples	5	Deprecated. Use the number-of-samples attribute of “overload-protection-service” on page 122 instead.
SrThreshold	90	Deprecated. Use the cpu-sr-threshold attribute of “overload-protection-service” on page 122 instead.
IrThreshold	70	Deprecated. Use the cpu-ir-threshold attribute of “overload-protection-service” on page 122 instead.
MemIrThreshold	85	Deprecated. Use the mem-ir-threshold attribute of “overload-protection-service” on page 122 instead.
HttpThreshold	70	Deprecated. Use the cpu-http-threshold attribute of “overload-protection-service” on page 122 instead.
MemHttpThreshold	85	Deprecated. Use the mem-http-threshold attribute of “overload-protection-service” on page 122 instead.
MmThreshold	90	Deprecated. Use the cpu-mm-threshold attribute of “overload-protection-service” on page 122 instead.
MemMmThreshold	99	Deprecated. Use the mem-mm-threshold attribute of “overload-protection-service” on page 122 instead.

sip-container-availability

Enables availability in the SIP container, including replicated session persistence.

If availability is disabled, there is no high availability for session persistence.

If availability is enabled, the hard-coded session persistence configuration is as follows:

```
persistence-type=replicated
persistence-frequency=sip-transaction
persistence-scope=session
```

For additional replicated session persistence properties you can set, see [“availability-service” on page 33](#).

Superelements

[“availability-service” on page 33](#)

Subelements

The following table describes subelements for the `sip-container-availability` element.

TABLE 1-193 sip-container-availability Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `sip-container-availability` element.

TABLE 1-194 sip-container-availability Attributes

Attribute	Default	Description
<code>availability-enabled</code>	<code>true</code>	(optional) If set to <code>true</code> , and if availability is enabled for the server instance (see “availability-service” on page 33), high-availability features apply to all SIP extension modules deployed to the server instance that do not have availability disabled. All instances in a cluster should have the same availability value to ensure consistent behavior.
<code>persistence-type</code>	<code>memory</code> (availability disabled) <code>replicated</code> (availability enabled)	(optional) Specifies the session persistence mechanism for SIP extension modules that have availability enabled. Allowed values are <code>memory</code> (no persistence) and <code>replicated</code> (other servers).
<code>persistence-frequency</code>	<code>sip-transaction</code>	(optional) Specifies how often the session state is stored. The default, <code>sip-transaction</code> , is the only allowed value. The session state is stored at the end of each request prior to sending a response back to the client. This provides the best guarantee that the session state is fully updated in case of failure.
<code>persistence-scope</code>	<code>session</code>	(optional) Specifies how much of the session state is stored. The default, <code>session</code> , is the only allowed value. The entire session state is stored every time.
<code>repair-during-failure</code>	<code>false</code>	(optional) Deprecated. If <code>true</code> , specifies that a forward and reverse repair should be performed on an instance that has joined or rejoined the cluster.

Properties

The following table describes properties for the `sip-container-availability` element.

TABLE 1-195 `sip-container-availability` Properties

Property	Default	Description
<code>uuid-impl-class</code>	none	Specifies the name of the class that generates session IDs. If this property is not specified, the Communications Server's internal session ID generator is used. It is the developer's responsibility to ensure that generated IDs are universally unique even when running on multiple JVMs on multiple machines in a cluster. Failure to ensure this in the algorithm results in nondeterministic behavior and likely corruption of session data.

sip-link

Configures the SIP connection. Not implemented in this release.

Superelements

[“sip-protocol” on page 150](#)

Subelements

none

Attributes

The following table describes attributes for the `sip-link` element.

TABLE 1-196 `sip-link` Attributes

Attribute	Default	Description
<code>connection-alive-timeout-in-seconds</code>	120	(optional) Specifies the number of seconds of inactivity allowed before the connection is closed.
<code>max-queue-length</code>	50	(optional) Specifies the maximum number of simultaneous write requests or connect requests, or both, that can be waiting to write on a link.
<code>write-timeout-in-millis</code>	10	(optional) Specifies the timeout in milliseconds for a single write operation. Allowed values are between 1 and 50.
<code>write-timeout-retries</code>	25	(optional) Specifies the number of retries allowed for a single write operation. Allowed values are between 1 and 25.

Properties

The following table describes properties for the `sip-link` element.

TABLE 1-197 sip-link Properties

Property	Default	Description
SipLinkWaitLockTimeout	5000	Specifies the maximum time a thread can wait to get an exclusive lock for a sip link.

sip-listener

Defines a SIP service listen socket. The “[connection-pool](#)” on page 41 subelement of the parent “[sip-service](#)” on page 151 element also configures some listen socket settings.

Superelements

“[sip-service](#)” on page 151

Subelements

The following table describes subelements for the sip-listener element.

TABLE 1-198 sip-listener Subelements

Element	Required	Description
“ ssl ” on page 153	zero or one	Defines Secure Socket Layer (SSL) parameters.
“ property ” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the sip-listener element.

TABLE 1-199 sip-listener Attributes

Attribute	Default	Description
id	none	The unique listener name. A sip-listener name cannot begin with a number.
address	none	IP address of the listener. Can be in dotted-pair or IPv6 notation. Can be any (for INADDR_ANY) to listen on all IP addresses. Can be a hostname.
port	5060 (non-TLS) 5061 (TLS)	Port number on which the listener listens. Legal values are 1 - 65535. On UNIX, creating sockets that listen on ports 1 - 1024 requires superuser privileges.
transport	udp_tcp	(optional) Specifies the type of transport layer protocol. Allowed values are udp_tcp and tls.

TABLE 1-199 sip-listener Attributes (Continued)

Attribute	Default	Description
enabled	true	(optional) Determines whether the listener is active. If set to false, any attempts to connect to the listener result in a socket exception (<code>java.net.ConnectException</code>).
type	default	Specifies the listener type for machines with multiple IP addresses that have separate internal and external communication. Allowed values are as follows: <ul style="list-style-type: none"> ▪ <code>internal</code> — Used strictly for proxying by the load balancer. ▪ <code>external</code> — Used only by user agents and not by the load balancer. ▪ <code>default</code> — Can be used by user agents or the load balancer.
external-sip-address	none	Specifies the external address for a listener with a type of <code>external</code> .
external-sip-port	none	Specifies the external port for a listener with a type of <code>external</code> .

Properties

The following table describes properties for the `sip-listener` element.

TABLE 1-200 sip-listener Properties

Property	Default	Description
<code>DisableTimeout</code>	0	Specifies the number of seconds after a <code>sip-listener</code> is disabled for the listener to complete in-flight transactions. During this timeout period no new requests are accepted.
<code>CloseServerSocketDuringDisable</code>	false	If true, specifies that the server socket (5060) has to be closed during the <code>DisableTimeout</code> period.

sip-protocol

Configures SIP protocol settings.

Superelements

[“sip-service” on page 151](#)

Subelements

The following table describes subelements for the `sip-protocol` element.

TABLE 1-201 sip-protocol Subelements

Element	Required	Description
“sip-link” on page 148	zero or one	Configures the SIP connection. Not implemented in this release.
“sip-timers” on page 153	zero or one	Configures SIP timers.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the sip-protocol element.

TABLE 1-202 sip-protocol Attributes

Attribute	Default	Description
error-response-enabled	false	(optional) If true, responds with a 400 error code to a bad request or drop. If false, sends no error response.
default-tcp-transport	false	(optional) If true, transport=tcp is inserted in the URI of the contact and record-route headers.

Properties

The following table describes properties for the sip-protocol element.

TABLE 1-203 sip-protocol Properties

Property	Default	Description
Eas503Disabled	false	If false, the request is sent to an alternative server when a 503 Service Unavailable error response is received, according to the RFC standard. If true, no alternative server is considered, so when a 503 Service Unavailable error response is received, it is returned to the sender of the request.

sip-service

Defines the SIP service.

Superelements

[“config” on page 39](#)

Subelements

The following table describes subelements for the sip-service element.

TABLE 1-204 sip-service Subelements

Element	Required	Description
“access-log” on page 22	zero or one	Defines access log settings.
“sip-listener” on page 149	one or more	Defines a SIP listen socket.
“request-processing” on page 132	zero or one	Configures request processing threads.
“keep-alive” on page 100	zero or one	Configures keep-alive threads.
“connection-pool” on page 41	zero or one	Defines a pool of client HTTP connections.
“sip-protocol” on page 150	zero or one	Configures SIP protocol settings.
“property” on page 126	zero or more	Specifies a property or a variable.

Properties

The following table describes properties for the sip-service element.

TABLE 1-205 sip-service Properties

Property	Default	Description
smiServletAdapter	none	<p>Specifies a Java class file that writes SIP Message Inspection messages from the servlet reporter to the server log. This class must implement the <code>org.jvnet.glassfish.comms.admin.reporter.smi.SmiLogMessageAdapter</code> interface. The format of this property's value is as follows:</p> <p><i>local-classpath;fully-qualified-class-name</i></p> <p>The local classpath and semicolon delimiter are optional. The local classpath can be an additional classpath outside the container classpath or a local file system path to the class that doesn't include package names.</p>
smiNetworkManagerAdapter	none	<p>Specifies a Java class file that writes SIP Message Inspection messages from the network manager reporter to the server log. This class must implement the <code>org.jvnet.glassfish.comms.admin.reporter.smi.SmiLogMessageAdapter</code> interface. The format of this property's value is as follows:</p> <p><i>local-classpath;fully-qualified-class-name</i></p> <p>The local classpath and semicolon delimiter are optional. The local classpath can be an additional classpath outside the container classpath or a local file system path to the class that doesn't include package names.</p>
udpStaleConnectionsTimeout	0	Specifies the interval in seconds after which UDP connections are removed. A value of zero disables UDP connection removal. See also the <code>defaultQuarantineTime</code> and <code>timeoutBasedQuarantineTime</code> properties of “sip-container” on page 144.
sslHandshakeTimeout	10	Specifies the interval in seconds that the network layer waits to complete a handshake with an SSL client.

sip-timers

Configures T1, T2, and T4 SIP timers. Detailed descriptions for the timers are in RFC 3261, Chapter 17. A summary table of SIP timers is located at <http://tools.ietf.org/html/rfc3261#page-265>.

Superelements

“sip-protocol” on page 150

Subelements

none

Attributes

The following table describes attributes for the sip-timers element.

TABLE 1-206 sip-timers Attributes

Attribute	Default	Description
t1-in-millis	500	(optional) Specifies the duration of the SIP timer T1 (round trip time estimate) in milliseconds. For unreliable transports, such as UDP, the client transaction retransmits requests at an interval that starts at T1 seconds and doubles after every retransmission. T1 is an estimate of the round-trip time (RTT). Nearly all of the SIP transaction timers scale with T1, and changing T1 adjusts their values.
t2-in-millis	4000	(optional) Specifies the duration of the SIP timer T2 (maximum retransmit interval for non-INVITE requests and INVITE responses) in milliseconds. For unreliable transports, requests are retransmitted at an interval which starts at T1 and doubles until it reaches T2. If a provisional response is received, retransmissions continue for unreliable transports, but at an interval of T2. T2 represents the amount of time a non-INVITE server transaction takes to respond to a request if it does not respond immediately.
t4-in-millis	5000	(optional) Specifies the duration of the SIP timer T4 in milliseconds. T4 represents the amount of time the network takes to clear messages between client and server transactions.

ssl

Defines SSL (Secure Socket Layer) parameters.

An ssl element is required inside an http-listener or iiop-listener element that has its security-enabled attribute set to on or a “sip-listener” on page 149 element with its transport attribute set to tls.

The grandparent “http-service” on page 80 element has properties that configure global SSL settings.

Superelements

“http-listener” on page 75, “sip-listener” on page 149, “iiop-listener” on page 85, “jmx-connector” on page 98, “ssl-client-config” on page 155

Subelements

none

Attributes

The following table describes attributes for the `ssl` element.

TABLE 1–207 `ssl` Attributes

Attribute	Default	Description
<code>cert-nickname</code>	<code>slas</code>	The nickname of the server certificate in the certificate database or the PKCS#11 token. In the certificate, the name format is <code>tokenname:nickname</code> . Including the <code>tokenname:</code> part of the name in this attribute is optional.
<code>ssl2-enabled</code>	<code>false</code>	(optional) Determines whether SSL2 is enabled. If both SSL2 and SSL3 are enabled for a “virtual-server” on page 165, the server tries SSL3 encryption first. If that fails, the server tries SSL2 encryption.
<code>ssl2-ciphers</code>	<code>none</code>	(optional) A comma-separated list of the SSL2 ciphers used, with the prefix <code>+</code> to enable or <code>-</code> to disable, for example <code>+rc4</code> . Allowed values are <code>rc4</code> , <code>rc4export</code> , <code>rc2</code> , <code>rc2export</code> , <code>idea</code> , <code>des</code> , <code>desede3</code> .
<code>ssl3-enabled</code>	<code>true</code>	(optional) Determines whether SSL3 is enabled. The default is <code>true</code> . If both SSL2 and SSL3 are enabled for a “virtual-server” on page 165, the server tries SSL3 encryption first. If that fails, the server tries SSL2 encryption.
<code>ssl3-tls-ciphers</code>	<code>none</code>	(optional) A comma-separated list of the SSL3 ciphers used, with the prefix <code>+</code> to enable or <code>-</code> to disable, for example <code>+SSL_RSA_WITH_RC4_128_MD5</code> . Allowed values are <code>SSL_RSA_WITH_RC4_128_MD5</code> , <code>SSL_RSA_WITH_3DES_EDE_CBC_SHA</code> , <code>SSL_RSA_WITH_DES_CBC_SHA</code> , <code>SSL_RSA_EXPORT_WITH_RC4_40_MD5</code> , <code>SSL_RSA_WITH_NULL_MD5</code> , <code>SSL_RSA_WITH_RC4_128_SHA</code> , and <code>SSL_RSA_WITH_NULL_SHA</code> . Values available in previous releases are supported for backward compatibility.
<code>tls-enabled</code>	<code>true</code>	(optional) Determines whether TLS is enabled.
<code>tls-rollback-enabled</code>	<code>true</code>	(optional) Determines whether TLS rollback is enabled. TLS rollback should be enabled for Microsoft Internet Explorer 5.0 and 5.5. For more information, see the Sun GlassFish Communications Server 2.0 Administration Guide .
<code>client-auth-enabled</code>	<code>false</code>	(optional) Determines whether SSL3 client authentication is performed on every request, independent of ACL-based access control.

ssl-client-config

Defines SSL parameters for the ORB when it makes outbound SSL connections and behaves as a client.

Superelements

[“iio-service” on page 85](#)

Subelements

The following table describes subelements for the `ssl-client-config` element.

TABLE 1-208 `ssl-client-config` Subelements

Element	Required	Description
“ssl” on page 153	only one	Defines SSL parameters.

stack-config

Specifies the configuration of a stack of layers, typically related to protocols such as SIP.

Superelements

[“sip-container” on page 144](#)

Subelements

The following table describes subelements for the `stack-config` element.

TABLE 1-209 `stack-config` Subelements

Element	Required	Description
“stack-layer” on page 156	zero or more	Specifies a layer of a stack.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `stack-config` element.

TABLE 1-210 stack-config Attributes

Attribute	Default	Description
layer-order	none	Specifies a comma-separated list of “stack-layer” on page 156 id values indicating the order of the stack layers.

stack-layer

Specifies a layer of a stack.

Superelements

[“stack-config” on page 155](#)

Subelements

The following table describes subelements for the stack-layer element.

TABLE 1-211 stack-layer Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable. A property is a JavaBean property injected in the layer class, if a corresponding JavaBean setter exists in the layer class.

Attributes

The following table describes attributes for the stack-layer element.

TABLE 1-212 stack-layer Attributes

Attribute	Default	Description
id	none	Specifies a unique identifier for the stack-layer element.
class-name	none	Specifies the fully qualified name of the layer class.

store-properties

Specifies session persistence (storage) properties.

Superelements

[“session-manager” on page 143](#)

Subelements

The following table describes subelements for the `store-properties` element.

TABLE 1–213 `store-properties` Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

TABLE 1–214 `store-properties` Attributes

Attribute	Default	Description
<code>directory</code>	<i>domain-dir</i> <i>/generated/jsp</i> <i>/j2ee-apps/appname/</i> <i>appname_war</i>	(optional) Specifies the absolute or relative pathname of the directory into which individual session files are written. A relative path is relative to the temporary work directory for this web application. Applicable only if the <code>persistence-type</code> attribute of the “web-container-availability” on page 171 element is <code>file</code> .
<code>reap-interval-in-seconds</code>	60	(optional) Not implemented. Use the <code>reap-interval-in-seconds</code> attribute of the “manager-properties” on page 112 element instead.

system-property

Specifies a system property. A system property defines a common value for a setting at one of these levels, from highest to lowest: [“domain” on page 57](#), [“cluster” on page 35](#), [“server” on page 140](#), or [“config” on page 39](#). A value set at a higher level can be overridden at a lower level. Some system properties are predefined; see [“system-property” on page 157](#). You can also create system properties using this element.

The following example shows the use of a predefined system property:

```
<log-service file="${com.sun.aas.instanceRoot}/logs/server.log">
  <module-log-levels admin=INFO .../>
</log-service>
```

The following example shows the creation and use of a system property:

```
<config name="config1">
  ...
  <http-service>
    ...
    <http-listener id="ls1" host="0.0.0.0" port="${ls1-port}"/>
    ...
  </http-service>
```

```

...
<system-property name="ls1-port" value="8080"/>
</config>

```

Superelements

“cluster” on page 35, “config” on page 39, “domain” on page 57, “server” on page 140

Subelements

The following table describes subelements for the system-property element.

TABLE 1–215 system-property Subelements

Element	Required	Description
“description” on page 56	zero or one	Contains a text description of this element.

Attributes

The following table describes attributes for the system-property element.

TABLE 1–216 system-property Attributes

Attribute	Default	Description
name	none	Specifies the name of the system property.
value	none	Specifies the value of the system property.

Properties

The following table lists predefined system properties.

TABLE 1–217 Predefined System Properties

Property	Default	Description
com.sun.aas.installRoot	depends on operating system	Specifies the directory where the Communications Server is installed.
com.sun.aas.instanceRoot	depends on operating system	Specifies the top level directory for a server instance.
com.sun.aas.hostName	none	Specifies the name of the host (machine).
com.sun.aas.javaRoot	depends on operating system	Specifies the installation directory for the Java runtime.

TABLE 1-217 Predefined System Properties (Continued)

Property	Default	Description
com.sun.aas.imqLib	depends on operating system	Specifies the library directory for the Sun GlassFish Message Queue software.
com.sun.aas.configName	server-config	Specifies the name of the “ config ” on page 39 used by a server instance.
com.sun.aas.instanceName	server1	Specifies the name of the server instance. This property is not used in the default configuration, but can be used to customize configuration.
com.sun.aas.clusterName	cluster1	Specifies the name of the cluster. This property is only set on clustered server instances. This property is not used in the default configuration, but can be used to customize configuration.
com.sun.aas.domainName	domain1	Specifies the name of the domain. This property is not used in the default configuration, but can be used to customize configuration.

T

thread-pool

Defines a thread pool.

Superelements

“[thread-pools](#)” on page 160

Subelements

none

Attributes

TABLE 1-218 thread-pool Attributes

Attribute	Default	Description
thread-pool-id	none	Specifies the thread pool ID.
min-thread-pool-size	0	(optional) Specifies the minimum number of threads in the pool. These are created when the thread pool is instantiated.
max-thread-pool-size	200	(optional) Specifies the maximum number of threads the pool can contain.

TABLE 1-218 thread-pool Attributes (Continued)

Attribute	Default	Description
idle-thread-timeout-in-seconds	120	(optional) Specifies the amount of time after which idle threads are removed from the pool.
num-work-queues	1	(optional) Specifies the total number of work queues serviced by this thread pool.

thread-pools

Contains thread pools.

Superelements

[“config” on page 39](#)

Subelements

The following table describes subelements for the thread-pools element.

TABLE 1-219 thread-pools Subelements

Element	Required	Description
“thread-pool” on page 159	one or more	Defines a thread pool.

transaction-service

Configures the Java Transaction Service (JTS).

Superelements

[“config” on page 39](#)

Subelements

The following table describes subelements for the transaction-service element.

TABLE 1-220 transaction-service Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the transaction-service element.

TABLE 1-221 transaction-service Attributes

Attribute	Default	Description
automatic-recovery	false (developer profile) true (cluster profile)	(optional) If true, the server instance attempts transaction recovery during startup.
timeout-in-seconds	0	(optional) Specifies the amount of time after which the transaction is aborted. If set to 0, the transaction never times out.
tx-log-dir	directory specified by the log-root attribute of the “domain” on page 57 element	(optional) Specifies the parent directory of the transaction log directory <i>instance-name/tx</i> . The directory in which the transaction logs are kept must be writable by the user account under which the server runs. A relative path is relative to the log-root attribute of the “domain” on page 57 element.
heuristic-decision	rollback	(optional) If the outcome of a distributed transaction cannot be determined because other participants are unreachable, this property determines the outcome. Allowed values are rollback and commit.
retry-timeout-in-seconds	600	(optional) Determines the retry time in the following scenarios: <ul style="list-style-type: none"> ■ At the transaction recovery time, if resources are unreachable. ■ If there are any transient exceptions in the second phase of a two phase commit protocol. A negative value specifies infinite retries. A value of 0 (zero) specifies no retries. A positive value indicates the time after which a retry is attempted.
keypoint-interval	65536 (64 K)	(optional) Specifies the number of transactions between keypoint operations in the log. Keypoint operations reduce the size of the transaction log file by compressing it. A larger value for this attribute results in a larger transaction log file, but fewer keypoint operations and potentially better performance. A smaller value results in smaller log files, but slightly reduced performance due to the greater frequency of keypoint operations.

Properties

The following table describes properties for the transaction-service element.

TABLE 1-222 transaction-service Properties

Property	Default	Description
oracle-xa-recovery-workaround	true	If true, the Oracle XA Resource workaround is used in transaction recovery.
disable-distributed-transaction-logging	false	If true, disables transaction logging, which might improve performance. If the automatic-recovery attribute is set to true, this property is ignored.

TABLE 1-222 transaction-service Properties (Continued)

Property	Default	Description
xaresource-txn-timeout	specific to the XAResource used	Changes the XAResource timeout. In some cases, the XAResource default timeout can cause transactions to be aborted, so it is desirable to change it.
pending-txn-cleanup-interval	none if this property is absent, 60 if this property is present but has no value	Specifies the interval, in seconds, at which an asynchronous thread checks for pending transactions and completes them.
use-last-agent-optimization	true	If true, enables last agent optimization, which improves the throughput of transactions. If one non-XA resource is used with XA resources in the same transaction, the non XA resource is the last agent.
delegated-recovery	false	<p>If true, cluster-wide delegated recovery is enabled. You must also facilitate storing of transaction logs in a shared file system in one of these ways:</p> <ul style="list-style-type: none"> ■ Set the “domain” on page 57 element's log-root attribute to a shared file system base directory and set the tx-log-dir attribute to a relative path. ■ Set tx-log-dir to an absolute path to a shared file system directory, in which case log-root is ignored for transaction logs. ■ Set a “system-property” on page 157 called TX-LOG-DIR to a shared file system directory. For example: <pre><server config-ref="server-config" name="server"> <system-property name="TX-LOG-DIR" value="/net/tulsa/nodeagents/na/instance1/logs"/> </server></pre>
wait-time-before-recovery-insec	60	Specifies the wait time, in seconds, after which an instance starts the recovery for a dead instance.
db-logging-resource	none	Specifies the JNDI name of the JDBC resource for the database to which transactions are logged. For more information, see Chapter 16, “Using the Transaction Service,” in Sun GlassFish Communications Server 2.0 Developer’s Guide .
xa-servername	host name on which the Communications Server runs	Specifies the host name that the transaction service uses to identify transactions being managed by the installed Communications Server. This can sometimes be useful for recovering transactions from the log file that was created on a different host running the Communications Server. This should also be used when the Communications Server is installed as part of Sun Cluster HA.

transformation-rule

Configures an eXtensible Stylesheet Language Transformation (XSLT) rule, which transforms a web service message.

Superelements

“web-service-endpoint” on page 175

Subelements

The following table describes subelements for the `transformation-rule` element.

TABLE 1–223 `transformation-rule` Subelements

Element	Required	Description
“description” on page 56	zero or one	Contains a text description of this element.

Attributes

The following table describes attributes for the `transformation-rule` element.

TABLE 1–224 `transformation-rule` Attributes

Attribute	Default	Description
<code>name</code>	<code>none</code>	The name of the rule.
<code>enabled</code>	<code>true</code>	(optional) Determines whether the rule is enabled.
<code>apply-to</code>	<code>request</code>	(optional) Specifies whether the rule is applied to the request, the response, or both. Allowed values are: <ul style="list-style-type: none"> ▪ <code>request</code> - Transformations are applied to the request in the order specified. ▪ <code>response</code> - Transformations are applied to the response in the order specified. ▪ <code>both</code> - Transformations are applied to both the request and the response. The order is reversed for the response.
<code>rule-file-location</code>	<code>domain-dir/generated/xml/ app-or-module/xslt-file</code>	A fully qualified or relative path to the rule file that performs the transformation. Only XSLT files are allowed.

trusted-entity

Specifies intermediate hosts and domains according to RFC 3325.

Superelements

“identity-assertion-trust” on page 84

Subelements

The following table describes subelements for the `trusted-entity` element.

TABLE 1-225 trusted-entity Subelements

Element	Required	Description
“ip-address” on page 86	only one	Identifies the trusted host on the network using an IP address.
“host-name” on page 58	zero or one	Identifies the trusted host on the network using domain names.
“principal” on page 125	zero or one	Identifies the principal of the trusted entity.

Attributes

The following table describes attributes for the `trusted-entity` element.

TABLE 1-226 trusted-entity Attributes

Attribute	Default	Description
<code>id</code>	none	Specifies a unique identifier for the <code>trusted-entity</code> element.
<code>trusted-as</code>	none	(optional) When set to <code>intermediate</code> , specifies configuration information for incoming messages. When set to <code>destination</code> , specifies configuration information for outgoing messages. When not set, specifies configuration information for both incoming and outgoing messages.

trust-handler

Specifies a custom trust handler according to RFC 3325. This provides a custom implementation to determine trust and to convert user identity to a format recognized by the system.

Superelements

[“identity-assertion-trust” on page 84](#)

Subelements

The following table describes subelements for the `trust-handler` element.

TABLE 1-227 trust-handler Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `trust-handler` element.

TABLE 1-228 trust-handler Attributes

Attribute	Default	Description
class-name	none	Specifies the name of the class that implements <code>com.sun.enterprise.security.auth.TrustHandler</code> and <code>com.sun.enterprise.security.auth.PrincipalMapper</code> .

U

user-group

Contains the group to which the principal belongs.

Superelements

[“security-map” on page 137](#)

Subelements

none - contains data

V

virtual-server

Defines a virtual server. A virtual server, also called a virtual host, is a virtual web server that serves content targeted for a specific URL. Multiple virtual servers can serve content using the same or different host names, port numbers, or IP addresses. The HTTP service can direct incoming web requests to different virtual servers based on the URL.

When the Communications Server is first installed, a default virtual server is created. (You can also assign a default virtual server to each new [“http-listener” on page 75](#) you create.)

Note – Virtual servers are not the same thing as server instances. Each server instance is a completely separate server that contains one or more virtual servers.

Before the Communications Server can process a request, it must accept the request via a listener, then direct the request to the correct virtual server. The virtual server is determined as follows:

- If the listener is configured to only a default virtual server, that virtual server is selected.
- If the listener has more than one virtual server configured to it, the request Host header is matched to the hosts attribute of a virtual server. If no Host header is present or no hosts attribute matches, the default virtual server for the listener is selected.

If a virtual server is configured to an SSL listener, its hosts attribute is checked against the subject pattern of the certificate at server startup, and a warning is generated and written to the server log if they don't match.

Superelements

[“http-service” on page 80](#)

Subelements

The following table describes subelements for the `virtual-server` element.

TABLE 1-229 `virtual-server` Subelements

Element	Required	Description
“http-access-log” on page 74	zero or one	Defines an access log file.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `virtual-server` element.

TABLE 1-230 `virtual-server` Attributes

Attribute	Default	Description
<code>id</code>	none	Virtual server ID. This is a unique ID that allows lookup of a specific virtual server. A virtual server ID cannot begin with a number.
<code>http-listeners</code>	none	(optional) In a comma-separated list, references <code>id</code> attributes of “http-listener” on page 75 elements that specify the connection(s) the virtual server uses. Required only for a <code>virtual-server</code> that is not referenced by the <code>default-virtual-server</code> attribute of an <code>http-listener</code> .
<code>default-web-module</code>	none	(optional) References the name attribute of the default “web-module” on page 174 for this virtual server, which responds to requests that cannot be resolved to other web modules deployed to this virtual server (see the “application-ref” on page 28 element).
<code>hosts</code>	none	A comma-separated list of values, each of which selects the current virtual server when included in the Host request header. Two or more <code>virtual-server</code> elements that reference or are referenced by the same <code>http-listener</code> cannot have any hosts values in common.

TABLE 1-230 virtual-server Attributes (Continued)

Attribute	Default	Description
state	on	(optional) Determines whether a virtual-server is active (on) or inactive (off, disabled). The default is on (active). When inactive, a virtual-server does not service requests. If a virtual-server is disabled, only the global server administrator can turn it on.
docroot	none	(optional) Specifies the document root for this virtual server.
log-file	server.log in the directory specified by the log-root attribute of the “domain” on page 57 element	(optional) Writes this virtual server’s log messages to a log file separate from the server log. The file and directory in which the virtual server log is kept must be writable by the user account under which the server runs. See the “log-service” on page 106 description for details about logs.

Properties

The following table describes properties for the virtual-server element.

TABLE 1-231 virtual-server Properties

Property	Default	Description
sso-enabled	false (developer and cluster profiles)	If true, single sign-on is enabled for web applications on this virtual server that are configured for the same realm. If false, single sign-on is disabled for this virtual server, and users must authenticate separately to every application on the virtual server. This setting overrides the sso-enabled property setting of the “http-service” on page 80 element.
sso-max-inactive-seconds	300	Specifies the time after which a user’s single sign-on record becomes eligible for purging if no client activity is received. Since single sign-on applies across several applications on the same virtual server, access to any of the applications keeps the single sign-on record active. Higher values provide longer single sign-on persistence for the users at the expense of more memory use on the server.
sso-reap-interval-seconds	60	Specifies the interval between purges of expired single sign-on records.
setCacheControl	none	Specifies a comma-separated list of Cache-Control response directives. For a list of valid directives, see section 14.9 of the document at http://www.ietf.org/rfc/rfc2616.txt .
accessLoggingEnabled	false (developer and cluster profiles)	If true, enables access logging for this virtual server only. If false, disables access logging for this virtual server only.
accessLogBufferSize	32768	Specifies the size, in bytes, of the buffer where access log calls are stored. If the value is less than 5120, a warning message is issued, and the value is set to 5120. To set this property for all virtual servers, set it as a property of the parent “http-service” on page 80 element.

TABLE 1-231 virtual-server Properties (Continued)

Property	Default	Description
accessLogWriterInterval	300	Specifies the number of seconds before the log is written to the disk. The access log is written when the buffer is full or when the interval expires. If the value is 0, the buffer is always written even if it is not full. This means that each time the server is accessed, the log message is stored directly to the file. To set this property for all virtual servers, set it as a property of the parent “http-service” on page 80 element.
allowRemoteAddress	none	Specifies a comma-separated list of regular expression patterns that the remote client's IP address is compared to. If this property is specified, the remote address <i>must</i> match for this request to be accepted. If this property is not specified, all requests are accepted <i>unless</i> the remote address matches a denyRemoteAddress pattern.
denyRemoteAddress	none	Specifies a comma-separated list of regular expression patterns that the remote client's IP address is compared to. If this property is specified, the remote address <i>must not</i> match for this request to be accepted. If this property is not specified, request acceptance is governed solely by the allowRemoteAddress property.
allowRemoteHost	none	Specifies a comma-separated list of regular expression patterns that the remote client's hostname (as returned by <code>[java.net.]Socket.getInetAddress().getHostName()</code>) is compared to. If this property is specified, the remote hostname <i>must</i> match for this request to be accepted. If this property is not specified, all requests are accepted <i>unless</i> the remote hostname matches a denyRemoteHost pattern.
denyRemoteHost	none	Specifies a comma-separated list of regular expression patterns that the remote client's hostname (as returned by <code>[java.net.]Socket.getInetAddress().getHostName()</code>) is compared to. If this property is specified, the remote hostname <i>must not</i> match for this request to be accepted. If this property is not specified, request acceptance is governed solely by the allowRemoteHost property.
authRealm	none	Specifies the name attribute of an “auth-realm” on page 30 element, which overrides the server instance's default realm for stand-alone web applications deployed to this virtual server. A realm defined in a stand-alone web application's web.xml file overrides the virtual server's realm.
securePagesWithPragma	true	Set this property to false to ensure that for all web applications on this virtual server file downloads using SSL work properly in Internet Explorer. You can set this property for a specific web application. For details, see “sun-web-app” in <i>Sun GlassFish Communications Server 2.0 Application Deployment Guide</i> .

TABLE 1-231 virtual-server Properties (Continued)

Property	Default	Description
alternatedocroot_ <i>n</i>	none	<p>Specifies an alternate document root (docroot), where <i>n</i> is a positive integer that allows specification of more than one. Alternate docroots allow web applications to serve requests for certain resources from outside their own docroot, based on whether those requests match one (or more) of the URI patterns of the web application's alternate docroots.</p> <p>If a request matches an alternate docroot's URI pattern, it is mapped to the alternate docroot by appending the request URI (minus the web application's context root) to the alternate docroot's physical location (directory). If a request matches multiple URI patterns, the alternate docroot is determined according to the following precedence order:</p> <ul style="list-style-type: none"> ■ Exact match ■ Longest path match ■ Extension match <p>For example, the following properties specify three alternate docroots. The URI pattern of the first alternate docroot uses an exact match, whereas the URI patterns of the second and third alternate docroots use extension and longest path prefix matches, respectively.</p> <pre><property name="alternatedocroot_1" value="from=/my.jpg dir=/srv/images/jpg"/> <property name="alternatedocroot_2" value="from=*.jpg dir=/srv/images/jpg"/> <property name="alternatedocroot_3" value="from=/jpg/* dir=/src/images"/></pre> <p>The value of each alternate docroot has two components: The first component, <code>from</code>, specifies the alternate docroot's URI pattern, and the second component, <code>dir</code>, specifies the alternate docroot's physical location (directory). Spaces are allowed in the <code>dir</code> component.</p> <p>You can set this property for a specific web application. For details, see “sun-web-app” in <i>Sun GlassFish Communications Server 2.0 Application Deployment Guide</i>.</p>
contextXmlDefault	none	<p>Specifies the location, relative to <code>domain-dir</code>, of the <code>context.xml</code> file for this virtual server, if one is used. For more information about the <code>context.xml</code> file, see The Context Container (http://tomcat.apache.org/tomcat-5.5-doc/config/context.html).</p>
allowLinking	false	<p>If <code>true</code>, resources that are symbolic links in web applications on this virtual server are served. The value of this property in the <code>sun-web.xml</code> file takes precedence if defined. For details, see “sun-web-app” in <i>Sun GlassFish Communications Server 2.0 Application Deployment Guide</i>.</p> <p>Caution – Setting this property to <code>true</code> on Windows systems exposes JSP source code.</p>

TABLE 1-231 virtual-server Properties (Continued)

Property	Default	Description
send-error_ <i>n</i>	none	<p>Specifies custom error page mappings for the virtual server, which are inherited by all web applications deployed on the virtual server. A web application can override these custom error page mappings in its web.xml deployment descriptor. The value of each send-error_<i>n</i> property has three components, which may be specified in any order:</p> <p>The first component, code, specifies the three-digit HTTP response status code for which the custom error page should be returned in the response.</p> <p>The second component, path, specifies the absolute or relative file system path of the custom error page. A relative file system path is interpreted as relative to the <i>domain-dir/config</i> directory.</p> <p>The third component, reason, is optional and specifies the text of the reason string (such as Unauthorized or Forbidden) to be returned.</p> <p>For example:</p> <pre><property name="send-error_1" value="code=401 path=/myhost/401.html reason=MY-401-REASON"/></pre> <p>This example property definition causes the contents of /myhost/401.html to be returned with 401 responses, along with this response line:</p> <pre>HTTP/1.1 401 MY-401-REASON</pre>
redirect_ <i>n</i>	none	<p>Specifies that a request for an old URL is treated as a request for a new URL. These properties are inherited by all web applications deployed on the virtual server. The value of each redirect_<i>n</i> property has two components, which may be specified in any order:</p> <p>The first component, from, specifies the prefix of the requested URI to match.</p> <p>The second component, url-prefix, specifies the new URL prefix to return to the client. The from prefix is simply replaced by this URL prefix.</p> <p>For example:</p> <pre><property name="redirect_1" value="from=/dummy url-prefix=http://etude"/></pre>

W

web-container

Configures the web container.

Superelements

“config” on page 39

Subelements

The following table describes subelements for the web-container element.

TABLE 1-232 web-container Subelements

Element	Required	Description
“session-config” on page 142	zero or one	Specifies session configuration information for the web container.
“property” on page 126	zero or more	Specifies a property or a variable.

Properties

The following table describes properties for the web-container element.

TABLE 1-233 web-container Properties

Property	Default	Description
dispatcher-max-depth	20	Prevents recursive include or forward statements from creating an infinite loop by setting a maximum nested dispatch level. If this level is exceeded, the following message is written to the server log: Exceeded maximum depth for nested request dispatches

web-container-availability

Enables availability in the web container, including HTTP session persistence.

If availability is disabled, there is no high availability for HTTP session persistence. In other words, `persistence-type=memory`.

If availability is enabled but no other `web-container-availability` attributes are specified, the default session persistence configuration is as follows:

```
persistence-type=replicated
persistence-frequency=time-based
persistence-scope=session
```

The default configuration for all applications can be changed by setting the various `web-container-availability` attributes and properties.

You can override the various `web-container-availability` attributes and properties for a specific application in `sun-web.xml`. For details, see the *Sun GlassFish Communications Server 2.0 Developer's Guide*.

For additional replicated session persistence properties you can set, see [“availability-service” on page 33](#).

Superelements

[“availability-service” on page 33](#)

Subelements

The following table describes subelements for the `web-container-availability` element.

TABLE 1-234 `web-container-availability` Subelements

Element	Required	Description
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the `web-container-availability` element.

TABLE 1-235 `web-container-availability` Attributes

Attribute	Default	Description
<code>availability-enabled</code>	<code>true</code>	(optional) If set to <code>true</code> , and if availability is enabled for the server instance (see “availability-service” on page 33), high-availability features apply to all web applications deployed to the server instance that do not have availability disabled. All instances in a cluster should have the same availability value to ensure consistent behavior.
<code>persistence-type</code>	<code>memory</code> (availability disabled) <code>replicated</code> (availability enabled)	(optional) Specifies the session persistence mechanism for web applications that have availability enabled. Allowed values are <code>memory</code> (no persistence), <code>file</code> (the file system) and <code>replicated</code> (other servers). If set to <code>memory</code> , the “manager-properties” on page 112 element’s <code>session-file-name</code> attribute specifies the file system location where the HTTP session state is stored if the server instance is gracefully shut down. This is useful for internal testing but is not supported for production environments. If set to <code>file</code> , the “store-properties” on page 156 element’s <code>directory</code> attribute specifies the file system location where the HTTP session state is stored. Persisting to the file system is useful for internal testing but is not supported for production environments.

TABLE 1-235 web-container-availability Attributes (Continued)

Attribute	Default	Description
persistence-frequency	web-method	<p>(optional) Specifies how often the session state is stored. Applicable only if the <code>persistence-type</code> is <code>replicated</code>. Allowed values are as follows:</p> <ul style="list-style-type: none"> ■ <code>web-method</code> - The session state is stored at the end of each web request prior to sending a response back to the client. This mode provides the best guarantee that the session state is fully updated in case of failure. ■ <code>time-based</code> - The session state is stored in the background at the frequency set by the “manager-properties” on page 112 element’s <code>reap-interval-in-seconds</code> attribute. This mode provides less of a guarantee that the session state is fully updated. However, it can provide a significant performance improvement because the state is not stored after each request.
persistence-scope	session	<p>(optional) Specifies how much of the session state is stored. Applicable only if the <code>persistence-type</code> is <code>replicated</code>. Allowed values are as follows:</p> <ul style="list-style-type: none"> ■ <code>session</code> - The entire session state is stored every time. This mode provides the best guarantee that your session data is correctly stored for any distributable web application. ■ <code>modified-session</code> - The entire session state is stored if it has been modified. A session is considered to have been modified if <code>HttpSession.setAttribute()</code> or <code>HttpSession.removeAttribute()</code> was called. You must guarantee that <code>setAttribute()</code> is called every time an attribute is changed. This is not a Java EE specification requirement, but it is required for this mode to work properly. ■ <code>modified-attribute</code> - Only modified session attributes are stored. For this mode to work properly, you must follow some guidelines, which are explained immediately following this table.
sso-failover-enabled	false	<p>(optional) If <code>true</code>, the single sign-on state is highly available. To enable single sign-on, use the <code>sso-enabled</code> property of the “virtual-server” on page 165 element.</p>

If the `persistence-scope` attribute is set to `modified-attribute`, your web application must follow these guidelines:

- Call `setAttribute()` every time the session state is modified.
- Make sure there are no cross-references between attributes. The object graph under each distinct attribute key is serialized and stored separately. If there are any object cross references between the objects under each separate key, they are not serialized and deserialized correctly.
- Distribute the session state across multiple attributes, or at least between a read-only attribute and a modifiable attribute.

Properties

The following table describes properties for the `web-container-availability` element.

TABLE 1-236 web-container-availability Properties

Property	Default	Description
uuid-impl-class	none	Specifies the name of the class that generates session IDs. If this property is not specified, the Communications Server's internal session ID generator is used. It is the developer's responsibility to ensure that generated IDs are universally unique even when running on multiple JVMs on multiple machines in a cluster. Failure to ensure this in the algorithm results in nondeterministic behavior and likely corruption of HTTP session data.

web-module

Specifies a deployed web module.

Superelements

[“applications” on page 29](#)

Subelements

The following table describes subelements for the web-module element.

TABLE 1-237 web-module Subelements

Element	Required	Description
“description” on page 56	zero or one	Contains a text description of this element.
“web-service-endpoint” on page 175	zero or more	Configures a web service endpoint.
“property” on page 126	zero or more	Specifies a property or a variable.

Attributes

The following table describes attributes for the web-module element.

TABLE 1-238 web-module Attributes

Attribute	Default	Description
name	none	The name of the web module.

TABLE 1-238 web-module Attributes (Continued)

Attribute	Default	Description
context-root	none	<p>The context root at which the web module is deployed. The context root can be the empty string or just /. The context root can start with the / character, but doesn't have to.</p> <p>For load balancing to work, web module context roots must be unique within a cluster. See the Sun GlassFish Communications Server 2.0 High Availability Administration Guide for more information about load balancing.</p> <p>Note – Some topics in the documentation pertain to features that are available only in domains that are configured to support clusters. Examples of domains that support clusters are domains that are created with the cluster profile. For information about profiles, see “Usage Profiles” in Sun GlassFish Communications Server 2.0 Administration Guide.</p>
location	none	<p>A fully qualified or relative path to the directory to which the contents of the .war file have been extracted. If relative, it is relative to the following directory:</p> <p><i>domain-dir/applications/j2ee-modules/</i></p>
object-type	user	<p>(optional) Defines the type of the resource. Allowed values are:</p> <ul style="list-style-type: none"> ▪ system-all - A system resource for all server instances and the domain application server. ▪ system-admin - A system resource only for the domain application server. ▪ system-instance - A system resource for all server instances only. ▪ user - A user resource.
enabled	true	(optional) Determines whether the web module is enabled.
libraries	none	<p>(optional) Specifies an absolute or relative path to libraries specific to this module or application. A relative path is relative to <i>domain-dir/lib/applibs</i>. If the path is absolute, the path must be accessible to the domain administration server (DAS), which means it must be under <i>domain-dir</i>. To include more than one path, use a system-specific separator, such as a colon for Solaris or a semicolon for Windows. The libraries are made available to the application in the order in which they are specified.</p>
availability-enabled	false	<p>(optional) Specifies whether availability is enabled in this web application for HTTP session persistence (and potentially passivation). Availability must also be enabled for the application or stand-alone web module during deployment. For more information about availability, see “availability-service” on page 33.</p>
directory-deployed	false	(optional) Specifies whether the application has been deployed as a directory.

web-service-endpoint

Configures a web service endpoint, which can be a JAX-RPC/JAXWS 2.0 or JSR-109 web service.

Superelements

“[ejb-module](#)” on [page 62](#), “[j2ee-application](#)” on [page 86](#), “[web-module](#)” on [page 174](#)

Subelements

The following table describes subelements for the `web-service-endpoint` element.

TABLE 1-239 `web-service-endpoint` Subelements

Element	Required	Description
“registry-location” on page 131	zero or more	Specifies the registry where web service endpoint artifacts are published.
“transformation-rule” on page 162	zero or more	Configures an eXtensible Stylesheet Language Transformation (XSLT) rule.

Attributes

The following table describes attributes for the `web-service-endpoint` element.

TABLE 1-240 `web-service-endpoint` Attributes

Attribute	Default	Description
<code>name</code>	none	The fully qualified name of the web service. For a web service endpoint within an application, the format is as follows: <i>module-name#endpoint-name</i> For example: <code>jaxrpc-simple.war#HelloIF</code> For a web service endpoint that is a stand-alone module, the name is just the <i>endpoint-name</i> .
<code>monitoring</code>	OFF	(optional) Specifies the monitoring level for this web service. For information about monitoring levels, see “module-monitoring-levels” on page 118 .
<code>max-history-size</code>	25	(optional) Specifies the maximum number of monitoring records stored for this endpoint.
<code>jbi-enabled</code>	false	(optional) Determines whether the visibility of this endpoint as a Java Business Integration service is enabled or disabled.

Index

A

- acceptor-queue-length property, 77, 81
- acceptor-threads attribute, 76
- access-log element, 22-23
- access log file, 106
- accessLogBufferSize property, 83, 167
- accessLoggingEnabled property, 83, 167
- accessLogWriterInterval property, 83, 168
- action element, 23-24
- action-mbean-name attribute, 24
- activate-default-principal-to-role-mapping attribute, 139
- address attribute, 76, 85, 99, 149
- addresslist-behavior attribute, 97
- addresslist-iterations attribute, 97
- AddressList property, 44
- admin-object-resource element, 24-25
- admin-password attribute, 96
- admin-service element, 25-26
- admin-session-timeout-in-minutes attribute, 56
- admin-user-name attribute, 96
- alert-service element, 26
- alert-subscription element, 26-27
- allow-non-component-callers attribute, 92
- allowLinking property, 169
- allowRemoteAddress property, 168
- allowRemoteHost property, 168
- alternatedocroot_*n* property, 169
- anonymous-role attribute, 138
- appliance-module element, 27-28
- append-version property, 98
- application-ref element, 28-29
- application-root attribute, 58
- applications, location, 58
- applications element, 29
- apply-to attribute, 163
- assign-groups property, 31
- associate-with-thread attribute, 44, 93
- AssociateWithThread property, 45, 94
- audit-enabled attribute, 138
- audit-module element, 29-30
- audit-modules attribute, 139
- auth-layer attribute, 116
- auth-realm element, 30-33
- auth-realm-name attribute, 99
- auth-recipient attribute, 132, 136
- auth-source attribute, 132, 136
- authPassthroughEnabled property, 78, 82
- authRealm property, 168
- auto-apply-enabled attribute, 105
- auto-commit attribute, 53
- autodeploy-dir attribute, 55
- autodeploy-enabled attribute, 55
- autodeploy-jsp-precompilation-enabled attribute, 55
- autodeploy-polling-interval-in-seconds attribute, 55
- autodeploy-verifier-enabled attribute, 55
- automatic-recovery attribute, 161
- availability-enabled attribute
 - availability-service element, 34
 - ejb-container-availability element, 62
 - ejb-module element, 63
 - extension-module element, 69
 - j2ee-application element, 87
 - sip-container-availability element, 147

availability-enabled attribute (*Continued*)
 web-container-availability element, 172
 web-module element, 175
availability-service element, 33-35

B

backend-principal element, 35
base-dn property, 32
blocking-enabled attribute, 76
bufferSize property, 78, 82
bytecode-preprocessors attribute, 90

C

cache-idle-timeout-in-seconds attribute, 60
cache-resize-quantity attribute, 60
callerPrincipal property, 68
capture-app-dd attribute, 57
capture-install-log attribute, 57
capture-system-info attribute, 57
cert-nickname attribute, 154
certificates, 31
charset property, 32
class-name attribute
 lifecycle-module element, 103
 provider-config element, 129
 stack-layer element, 156
 trust-handler element, 165
classname attribute, 30, 31
classpath attribute, 103, 126
classpath-prefix attribute, 89
classpath-suffix attribute, 89
client-auth-enabled attribute, 154
client-authentication-required attribute, 86
client-socket-read-timeout property, 131
ClientId property, 45
CloseServerSocketDuringDisable property, 150
cluster element, 35-37
cluster-ref element, 37-38
clusters element, 38-39
CMP, 124
cmt-max-runtime-exceptions property, 115

cometSupport property, 78
commit-option attribute, 61
componentName property, 68
compressableMimeType property, 79
compression property, 79
compute-checksum attribute, 57
config element, 39-40
config-file attribute, 53
config-ref attribute, 36, 141
configs element, 40-41
connection-alive-timeout-in-seconds attribute, 148
connection-creation-retry-attempts attribute, 43, 92
connection-creation-retry-interval-in-seconds
 attribute, 44, 92
connection-definition-name attribute, 43
connection-leak-reclaim attribute, 43, 92
connection-leak-timeout-in-seconds attribute, 43, 92
connection-pool element, 41-42
connection-validation-method attribute, 92
connections-to-reclaim property, 131
connectionTimeout property, 78, 82
connectionUploadTimeout property, 79, 83
connector-connection-pool element, 42-46
connector-module element, 46-47
connector-resource element, 47-48
connector-resource-jndi-name attribute, 131
connector-service element, 48
container-managed persistence, 124-125
context-root attribute, 175
context-root property, 70
context.xml file, 169
contextXmlDefault property, 169
converged-lb-cluster-ref element, 48-49
converged-lb-config element, 49-51
converged-lb-config-name attribute, 53
converged-lb-configs element, 51
converged-lb-policy element, 51-52
converged-load-balancer element, 52-53
cpu-http-threshold attribute, 123
cpu-ir-threshold attribute, 123
cpu-mm-threshold attribute, 123
cpu-overload-activation-algorithm attribute, 124
cpu-overload-deactivation-algorithm attribute, 124
cpu-overload-protection attribute, 123

cpu-sr-threshold attribute, 123
 CpuOverloadRegulation property, 146
 crlFile property, 79
 custom-resource element, 53-54

D

das-config element, 54-56
 databaseName property, 94
 datasource-classname attribute, 91
 datasource-jndi property, 32
 datasourceName property, 94
 dateString property, 68
 db-logging-resource property, 162
 db-password property, 32
 db-user property, 32
 dcr-file attribute, 52
 debug-enabled attribute, 89
 debug-options attribute, 89
 debug property, 129
 default-client-provider attribute, 116
 default-jms-host attribute, 97
 default-principal attribute, 138
 default-principal-password attribute, 138
 default-provider attribute, 116
 default-realm attribute, 138
 default-response-type attribute, 80
 default-tcp-transport attribute, 151
 default-type attribute, 80
 default virtual server

- for an http-listener element, 76
- for the entire server, 165

 default-virtual-server attribute, 76
 default-web-module attribute, 166
 defaultQuarantineTime property, 145
 delegated-recovery property, 162
 denyRemoteAddress property, 168
 denyRemoteHost property, 168
 deploy-xml-validation attribute, 55
 description element, 56
 description property, 94
 device-admin-port property, 105
 device-host property, 105
 diagnostic-service element, 56-57

differenceMode property, 67
 digest-algorithm property, 32
 directory attribute, 157
 directory-deployed attribute

- appclient-module element, 28
- connector-module element, 47
- ejb-module element, 63
- extension-module element, 69
- j2ee-application element, 87
- web-module element, 175

 directory property, 31
 disable-distributed-transaction-logging property, 161
 disable-timeout-in-minutes attribute, 28, 142
 DisableTimeout property, 150
 disableUploadTimeout property, 79, 83
 discovery-timeout-in-millis attribute, 73
 dispatcher-max-depth property, 171
 dns-lookup-enabled attribute, 80
 docroot attribute, 167
 domain element, 57-58
 domain.xml file

- DTD file for, 16
- element hierarchy, 18-22
- elements in, 22
- location, 15-22

 dynamic-reconfiguration-enabled attribute, 40
 dynamic-reload-enabled attribute, 55
 dynamic-reload-poll-interval-in-seconds attribute, 55
 dynamic.username.password property, 129

E

Eas503Disabled property, 151
 ejb-container-availability element, 61-62
 ejb-container element, 59-61
 ejb-module element, 62-63
 ejb-timer-service element, 63-64
 elements

- descriptions of, 22
- hierarchy, 18-22
- referencing, 18

 enableCookies property, 144
 enabled attribute, 123
 enableURLRewriting property, 144

encoding property, 32
encryption.key.alias property, 129
env-classpath-ignored attribute, 90
error-response-enabled attribute, 151
event element, 64-68
event types, 65
extension-module element, 68-70
external-address attribute, 145
external-jndi-resource element, 70-71
external-port attribute, 76
external-sip-port attribute, 145
external-sips-port attribute, 145

F

factory-class attribute, 54, 71, 125
fail-all-connections attribute, 43, 92
failure-detection-max-tries attribute, 73
failure-detection-timeout-in-millis attribute, 73
family attribute, 76
file attribute, 107
file-caching-enabled attribute, 75
file property, 31
file-transmission-enabled attribute, 75
filter-class-name attribute, 72
filter-config element, 71-72
forced-response-type attribute, 80
forced-type attribute, 80
format attribute, 23
format property, 108

G

globally-enabled attribute, 75
gms-bind-interface-address property, 37
granularityPeriod property, 66
group-base-dn property, 32
group-management-service element, 72-73
group-name-column property, 32
group-search-filter property, 32
group-table property, 32
group-target property, 32

H

hash-init-size attribute, 75
header-buffer-length-in-bytes attribute, 133
health-checker element, 73-74
heartbeat-address attribute, 36
heartbeat-enabled attribute, 36
heartbeat-port attribute, 36
heuristic-decision attribute, 161
high-water-mark property, 130
highThreshold property, 67
host attribute, 96
host-name element, 58-59
hosts attribute, 166
 checking against subject pattern, 166
http-access-log element, 74
http attribute, 52
http-file-cache element, 74-75
HTTP listen socket, 75
http-listener element, 75-79
http-listeners attribute, 166
http-protocol element, 79-80
http-service element, 80-83
https-routing attribute, 102
HttpThreshold property, 146

I

id attribute
 http-listener element, 76
 identity-assertion-trust element, 84
 iiop-listener element, 85
 sip-listener element, 149
 stack-layer element, 156
 trusted-entity element, 164
 virtual-server element, 166
identity-assertion-trust element, 84-85
IdentityValidatorConfiguration property, 139
idle-thread-timeout-in-seconds attribute, 160
idle-timeout-in-seconds attribute, 43, 91, 115
idLengthBytes property, 144
iiop-listener element, 85
iiop-service element, 85-86
impl-class-name attribute, 114
init-timeout-in-seconds attribute, 96

initial-thread-count attribute, 132
 initThreshold property, 67
 instance-name property, 98
 instance-name-suffix property, 98
 INSTANCE-SYNC-JVM-OPTIONS property, 121
 interval-in-seconds attribute, 74
 ip-address element, 86
 ipAddress property, 68
 iponly attribute, 74
 IrThreshold property, 146
 is-connection-validation-required attribute, 43, 92
 is-default attribute, 84
 is-failure-fatal attribute, 103
 is-isolation-level-guaranteed attribute, 92
 isConverged property, 70

J

j2ee-application element, 86-88
 jaas-context property, 31
 jacc attribute, 138
 jacc-provider element, 88
 Java Business Integration, 176
 java-config element, 88-90
 Java Database Connectivity, *See* JDBC
 java-home attribute, 89
 Java Naming and Directory Interface, *See* JNDI
 Java Platform Debugger Architecture, *See* JPDA
 Java Transaction Service, *See* JTS
 Java Virtual Machine, *See* JVM
 java-web-start-enabled attribute, 28, 87
 javac-options attribute, 89
 JavaMail, 108
 JBI, *See* Java Business Integration
 jbi-enabled attribute, 176
 JDBC connection pool, 90-94
 jdbc-connection-pool element, 90-94
 JDBC resource, 94
 jdbc-resource element, 94-95
 jdbc-resource-jndi-name attribute, 125
 JMS, 95, 96
 jms-host element, 95-96
 jms-service element, 96-98
 jmx-connector element, 98-99

JNDI, 70
 jndi-lookup-name attribute, 71
 jndi-name attribute

- admin-objectresource element, 24
- custom-resource element, 54
- external-jndi-resource element, 71
- jdbc-resource element, 47, 95
- mail-resource element, 109
- persistence-manager-factory-resource element, 125

 JPDA debugging options, 89
 JTS, 160
 JVM, 88

- adding options to the server, 99-100

 jvm-options element, 99-100

K

keep-alive element, 100-101
 keypoint-interval attribute, 161

L

layer-order attribute, 156
 lazy-connection-association attribute, 44, 93
 lazy-connection-enlistment attribute, 44, 93
 LazyConnectionAssociation property, 45, 94
 LazyConnectionEnlistment property, 45, 94
 lb-config element, 101-102
 lb-config-name attribute, 105
 lb-configs element, 102
 lb-enabled attribute, 28, 142
 lb-policy attribute, 38
 lb-policy-module attribute, 38
 lb-weight attribute, 141
 level attribute, 65
 level property, 66
 libraries attribute, 63, 69, 87, 175
 lifecycle-module element, 102-103
 listen socket, 75, 149
 listener-class-name attribute, 104
 listener-config element, 103-104
 load-balancer element, 104-106
 load-balancers element, 106

- load balancing, 70, 101-102, 175
 - converged, 48-49, 49-51, 51-52, 52-53
- load-factor-increase-period-in-seconds property, 51
- load-increase-factor property, 50
- load-on-startup element in web.xml, 78
- load-order attribute, 103
- locale attribute, 58
- location attribute
 - appclient-module element, 28
 - connector-module element, 46
 - ejb-module element, 63
 - extension-module element, 69
 - j2ee-application element, 87
 - web-module element, 175
- log-directory attribute, 74
- log-file attribute, 167
- log-filter attribute, 107
- log-handler attribute, 107
- log levels, 116-118
- log-root attribute, 58
- log-rotation-limit-in-bytes attribute, 107
- log-rotation-timelimit-in-minutes attribute, 107
- log-service element, 106-108
- log-to-console attribute, 107
- logger names, 116-118, 118
- loggerNames property, 66
- logging settings in domain.xml, 106-108
- lowThreshold property, 67

M

- mail-resource element, 108-110
- management-rule element, 110-111
- management-rules element, 111-112
- manager-properties element, 112-113
- mapped-principal-class attribute, 139
- match-connections attribute, 44, 93
- MatchConnections property, 45, 94
- max-age-in-seconds attribute, 75
- max-buffered-messages property, 108
- max-cache-size attribute, 60
- max-connection-usage-count attribute, 44, 93
- max-connections attribute, 100, 122
- max-files-count attribute, 75
- max-history-size attribute, 176
- max-log-entries attribute, 57
- max-parallel-connections property, 130
- max-pending-count attribute, 41
- max-pool-size attribute, 43, 60, 91, 115
- max-queue-length attribute, 148
- max-redeliveries attribute, 64
- max-sessions attribute, 113
- max-thread-pool-size attribute, 159
- max-wait-time-in-millis attribute, 43, 91
- maxKeepAliveRequests property, 78, 83
- mbean element, 113-114
- mdb-container element, 114-115
- medium-file-size-limit-in-bytes attribute, 75
- medium-file-space-in-bytes attribute, 75
- mem-http-threshold attribute, 123
- mem-ir-threshold attribute, 123
- mem-mm-threshold attribute, 123
- mem-overload-activation-algorithm attribute, 124
- mem-overload-deactivation-algorithm attribute, 124
- mem-sr-threshold attribute, 123
- MemHttpThreshold property, 146
- MemIrThreshold property, 146
- MemMmThreshold property, 146
- memory-overload-protection attribute, 123
- MemOverloadRegulation property, 146
- message-driven beans, 114
- message-fragment-size attribute, 122
- message property, 68
- message-security-config element, 115-116
- min-log-level attribute, 57
- min-thread-pool-size attribute, 159
- minCompressionSize property, 79
- minimum-delivery-interval-in-millis attribute, 64
- mm-threshold-http-wait-time attribute, 124
- MmThreshold property, 146
- module-log-levels element, 116-118
- module-monitoring-levels element, 118-119
- module-type attribute, extension-module element, 69
- modulus property, 67
- monitoring attribute, 176
- monitoring-cache-enabled property, 81
- monitoring-cache-refresh-in-millis property, 81
- monitoring-enabled attribute, 102

monitoring-service element, 119-120
 monitorType property, 66
 mq-scheme attribute, 97
 mq-service attribute, 98

N

name attribute, 27, 96, 99, 120
 appclient-module element, 28
 audit-module element, 30
 auth-realm element, 31, 88
 cluster element, 36
 config element, 40
 connector-connection-pool element, 42
 connector-module element, 46
 converged-lb-config element, 50
 converged-load-balancer element, 53
 ejb-module element, 63
 extension-module element, 69
 j2ee-application element, 87
 jdbc-connection-pool element, 91
 lb-config element, 101
 lifecycle-module element, 103
 load-balancer element, 105
 mbean element, 113
 profiler element, 126
 property element, 128
 resource-adapter-config element, 133
 security-map element, 137
 server element, 141
 system-property element, 158
 transformation-rule element, 163
 web-module element, 174
 web-service-endpoint element, 176
 name property, 66, 68
 native library path, configuring, 90
 native-library-path attribute, 126
 native-library-path-prefix attribute, 90
 native-library-path-suffix attribute, 90
 networkProtocol property, 94
 noCompressionUserAgents property, 79
 node-agent element, 120-121
 node-agent-ref attribute, 141
 node-agents element, 121

non-transactional-connections attribute, 92
 NonceManager property, 140
 notifyDiffer property, 67
 notifyMatch property, 66
 num-work-queues attribute, 160
 number-of-samples attribute, 124
 numberOfOccurrences property, 68
 NumberOfSamples property, 146
 numberType property, 67

O

object-name attribute, 114
 object-type attribute
 admin-object-resource element, 25
 connector-module element, 46
 connector-resource element, 47
 custom-resource element, 54
 ejb-module element, 63
 extension-module element, 69
 external-jndi-resource element, 71
 j2ee-application element, 87
 jdbc-resource element, 95, 103
 mail-resource element, 109
 mbean element, 114
 persistence-manager-factory-resource element, 125
 resource-adapter-config element, 134
 web-module element, 175
 observedAttribute property, 66
 observedMbean property, 66
 observedObject property, 66
 offset property, 67
 olpInserted property, 146
 oracle-xa-recovery-workaround property, 161
 orb element, 121-122
 overload-protection-service element, 122-124

P

password attribute, 35
 password-column property, 32
 Password property, 45
 password property, 94, 98

- pattern property, 68
- pending-txn-cleanup-interval property, 162
- period property, 68
- persistence-frequency attribute, 147, 173
- persistence-manager-factory-resource element, 124-125
- persistence-scope attribute, 147, 173
- persistence-type attribute, 147, 172
- policy-configuration-factory-provider attribute, 88
- policy-provider attribute, 88
- pool-idle-timeout-in-seconds attribute, 60
- pool-name attribute, 47, 95
- pool-resize-quantity attribute, 43, 60, 91, 115
- port attribute
 - http-listener element, 76
 - iiop-listener element, 85
 - jms-host element, 96
 - jmx-connector element, 99
 - sip-listener element, 149
- port property, 94
- principal element, 125
- PrincipalMapper property, 139
- profiler element, 126
- properties
 - about, 126-128
 - system, 157-159
- property element, 126-128
- protocol attribute, 99
- provider-config element, 128-129
- provider-id attribute, 129
- provider-type attribute, 129
- proxiedProtocol property, 78, 82
- proxy element, 129-131
- proxy-server-read-timeout property, 131
- proxyHandler property, 78, 82
- push-interval-in-seconds property, 108

Q

- queue-size-in-bytes attribute, 41

R

- read-time-out attribute, 130
- reader-queue-length property, 77, 81
- reader-threads property, 77, 81
- reap-interval-in-seconds attribute, 112, 157
- receive-buffer-size-in-bytes attribute, 41
- reconnect-attempts attribute, 97
- reconnect-enabled attribute, 97
- reconnect-interval-in-seconds attribute, 97
- record-event attribute, 65
- recycle-objects property, 77, 81
- redelivery-interval-internal-in-millis attribute, 64
- redirect_*n* property, 170
- redirect-port attribute, 77
- ref attribute
 - application-ref element, 29
 - cluster-ref element, 38
 - converged-lb-cluster-ref element, 49
 - resource-ref element, 135
 - server-ref element, 142
- referencing elements, 18
- registry-location element, 131
- reload-poll-interval-in-seconds attribute, 102
- removal-timeout-in-seconds attribute, 60
- repair-during-failure attribute, 147
- replication_measurement_enabled property, 34
- replication_measurement_interval property, 34
- request-policy element, 131-132
- request-pool-size attribute, 130
- request-processing element, 132-133
- request-timeout-in-seconds attribute, 133
- res-adapter attribute, 24
- res-type attribute, 24, 54, 71, 91
- resource-adapter-config element, 133-134
- resource-adapter-name attribute, 42, 134
- resource adapters, 46-47
- resource-ref element, 134-135
- resources element, 135-136
- response-policy element, 136
- response-timeout-in-seconds attribute, 101
- retain-error-statistics-for-hours attribute, 107
- retry-after-interval attribute, 124
- retry-timeout-in-seconds attribute, 161
- rmic-options attribute, 89

roleName property, 94
 rolling-upgrade-backup-directory property, 34
 rotation-enabled attribute, 23
 rotation-interval-in-minutes attribute, 23
 rotation-policy attribute, 23
 rotation-suffix attribute, 23
 rule-file-location attribute, 163

S

sample-rate attribute, 123
 SampleRate property, 146
 search-bind-dn property, 32
 search-bind-password property, 32
 search-filter property, 32
 Secure Socket Layer, *See* SSL
 securePagesWithPragma property, 168
 security, 137-140
 security.config property, 129
 security-enabled attribute, 76, 85, 99
 security-map element, 137
 security-service element, 137-140
 self-loadbalance attribute, 49
 self-management, 110-111
 send-buffer-size-in-bytes attribute, 42
 send-error_n property, 170
 send-retry-count attribute, 130
 sendUDPResponseFromBackend property, 51
 server-classpath attribute, 89
 server element, 140-141
 server log file, 58, 106-108
 server-name attribute, 76
 server-ref element, 141-142
 serverName property, 66, 94
 servers element, 142
 session-config element, 142-143
 session-file-name attribute, 112
 session-id-generator-classname attribute, 113
 session-manager element, 143
 session-properties element, 143-144
 session-store attribute, 61
 session-timeout element, 144
 setCacheControl property, 167
 sfsb-ha-persistence-type attribute, 62

sfsb-persistence-type attribute, 62
 shutdown-timeout-in-seconds attribute, 48
 signature.key.alias property, 129
 single sign-on, 83, 167
 sip attribute, 52
 sip-container-availability element, 146-148
 sip-container element, 144-146
 sip-link element, 148-149
 sip-listener element, 149-150
 sip-protocol element, 150-151
 sip-service element, 151-153
 SIP service listen socket, 149
 sip-timers element, 153
 sip.xml file session-timeout element, 144
 SipLinkWaitLockTimeout property, 149
 small-file-size-limit-in-bytes attribute, 75
 small-file-space-in-bytes attribute, 75
 smiNetworkManagerAdapter property, 152
 smiServletAdapter property, 152
 socket-receive-buffer-size property, 131
 socket-send-buffer-size property, 131
 sourceMBean property, 67
 sourceObjectName property, 67
 SrThreshold property, 146
 SSL, configuring, 153-155
 ssl-cache-entries property, 81
 ssl-client-config element, 155
 ssl element, 153-155
 ssl-enabled attribute, 80
 ssl-proxy-host property, 105
 ssl-proxy-port property, 106
 ssl-session-timeout property, 81
 ssl2-ciphers attribute, 154
 ssl2-enabled attribute, 154
 SSL3 client authentication, 154
 ssl3-enabled attribute, 154
 ssl3-session-timeout property, 81
 ssl3-tls-ciphers attribute, 154
 sslHandshakeTimeout property, 152
 sso-enabled property, 83, 167
 sso-failover-enabled attribute, 173
 sso-max-inactive-seconds property, 167
 sso-reap-interval-seconds property, 167
 stack-config element, 155-156

- stack-layer element, 156
- start-args attribute, 97
- start-servers-in-startup attribute, 121
- state attribute, 167
- statement-timeout-in-seconds attribute, 93
- steady-pool-size attribute, 43, 59, 91, 114
- store-properties element, 156-157
- store-protocol attribute, 109
- store-protocol-class attribute, 109
- stringToCompare property, 67
- subscribe-listener-with attribute, 104
- sun-domain_1_5.dtd file, 16
- Sun Java System Message Queue, 98
- System Classloader, 89
- system-classpath attribute, 89
- system-jmx-connector-name attribute, 26, 120
- system-property element, 157-159

T

- t1-in-millis attribute, 153
- t2-in-millis attribute, 153
- t4-in-millis attribute, 153
- thread-count attribute, 100, 132
- thread-increment attribute, 133
- thread-pool element, 159-160
- thread-pool-id attribute, 159
- thread-pool-ids attribute, 133
- thread-pools element, 160
- timeout-in-seconds attribute, 74, 100, 144, 161
- timeoutBasedQuarantineTime property, 145
- timer-datasource attribute, 64
- tls-enabled attribute, 154
- tls-rollback-enabled attribute, 154
- traceEnabled property, 78, 83
- transaction-isolation-level attribute, 91
- transaction log file, 106, 161
- transaction-service element, 160-162
- transaction-support attribute, 43
- transformation-rule element, 162-163
- transport attribute, 149
- transport-protocol attribute, 109
- transport-protocol-class attribute, 109
- trust-handler element, 164-165

- trustAlgorithm property, 79
- trusted-as attribute, 164
- trusted-entity element, 163-164
- trustMaxCertLength property, 79
- tx-log-dir attribute, 161
- type attribute, 26, 65, 97
- type property, 67

U

- udpStaleConnectionsTimeout property, 152
- uriEncoding property, 79, 83
- url attribute, 74
- url property, 94
- use-last-agent-optimization property, 162
- use-nio-direct-bytebuffer property, 77, 82
- use-system-logging attribute, 107
- use-thread-pool-ids attribute, 122
- user-group element, 165
- user-name attribute, 35
- user-name-column property, 32
- user-name property, 98
- user property, 94
- user-table property, 32
- UserName property, 45
- uuid-impl-class property, 148, 174

V

- validate-atmost-once-period-in-seconds attribute, 44, 93
- validation-table-name attribute, 92
- value attribute, 128, 158
- variables, 16-18
- verify-config attribute, 57
- verify-failure-timeout-in-millis attribute, 73
- version attribute, 80
- victim-selection-policy attribute, 61
- virtual-server element, 165-170
- virtual servers, log file for, 106
- virtual-servers attribute, 28

W

- wait-time-before-recovery-insec property, 162
- web-container-availability element, 171-174
- web-container element, 170-171
- web module, default, 166
- web-module element, 174-175
- web-service-endpoint element, 175-176
- web.xml file session-timeout element, 144
- wrap-jdbc-objects attribute, 93
- write-timeout-in-millis attribute, 148
- write-timeout-retries attribute, 148

X

- xa-servername property, 162
- xaresource-txn-timeout property, 162
- XML specification, 16
- xpowered-by attribute, 77
- XSLT, 162-163

