

Source Compatibility Guide

2550 Garcia Avenue
Mountain View, CA 94043
U.S.A.



© 1995 Sun Microsystems, Inc. 2550 Garcia Avenue, Mountain View, California 94043-1100 U.S.A.

All rights reserved. This product or document is protected by copyright and distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product or document may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any.

Portions of this product may be derived from the UNIX[®] system, licensed from UNIX System Laboratories, Inc., a wholly owned subsidiary of Novell, Inc., and from the Berkeley 4.3 BSD system, licensed from the University of California. Third-party software, including font technology in this product, is protected by copyright and licensed from Sun's suppliers.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013 and FAR 52.227-19. The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

TRADEMARKS

Sun, Sun Microsystems, the Sun logo, SunSoft, the SunSoft logo, Solaris, SunOS, OpenWindows, DeskSet, ONC, ONC+, and NFS are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States and other countries. UNIX is a registered trademark in the United States and other countries, exclusively licensed through X/Open Company, Ltd. OPEN LOOK is a registered trademark of Novell, Inc. PostScript and Display PostScript are trademarks of Adobe Systems, Inc.

All SPARC trademarks are trademarks or registered trademarks of SPARC International, Inc. in the United States and other countries. SPARCcenter, SPARCcluster, SPARCcompiler, SPARCdesign, SPARC811, SPARCengine, SPARCprinter, SPARCserver, SPARCstation, SPARCstorage, SPARCworks, microSPARC, microSPARC-II, and UltraSPARC are licensed exclusively to Sun Microsystems, Inc. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc.

The OPEN LOOK[®] and Sun[™] Graphical User Interfaces were developed by Sun Microsystems, Inc. for its users and licensees. Sun acknowledges the pioneering efforts of Xerox in researching and developing the concept of visual or graphical user interfaces for the computer industry. Sun holds a non-exclusive license from Xerox to the Xerox Graphical User Interface, which license also covers Sun's licensees who implement OPEN LOOK GUIs and otherwise comply with Sun's written license agreements.

X Window System is a trademark of X Consortium, Inc.

THIS PUBLICATION IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT.

THIS PUBLICATION COULD INCLUDE TECHNICAL INACCURACIES OR TYPOGRAPHICAL ERRORS. CHANGES ARE PERIODICALLY ADDED TO THE INFORMATION HEREIN. THESE CHANGES WILL BE INCORPORATED IN NEW EDITIONS OF THE PUBLICATION. SUN MICROSYSTEMS, INC. MAY MAKE IMPROVEMENTS AND/OR CHANGES IN THE PRODUCT(S) AND/OR THE PROGRAMS(S) DESCRIBED IN THIS PUBLICATION AT ANY TIME.



Contents

Preface.....	vii
1. Introducing the Source Compatibility Package.....	1
What the Compatibility Package Is.....	1
Why the Compatibility Package Is Provided.....	1
Installing the Compatibility Package.....	2
Using the Compatibility Package.....	2
2. Compatibility Package Features.....	5
Source Compatibility Package Contents.....	5
Commands.....	5
Printing Commands.....	16
Mail Commands.....	17
System Management.....	17
System Calls.....	18
Signals.....	20
Library Routines.....	22

Routines in libcurses	23
Routines in libdbm	24
Routines in libtermcap	24
Routines in librpcscc	24
Routines in libucb	24
Header Files	27
Index	31

Tables

Table 2-1	Commands	6
Table 2-2	Printing Commands	16
Table 2-3	Mail Commands	17
Table 2-4	System Calls	18
Table 2-5	Signals	21
Table 2-6	Library Routines	22
Table 2-7	Curses Routines	23
Table 2-8	Header Files	28

Preface

The SunOS 5.x operating system is based on AT&T's *System V Release 4.0* (SVR4) and differs considerably from previous releases of the SunOS operating system. We realize these differences can be confusing and may require a period of adjustment. To ease this transition, the *SunOS/BSD Source Compatibility Package* is provided. This package contains many of the commands, library routines, and files you are familiar with from the SunOS environment.

Scope of this Manual

In the context of this guide, SunOS 4.1 is a universal term that includes these releases:

- SunOS 4.1
- SunOS 4.1.1
- SunOS 4.1.2
- SunOS 4.1.3

A complete discussion of general compatibility issues can be found in *Solaris 1.x to 2.x Transition Guide*. This guide provides a comparative listing of SunOS 4.1 interfaces and their SunOS 5.2 counterparts.

How This Book Is Organized

This guide is provided to document the contents of this package, its usage, and how to install it. Chapter 1 provides an overview of the package and explains the mechanics of using it. Chapter 2 provides detailed descriptions of each interface provided in this package. In some cases, a brief tutorial is also provided.

Notations

References to literal computer input (commands you enter) are shown in a bold, monospace font, and computer output (screen messages produced by the system) are shown in a monospace font, as in the following example:

```
$ ls -l report
-rw-r--r-- 1 jim doc 3239 May 26 11:21 report
```

Substitutable text elements (that is, text elements that you are expected to replace with specific values) are shown in an italic font, as in the following example:

```
$ cat filename
```

The italic font is a signal that you are expected to replace the word *filename* with the name of a file.

Instructions to the reader to type input usually do not include explicit instructions to press the RETURN key at the appropriate times (such as after entering a command or a menu choice) because this instruction is implied for all system commands and menus.

However, an instruction to press the RETURN key is explicitly provided during an interactive routine, when you are expected to press RETURN without having typed any text. An instruction to do so will be provided, as follows:

```
Type any key to continue: RETURN
```

```
$
```

Control characters are shown by the string `CTRL-char` where *char* is any character. To enter a control character, hold down the CTRL key and press the letter shown. Be sure to type the letter exactly as specified: when a lowercase letter is shown (such as the “d” in the example above), enter that lowercase letter. If a character is shown in uppercase (such as "CTRL-D") you should enter an uppercase letter.

The system prompt signs shown in examples of interactive sessions are the standard default prompt signs for the system under the following conditions:

- the dollar sign (\$) for an ordinary user
- the pound sign (#) for the owner of the `root` login

Introducing the Source Compatibility Package



The *SunOS/BSD Source Compatibility Package* is an optional package in the SunOS 5.x operating system that makes available many SunOS 4.1 and BSD interfaces otherwise not included, or which may differ in functionality between the SunOS 4.1 and SunOS 5.x releases. This package should be used as a transition aid, and your future development should not depend on its continued existence.

What the Compatibility Package Is

The Source Compatibility Package is a collection of commands, libraries and header files. Many of these may also be present in the default SunOS 5.x environment, but their behavior is different between the two versions. These interfaces are located in the `/usr/ucb`, `/usr/ucblib`, and `/usr/ucbinclude` directories.

Why the Compatibility Package Is Provided

This package and the SunOS Binary Compatibility Package (see the *Binary Compatibility Guide*) are provided as transition aids to help users migrate from SunOS 4.1 to SunOS 5.x. While applications are being ported, this package is available to aid in compiling the existing sources.

Installing the Compatibility Package

This package is *optional* that is, it is not automatically installed. This package is not required by any default SunOS 5.x commands, utilities, or libraries. Refer to *SPARC: Installing Solaris Software* or *x86: Installing Solaris Software* for instructions on how to install this package.

The contents of the compatibility package are installed into several directories, each corresponding to a default environment counterpart:

- `/usr/ucb` contains the source compatibility package commands. These commands existed in the `/usr/bin`, `/usr/ucb`, and `/usr/etc` directories in the SunOS 4.1 release.
- `/usr/ucblib` contains the source compatibility package libraries and SunOS/BSD system calls that are implemented here as library routines. These interfaces existed in `/usr/lib` in the SunOS 4.1 release.
- `/usr/ucbinclude` contains the source compatibility package header files. These files existed in the `/usr/include` directory in the SunOS 4.1 release.

Using the Compatibility Package

You can make use of the compatibility package in several ways: permanently, temporarily, or on a case-by-case basis.

To always get the compatibility package version of a command, you must set your `PATH` environment variable so that `/usr/ucb` appears before `/usr/bin`.

The following command displays the current setting of your `PATH` environment variable:

```
$ echo $PATH
/home/medici/bin:/usr/bin:/usr/ucb:/etc:.
$
```

For the current shell to find the compatibility package commands by default, switch the order of `/usr/bin` and `/usr/ucb`:

```
$ PATH=/home/medici/bin:/usr/ucb:/usr/bin:/etc:.  
  
$
```

To make this change permanent, put the above line in the `.profile` file in your home directory.

Note – If you’re using the C shell, use the following command to switch the order of `/usr/bin` and `/usr/ucb`. To make this change permanent in the C shell, put this line in the `.cshrc` file in your home directory. Changes to the `.cshrc` file do not take effect until that file has been sourced. See the `cs(1)` manual page for more information.

```
% set PATH=(/home/medici/bin /usr/ucb /usr/bin /etc .  
  
%
```

You can keep the SunOS 5.x commands as your default and still access the compatibility package commands by specifying the command’s full path. This is useful when you are interested in the compatibility package version of a particular command only for a given instance:

```
$ which df  
  
/usr/bin/df  
  
$ df  
  
/          (/dev/root):231024 blocks 105323 files  
  
/proc     (/proc):          0 blocks 123 files
```

```
$ /usr/ucb/df

Filesystem  kbytes  used   avail  capacity  Mounted on
/dev/root   1750592 826496  749032 52%       /
```

Compatibility package header files and libraries used by the compatibility package version of the C compiler (`cc`) and linker (`ld`) are located in `/usr/ucbinclude` and `/usr/ucb/lib`.

By setting your path as shown above, you'll use `/usr/ucb/cc` when you compile C programs. `/usr/ucb/cc` sets its default paths to pick up the following directories in the order specified:

1. User-specified include directories and libraries.
2. The compatibility include files and directories.
3. The base SunOS 5.x system headers and libraries, if unresolved symbols remain.

Compatibility Package Features



This chapter describes the contents of the Source Compatibility Package. The contents are organized as follows:

- Commands
- System calls
- Signals
- Library routines
- Header files

For more information on the interfaces described here, see the *SunOS Reference Manual*.

Source Compatibility Package Contents

This section lists the contents of the Source Compatibility Package, and then describes the individual interfaces.

Commands

The commands below are described in alphabetical order. Following those descriptions, some common usage of related commands is discussed. These commands are located in `/usr/ucb`.

Table 2-1 below lists the commands available with the Source Compatibility Package.

Two versions of some commands exist: one in the default SunOS 5.x command location, and the other in the compatibility package found in `/usr/ucb`. These commands are shown in **bold** in the table below. The descriptions in this guide pertain only to the `/usr/ucb` versions, although, where relevant, the differences between the two versions are discussed.

Table 2-1 Commands

	Commands	
Mail	hp722	renice
aedplot	hpplot	plotreset
arch	implot	rusage
atoplot	install	sed
basename	ldd	shutdown
bgplot	lint	stty
biff	ln	sum
cc	logger	t300
chown	lpc	t300s
crtplot	lpq	t4013
df	lpr	t450
du	lprm	tek
dumbplot	lptest	test
echo	ls	touch
expr	mach	tr
fastboot	mail	tset
fasthalt	mkstr	ucblinks
file	pagesize	rusers
from	plot	vipw
gigiplot	plottoa	vplot

Table 2-1 Commands

	Commands	
groups	printenv	whereis
hostid	ps	whoami
hostname		

arch

Displays your machine architecture. `arch` uses the SunOS 5.x `uname -m` command. `arch` is not available in the default SunOS 5.x release.

basename

Strips the full path name off a file. If you follow the path name with a suffix, that suffix is stripped, too:

```
$ basename /usr/src/rundog.c .c
rundog
$
```

`basename` is useful for writing shell scripts. This version parses arguments differently than the SunOS 5.x version.

biff

Enables and disables immediate notification of the arrival of mail. When notification is enabled, `biff` displays the header and first few lines of mail messages when they are received. This command is not available in the default SunOS 5.x release.

cc

This command is identical to the unbundled C compiler in `/usr/ccs/bin/acc`, except that the following directories are included:

- User-specified include directories and libraries
- The compatibility include files and directories

- The default SunOS 5.x headers and libraries, if unresolved symbols remain

Compatibility package header files and libraries referenced by the compiler (`cc`) and linker (`ld`) are located in `/usr/ucbinclude` and `/usr/ucblib`.

`chown`

Changes the owner of a file. This version allows you to optionally change the group as well. The group may be either a decimal group ID (GID) or a group name found in the GID file.

`df`

Displays the free disk space of currently mounted file systems. This command differs from `/usr/bin/df` in several ways:

- Blocks sizes are reported in units of 1024-bytes in this version of `df`, while `/usr/bin/df` uses 512-byte blocks.
- Perhaps the most obvious difference between the two versions of this command is their output format, as shown by the example below.

```

$ /usr/ucb/df
Filesystem  kbytes      used      avail      capacity  Mounted on
/dev/root   1750592     826496    749032     52%        /
$ df
/           (/dev/root  ):          231024 blocks  105323 files
/proc      (/proc      ):              0 blocks    123 files

```

`du`

Displays the number of disk blocks used by files in a directory. It is useful for seeing how disk space is being used. This version reports disk usage in kilobytes, while the default `du` command reports disk usage in blocks.

`echo`

Echoes arguments to the standard output. This version and the default `echo` command recognize certain escape sequences differently.

`expr`

Evaluates an expression. This version supports the following additional operators and keywords: `match`, `substr`, `index`, `length()`.

`fastboot`

Reboots your machine. This command is not available in the default SunOS 5.x release.

`fasthalt`

Halts your machine. This command is not available in the default SunOS 5.x release.

`file`

Determines the file type by examining the file's contents. This version supports symbolic links. When the `-L` option is specified for a file that is a symbolic link, `file` tests the file referenced by the link rather than the link itself.

`from`

Displays mail header information, including the sender and time the mail was received. This command is not available in the default SunOS 5.x release.

`groups`

Displays the groups to which a user belongs. Although the `id` command in the default SunOS 5.x release has been enhanced to perform this function, `groups` is also available for compatibility.

`hostid`

Prints the numeric identifier (in hexadecimal) of the current host. This command is not available in the SunOS 5.x release.

`hostname`

Displays the name of your machine and allows you to rename it. This command is not available in the base release. `uname -n` in the SunOS 5.x release displays the machine name, but does not allow the super-user to rename the machine.

`install`

Installs files into a destination directory. This version has different options and syntax than the SunOS 5.x one.

ld

This command is identical to the linker in `/usr/ccs/bin/ld`, except that it ensures that libraries in `/usr/ucb/lib` are linked in by `ld`, *before* the default SunOS 5.x libraries.

When unresolved symbols remain, the libraries in `/usr/lib` are referenced. Note that `/usr/ucb/lib/libucb.so` is always linked when this command is invoked.

lint

Checks C programs for bugs, argument type errors, and potential portability problems. This command uses the lint libraries under `/usr/ucb/lib`.

ln

Creates links to files or directories. The default `ln` removes an existing target if it has the requisite permissions. Because the SunOS 4.1 behavior is not obtained by default, the compatibility package contains a version of `ln` that does not remove an existing target.

logger

Adds entries to a system log. Priorities, tags, and files to write to may be specified.

lpc

`lpc`, the line printer control program, is the same as in SunOS 4.1, except that it does not make use of the file `/etc/printcap`. Use `lpc` to start and stop a printer, disable or enable a spooling queue, rearrange the order of printing jobs, or display the status of each printer. This command is not available in SunOS 5.x.

`lpq`

Returns information on all print jobs on the local printer; however, for remote printers, it provides the status only for jobs belonging to the user. `lpq` is the equivalent of the SunOS 5.x command `lpstat`.

The command `lpq username` provides the status of all files, on all machines (both local and remote), belonging to the named user. In these examples, user `wesson` sends files `fileX` and `fileY` to the local printer `printerA`, and `fileZ` to a remote printer:

```
$ lpr fileX

$ lpr fileY

$ lpq

Rank Owner Job Files

active smith printerA-111230 file1

1st wesson printerA-111231 fileX

2nd wesson printerA-111232 fileY

3rd jones printerA-111233 file9

$

$ lpr -Pfar_printer fileZ

$ lpq -Pfar_printer

Rank Owner Job Files

4th wesson far_printer-111332 fileZ

$

$ lpq wesson
```

```
printerA:

Rank Owner Job Files

1st wesson printerA-111231 FileX

2nd wesson printerA-111232 FileY

far_printer:

Rank Owner Job Files

4th wesson far_printer-111332 FileZ
$
```

`lpr`

Sends files to the printer. The compatibility package version of `lpr` does not support the `-r` option (which removes a file after spooling it). Nor does it allow for specific fonts to be mounted on font positions 1, 2, 3, or 4. `lpr` is the equivalent of the SunOS 5.x `lp` command.

`lprm`

Removes files from the print queue. This is the SunOS 4.1 equivalent of the SunOS 5.x `cancel` command.

`lptest`

Produces a ripple pattern for testing printers.

`ls`

Lists a file or the contents of a directory. The compatibility package version of `ls` differs from the default `ls` command in two ways:

- The `-l` option does not print the group.
- The `-s` option reports block sizes in blocks of 1024 bytes, instead of 512.

```
$ ls -ls

total 24

8 -rw-r--r-- 1 jah staff 268 Nov 10 21:28 test1
```

```
8 -rw-r--r-- 1 jah staff 121 Nov 10 21:28 test2
8 -rw-r--r-- 1 jah staff 42 Nov 10 21:28 test3

$ /usr/ucb/ls -ls

total 12

4 -rw-r--r-- 1 jah 268 Nov 10 21:28 test1
4 -rw-r--r-- 1 jah 121 Nov 10 21:28 test2
4 -rw-r--r-- 1 jah 42 Nov 10 21:28 test3

$
```

`mach`

Reports the machine type. The SunOS 5.x `uname -p` command provides the same behavior. However, because many scripts and makefiles use `mach`, it has been placed in the compatibility package. This command is not available in default SunOS 5.x release.

Mail and `mail`

Reads and sends mail messages. This command is a version of `mailx(1)` with defaults set to behave like the BSD `mail` command. See the `mailx(1)` manual page in the *SunOS Reference Manual* for complete information on the BSD default settings.

`mkstr`

Creates a file of all error messages in a C program source file. This is useful for programs with a large number of diagnostic error messages, it reduces the size of the program, and the system overhead when running the program. This command is not available in the default SunOS 5.x release.

`pagesize`

Reports the size of a page of memory in bytes. This is useful for scripts. This command is not available in the default SunOS 5.x release.

plot

Graphics filters for various plotters. The following filters allow you to run `plot` on a variety of terminals: `aedplot`, `atoplot`, `bgplot`, `crtplot`, `dumbplot`, `gigiplot`, `hp7221plot`, `hpplot`, `implot`, `plottoa`, `t300`, `t300s`, `t4013`, `t450`, `tek`, and `vplot`.

printenv

Reports environment variables as currently set. It is similar to the `env` command. This command is not available in the default SunOS 5.x release.

ps

Displays the status of the current processes. This version displays more information, in a different format, than that of the SunOS 5.x version.

renice

Alters the *nice* value of running processes. This behavior is now present in the SunOS 5.x `priocntl` command; however, for SunOS 4.1 compatibility reasons, `renice` is included in the compatibility package. This command is not available in the default SunOS 5.x release.

reset and tset

SunOS 5.x These commands are similar to `tput reset` and `tput init` respectively; that is, they reset and set terminal-behavior characteristics. However they differ enough to be included here. `reset` and SunOS 5.x `tset` are not available in the default SunOS 5.x release.

rusage

Executes the given command and reports on the resource usage. `rusage` reports the total time elapsed (wall clock), the system CPU, the user CPU, plus 11 other fields in a one line summary following the commands output, if any. This command is not available in the default SunOS 5.x release.

sed

`/usr/ucb/sed` is similar to `/usr/bin/sed` except it strips initial SPACE and TAB characters from text lines.

shutdown

This version of `shutdown` allows you to specify a time and a warning message to be sent. It also sends shutdown messages to other systems if they have mounted filesystems from the machine being shut down. See the `shutdown(1B)` manual page for any limitations on SunOS 4.1 functionality.

stty 5.2

The SunOS 5.x version of `stty` incorporates many of the features of SunOS 4.1 `stty`. The compatibility package version is included for full SunOS 4.1 functionality.

sum

Calculates checksums in a machine-dependent way. Also, it displays the file in kilobytes instead of 512-byte blocks.

test

Evaluates conditional expressions. The SunOS 4.1 and SunOS 5.x versions of `test` differ with respect to the `-f` option. In the SunOS 4.1 release, this option means “is the target not-a-directory?” while in the SunOS 5.x release it means “is the target a plain file?”.

touch

Updates the access and modification times of a file. The SunOS 5.x version of `touch` does not support the `-f` option, which attempts to force the touch in spite of read and write permissions on the file.

tr

Translates characters from the standard input to the standard output. There are two differences between `/usr/bin/tr` and this version:

- In SunOS 4.1, when translating from *string1* to *string2*, if *string2* is shorter than *string1*, *string2* is padded out to the length of *string1* by repeating *string2*'s last character.
- This version does not require enclosing alphanumeric ranges inside square brackets.

tset

See `reset`.

ucblinks

Creates symbolic links in `/dev` for SunOS 4.1 devices whose names are different in the SunOS 5.x release. When these links are no longer needed, they must be removed by hand.

users

Displays a short list of logged-in users. This command is not available in the default SunOS 5.x release. The SunOS 5.x equivalent is `who -q`.

`vipw`

Edits the `/etc/passwd` file, and sets the appropriate locks. `vipw` runs consistency checks on the password file when the edits are complete and the locks have been removed. If these checks fail, `vipw` does not allow the incorrect file to be installed. This command is not available in the default SunOS 5.x release.

`whereis`

Locates the binary, source, and manual page files for the given command. `whereis` searches a standard list of common locations for these files. This command is not available in the default SunOS 5.x release.

`whoami`

Displays your effective user ID; `whoami` works even if you have used `su` to change your current user ID. This command is not available in the default SunOS 5.x release, although it is equivalent to `id`.

Printing Commands

The compatibility package contains five printing commands that are not in the default SunOS 5.x release: `lpr`, `lpq`, `lprm`, `lpc`, and `lptest`. This is how they compare with the base commands:

Table 2-2 Printing Commands

SunOS 4.1 Command	SunOS 5.x Equivalent
<code>lpr</code>	<code>lp</code>
<code>lpq</code>	<code>lpstat</code>
<code>lprm</code>	<code>cancel</code>
<code>lpc</code>	no equivalent
<code>lptest</code>	no equivalent

Here is an overview of some important features:

- There are no SunOS 4.1 commands for administration, maintenance, or accounting of printers; you must use SunOS 5.x schemes. The exception is the `lpc` command, which is included.

- The SunOS 4.1 `printcap` file does not exist. The printer information is now contained in the files in the directories `/etc/lp` and `/etc/lp/printers/printer-name`. You can change this information using the `lpadmin` command. For more information on this command, refer to the `lpadmin(1)` manual page in the *SunOS Reference Manual*.
- Printing spooling commands do not depend on the `lpd` daemon, as in SunOS 4.1. Instead, they use an HPI (High Performance Interface) with the SunOS 5.x printing daemon, `lpsched`.

Mail Commands

The SunOS 4.1 version of `mail`, based on `sendmail`, has been included in the Source Compatibility Package; it has a different user interface than the base SunOS 5.x version of `mail`. Additionally, some useful mail facilities are included for compatibility.

Table 2-3 Mail Commands

Commands	Description
<code>biff</code>	immediate notification of mail
<code>from</code>	display mail header lines
<code>mail</code>	send and receive mail messages
<code>Mail</code>	send and receive mail messages

System Management

Because of limitations in underlying SunOS 5.x support, the commands in this section for stopping and starting your system cannot provide full SunOS 4.1 functionality. Nonetheless, they are included here for compatibility, so that existing shell scripts invoking them can still function. For example, the compatibility package versions of `fastboot` and `fasthalt` do not prevent disk checks. See the manual pages on following commands to find out about specific limitations: `fastboot`, `fasthalt`, and `shutdown`.

System Calls

The following system calls are implemented in the compatibility package as library routines:

Table 2-4 System Calls

System Calls		
WIFEXITED	getpagesize	setregid
WIFSIGNALED	getpriority	setreuid
WIFSTOPPED	gettimeofday	settimeofday
flock	killpg	statfs
fstatfs	mctl	syscall
getdtablesize	reboot	wait3
gethostid	sethostname	wait4
gethostname	setpriority	

The following routines reside in `libc.b`.

`flock`

Applies or removes an advisory lock on a file. The compatibility version of `flock` has been implemented on top of `fcntl(2)` locking. This version is not completely compatible with the SunOS 4.1 version. The following differences exist:

- To obtain a shared lock (LOCK_SH), read permission on file is required.
- To obtain an exclusive lock (LOCK_EX), write permission on file is required.
- EOPNOTSUPP may not be returned as a result of a call to `flock`.
- Locking a segment that is already locked by the calling process causes the old lock type to be removed and the new lock type to take effect. That was not the case with `flock` in the SunOS 4.1 release.
- Locks are not inherited by a child process in a `fork(2)` function.
- Locks obtained through the flock mechanism under SunOS 4.1 were known only within the system on which they were placed. This is no longer true.

`fstatfs`

Gets statistics about an open file on a mounted file system.

`getdtablesize`

Gets the size of a process's descriptor table. This routine calls the `getrlimit(2)` system call.

`gethostid`

Returns the 32-bit identifier for the current host. This routine calls the `sysinfo(2)` system call.

`gethostname`

Returns the standard hostname for the current processor. This routine calls the `sysinfo(2)` system call.

`getpagesize`

Returns the number of bytes in a page. This routine calls the `sysconf(3C)` routine.

`getpriority`

Gets the process scheduling priority. Returns the highest priority (lowest numerical value) of any of the specified processes. This routine calls the `prctl(2)` system call.

`gettimeofday`

Gets date and time. This routine calls the default version of `gettimeofday(3C)`. Note that this version of `gettimeofday` accepts two arguments for compatibility purposes, although it ignores the second one.

`killpg`

Sends a signal to a process group. This routine calls the `kill(2)` system call.

`mctl`

Applies memory management control functions. This routine calls the `memcntl(3)` routine.

`reboot`

Restart system or halt processor. This routine calls the `uadmin(2)` system call.

`sethostname`

Sets the name of the host machine. This routine calls the `sysinfo(2)` system call.

`setpriority`

Sets the program scheduling priority. The default priority is 0. It is not possible for the process executing `setpriority` to lower any other process down to its current priority, without appropriate privileges. This routine calls the `prctl(2)` and `prctlset(2)` system calls.

`setregid`

Set real and effective group ID's. This routine calls the `setgid(2)` or `setegid` system calls. Exact BSD semantics are not always maintained. The real `gid` is not always changed. Not all cases can be handled.

`setreuid`

Sets real and effective user ID's. Calls SunOS 5.x's `setuid` or `seteuid`. Exact BSD semantics are not always maintained. The real `uid` is not always changed. Not all cases can be handled.

`settimeofday`

Sets date and time of day. This routine calls the `stime(2)` system call. Note that this function accepts two arguments for compatibility purposes, although it ignores the second.

`statfs`

Gets file system statistics about mounted file systems. Calls `statvfs(2)`.

`syscall`

Performs indirect system calls.

`wait3`

Alternative system call to `wait(2)` for waiting for a process to stop. This routine calls the `waitid(2)` system call.

`wait4`

Alternative system call to `wait(2)` for waiting for a process to stop. This routine calls the `waitid(2)` system call.

Signals

The SunOS 4.1 signal handlers and default actions are different from the SunOS 5.x signals.

The following routines are in the compatibility package:

Table 2-5 Signals

	Signals	
<code>_longjmp</code>	<code>sigblock</code>	<code>sigpause</code>
<code>_setjmp</code>	<code>siginterrupt</code>	<code>sigsetmask</code>
<code>longjmp</code>	<code>sigmask</code>	<code>sigstack</code>
<code>psignal</code>	<code>signal</code>	<code>sigvec</code>
<code>setjmp</code>		

The SunOS 4.1 style of signal handling is provided in the compatibility package. These routines invoke existing SunOS 5.x signal handling routines. These routines reside in `libucb`.

`_longjmp`, `longjmp`, `_setjmp`, and `setjmp`

In the SunOS 4.1 release, `setjmp` and `longjmp` save and restore the signal mask. This functionality has been preserved with the `sigsetjmp` and `siglongjmp` signals, respectively.

`psignal`

In the SunOS 4.1 release, `psignal` flushes stdio buffers. The SunOS 5.x version of `psignal` does not. This behavior has been preserved in the compatibility version.

`sigblock` and `sigsetmask`

In the SunOS 4.1 release, `sigblock` blocks a signal; `sigsetmask` sets a signal mask. `sigblock` and `sigsetmask` call the `sigprocmask(2)` system call.

`siginterrupt`, `signal`, `sigvec` and `sigaction`

In the SunOS 4.1 release, `siginterrupt` is a library function that allows signal interruptions; `signal` is a library function for simplified signal processing. Both now call `sigvec`, which itself calls the `sigaction` routine.

`sigpause`

Releases block signals; waits for interrupts. Implemented in the compatibility package through `sigsuspend`.

Library Routines

The Source Compatibility Package includes a set of compatibility libraries. These libraries can be found in `/usr/ucblib`, and they consist of:

- Routines not in the default SunOS 5.x system
- Routines having different interfaces or different system call “wrappers” than their SunOS 5.x counterparts

The routines in Table 2-6 are available with the compatibility package. Routines shown below in bold also exist in the default system:

Table 2-6 Library Routines

Library Routines		
alphasort	printf	setvbuf
bcmp	rand	sleep
bcopy	random	sprintf
bzero	re_comp	srand
fopen	re_exec	srandom
fprintf	readdir	sys_siglist
freopen	rindex	times
ftime	scandir	ualarm
getwd	setbuf	usleep
index	setbuffer	vsprintf
initstate	setlinebuf	vprintf
nice	setstate	vsprintf
nlist		

Compatibility library routines are placed in one of the following libraries: `libcurses`, `libdbm`, `librpcsoc`, `libtermcap`, and `libucb`.

The descriptions of the routines found in these libraries are divided by the libraries. Many of these routines are not included in the default SunOS 5.x libraries, but are useful enough to be retained for backward compatibility.

The routines in Table 2-6 are included in compatibility libraries for backwards compatibility purposes. At some later date these routines may not be supported and may eventually be discarded.

Routines in `libcurses`

The routines listed in Table 2-7 are available in the `/usr/ucblib` version of `libcurses`. Those routines shown in **bold** are also available in the default `libcurses`. The source compatibility version of `libcurses` uses `termcap`, while the base version uses `terminfo`.

Table 2-7 Curses Routines

Curses Routines		
box	overlay	wclrtoobot
delwin	overwrite	wclrtoeol
endwin	plod	wdelch
fgoto	plodput	wdeleteln
fullname	printw	werase
getcap	scanw	wgetch
gettmode	scroll	wgetstr
idlok	setterm	winsch
initscr	subwin	winsertln
longname	tabcol	wmove
mvcur	touchline	wprintw
mvprintw	touchoverlap	wrefresh
mvscanw	touchwin	wscanw
mvwin	tstp	wstandend
mvwprintw	waddch	wstandout
mvwscanw	waddstr	zap
newwin	wclear	

Routines in libdbm

`libdbm` contains the following routines: `dbmclose`, `dbmdelete`, `fetch`, `firstkey`, `nextkey`, and `store`. These routines maintain key/content pairs in a database using database routines. They are packaged in `/usr/ucblib/libdbm`. For more information, see the appropriate manual pages. These routines are superseded by the `libnldb` routines in the default system.

Routines in libtermcap

`libtermcap` contains the following routines: `tgetent`, `tgetnum`, `tgetflag`, `tgetstr`, `tgoto`, and `tputs`.

Routines in librpcsoc

`librpcsoc` contains the following routines: `clnttcp_create`, `clntudp_bufcreate`, `clntudp_create`, `rtime`, `svcf_create`, `svctcp_create`, `svcudp_bufcreate`, `svcudp_create`, and `svcudp_enablecache`.

Routines found in this library expect a socket descriptor as an argument.

Routines in libucb

`alphasort` and `scandir`

These routines combine the functions of `readdir` and `qsort` to process directory information. `scandir` reads a directory and builds an array of pointers to directory entries, returning the number of entries in the array and a pointer to the array through the parameter, *namelist*. *namelist* is a pointer to an arrangement of directory structure pointers. If the directory cannot be opened for reading or if `malloc` cannot allocate enough memory to hold all the data structures, `scandir` returns `-1`. `alphasort` is a routine that alphabetically sorts an array of pointers to directory entries (built by the routine, `scandir`).

These routines are not available in the default SunOS 5.x release.

`bcmp`, `bcopy`, and `bzero`

Functionally equivalent to the `memcmp`, `memcpy`, and `memset` routines, see `memory(3C)`. `bcopy` copies bytes, handling overlapping strings correctly. `bcmp` compares bytes, returning zero if they are identical, non-zero otherwise. `bzero` zeros out bytes. These routines are not available in the default SunOS 5.x release.

`fopen` and `freopen`

The SunOS 5.x and SunOS 4.1 versions differ in the handling of the `a` type. If mode `a` is specified, the SunOS 5.x version opens the file with `O_APPEND` set, while the SunOS 4.1 version doesn't. Also, the SunOS 4.1 version always seeks to the end of the file when mode `a` is specified, while the SunOS 5.x version seeks to the end of the file if update mode is not specified.

`ftime`

Returns a structure that contains elements showing the elapsed time since the epoch (00:00:00, January 1st, 1970). See `ctime(3C)`. This routine is not available in the default SunOS 5.x release.

`getwd`

Similar to `getcwd`. `getwd` returns the pathname of the current working directory, or `NULL` if there is an error. The return value of `getwd` is placed in a character string allocated by the caller. This routine is not available in the default SunOS 5.x release.

`index` and `rindex`

`index` returns a pointer to the first occurrence of a single character in a null-terminated character string. If the character does not occur in the string, `index` returns a `NULL` pointer. In the SunOS 5.x release, `strchr` replaces `index`, see `string(3C)`.

`rindex` returns a pointer to the last occurrence of a single character in a null-terminated string, or a `NULL` pointer if the letter does not occur in the string. In the SunOS 5.x release, `strrchr` replaces `rindex`, see `string(3C)`.

These routines are not available in the default SunOS 5.x release.

`initstate`, `random`, `setstate`, and `srandom`

Random number generator routines relied on by many user programs in the SunOS 4.1 release. These routines are not available in the default SunOS 5.x release.

See `rand(3C)`, `srand(3C)`, and `drand(3C)` in the *SunOS Reference Manual*.

`nice`

The SunOS 4.1 version always returns 0 if successful. The SunOS 5.x version returns the new `nice` value minus 20.

`nlist`

If unsuccessful, returns the number of symbols that were not located in the symbol table. (The SunOS 5.x version returns -1 if unsuccessful.) Also, `nlist` takes a file name as an argument, rather than a file descriptor.

`printf`, `fprintf`, `sprintf`, `vfprintf`, `vprintf`, and `vsprintf`

The following differences exist for these functions:

- In the SunOS 4.1 release, `sprintf` returns a pointer to its first argument; in the SunOS 5.x release, it returns the count of characters printed.
- In the SunOS 4.1 release, `printf` and `vprintf` always return the number of characters printed or EOF, while the SunOS 5.x version returns only EOF in case of an error.
- `fprintf` and `vfprintf` share the same differences as `printf` and `vprintf` (above); additionally, the buffering scheme for these routines is different for the SunOS 5.x and SunOS 4.1 release.

`rand` and `srand`

The SunOS 5.x returns the generated number shifted to the right by 16 and anded with 0x7fff, while the SunOS 4.1 release returns the generated number anded with 0x7fffffff.

`re_comp` and `re_exec`

These routines are similar to the `regcmp(3G)` and `regex` routines.

`re_comp` compiles the regular expression in a string, returning 0 if it compiled successfully or returning a pointer to an error message if it did not. `regcmp`, on the other hand, returns a pointer to the compiled form or NULL if given an incorrect argument. `re_exec` returns 1 if the string `s` matches the last compiled regular expression, 0 if it fails to match, and -1 if the regular expression is invalid. `regex`, however, returns NULL on failure or a pointer to the next unmatched character on success.

`readdir`

Reads a directory entry. The SunOS 4.1 release `readdir` routine returns a pointer to `struct direct`, while the SunOS 5.x version returns a pointer to `struct dirent`.

`setbuffer` and `setlinebuf`

These routines are used to provide control over the buffering used for input and output.

Similar to `setbuf(3S)` and `setvbuf`, `setbuffer` may be used after a stream has been opened but before it is read or written. It uses the array pointer instead of an automatically allocated buffer. If the buffer is the NULL pointer, input/output is completely unbuffered.

`setlinebuf` is used to change the buffering on a stream from block buffered or unbuffered to line buffered. It can be used at any time that the file descriptor is active.

These routines are not available in the default SunOS 5.x release.

`sleep`

The SunOS 5.x version returns the “unslept” amount, that is, the requested time minus the time actually slept. The SunOS 4.1 version does not return anything.

`sys_siglist`

An array containing a message string for each SunOS 4.1 signal number.

`times`

The SunOS 4.1 version returns 0 when successful. The SunOS 5.x version returns the elapsed real time in clock ticks per second from an arbitrary point in the past.

`ualarm` and `usleep`

Simplified interfaces to the system calls handling high-resolution timers. These routines are not available in the default SunOS 5.x release.

Header Files

The Source Compatibility Package header files can be found in `/usr/ucbinclude`. Differences remain in the case of header files, and you should be aware of them; in some cases it was impossible to achieve complete

source compatibility. Some SunOS 4.1 header files do not exist in the default SunOS 5.x release. The header files in **bold** are also available in the default system.

Table 2-8 Header Files

Header Files		
a.out.h	struct.h	sys/tty.h
assert.h	sys/dir.h	sys/ttychars.h
curses.h	sys/fcntl.h	sys/types.h
dbm.h	sys/file.h	sys/vfs.h
fcntl.h	sys/ioctl.h	sys/wait.h
regexp.h	sys/param.h	syscall.h
resolv.h	sys/reboot.h	sysexit.h
setjmp.h	sys/resource.h	ufs/quota.h
sgtty.h	sys/rusage.h	unistd.h
signal.h	sys/signal.h	vfont.h
stdio.h	sys/sysmacros.h	vfork.h
strings.h		

As with the library routines, there are some header files under SunOS 5.x that differ slightly from their SunOS 4.1 counterparts. In those instances, the affected header files are included in this compatibility package with as many additions as possible to keep them compatible with SunOS 4.1. The following list shows those files affected and the reasons for their inclusion in this package:

- a.out.h
Included for compatibility.
- assert.h
Included for compatibility.
- curses.h
Included for compatibility.
- dbm.h
Used by routines in libdbm and user programs invoking libdbm.

`fcntl.h`
Included for compatibility.

`regexp.h`
Includes `ctype.h` for compatibility.

`resolv.h`
Included for compatibility.

`setjmp.h`
Includes additional `#defines` and `#includes` for compatibility.

`sgtty.h`
Included for compatibility.

`signal.h`
Contains `sys/signal.h`. Included here for compatibility.

`stdio.h`
Includes SunOS 4.1-specific definitions.

`strings.h`
Contains the same type of information as `string.h`.

`struct.h`
Contains useful macros.

`sys/dir.h`
Included for compatibility.

`sys/fcntl.h`
Includes missing `#defines`.

`sys/file.h`
Includes missing `#defines` such as `L_SET`, and `L_INCR`.

`sys/ioctl.h`
Included for compatibility.

`sys/param.h`
Includes missing `#defines`.

`sys/reboot.h`
Included for compatibility.

`sys/resource.h`

Includes the `rusage` structure missing from the SunOS 5.x version of `resource.h` and used by the `getrusage` function.

`sys/rusage.h`

Includes the `rusage` structure.

`sys/signal.h`

Includes SunOS 4.1-specific data structures and definitions.

`sys/sysmacros.h`

Included for compatibility.

`sys/tty.h`

Included for compatibility.

`sys/ttychars.h`

Included for compatibility.

`sys/types.h`

Includes the `sys/sysmacros` header files and additional type definitions.

`sys/vfs.h`

Includes `sys/statfs` header file.

`sys/wait.h`

Includes declarations required by the `wait3` system call wrapper.

`syscall.h`

Included for compatibility.

`sysexits.h`

Contains useful exit codes.

`ufs/quota.h`

Includes `sys/fs.ufs_quota.h`. Added for compatibility.

`unistd.h`

Includes `#defines` missing in the SunOS 5.x version of this file.

`vfont.h`

Included for compatibility.

`vfork.h`

Included for compatibility.

Index

A

a.out.h header file, 28
alphasort(3), 24
arch(1B), 6
assert.h header file, 28

B

basename(1B), 7
bcmp(3), 25
bcopy(3), 25
biff(1B) mail notification, 7
bzero(3), 25

C

cc(1B), 7
chown(1B), 8
Compatibility, 5
control character, ix
CTRL-see control character, ix
curses.h header file, 28

D

dbm.h header file, 28
dbmclose(3), 24

dbmopen(3), 24
delete(3), 24
df(1B), 8
du(1M), 8

E

echo(1B), 8
expr(1M), 8

F

fastboot(1M), 8
fasthalt(1M), 9
fcntl.h header file, 29
fetch(3), 24
file, 9
firstkey(3), 24
flock(3), 18
fopen(3), 25
fprintf(3), 26
freopen(3), 25
from, 9
fstatfs(3), 18
ftime(3), 25

G

getdtablesize(3), 19
gethostid(3), 19
gethostname(3), 19
getpagesize(3), 19
getpriority(3), 19
gettimeofday(3), 19
getwd(3), 25
groups(1B), 9

H

hostid(1B), 9
hostname(1B), 9

I

index(3), 25
initstate(3), 26
install(1B), 9

K

killpg(3), 19

L

ld(1B), 10
lint(1B), 10
ln(1B), 10
logger(1B), 10
longjmp
 function, 21
lpc, 16
lpc(1M), 10
lpq, 16
lpq(1B), 11
lpr, 16
lpr(1B), 12
lprm, 16
lprm(1B), 12
lptest, 16

lptest(1B), 12
ls(1B), 12

M

mach(1B), 13
Mail, 13
mail, 13
mctl(3), 19
mkstr, 13

N

nextkey(3), 24
nice(3), 26
nlist(3), 26

P

pagesize(1B), 13
plot(1B), 14
printenv(1B), 14
printf(3), 26
Printing Commands, 16
ps(1B), 14
psignal(3), 21

R

rand(3), 26
random(3), 26
re_comp(3), 26
re_exec(3), 26
readdir(3), 27
reboot(3), 19
regexp.h header file, 29
renice(1M), 14
reset
 command, 14
resolv.h header file, 29
rindex(3), 25
rusage, 14

S

scandir(3), 24
sed(1M), 14
setbuffer(3), 27
sethostname(3), 19
setjmp(3), 21
setjmp.h header file, 29
setpriority(3), 20
setregid(3), 20
setreuid(3), 20
setstate(3), 26
settimeofday
 function, 20
sgtty.h header file, 29
shutdown(1B), 14
sigaction(2), 21
sigblock(3), 21
siginterrupt(3), 21
signal(3), 21
signal.h header file, 29
sigpause(3), 21
sigsetmask(3), 21
sigvec(3), 21
sleep(3), 27
Source Compatibility Package
 Commands, 5
sprintf(3), 26
srand(3), 26
srandom(3), 26
statfs(3), 20
stdio.h header file, 29
store(3), 24
strings.h header file, 29
struct.h header file, 29
stty(1B), 15
sum(1B), 15
sys/dir.h header file, 29
sys/fcntl.h header file, 29
sys/file.h header file, 29
sys/ioctl.h header file, 29

sys/param.h header file, 29
sys/reboot.h header file, 29
sys/resource.h header file, 30
sys/rusage.h header file, 30
sys/signal.h header file, 30
sys/sysmacros.h header file, 30
sys/tty.h header file, 30
sys/ttychars.h header file, 30
sys/types.h header file, 30
sys/vfs.h header file, 30
sys/wait.h header file, 30
sys_siglist(3), 27
syscall(3), 20
syscall.h header file, 30
syssexits.h header file, 30

T

test(1B), 15
times(3), 27
touch(1B), 15
tr(1B), 15
tset(1B), 14

U

ualarm(3), 27
ucblinks(1B), 15
ufs/quota.h header file, 30
unistd.h header file, 30
users(1B), 15
usleep(3), 27

V

vfont.h, 30
vfork.h, 30
vfprintf(3), 26
vipw, 16
vprintf(3), 26
vsprintf(3), 26

W

wait3(3), 20

wait4(3), 20

whereis, 16

whoami(1B), 16

Copyright 1995 Sun Microsystems Inc., 2550 Garcia Avenue, Mountain View, Californie 94043-1100 U.S.A.

Tous droits réservés. Ce produit ou document est protégé par un copyright et distribué avec des licences qui en restreignent l'utilisation, la copie, et la décompilation. Aucune partie de ce produit ou de sa documentation associée ne peuvent Être reproduits sous aucune forme, par quelque moyen que ce soit sans l'autorisation préalable et écrite de Sun et de ses bailleurs de licence, s'il en a.

Des parties de ce produit pourront être dérivées du système UNIX[®], licencié par UNIX System Laboratories, Inc., filiale entièrement détenue par Novell, Inc., ainsi que par le système 4.3. de Berkeley, licencié par l'Université de Californie. Le logiciel détenu par des tiers, et qui comprend la technologie relative aux polices de caractères, est protégé par un copyright et licencié par des fournisseurs de Sun.

LEGENDE RELATIVE AUX DROITS RESTREINTS: l'utilisation, la duplication ou la divulgation par l'administration américaine sont soumises aux restrictions visées à l'alinéa (c)(1)(ii) de la clause relative aux droits des données techniques et aux logiciels informatiques du DFARS 252.227-7013 et FAR 52.227-19. Le produit décrit dans ce manuel peut Être protégé par un ou plusieurs brevet(s) américain(s), étranger(s) ou par des demandes en cours d'enregistrement.

MARQUES

Sun, Sun Microsystems, le logo Sun, SunSoft, le logo SunSoft, Solaris, SunOS, OpenWindows, DeskSet, ONC, ONC+ et NFS sont des marques déposées ou enregistrées par Sun Microsystems, Inc. aux États-Unis et dans d'autres pays. UNIX est une marque enregistrée aux États-Unis et dans d'autres pays, et exclusivement licenciée par X/Open Company Ltd. OPEN LOOK est une marque enregistrée de Novell, Inc. PostScript et Display PostScript sont des marques d'Adobe Systems, Inc.

Toutes les marques SPARC sont des marques déposées ou enregistrées de SPARC International, Inc. aux États-Unis et dans d'autres pays. SPARCcenter, SPARCcluster, SPARCcompiler, SPARCdesign, SPARC811, SPARCengine, SPARCprinter, SPARCserver, SPARCstation, SPARCstorage, SPARCworks, microSPARC, microSPARC-II, et UltraSPARC sont exclusivement licenciées à Sun Microsystems, Inc. Les produits portant les marques sont basés sur une architecture développée par Sun Microsystems, Inc.

Les utilisateurs d'interfaces graphiques OPEN LOOK[®] et Sun[™] ont été développés par Sun Microsystems, Inc. pour ses utilisateurs et licenciés. Sun reconnaît les efforts de pionniers de Xerox pour la recherche et le développement du concept des interfaces d'utilisation visuelle ou graphique pour l'industrie de l'informatique. Sun détient une licence non exclusive de Xerox sur l'interface d'utilisation graphique, cette licence couvrant aussi les licenciés de Sun qui mettent en place OPEN LOOK GUIs et qui en outre se conforment aux licences écrites de Sun.

Le système X Window est un produit du X Consortium, Inc.

CETTE PUBLICATION EST FOURNIE "EN L'ÉTAT" SANS GARANTIE D'AUCUNE SORTE, NI EXPRESSE NI IMPLICITE, Y COMPRIS, ET SANS QUE CETTE LISTE NE SOIT LIMITATIVE, DES GARANTIES CONCERNANT LA VALEUR MARCHANDE, L'APTITUDE DES PRODUITS À RÉPONDRE À UNE UTILISATION PARTICULIÈRE OU LE FAIT QU'ILS NE SOIENT PAS CONTREFAISANTS DE PRODUITS DE TIERS.

CETTE PUBLICATION PEUT CONTENIR DES MENTIONS TECHNIQUES ERRONÉES OU DES ERREURS TYPOGRAPHIQUES. DES CHANGEMENTS SONT PÉRIODIQUEMENT APPORTÉS AUX INFORMATIONS CONTENUES AUX PRÉSENTES. CES CHANGEMENTS SERONT INCORPORÉS AUX NOUVELLES ÉDITIONS DE LA PUBLICATION. SUN MICROSYSTEMS INC. PEUT RÉALISER DES AMÉLIORATIONS ET/OU DES CHANGEMENTS DANS LE(S) PRODUIT(S) ET/OU LE(S) PROGRAMME(S) DÉCRITS DANS CETTE PUBLICATION À TOUS MOMENTS.

