

# Oracle8i

Windows Documentation Master Index

Release 3 (8.1.7)

September 2000

Part No. A85431-01

## USAGE NOTES:

You can use the bookmark list for this document to jump directly to a particular letter of the alphabet. The entries in this master index do not function as hyperlinks to the files they reference. To jump to a particular book, use the bookmarks under the heading "Links to Other Books", and then use the bookmark list for that book to navigate to a particular topic. The bookmarks are named after the book codes used in this index.

**ORACLE**

---

Oracle8i Windows Documentation Master Index, Release 3 (8.1.7)

Part No. A85431-01

Copyright © 2000 Oracle Corporation. All rights reserved.

Compiled by: Windows Documentation Group

The Programs (which include both the software and documentation) contain proprietary information of Oracle Corporation; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. Oracle Corporation does not warrant that this document is error free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without the express written permission of Oracle Corporation.

If the Programs are delivered to the U.S. Government or anyone licensing or using the programs on behalf of the U.S. Government, the following notice is applicable:

**Restricted Rights Notice** Programs delivered subject to the DOD FAR Supplement are "commercial computer software" and use, duplication, and disclosure of the Programs, including documentation, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement. Otherwise, Programs delivered subject to the Federal Acquisition Regulations are "restricted computer software" and use, duplication, and disclosure of the Programs shall be subject to the restrictions in FAR 52.227-19, Commercial Computer Software - Restricted Rights (June, 1987). Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065.

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and Oracle Corporation disclaims liability for any damages caused by such use of the Programs.

Oracle is a registered trademark, and Net8, Oracle Call Interface, Oracle7, Oracle8, Oracle8i, Oracle Designer, Oracle Enterprise Manager, Oracle Forms, Oracle Parallel Server, Oracle Server Manager, Oracle SQL\*Loader, LogMiner, PL/SQL, Pro\*C, SQL\*Net and SQL\*Plus, and Trusted Oracle are trademarks or registered trademarks of Oracle Corporation. All other company or product names mentioned are used for identification purposes only and may be trademarks of their respective owners.

---

---

# Send Us Your Comments

**Oracle8i Windows Documentation Master Index, Release 3 (8.1.7)**

**Part No. A85431-01**

## How to Contact Oracle Technical Publications

Oracle Corporation welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Do you have suggestions for improvement? Please indicate the chapter, section, and page number (if available).

You can send comments regarding documentation in the following ways:

- Electronic mail - [ntdoc@us.oracle.com](mailto:ntdoc@us.oracle.com)
- FAX - (650) 506-7370 Attn: Oracle Windows Platforms Server Documentation
- Postal service:  
Oracle Corporation  
Windows Platforms Server Documentation Manager  
500 Oracle Parkway,  
Redwood Shores, CA 94065  
USA

If you would like a reply, please provide your name, address, and telephone number.

If you have problems with the software, please contact your local Oracle Support Services.



---

---

# Preface

This guide provides an alphabetical compilation of the index entries from the Oracle8i on Windows documentation set, Release 3 (8.1.7).

---

---

**Note:** With the exception of the *Oracle8i Installation Guide for Windows NT*, *Oracle8i Release Notes for Windows NT*, and *Oracle Provider for OLE DB User's Guide*, the Windows documentation set for Release 3 (8.1.7) has not changed from Release 2 (8.1.6).

---

---

## Conventions

Each index entry lists page numbers in one or more books in the Oracle8i on Windows documentation set. For example, this index entry:

Optimal Flexible Architecture, DBA 2-17, COM 2-13, MTS 1-16

indicates that there is information on OFA on page 2-17 in *Oracle8i Administrator's Guide for Windows NT*, on page 2-13 in *Oracle COM Automation Developer's Guide*, and on page 1-16 in *Using Microsoft Transaction Server With Oracle8*.

The index uses a separate three-letter code for each book in the Oracle8i on Windows documentation set. These codes are listed in a legend at the bottom of each page in this index.

The following table lists the books, along with their part numbers and index codes, that have been included in this master index.

<b>Code</b>	<b>Book Title</b>	<b>Part Number</b>
COB	<i>Pro*COBOL Precompiler Getting Started for Windows</i>	A73024-01
COM	<i>Oracle COM Automation Developer's Guide</i>	A73027-01
CPP	<i>Pro*C/C++ Precompiler Getting Started for Windows</i>	A73023-01
DBA	<i>Oracle8i Administrator's Guide for Windows NT</i>	A73008-01
EMA	<i>Oracle Enterprise Manager Administrator's Guide</i>	A85248-01
EMC	<i>Oracle Enterprise Manager Concepts Guide</i>	A85250-01
EMI	<i>Oracle Intelligent Agent User's Guide</i>	A85251-01
MTS	<i>Using Microsoft Transaction Server With Oracle8</i>	A73029-01
OCI	<i>Oracle Call Interface Getting Started for Windows</i>	A73022-01
OLE	<i>Oracle Provider for OLE DB User's Guide</i>	A85259-01
OPS	<i>Oracle Parallel Server Administrator's Guide for Windows NT</i>	A73025-01
SQL	<i>SQL*Plus Getting Started for Windows</i>	A82954-01

---

**Note:** The following documents are not included in the Oracle8i on Windows master index:

- Installation guides
  - Release notes
  - Legato for Windows 2000 and Windows NT
  - *Oracle8i Database Server Documentation Set*. Refer to the *Oracle8i Documentation Generic Master Index* for the index entries for these books.
-

---

---

# Master Index

## Symbols

---

"", SQL\*Loader parameter, DBA 2-18  
"FIX n", SQL\*Loader parameter, DBA 2-18  
"RECSIZE", SQL\*Loader parameter, DBA 2-18  
"VAR xxxx", SQL\*Loader parameter, DBA 2-19  
\$ command, SQL 4-4  
@ command, SQL 4-3  
@@ command, SQL 4-3  
\\.\PhysicalDriveX, OPS 3-5  
\\.\PhysicalDrivex, DBA D-4

## Numerics

---

1521 port, DBA E-11  
1575 port, DBA E-11  
1630 port, DBA E-11  
1830 port, DBA E-11  
16-bit code, not supported, CPP 1-2  
4GB RAM Tuning, DBA 10-3  
8i *interMedia* Text, EMC 5-21

## A

---

### Access Control Lists

accessing security groups, DBA 4-21  
adding or removing users in security groups, DBA 4-23  
available security groups, DBA 4-20  
changing user permissions in security groups, DBA 4-24  
accessing sample tables, SQL 2-4

### ACCOUNT table

using with Microsoft application demo,  
MTS 4-3, MTS A-2, MTS A-5

### ACCOUNT.IDL, MTS 4-5

### acknowledging events

Event menu, EMA 5-24  
Event window, EMA 5-23

### Active Directory

accessing security groups, DBA 4-21  
accessing directory server objects, DBA 4-17  
adding or removing users in security groups, DBA 4-23  
automatic discovery of directory servers, DBA 4-6  
changing permissions in security groups, DBA 4-24  
connecting to a database, DBA 4-16, DBA 4-17  
creating security domains, DBA 4-25  
defined, DBA 4-2  
enhancement of directory object type descriptions, DBA 4-8  
how Oracle directory objects appear, DBA 4-9  
installation requirements, DBA 8-10  
integration with directory servers, DBA 4-6  
integration with Microsoft tools, DBA 4-7  
integration with Oracle objects in Active Directory, DBA 4-7  
integration with Windows login credentials, DBA 4-8  
managing Access Control Lists, DBA 4-20  
managing security groups directory server managing Access Control Lists, DBA 4-20  
procedures for installing Oracle into, DBA 4-14  
required Oracle configuration tools, DBA 4-14

requirements for creating an Oracle  
     Context, DBA 4-11  
 requirements for creating an Oracle  
     schema, DBA 4-10  
 requirements for creating enterprise user  
     security, DBA 4-13  
 requirements for creating Net8 directory  
     naming, DBA 4-12  
 requirements for using Oracle, DBA 4-10  
 testing connectivity from client  
     computers, DBA 4-16  
 testing connectivity with Microsoft tools,  
     DBA 4-17  
 testing connectivity with SQL\*Plus, DBA 4-7,  
     DBA 4-19  
 testing database connectivity, DBA 4-7,  
     DBA 4-18  
     user interface extensions, DBA 4-7  
 Active Jobs, EMC 2-8  
 Active Jobs page, EMA 4-7  
 add a group to a map  
     Map menu, EMA 3-3  
 add\_newl.bat, CPP 2-13  
 adding files, CPP 2-7  
 additional services folders  
     Navigator tree, EMA 2-3  
 ADMIN directory, explained, DBA 3-22  
 administration task  
     Navigator objects, EMA 2-10  
 administration tools  
     for enterprise users, DBA 8-9  
     for external users, DBA 8-6  
 administrator  
     adding, editing, and deleting, EMA 1-9  
     managing, EMA 1-8  
     preferences, EMA 1-11  
     reassigning objects when deleting, EMA 1-11  
     super, EMA 1-8  
 Administrator Notification  
     email and paging, EMA 5-40  
 Administrator privileges  
     for creating an Oracle Service for MTS, MTS 3-7  
 ADO, OLE 2-5, OLE 2-13  
 Advanced Events, EMC 5-3, EMC Glossary-1  
 Advanced Replication support  
     additional documentation, DBA 5-24  
     configuration tasks, DBA 5-22  
     creating a SPOOL file, DBA 5-23  
     data dictionary  
         tables, DBA 5-24  
     initialization parameter requirements,  
         DBA 5-21  
     tablespace requirements, DBA 5-21, DBA 5-24  
 AFIEDT.BUF, SQL 3-8  
 agent. *See Also* Intelligent Agent  
     down, EMA 5-41  
     intelligent, EMI 1-2  
     Oracle Intelligent Agent, EMC 1-4  
     process, EMI 1-2  
     UpDown Node event, EMA 5-41  
 alert files, DBA 9-13  
     for monitoring a database, DBA 9-2  
     using, DBA 9-13  
 alert severity levels, EMC 3-10  
 alert view, DBA 9-4  
 Alerts Page (Events Pane), EMC 2-10  
 ALL\_HOMES, registry subkey for multiple Oracle  
     homes, DBA C-8  
 ALTER DATABASE ARCHIVELOG  
     command, DBA 7-24  
 ALTER DATABASE CONVERT statement,  
     OPS 2-27  
 ALTER DATABASE OPEN RESETLOGS  
     statement, OPS 2-27  
 ALTER PACKAGE command, DBA 5-23  
 Animator, COB 2-6  
 ANSI compliance, COB 1-4, CPP 1-2  
 ANSI dynamic SQL, COB 2-10, CPP 3-4  
 ANSI escape sequences, warning about, SQL 4-3  
 Apache Web Server, EMA 2-11  
     discovering, EMA 2-11  
 application development  
     finding information, DBA 12-2  
 application programming interfaces  
     PL/SQL, COM 4-6  
 application tuning, EMC 5-11

---

**KEY:** **COB** *Pro\*COBOL Precompiler Getting Started for Windows*; **COM** *Oracle COM Automation Developer's Guide*; **CPP** *Pro\*C/C++ Precompiler Getting Started for Windows*; **DBA** *Oracle8i Administrator's Guide for Windows NT*; **EMA** *Oracle Enterprise Manager Administrator's Guide*; **EMC** *Oracle Enterprise Manager Concepts Guide*; **EMI** *Oracle Intelligent Agent User's Guide*; **MTS** *Using Microsoft Transaction Server With Oracle8*; **OCI** *Oracle Call Interface Getting Started for Windows*; **OLE** *Oracle Provider for OLE DB User's Guide*; **OPS** *Oracle Parallel Server Administrator's Guide for Windows NT*; **SQL** *SQL\*Plus Getting Started for Windows*

---



## applications

- integrated with Oracle Enterprise Manager
  - Oracle Applications Manager, EMC 5-21
  - Oracle Developer Server Forms Manager, EMC 5-23
  - Oracle Directory Manager, EMC 5-23
  - Oracle Distributed Access Manager, EMC 5-23
  - Oracle Enterprise Security Manager, EMC 5-21
  - Oracle Parallel Server Manager, EMC 5-22
  - Oracle Spatial Index Advisor, EMC 5-22
  - Oracle8i *interMedia* Text, EMC 5-21
  - Oracle Change Management Pack, EMC 5-14
  - Oracle Diagnostics Pack, EMC 5-2
  - Oracle Standard Management Pack, EMC 5-17
  - Oracle Tuning Pack, EMC 5-10
- Applications Manager, EMC 5-21, EMC Glossary-1
- apply (register) an event set, EMA 5-38
- architecture
  - models 1 and 2, COM 1-7
  - Oracle COM Automation option, COM 1-4
- ARCHIVE LOG LIST command, DBA 7-24
- Archive Log Operations in Storage Management features, EMC 4-18, EMA 6-18
- ARCHIVELOG mode, DBA 7-24
- archiving mode
  - custom database, DBA 7-23
  - starter database, DBA 7-23
- archiving procedures, DBA 7-25
  - for redo log files, DBA 7-23
  - specifying an archive destination, DBA 7-25
  - UNC not allowed, DBA 6-3, DBA 7-23
- array, EMI 3-9
- attributes
  - connection string, OLE 2-3
- audit trail
  - managing, DBA 9-13
  - operating system, DBA 2-22
- AUDIT\_FILE\_DEST parameter, DBA 9-13, DBA B-4
- AUDIT\_TRAIL parameter, DBA 9-11
- auditing, DBA 9-11

## authentication

- automatically enabling during installation, DBA 8-13
- connecting as INTERNAL without a password, DBA 8-50
- creating an operating system-authenticated user, DBA 8-43
- enhancements, DBA 8-4
- in Windows 2000 domains, DBA 8-8
- of enterprise users, DBA 8-8
- of external users, DBA 8-6
- overview, DBA 8-2
- setting OS\_AUTHENT\_PREFIX, DBA 8-41
- setting OSAUTH\_PREFIX\_DOMAIN, DBA 8-41
- using a password file, DBA 7-16
- using Windows native authentication methods, DBA 8-2
- when to use enterprise users, DBA 8-5
- when to use external users, DBA 8-5
- authentication adapters
  - using, DBA E-6
- authentication parameter settings
  - viewing, DBA 8-24
- authentication protocols
  - default protocol used, DBA 8-3
  - with Windows 2000, DBA 8-2
  - with Windows NT 4.0, DBA 8-2
- authorization
  - of external roles, DBA 8-7, DBA 8-9
  - when to use enterprise roles, DBA 8-5
  - when to use external roles, DBA 8-5
- automatic startup/shutdown
  - on Windows NT and UNIX, DBA 1-7
- auto-starting
  - Oracle Services, DBA 7-9
- Available Destinations list
  - Job system, EMA 4-15

## B

- Background images
  - adding to groups, EMA 3-5
- BACKGROUND\_DUMP\_DEST parameter,

---

**KEY:** COB *Pro\*COBOL Precompiler Getting Started for Windows*; COM *Oracle COM Automation Developer's Guide*; CPP *Pro\*C/C++ Precompiler Getting Started for Windows*; DBA *Oracle8i Administrator's Guide for Windows NT*; EMA *Oracle Enterprise Manager Administrator's Guide*; EMC *Oracle Enterprise Manager Concepts Guide*; EMI *Oracle Intelligent Agent User's Guide*; MTS *Using Microsoft Transaction Server With Oracle8*; OCI *Oracle Call Interface Getting Started for Windows*; OLE *Oracle Provider for OLE DB User's Guide*; OPS *Oracle Parallel Server Administrator's Guide for Windows NT*; SQL *SQL\*Plus Getting Started for Windows*

---

- DBA 6-16
- using with trace files, DBA 9-13
- backup
  - before migration, OPS 2-20
  - databases, DBA 6-25
  - OCOPY file types, DBA 11-4
  - raw partitions, OPS 2-34, OPS 3-29
  - stopping services to perform cold backups, DBA 11-3
- backup and recovery tools
  - OCOPY, DBA 11-3
  - Recovery Manager (RMAN.EXE), DBA 11-2
  - selecting, DBA 11-2
  - third-party backup and recovery vendors, DBA 11-3
- baseline, EMC 5-16
- basic concepts, SQL 1-2
- batch files, for sample programs, COB 2-9
- benefits
  - Oracle COM Automation option, COM 1-3
- bin directory, OCI 1-4
- blackouts, paging/email, EMA 2-12, EMC 1-14, EMC Glossary-1
- block size, maximum, DBA B-5
- block, defined, SQL 1-2
- blocks per file, maximum, DBA B-5
- Broadcast Message task, EMA 4-27
- buffers
  - clearing your screen, SQL 3-8
  - screen, SQL 1-3
  - screen area, SQL 3-9
  - SQL, SQL 1-3, SQL 3-7
- BUILD\_DB.SQL script, DBA 6-11, DBA 6-17
  - location of, DBA 6-4
- BUILDALL.SQL script, DBA 6-17
  - creating MTSSYS user name, MTS 3-4, MTS 4-3
- building OCI applications, OCI 2-1

## C

---

- C:\ORACLE,
  - defined, DBA 3-17, OPS A-2
- C:\ORANT, defined, DBA 3-17

- CacheType
  - connection string attribute for rowsets, OLE 2-3, OLE 2-17
- cancelling an in-progress operation, SQL 3-7
- Capacity Planner, EMC 5-5, EMC Glossary-2
- case of object names, OLE 2-20
- CASE tools, EMC 5-16
- CATALOG.SQL script, DBA 6-21, OPS 2-28, OPS 2-42
  - location of, DBA A-5
- CATEXP.SQL script
  - location of, DBA A-5
- CATPARR.SQL script, OPS 2-28
- CATPROC.SQL script, DBA 6-21, OPS 2-28, OPS 2-42
  - location of, DBA A-5
- CATREP.SQL, DBA 5-23, DBA 6-22
- CATREP.SQL script, OPS 2-28
- catsnmp.sql script, EMI 2-11
- CBLINK command, COB 2-7
- cdemomt.c, OCI 1-5
- CD-ROM contents, SQL 2-2
- Change Management Pack, EMC 5-14
- Change Manager, EMC 5-15
- Character Map Windows utility
  - choosing a font, SQL 3-3, SQL 3-13
- character set
  - agent, EMI 3-6
  - OraTcl conversion and error handling functions, EMI 3-14
- chart view, DBA 9-4
- CHECK\_ONLY
  - Migration utility option, OPS 2-17
- checking status
  - paging service, EMA 1-34
- ChunkSize
  - connection string attribute for rowsets, OLE 2-3, OLE 2-18
- class ID
  - CLSID\_OraOLEDB, OLE 2-2
- clearing your screen, SQL 3-8
- client computer
  - configuration requirements, MTS 3-2

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

- installation requirements, MTS 2-4
- client tier of Oracle Enterprise Manager, EMC 1-3
- clone (of a database object), EMC 4-12, EMA 6-12
- CLSCTX\_INPROC\_SERVER macro, OLE 2-2
- cluster
  - preparing for migration, OPS 2-13
  - preparing for upgrade, OPS 2-33
- CM
  - CmDiskFile registry value, DBA C-13
  - CmHostName registry value, DBA C-13
  - CmSrvrPath registry value, DBA C-13
  - DefinedNodes registry value, DBA C-13
  - ErrorLog registry value, DBA C-13
  - MissCount registry value, DBA C-13
  - PollInterval registry value, DBA C-13
- CMDLL registry value, DBA C-12
- CmHostName registry value, DBA C-13
- CmSrvrPath registry value, DBA C-13
- COBSQL, COB 2-7
- CoCreateInstance
  - creating an instance of the data source object, OLE 2-2
- CODE option, CPP 2-16
- co-existence, OPS 2-2
- cold backups, performing, DBA 11-3
- columns
  - metadata, OLE A-13
- COM automation
  - errors, COM 4-16
- COM components
  - deploying, MTS 1-2
  - integration in a transaction, MTS 5-2
  - marking as transactional, MTS 1-3
  - ODBC, MTS 2-4
  - Oracle Objects for OLE, MTS 2-4
  - programming with OCI and Microsoft Transaction Server, MTS 5-8

- programming with ODBC and Microsoft Transaction Server, MTS 5-22
- programming with Oracle Objects for OLE and Microsoft Transaction Server, MTS 5-25
- programming with Oracle Provider for OLE DB and Microsoft Transaction Server, MTS 5-25
- registering in a Microsoft Transaction Server environment, MTS 5-4
- running in a Microsoft Transaction Server coordinated transactions, MTS 5-6
- running in an MS DTC-coordinated transaction, MTS 5-7
- using OCI, MTS 1-3
- using ODBC, MTS 1-3
- using Oracle Objects for OLE, MTS 1-3
- using Oracle Provider for OLE DB, MTS 1-3
- using with Microsoft's Oracle ODBC Driver and Microsoft Transaction Server, MTS 5-24
- using with Oracle's ODBC Driver and Microsoft Transaction Server, MTS 5-22
- COM objects
  - program ID, COM 4-3
  - properties and methods, COM 4-3
  - required information, COM 4-3
  - viewing, COM 4-4
- com81.dll, COM 1-5, COM 2-2
- Command Executor Templates, EMA A-8
- command files
  - opening, SQL 3-6
  - saving, SQL 3-6
- command keys, SQL\*Plus Windows GUI, SQL 3-6
- command line interface, SQL 3-2
  - changing face and size, SQL 3-3
  - Euro sign, SQL 3-3
  - special character, SQL 3-3
  - Windows Character Map utility, SQL 3-3
- command line, precompiling from, CPP 2-13
- command, defined, SQL 1-2
- commands
  - object, OLE 2-7
  - parameters, OLE 2-8
  - preparing, OLE 2-7

---

**KEY:** COB *Pro\*COBOL Precompiler Getting Started for Windows*; COM *Oracle COM Automation Developer's Guide*; CPP *Pro\*C/C++ Precompiler Getting Started for Windows*; DBA *Oracle8i Administrator's Guide for Windows NT*; EMA *Oracle Enterprise Manager Administrator's Guide*; EMC *Oracle Enterprise Manager Concepts Guide*; EMI *Oracle Intelligent Agent User's Guide*; MTS *Using Microsoft Transaction Server With Oracle8*; OCI *Oracle Call Interface Getting Started for Windows*; OLE *Oracle Provider for OLE DB User's Guide*; OPS *Oracle Parallel Server Administrator's Guide for Windows NT*; SQL *SQL\*Plus Getting Started for Windows*

---

- common services of Oracle Enterprise
  - Manager, EMC 1-12
- communication daemon
  - populating Navigator, EMA 2-2
- communication with agent functions
  - OraTcl, EMI 3-14
- comp5, COB 2-3
- Compare Database Objects, EMC 5-16
- COMPATIBLE\_NO\_RECOVERY parameter,
  - DBA B-4
- compiling, COB 2-4
  - OCI applications, OCI 2-3
  - OCI with Oracle XA, OCI 2-6
  - Oracle XA Library, OCI 2-5
- Component Object Model. *See* COM
- Components, EMA 1-2
  - Event, EMA 1-3
  - Group, EMA 1-2
  - Job, EMA 1-3
  - Navigator, EMA 1-2
- composite job, EMA 4-3
- computer on which Microsoft Transaction Server is
  - installed configuration requirements, MTS 3-2
- installation requirements, MTS 2-4
- computer on which Oracle8 database is installed
  - configuration requirements, MTS 3-2
  - installation requirements, MTS 2-4
- comwrap.sql, COM 2-2, COM 3-2
- configuration files, COB 2-3, CPP 2-16, OCI 1-4
  - location, COB 2-3, CPP 2-16, OCI 1-4
  - services.ora, EMI A-2
  - snmp\_ro.ora, EMI A-2
  - snmp\_rw.ora, EMI A-2
  - TNSNAMES.ORA
    - ENCAPS.CFG configuration file, DBA F-10
    - MASTER.CFG configuration file, DBA F-8
- configuration parameters
  - defined, DBA C-2
  - LOCAL, DBA E-5
  - NAMES.DIRECTORY\_PATH, DBA E-8
  - registry, DBA C-1
  - SQLNET.AUTHENTICATION\_SERVICES,
    - DBA E-7
  - TNS\_ADMIN, DBA E-5
  - USE\_SHARED\_SOCKET, DBA E-6
- configuration requirements
  - on client computer, MTS 3-2
  - on computer on which Microsoft Transaction
    - Server is installed, MTS 3-2
  - on computer on which Oracle8 database is
    - installed, MTS 3-2
  - verifying INIT.ORA file parameter values,
    - MTS 3-3
- configuration responsibilities
  - Oracle Audio Data, DBA 5-3
  - Oracle *inter*Media Text, DBA 5-5
  - Oracle Spatial, DBA 5-9
  - Oracle Time Series, DBA 5-11
  - Oracle Visual Information Retrieval, DBA 5-13
- configuration tasks
  - Advanced Replication support, DBA 5-22
  - Oracle Spatial, DBA 5-9
- configuration tools
  - for integrating Oracle with Active
    - Directory, DBA 4-14
- configuring
  - Authentication Adapters, DBA E-6
  - DCOM, COM 3-5
  - External Naming, DBA E-8
  - global database name, OPS 2-12
  - listener for Oracle COM Automation, COM 3-3
  - Named Pipes Protocol Adapter, DBA E-9
  - NDS Authentication Adapter, DBA E-7
  - Oracle COM Automation option, COM 3-2
  - paging service, EMA 1-28
  - SID Prefix, OPS 2-12
- Connect dialog box, CPP 2-11
- CONNECT INTERNAL, DBA 7-20
  - changing the INTERNAL password, DBA 7-20
  - connecting without a password, DBA 8-13,
    - DBA 8-50
  - from a remote machine, DBA 7-20
  - password, DBA 7-20
  - using, DBA 7-11, DBA 7-20, DBA 7-24
- connect string, CPP 2-10,
- connect\_identifier, SQL 3-4, SQL 40-4

---

**KEY:** COB *Pro\*COBOL Precompiler Getting Started for Windows*; COM *Oracle COM Automation Developer's Guide*; CPP *Pro\*C/C++ Precompiler Getting Started for Windows*; DBA *Oracle8i Administrator's Guide for Windows NT*; EMA *Oracle Enterprise Manager Administrator's Guide*; EMC *Oracle Enterprise Manager Concepts Guide*; EMI *Oracle Intelligent Agent User's Guide*; MTS *Using Microsoft Transaction Server With Oracle8*; OCI *Oracle Call Interface Getting Started for Windows*; OLE *Oracle Provider for OLE DB User's Guide*; OPS *Oracle Parallel Server Administrator's Guide for Windows NT*; SQL *SQL\*Plus Getting Started for Windows*

---

- connecting
  - External Naming, DBA E-9
  - LOCAL parameter, DBA E-5
  - Oracle databases supported, OLE 2-3
  - to a database, DBA 7-11, DBA 7-24
  - to a database from a remote machine, DBA 7-20
  - to a specific database, OLE 2-3
  - to an Oracle database, OLE 2-3
  - to an Oracle database using ADO, OLE 2-5
  - with NDS Native Naming Adapter, DBA E-8
- connection
  - managing connection pooling, MTS 6-4
- connection attribute
  - setting with ODBC, MTS 5-22
- connection pooling
  - client side registry parameters, MTS 6-4
  - differences between OCI, Microsoft Transaction Server, and Net8 connection pooling, MTS 7-18
  - editing registry parameters, MTS 6-9
  - emptying connection pools, MTS 7-13
  - integration with Microsoft Transaction Server, MTS 5-3
  - managing connections, MTS 6-4
  - obtaining environment handles, MTS 5-12
  - obtaining service handles, MTS 5-12
  - releasing connections, MTS 5-15
  - responsibilities, MTS 5-3
  - server side registry parameters, MTS 6-4
  - using OraMTSSvcGet() function, MTS 5-12
- connection string attributes, OLE 2-3
  - defaults, OLE 2-4
  - registry, OLE 2-4
  - rowsets, OLE 2-17
- connectivity
  - for Oracle Service for MTS, MTS 7-14
- Console, EMC 1-9, EMC Glossary-2
  - customize layout, EMA 1-5
  - Events Pane, EMC 2-10
  - File menu, EMA 1-5
  - Group Pane, EMA 3-1, EMC 2-6
  - Help menu, EMA 1-7
  - Jobs Pane, EMC 2-8
  - list of tasks that can be performed from, EMC 1-1
  - menus, EMA 1-4
  - Navigator pane, EMA 2-1, EMC 2-3
  - user interface, EMC 2-1
  - user preferences, EMA 1-25
  - using menus, EMA 1-4
- consumers
  - OLE DB, OLE 1-3
- contact name, DBA 4-5
- context menu, EMA 2-5
- context-sensitive menus
  - Navigator, EMA 1-4
  - using in the Navigator, EMA 1-4
- control files
  - additional backslashes in r. 8.0.4, DBA 6-3, DBA 7-23
  - renaming or removing for migration, OPS 2-19, OPS 2-38
- Control Panel
  - defined, DBA 2-20
  - integration with Oracle8i database, DBA 2-20, DBA 7-3
  - starting, DBA 2-17
- CONTROL\_FILES parameter, DBA 6-16
- Controlfile Operations of Storage Management
  - features, EMC 4-17, EMA 6-17
- controlling tracing, MTS 7-4
- convertin
  - OraTcl function, EMI 3-15
- convertout, EMI 3-17
- copy modes, for OCOPY, DBA 11-4
- copying text, SQL 3-5, SQL 3-8
- copying tree objects
  - Navigator, EMA 2-10
- CORBA, EMC 1-3, EMC 1-8
- core functionality
  - Oracle COM Automation option, COM 4-2
- CORE\_DUMP\_DEST parameter, DBA B-4
- cost-based optimizer mode (SQL Analyze), EMC 5-12
- CPU\_COUNT parameter, DBA B-4
- Create Baseline, EMC 5-16

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

- CREATE DATABASE command, DBA 6-17
- CREATE LIBRARY command, DBA 12-8
- CREATE USER command, DBA 8-43
- CreateObject, PL/SQL API, COM 4-6
- creating
  - an instance of the data source object, OLE 2-2
  - event set, EMA 5-24
  - job, EMA 4-10
  - or modify a job, EMA 4-11
  - or modify an event set, EMA 5-29
  - rowsets, OLE 2-15
  - specified object type in the Navigator, EMA 2-5
  - Windows NT user account, EMI 2-2
- CRLOGDR
  - managing logical drives, DBA D-14
  - parameters, OPS 4-4
  - reviewing disk layout, DBA D-14, OPS 4-6
- current configuration
  - raw devices, OPS 3-29
- Cursor Stability, OLE 2-7
- CursorType
  - tips for ADO programmers, OLE 2-18
- custom database
  - archiving mode, DBA 7-23
- custom error objects
  - interfaces supported, OLE A-13
- custom user name
  - creating for Oracle Service for MTS, MTS A-5
  - running the MTSUSER.SQL script, MTS A-6, MTS A-7
- customize and manage network views
  - Map system, EMA 3-3

## D

- data dictionary
  - Advanced Replication tables, DBA 5-24
- Data Gatherer events, EMA 5-42
- data source
  - creating an instance of, OLE 2-2
  - distributed transactions, OLE 2-4
  - objects, OLE 2-2
  - properties, OLE A-3

- data source info
  - properties, OLE A-3
- database administrator privileges
  - granting for a single database on a computer with Oracle Administration Assistant for Windows NT, DBA 8-36, DBA 8-37
  - granting for all databases on a computer with Oracle Administration Assistant for Windows NT, DBA 8-18, DBA 8-19
  - manually granting for all databases on a computer, DBA 8-46
- database alias. *See* net service name
- database backup and recovery tools
  - OCOPY, DBA 11-3
  - Recovery Manager (RMAN), DBA 11-2
  - third-party vendors, DBA 11-3
- database connect string, CPP 2-10
- Database Fault Management Events, EMA 5-41
- database files
  - deleting, DBA 6-13
  - for raw devices, OPS 3-9
- database links
  - with Microsoft Transaction Server, MTS 7-17
- database monitoring
  - using Performance Monitor, DBA 9-2
  - with alert files, DBA 9-13
  - with Event Viewer, DBA 9-9
  - with trace files, DBA 9-13
- Database Operations, EMC 4-7, EMA 6-7
- database operator privileges
  - granting for a single database on a computer with Oracle Administration Assistant for Windows NT, DBA 8-36, DBA 8-38
  - granting for all databases on a computer with Oracle Administration Assistant for Windows NT, DBA 8-18, DBA 8-20
  - manually granting for all databases on a computer, DBA 8-46
- database privileges
  - in Windows NT local groups, DBA 8-46, DBA 8-50, DBA 8-56, DBA 8-58
- database tools
  - operating system support, DBA 2-2

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

- starting, DBA 2-8
- database tuning, EMC 5-10
- databases
  - backing up, DBA 6-25
  - backing up for migration, OPS 2-20
  - BUILD\_DB.SQL script, DBA 6-11
  - BUILDALL.SQL, DBA 6-17
  - changing passwords, DBA 6-22
  - connecting to, DBA 7-11, DBA 7-24
  - connection made in tree, EMA 2-3
  - creating, DBA 6-1
  - deleting, DBA 6-13
  - exporting, DBA 6-12
  - file names, DBA 3-17
  - importing, DBA 6-22
  - maximum size possible, DBA B-6
  - monitoring, DBA 9-1, DBA 9-2
  - naming conventions, DBA 6-2
  - Optimal Flexible Architecture, DBA 3-24, DBA 3-26, DBA 3-28
  - Oracle Database Configuration Assistant, DBA 6-4
  - password encryption, DBA 7-22
  - shutting down, DBA 7-11, DBA 7-12
  - starting, DBA 7-11
- Databases folder
  - Navigator tree, EMA 2-3
- datafile operations of Storage Management
  - features, EMC 4-18, EMA 6-18
- datatypes
  - conversion, COM 4-5
  - mappings between Oracle datatypes and OLE DB types, OLE A-2
  - mappings in rowsets and parameters, OLE A-2
  - OLE DB, OLE A-2
  - Oracle, OLE A-2
  - PL/SQL to Visual Basic, COM 4-5
- date formats
  - NLS\_DATE\_FORMAT, OLE 2-19
  - settings, OLE 2-19
- DB Alter, EMC 5-16
- DB Propagate, EMC 5-17
- DB\_FILES parameter, DBA 6-16
- DB\_NAME directory, explained, DBA 3-23
- DB\_NAME parameter, DBA 6-15
- DB\_WRITER\_PROCESSES parameter, DBA B-4
- DBA Management Pack, EMC 4-1, EMA 6-1
- DBA Studio, EMC 4-2, EMA 6-2
- DBLINK\_ENCRYPT\_LOGIN parameter, DBA 7-22
- DBMS option, CPP 2-16
- DBPROP\_ABORTPRESERVE property, OLE A-6
- DBPROP\_ACCESSORORDER property, OLE A-6
- DBPROP\_ACTIVESESSIONS property, OLE A-3
- DBPROP\_APPENDONLY property, OLE A-6
- DBPROP\_ASYNCCTXNABORT property, OLE A-3
- DBPROP\_ASYNCCTXNCOMMIT property, OLE A-3
- DBPROP\_AUTH\_PASSWORD property setting, OLE 2-3
- DBPROP\_AUTH\_PERSIST\_SENSITIVE\_AUTHINFO property, OLE A-5
- DBPROP\_AUTH\_USERID property, OLE A-5
- DBPROP\_AUTH\_USERNAME property enabling OS authentication, OLE 2-5
- DBPROP\_AUTH\_USERNAME property setting, OLE 2-3
- DBPROP\_BLOCKINGSTORAGEOBJECTS property, OLE A-6
- DBPROP\_BOOKMARKINFO property, OLE A-6
- DBPROP\_BOOKMARKS property, OLE A-6
- DBPROP\_BOOKMARKSKIPPED property, OLE A-6
- DBPROP\_BOOKMARKTYPE property, OLE A-6
- DBPROP\_BYREFACCESSORS property, OLE A-3
- DBPROP\_CACHEDDEFERRED property, OLE A-6
- DBPROP\_CANFETCHBACKWARDS property, OLE A-6
- DBPROP\_CANHOLDROWS property, OLE A-6
- DBPROP\_CANSROLLBACKWARDS property, OLE A-6
- DBPROP\_CATALOGLOCATION property, OLE A-3
- DBPROP\_CATALOGTERM property, OLE A-3
- DBPROP\_CATALOGUSAGE property, OLE A-3
- DBPROP\_CHANGEINSERTEDROWS property, OLE A-6
- DBPROP\_CLIENTCURSOR property, OLE A-7

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

DBPROP_COLUMNDEFINITION property, OLE A-3	OLE A-6
DBPROP_COLUMNRESTRICT property, OLE A-7	DBPROP_INIT_PROMPT property, OLE A-6 setting, OLE 2-3
DBPROP_COMMANDTIMEOUT property, OLE A-7	DBPROP_INIT_PROVIDERSTRING property enabling OS authentication, OLE 2-5 setting, OLE 2-4
DBPROP_COMMITPRESERVE property, OLE A-7	DBPROP_IROWSET property, OLE A-7
DBPROP_CONCATNULLBEHAVIOR property, OLE A-3	DBPROP_IROWSETCHANGE property, OLE A-7
DBPROP_CONNECTIONSTATUS property, OLE A-3	DBPROP_IROWSETFIND property, OLE A-7
DBPROP_CURRENTCATALOG property, OLE A-3	DBPROP_IROWSETIDENTITY property, OLE A-7
DBPROP_DATASOURCENAME property, OLE A-4	DBPROP_IROWSETINFO property, OLE A-7
DBPROP_DATASOURCEREADONLY property, OLE A-4	DBPROP_IROWSETLOCATE property, OLE A-7 setting of other properties, OLE A-10
DBPROP_DBMSNAME property, OLE A-4	DBPROP_IROWSETREFRESH property, OLE A-7
DBPROP_DBMSVER property, OLE A-4	DBPROP_IROWSETSCROLL property, OLE A-7 setting of other properties, OLE A-10
DBPROP_DEFERRED property, OLE A-7	DBPROP_IROWSETUPDATE property, OLE A-7 setting of other properties, OLE A-10
DBPROP_DELAYSTORAGEOBJECTS property, OLE A-7	DBPROP_ISEQUENTIALSTREAM property, OLE A-7
DBPROP_DSOTHREADMODEL property, OLE A-4	DBPROP_ISUPPORTERRORINFO property, OLE A-7
DBPROP_FINDCOMPAREOPS property, OLE A-7	DBPROP_LITERALBOOKMARKS property, OLE A-7
DBPROP_GROUPBY property, OLE A-4	DBPROP_LITERALIDENTITY property, OLE A-8
DBPROP_HETEROGENEOUSTABLES property, OLE A-4	DBPROP_LOCKMODE property, OLE A-8
DBPROP_HIDDENCOLUMNS property, OLE A-7	DBPROP_MAXINDEXSIZE property, OLE A-4
DBPROP_IACCESSOR property, OLE A-7	DBPROP_MAXOPENCHAPTERS property, OLE A-4
DBPROP_ICOLUMNSINFO property, OLE A-7	DBPROP_MAXOPENROWS property, OLE A-8
DBPROP_ICOLUMNSROWSET property, OLE A-7	DBPROP_MAXORSINFILTER property, OLE A-4
DBPROP_ICONNECTIONPOINTCONTAINER property, OLE A-7	DBPROP_MAXPENDINGROWS property, OLE A-8
DBPROP_ICONVERTTYPE property, OLE A-7	DBPROP_MAXROWS property, OLE A-8
DBPROP_IDENTIFIERCASE property, OLE A-4	DBPROP_MAXROWSIZE property, OLE A-4, OLE A-8
DBPROP_IMMOBILEROWS property, OLE A-7	DBPROP_MAXROWSIZEINCLUDESBLOB property, OLE A-4, OLE A-8
DBPROP_INIT_DATASOURCE property, OLE A-5	DBPROP_MAXSORTCOLUMNS property, OLE A-4
setting, OLE 2-3	DBPROP_MAXTABLESINSELECT property, OLE A-4
DBPROP_INIT_HWND property, OLE A-6	DBPROP_MULTIPLEPARAMSETS property,
DBPROP_INIT_LCID property, OLE A-6	
DBPROP_INIT_OLEDBSERVICES property,	

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---



OLE A-4  
 DBPROP\_MULTIPLERESULTS property, OLE A-4  
 DBPROP\_MULTIPLESTORAGEOBJECTS  
   property, OLE A-4  
 DBPROP\_MULTITABLEUPDATE property,  
   OLE A-4  
 DBPROP\_NOTIFICATIONGRANULARITY  
   property, OLE A-8  
 DBPROP\_NOTIFICATIONPHASES property,  
   OLE A-8  
 DBPROP\_NOTIFYCOLUMNSET property,  
   OLE A-8  
 DBPROP\_NOTIFYROWDELETE property,  
   OLE A-8  
 DBPROP\_NOTIFYROWFIRSTCHANGE  
   property, OLE A-8  
 DBPROP\_NOTIFYROWINSERT property,  
   OLE A-8  
 DBPROP\_NOTIFYROWRESYNCH property,  
   OLE A-8  
 DBPROP\_NOTIFYROWSETFETCHPOSITION  
   CHANGE property, OLE A-8  
 DBPROP\_NOTIFYROWSETRELEASE  
   property, OLE A-8  
 DBPROP\_NOTIFYROWUNDOCHANGE  
   property, OLE A-9  
 DBPROP\_NOTIFYROWUNDODELETE  
   property, OLE A-9  
 DBPROP\_NOTIFYROWUNDOINSERT  
   property, OLE A-9  
 DBPROP\_NOTIFYROWUNDOUPDATE  
   property, OLE A-9  
 DBPROP\_NULLCOLLATION property, OLE A-4  
 DBPROP\_ORDEREDBOOKMARKS  
   property, OLE A-9  
 DBPROP\_OTHERINSERT property, OLE A-9  
 DBPROP\_OTHERUPDELETEDELETE  
   property, OLE A-9  
 DBPROP\_OWNINSERT property, OLE A-9  
 DBPROP\_OWNUPDELETEDELETE property,  
   OLE A-9  
 DBPROP\_QUICKRESTART property, OLE A-9  
 DBPROP\_REENTRANTEVENTS property,  
   OLE A-9  
 DBPROP\_REMOVEDELETED property, OLE A-9  
 DBPROP\_REPORTMULTIPLECHANGES  
   property, OLE A-9  
 DBPROP\_RETURNPENDINGINSERTS  
   property, OLE A-9  
 DBPROP\_ROWRESTRICT property, OLE A-9  
 DBPROP\_ROWTHREADMODEL property,  
   OLE A-9  
 DBPROP\_SERVERCURSOR property, OLE A-9  
 DBPROP\_SERVERDATAONINSERT  
   property, OLE 2-17, OLE A-9  
 DBPROP\_SESS\_AUTOCOMMITISOLEVELS  
   property, OLE A-6  
 DBPROP\_STRONGIDENTITY property, OLE A-9  
 DBPROP\_TRANSACTEDOBJECT property,  
   OLE A-9  
 DBPROP\_UNIQUEROWS property, OLE A-10  
 DBPROP\_UPDATABILITY property, OLE A-10  
 DBPROPSET\_DBINIT property set  
   setting properties, OLE 2-3, OLE 2-4  
 dbsnmp.address, EMI A-6  
 DBSNMP.POLLTIME, EMI A-3  
 dbsnmp.spawnaddress, EMI A-6  
 DBVERIFY  
   operating system compatibility, DBA 2-4  
   starting, DBA 2-11  
 DCOM, MTS 1-2  
   configuring, COM 3-5  
 debugging, OLE A-14  
 Decision Support System (DSS)  
 dedicated server mode  
   disabling, DBA 5-15  
   enabling, DBA 5-15  
 DEFAULT  
   preferred credentials, EMA 1-26  
 default file extension, COB 2-2  
 Default Output  
   C File Name command, CPP 2-6  
   C++ File Name command, CPP 2-6  
 Default Permissions preferences, EMC 1-16  
 DEFAULT\_HOME parameter, DBA C-9

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

DefinedNodes registry value, DBA C-13  
 DELETEDISK  
   parameters, OPS 4-2  
 deleting  
   files, CPP 2-8  
   group, EMA 3-3  
   password file, DBA 7-19  
 DEMOBLD.SQL file  
   COB 2-8, SQL 2-4  
 DEMODROP.SQL file, SQL 2-4  
 demonstration programs, OCI 1-5  
 demonstration tables, SQL 2-4  
 demonstration tables, building, COB 2-8  
 demos  
   directory installation location, MTS 4-3  
   installing MAPI demo, COM 5-15  
   installing Microsoft Excel demo, COM 5-7  
   installing Microsoft PowerPoint demo,  
     COM 5-11  
   installing Microsoft Word demo, COM 5-2  
   MAPI, COM 5-15  
   Microsoft application demo, MTS 1-5, MTS 4-2,  
     MTS 4-7  
   Microsoft Excel, COM 5-7  
   Microsoft PowerPoint, COM 5-11  
   Microsoft Word, COM 5-2  
   Oracle COM Automation, COM 5-2  
   program requirements for Oracle COM  
     Automation, COM 2-2  
   running the Microsoft application demo,  
     MTS 4-5  
   running the OMTSSAMP.SQL script, MTS 4-5  
   using the MTSDEMOUSR user name, MTS 4-4  
   using Visual C++, MTS 4-5  
   verifying Microsoft application demo  
     installation, MTS 4-5  
   verifying Oracle8 database includes proper  
     tables, MTS 4-3  
 DEPT table, COB 2-8  
 design  
   OLE DB, OLE 1-2  
 DestroyObject  
   PL/SQL API, COM 4-8  
 developing applications  
   for Windows NT, DBA 12-2  
 diagnostic and tuning utilities  
   for Windows NT, DBA 2-29  
 Diagnostics Pack, EMC 5-2  
 differences  
   between Windows NT and UNIX, DBA 1-2  
 direct writes to disk  
   on Windows NT and UNIX, DBA 1-4  
 directories  
   Optimal Flexible Architecture, COM 3-2  
 directory server, DBA 4-14  
   automatic discovery of directory servers,  
     DBA 4-6  
   configuration requirements, DBA 8-10  
   creating security domains, DBA 4-25  
   enhancement of directory object type  
     descriptions, DBA 4-8  
   enterprise user security feature, DBA 4-4  
   features integrated with Oracle8i, DBA 4-3  
   how Oracle directory objects display in Active  
     Directory, DBA 4-9  
   installation requirements, DBA 8-10  
   installation tasks, DBA 4-14  
   integration with Active Directory, DBA 4-6  
   integration with Microsoft tools, DBA 4-7  
   integration with Windows login  
     credentials, DBA 4-8  
   Net8 directory naming feature, DBA 4-3  
   overview, DBA 4-2  
   requirements for creating an Oracle Context in  
     Active Directory, DBA 4-11  
   requirements for creating an Oracle schema in  
     Active Directory, DBA 4-10  
   requirements for creating enterprise user security  
     in Active Directory, DBA 4-13  
   requirements for creating Net8 directory naming  
     in Active Directory, DBA 4-12  
   requirements for using Oracle with Active  
     Directory, DBA 4-10  
   user interface extensions, DBA 4-7  
 directory structures, COB 1-5, CPP 1-3, OCI 1-4,  
   OPS A-1 to OPS A-3

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

- OFA-compliant directory tree, DBA 3-19
- Oracle8i Client, DBA A-7
- Oracle8i Enterprise Edition, DBA A-2
- discovering services
  - Navigator, EMA 2-7
- discovery
  - problems, EMA 2-9
- discovery status, EMA 2-9
- disk definition, DBA D-3
  - naming convention, OPS 3-4
- disk layout
  - reviewing, DBA D-16, OPS 4-6
  - sample, OPS 3-25
- disks
  - striping, DBA 3-30
- DisplayName parameter, DBA C-11, DBA E-3
- DistribTX
  - connection string attribute for commands, OLE 2-3
- Distributed Component Object Model. *See* DCOM
- distributed transactions, OLE 2-4, OLE 2-7
- DLLs
  - differences on Windows NT and UNIX, DBA 1-5
  - external routines, DBA 12-7
- DNS-style naming convention, DBA 4-16
- drag and drop
  - Navigator, EMA 2-10
  - Navigator objects, EMA 2-2
- drive letters
  - removing, OPS 4-3
  - unassigning, OPS 3-22
- .dsp files, CPP 3-9
- Dynamic Link Libraries (DLLs), CPP 2-15
- dynamic registration
  - Oracle XA Library, OCI 2-6
- dynamic SQL
  - method 1, CPP 3-6
  - method 2, CPP 3-6
  - method 3, CPP 3-4, CPP 3-6
  - method 4, CPP 3-7
- dynamic SQL (ANSI), COB 2-10

## E

---

- edit
  - group, EMA 3-3
- Edit menu, CPP 2-3, SQL 3-8
- editor
  - defining, SQL 3-8
  - invoking, SQL 3-8
- Email/Paging Blackouts, EMC 1-14
- embedded PL/SQL, COB 2-4
- embedded SQL, CPP 3-5
- EMP table, COB 2-8, OCI 1-5
- EMS
  - Event Management system, EMC 3-1, EMA 5-1
- ENCAPS.CFG configuration file, DBA F-10
- encrypting, database passwords, DBA 7-22
- engine. *See* rules inference engine, EMC 5-11
- enlistment
  - distributed transactions, OLE 2-4
- enterprise domains
  - different from Windows domains, DBA 4-5
  - viewing in Active Directory, DBA 4-9
- enterprise roles
  - administering, DBA 8-59
  - authorizing in Windows 2000 domains, DBA 8-9
  - environments in which to use, DBA 8-5
  - viewing in Active Directory, DBA 4-9
- Enterprise Security Manager, EMC 5-21
- enterprise user security
  - creation requirements, DBA 4-13
  - defined, DBA 4-4
- enterprise users
  - administering, DBA 8-59
  - environments in which to use, DBA 8-5
  - viewing in Active Directory, DBA 4-9
- environment
  - command, SQL 3-9
  - setting up SQL\*Plus, SQL 3-9, SQL 4-3
  - SQLPLUS variable, SQL A-3
- environment handles, MTS 5-12
- environment variables
  - ORACLE\_HOME, DBA 3-12

---

**KEY:** COB *Pro\*COBOL Precompiler Getting Started for Windows*; COM *Oracle COM Automation Developer's Guide*; CPP *Pro\*C/C++ Precompiler Getting Started for Windows*; DBA *Oracle8i Administrator's Guide for Windows NT*; EMA *Oracle Enterprise Manager Administrator's Guide*; EMC *Oracle Enterprise Manager Concepts Guide*; EMI *Oracle Intelligent Agent User's Guide*; MTS *Using Microsoft Transaction Server With Oracle8*; OCI *Oracle Call Interface Getting Started for Windows*; OLE *Oracle Provider for OLE DB User's Guide*; OPS *Oracle Parallel Server Administrator's Guide for Windows NT*; SQL *SQL\*Plus Getting Started for Windows*

---

- required for migration, OPS 2-15
- TNS\_ADMIN, DBA 3-14
- error messages
  - appearing in the Event Viewer, MTS 7-7
  - interpreting, SQL 4-2
  - Intercartridge Exchange, DBA 12-15
  - logging, DBA G-2
  - ORA-01102, DBA 6-2
  - ORA-12547, DBA G-19
  - OSD-04000 to OSD-04099, DBA G-5
  - OSD-04100 to OSD-04199, DBA G-10
  - OSD-04200 to OSD-04299, DBA G-12
  - OSD-04300 to OSD-04399, DBA G-16
  - OSD-04400 to OSD-04499, DBA G-16
  - OSD-04500 to OSD-04599, DBA G-17
- ErrorLog registry value, DBA C-13
- errors
  - codes, COM 4-6
  - COM automation, COM 4-16
  - HRESULT, COM 4-6, OLE 2-23
  - messages, COM 4-18
  - OLE and COM, OLE 2-23
  - OLE automation, COM 4-18
- Euro sign
  - command line interface, SQL 3-3
  - GUI, SQL 3-12, SQL 3-13
- Event Filters, EMA A-4
- Event Handler, EMA A-1
- Event History page
  - Event window, EMA 5-23
- event log, EMC 3-10
- Event Logger Templates, EMA A-5
- Event Management, EMC 2-10, EMC 3-1, EMA 5-1
  - categories of events, EMA 5-10
  - creating an event set, EMA 5-29
  - Enterprise Manager, EMA 1-3
  - fault management, EMA 5-11
  - introduction, EMC 3-1, EMA 5-1
  - menu, EMA 5-24
  - modifying a registered event set, EMA 5-38
  - modifying an event set, EMA 5-29
  - Oracle events, EMA 5-40
  - parameter settings, EMA 5-35
  - performance management, EMA 5-12
  - process, EMA 5-4
  - registering an event set, EMA 5-38
  - resource management, EMA 5-12
  - space management, EMA 5-11
  - types of events, EMA 5-10
  - viewing a registered event set, EMA 5-38
  - viewing an event set, EMA 5-26
  - window, EMA 5-21
- Event Management System, EMC 1-8, EMC 1-13, EMC 3-1
  - fixit jobs, EMC 3-5
  - proactive event management, EMC 3-8
  - processes, EMC 3-7
  - scalability of, EMC 3-9
  - tests, EMC 3-7
- event process, EMC 3-7
- Event Set Library page
  - Event window, EMA 5-26
  - predefined event sets, EMA 5-26
- Event Set Management property sheet
  - creating an event, EMA 5-24
  - modifying a new event, EMA 5-24
- Event Viewer, DBA 9-9
  - 34 ID, DBA 9-11
  - accessing, MTS 7-7
  - auditing, DBA 9-11
  - blue (informational) icon, DBA 9-11, MTS 7-8
  - defined, DBA 2-21
  - for monitoring a database, DBA 9-2
  - IDs, MTS 7-8
  - IDs other than 34, DBA 9-11
  - integration with Oracle8i database, DBA 2-21
  - logging operating system audit trail, DBA 2-22
  - managing, DBA 9-13
  - Oracle Service for MTS events displayed, MTS 7-7
  - overview, DBA 2-21
  - reading, DBA 9-11, MTS 7-8
  - red (stop sign) icon, DBA 9-11, MTS 7-8
  - starting, DBA 2-17
  - using, DBA 9-9, MTS 7-7

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

- yellow (exclamation point) icon, DBA 9-11, MTS 7-8
- events, EMC 1-13
  - Advanced Events, EMC 5-3
  - set, EMA 5-4
  - unsolicited, EMA 5-12, EMA 5-33
- Events pane, EMC 2-10
- examples
  - connecting to an Oracle database using ADO, OLE 2-5
  - creating an event set, EMA 5-37
  - group, EMA 3-11
  - Job Scheduling, EMA 4-21
  - MAPI, COM 5-15
  - Microsoft Excel, COM 5-7
  - Microsoft PowerPoint, COM 5-11
  - Microsoft Word, COM 5-2
  - registering an event, EMA 5-37
  - stored procedure returning multiple rowsets, OLE 2-12
  - using OraOLEDB with Visual Basic, OLE 2-24
- exception conditions, Inter cartridge
  - Exchange, DBA 12-14
- EXECUTE privileges, on a PL/SQL library, DBA 12-8
- exiting SQL\*Plus, SQL 3-14
- exiting SQL\*Plus GUI, SQL 3-7
- expanding
  - map objects, EMA 3-8
- Expert (Oracle Expert), EMC 5-10
- Export Utility
  - databases, DBA 6-12
  - interactive mode, DBA 6-12
  - operating system compatibility, DBA 2-4
  - parameter mode, DBA 6-12
  - redirecting output, DBA G-2
  - starting, DBA 2-11
- EXPORTSYMLINKS
  - exporting SYMMAP.TBL, OPS 3-25
  - parameters, OPS 3-24
- extended partition
  - creating, DBA D-7
  - defined, DBA D-2, OPS 3-3

- extents
  - maximum number per database, DBA B-6
- EXTERNAL clause, DBA 12-8
- External Naming, DBA E-8
  - client configuration, DBA E-9
  - connecting with SQL\*Plus, DBA E-9
  - NDS Native Naming Adapter, DBA E-8
  - using, DBA E-8
- external roles
  - administering, DBA 8-14
  - administering manually on Windows NT, DBA 8-39
  - administering with Oracle Administration Assistant for Windows NT, DBA 8-14
  - authorizing, DBA 8-7
  - creating with Oracle Administration Assistant for Windows NT, DBA 8-32
  - defined, DBA 8-22
  - environments in which to use, DBA 8-5
  - role authorization, DBA 8-7
- external routines
  - building a DLL, DBA 12-7
  - creating a PL/SQL library, DBA 12-8
  - EXTERNAL clause, DBA 12-8
  - granting EXECUTE privileges, DBA 12-8
  - registering with Oracle database, DBA 12-7
  - using EXTPROC, DBA 12-6
  - writing, DBA 12-6
- external users
  - administering, DBA 8-14
  - administering manually on Windows NT, DBA 8-39
  - administering with Oracle Administration Assistant for Windows NT, DBA 8-14
  - authenticating, DBA 8-6
  - creating manually, DBA 8-40
  - creating with Oracle Administration Assistant for Windows NT, DBA 8-26
  - creating without a domain name prefix, DBA 8-7
  - environments in which to use, DBA 8-5
  - user authentication, DBA 8-6

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

EXTPROC

responsibilities, DBA 12-6

EXTPROC process, COM 1-7

extproc.exe, COM 1-5

## F

---

Fault Management events, EMA 5-10

features

new in release 8.1, OPS 2-2

Oracle Provider for OLE DB, OLE 2-2

FetchSize

connection string attribute for rowsets, OLE 2-4,  
OLE 2-18

file extension, default, COB 2-2

File menu, CPP 2-3, SQL 3-6

file names

normalizing when using Recovery  
Manager, DBA 11-2

file sizes

maximum possible, DBA B-5

modifying, OPS 3-22

on Windows NT and UNIX, DBA 1-4

files

alert, DBA 9-13

database file names, DBA 3-17

installed on system for Oracle Provider for OLE  
DB, OLE 1-5

LISTENER.ORA, DBA 12-5

maximum number per database, DBA B-5

maximum size possible, DBA B-5

Oracle Provider for OLE DB, OLE 1-5

ORACLE.KEY, DBA 3-12

sample INIT.ORA, DBA B-3

trace, DBA 9-13

Filtering, EMC 1-14

Find Database Objects, EMC 5-17

finding text, SQL 3-8

fixit job, EMC 1-8, EMC 3-1, EMC 3-5, EMC 3-8,  
EMA 4-3, EMA 5-1

creating, EMA 4-14

events, EMA 5-32

removing, EMA 5-32

submitting, EMA 5-32

trigevent, EMI 3-9

with events, EMC 3-1, EMA 5-1

fjmakeit.bat, COB 2-9

font

changing face and size in CLI, SQL 3-3

changing face and size in GUI, SQL 3-11,  
SQL 3-12

changing in GUI, SQL 3-11

fixed pitch TrueType, SQL 3-12

Oracle Home, SQL 3-12

font control, EMC 1-17

font settings, EMC 1-17

Fujitsu COBOL

building sample programs, COB 2-9

comp5, COB 2-3

compiling and linking, COB 2-4

MAXLITERAL option, COB 2-4

version supported, COB 1-3

## G

---

General page

job, EMA 4-13

General Page (Event Viewer Window), EMC 2-11

general preferences, EMC 1-16

general purpose utility functions

OraTcl, EMI 3-14

general troubleshooting, OPS 4-7

Generate Enterprise Report, EMC 1-16

generic documentation references

calculating index size, DBA B-5

comp5, COB 2-3

compiling and linking, COB 2-4

compiling and linking OCI applications,  
OCI 2-3, OCI 2-4

CREATE DATABASE, DBA 6-17

custom database archiving mode, DBA 7-23

default values for options, CPP 2-16

demo directory, CPP 1-3

demonstration programs, OCI 1-5

header files, location of, CPP 2-14

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

install test databases in a separate Oracle  
     home, DBA 3-3  
 invoking OTT from the command line, OCI 2-9  
 linking, CPP 2-15  
 location of initialization parameter file,  
     DBA B-2  
 LOG parameter use, DBA G-2  
 managing the Event Viewer, DBA 9-13  
 maximum number of data files, DBA 6-16  
 MAXLITERAL option, COB 2-4  
 Oracle XA, CPP 2-17  
 OTT configuration file, OCI 2-9  
 PL/SQL sample programs, location of,  
     DBA A-5  
 running CATPROC.SQL, DBA 6-21  
 sample programs, COB 2-8  
 starter database archiving mode, DBA 7-23  
 thread safety, OCI 1-5  
 user exits, not supported, COB 1-4  
 Windows NT-specific archiving  
     procedures, DBA 7-25  
 Windows NT-specific audit trail  
     availability, DBA 9-11  
 Windows NT-specific audit trail facility,  
     DBA 9-11  
 Windows NT-specific authentication  
     methods, DBA 8-2  
 Windows NT-specific automatic database startup  
     after reboot, DBA 7-9  
 Windows NT-specific control file  
     specifications, DBA 6-14  
 Windows NT-specific database creation  
     procedures, DBA 6-4  
 Windows NT-specific error messages, DBA G-2  
 Windows NT-specific initialization parameter  
     file, DBA B-2  
 Windows NT-specific instance startup file  
     names, DBA 7-11  
 Windows NT-specific local groups use,  
     DBA 8-46  
 Windows NT-specific location of SQL  
     scripts, DBA A-5  
 Windows NT-specific Oracle Enterprise Manager  
     startup, DBA 2-13  
 Windows NT-specific OS\_AUTHENT\_PREFIX  
     case insensitivity, DBA 8-41  
 Windows NT-specific parameter file name and  
     location, DBA B-2  
 Windows NT-specific password file name and  
     location, DBA 7-16  
 Windows NT-specific role syntax, DBA 8-58  
 Windows NT-specific trace file names,  
     DBA 9-13  
 XA linking file names  
 GetLastError  
     PL/SQL API, COM 4-8  
 GetProperty  
     PL/SQL API, COM 4-10  
 getting started  
     with Microsoft Transaction Server and an Oracle8  
         database, MTS 1-5  
 global database name, OPS 2-12  
 global groups, DBA 8-9  
 GLOBAL\_DBNAME parameter, EMI 2-10  
 Globally Unique Identifier (GUID), COM 4-3  
 GLOGIN.SQL file, SQL 4-3  
 GRANT EXECUTE ON command, DBA 5-24  
 graphical user interface (GUI), CPP 2-2 to CPP 2-5,  
     EMC 2-1 *See Also* GUI  
 Group  
     pane, EMA 3-2  
 group, EMA 3-4  
     add or delete, EMA 3-9  
     adding background images, EMA 3-5  
     create, EMA 3-4  
     edit, EMA 3-3  
     example, EMA 3-11  
     job destination, EMA 4-15  
     modify, EMA 3-10  
     modifying properties, EMA 3-10  
 Group system, EMA 1-2  
 Groups folder  
     Navigator tree, EMA 2-3  
 Groups window, EMC 2-7

---

**KEY:** COB *Pro\*COBOL Precompiler Getting Started for Windows*; COM *Oracle COM Automation Developer's Guide*; CPP *Pro\*C/C++ Precompiler Getting Started for Windows*; DBA *Oracle8i Administrator's Guide for Windows NT*; EMA *Oracle Enterprise Manager Administrator's Guide*; EMC *Oracle Enterprise Manager Concepts Guide*; EMI *Oracle Intelligent Agent User's Guide*; MTS *Using Microsoft Transaction Server With Oracle8*; OCI *Oracle Call Interface Getting Started for Windows*; OLE *Oracle Provider for OLE DB User's Guide*; OPS *Oracle Parallel Server Administrator's Guide for Windows NT*; SQL *SQL\*Plus Getting Started for Windows*

---

## GUI

- changing face and size, SQL 3-11, SQL 3-12
- changing font, SQL 3-11
- menus, SQL 3-6
- starting, SQL 3-4
- Windows Character Map utility, SQL 3-13

## H

---

### hardware configuration

- optimizing to improve performance, MTS 6-3

### header files, COB 1-5

- location of, CPP 2-14, OCI 1-4, OCI 2-3
- oraca.h, CPP 2-14
- sql2oci.h, CPP 2-14
- sqlapr.h, CPP 2-14
- sqlca.h, CPP 2-14
- sqlcpr.h, CPP 2-14
- sqlda.h, CPP 2-14
- sqlkpr.h, CPP 2-14
- sqlproto.h, CPP 2-14

### help

- accessing online help, SQL 2-3
- installation prerequisites, SQL 2-2
- installing, SQL 2-2

### Help menu, CPP 2-3, SQL 3-10

### HI\_SHARED\_MEMORY\_ADDRESS

- parameter, DBA B-4

### history

- Command History Button, SQL\*Plus Worksheet, EMC 4-20, EMA 6-20

### History Page (Events Page), EMC 2-10

### HOME\_COUNTER parameter, DBA C-9

### HOST command, SQL 4-4

### host string, SQL 3-4

### Hostname parameter, DBA 9-3, DBA C-10

### hostname value, DBA 9-3

### HRESULT

- error return code, OLE 2-23
- return codes, COM 4-6

### hybrid database environment

- creating, DBA 6-7

## I

---

### ICX. *See* Intercartridge Exchange

### IDE, COB 2-6

### IIOP, EMC 1-3, EMC 1-8

### ImagePath parameter, DBA C-11, DBA E-3

### Import Utility

- databases, DBA 6-22
- interactive mode, DBA 6-22
- operating system compatibility, DBA 2-4
- parameter mode, DBA 6-22
- starting, DBA 2-12

### IMPORTSYMLINKS, OPS 3-26

- importing SYMMAP.TBL, OPS 3-26

- parameters, OPS 3-26

### include directory, OCI 1-4

### INCLUDE option, COB 2-3, CPP 2-16

### index size, calculating, DBA B-5

### Index Tuning Wizard, EMC 5-11

### in-doubt transaction

- manually committing after an Oracle Service for MTS restart, MTS 6-2

### inference engine (Oracle Expert), EMC 5-11

### information on Oracle Parallel Server,

- generic, OPS 1-3

### InitArg

- PL/SQL API, COM 4-12

### initialization and authorization

- properties, OLE A-5

### initialization parameter file

- changing parameter settings, MTS 6-12
- defined, DBA B-2
- editing, DBA B-2
- location, DBA B-2
- modifying, DBA 6-14
- OS\_ROLES parameter, MTS 6-7
- PROCESSES parameter, MTS 6-12
- SESSIONS parameter, MTS 6-12
- using PFILE option for database startup, DBA 7-11
- using the default file for database startup, DBA 7-11
- verifying parameter values, MTS 3-3

---

**KEY:** **COB** *Pro\*COBOL Precompiler Getting Started for Windows*; **COM** *Oracle COM Automation Developer's Guide*; **CPP** *Pro\*C/C++ Precompiler Getting Started for Windows*; **DBA** *Oracle8i Administrator's Guide for Windows NT*; **EMA** *Oracle Enterprise Manager Administrator's Guide*; **EMC** *Oracle Enterprise Manager Concepts Guide*; **EMI** *Oracle Intelligent Agent User's Guide*; **MTS** *Using Microsoft Transaction Server With Oracle8*; **OCI** *Oracle Call Interface Getting Started for Windows*; **OLE** *Oracle Provider for OLE DB User's Guide*; **OPS** *Oracle Parallel Server Administrator's Guide for Windows NT*; **SQL** *SQL\*Plus Getting Started for Windows*

---



initialization parameter requirements  
     Advanced Replication Support, DBA 5-21  
 initialization parameters  
     adjusting for release 8.1, OPS 2-39  
     COMPATIBLE\_NO\_RECOVERY, DBA B-4  
     CORE\_DUMP\_DEST, DBA B-4  
     CPU\_COUNT, DBA B-4  
     DB\_WRITER\_PROCESSES, DBA B-4  
     HI\_SHARED\_MEMORY\_ADDRESS, DBA B-4  
     LARGE\_POOL\_SIZE, DBA B-4  
     LOG\_BUFFER, DBA B-4  
     on Windows NT and UNIX, DBA 1-4  
     ORACLE\_TRACE\_COLLECTION\_PATH,  
         DBA B-4  
     ORACLE\_TRACE\_FACILITY\_NAME, DBA B-4  
     ORACLE\_TRACE\_FACILITY\_PATH, DBA B-4  
     OS\_AUTHENT\_PREFIX, DBA 8-41  
     OS\_ROLES, DBA 8-4, DBA 8-9, DBA 8-25, DBA  
         8-54  
     SHARED\_MEMORY\_ADDRESS, DBA B-4  
     SPIN\_COUNT, DBA B-4  
 initializing all space, OPS 4-3  
 in-process components  
     definition, MTS 7-3  
 Input File dialog box, CPP 2-7  
 Input pane, SQL\*Plus Worksheet, EMC 4-20,  
     EMA 6-20  
 INST\_LOC parameter, DBA C-8  
 install accounts  
     on Windows NT and UNIX, DBA 1-5  
 installation  
     differences on Windows NT and UNIX,  
         DBA 1-5  
     files for Oracle Provider for OLE DB, OLE 1-5  
     of Microsoft Transaction Server and Oracle8  
         database on same computer, MTS 2-2  
     of Microsoft Transaction Server and Oracle8  
         database on separate computers, MTS 2-2,  
         MTS 5-4  
     Oracle COM Automation, COM 2-1  
     Oracle Provider for OLE DB, OLE 1-5  
     Pro\*COBOL release 1.8.x, COB 1-2  
     using IP load balancing, MTS 2-2  
     installation layouts, MTS 2-2  
     installation requirements  
         for client computer, MTS 2-4  
         for computer on which Microsoft Transaction  
             Server is installed, MTS 2-4  
         for computer on which Oracle8 database is  
             installed, MTS 2-4  
         for computer running Oracle Service for  
             MTS, MTS 2-3  
         Microsoft Internet Information Server, MTS 2-4  
         Microsoft Transaction Server, MTS 2-3, MTS 2-4  
         Net8 Assistant, MTS 2-4  
         Net8 Client, MTS 2-4  
         Net8 Server, MTS 2-4  
         ODBC, MTS 2-4  
         one Oracle Service for MTS for each Oracle8  
             database, MTS 2-3  
         Oracle Provider for OLE DB, MTS 2-4  
         Oracle Services for Microsoft Transaction  
             Server, MTS 2-4  
         Oracle8 database, MTS 2-4  
         required RAM, MTS 2-3  
         Service Pack 4.0 or greater, MTS 2-4  
         special downloadable MS DTC file, MTS 2-4  
         SQL\*Plus, MTS 2-4  
 installing  
     Intelligent Agent, EMI 1-2  
     Oracle Parallel Server  
         with Typical installation type, OPS 2-10,  
         OPS 2-11, OPS 2-36  
     raw management utilities, OPS 3-10  
     SQL\*Plus online help, SQL 2-2  
     with Oracle Universal Installer, OPS 2-10  
 instance tuning, EMC 5-11  
 INSTANCE\_NAME parameter, DBA 6-15  
 instances  
     creating, DBA 6-27  
     defined, DBA 7-4  
     modifying, DBA 6-29  
     running multiple instances, DBA 7-15  
     SID Prefix, OPS 2-12  
     starting, DBA 6-28  
     stopping, DBA 6-28

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

- Integrated Applications, EMC 5-21
- Intelligent Agent, EMC 1-4, EMC 1-5, EMC 1-8, EMC 3-6, EMI 1-2, EMI 1-3, *See Also* agent configuring
  - Windows NT, EMI 2-4, EMI 2-5
- installing
  - UNIX, EMI 2-5
  - Windows NT, EMI 2-2
- roles and users required, EMI 2-11
- root permissions, EMI 2-6
- TCP protocol, EMI A-6
- UNIX
  - installation, EMI 2-5
  - installed as setuid root, EMI 2-6
  - starting and stopping, EMI 2-7
- Windows NT
  - installation, EMI 2-2
  - starting and stopping, EMI 2-4
  - use of Tcl, EMI 3-12
- Intelligent Agent data gathering service
  - Windows NT
    - starting and stopping, EMI 2-21
  - Windows UNIX
    - starting and stopping, EMI 2-21
- interactive mode
  - Export Utility, DBA 6-12
  - Import Utility, DBA 6-22
- Intercartridge Exchange
  - accessing Web data, DBA 12-10
  - configuring, DBA 12-11
  - error messages, DBA 12-15
  - exception conditions, DBA 12-14
  - packaged functions, DBA 12-12
  - stored packages, DBA 12-12
  - troubleshooting, DBA 12-17
  - using, DBA 12-12
- interface call traces, OLE A-14
- interfaces
  - custom error objects, OLE A-13
  - rowsets, OLE A-12
  - sessions, OLE A-11
  - supported by Oracle Provider for OLE DB, OLE A-11

- transaction options, OLE A-13
- interMedia* Text, EMC 5-21
- INTERNAL
  - changing the INTERNAL password, DBA 7-20
  - connecting as, DBA 7-20
  - connecting without a password, DBA 8-13, DBA 8-50
  - password, DBA 7-20
- INTYPE File Assistant, OCI 2-8
- Invoke
  - PL/SQL API, COM 4-15
- IODLL registry value, DBA C-12
- IP load balancing, MTS 2-2
- IPCDLL registry value, DBA C-12

## J

---

- job and event scripts
  - Tcl Language, EMI 3-2
- Job History, EMC 2-8
  - page, EMA 4-8
- Job Library, EMA 4-11
- job output
  - Progress Page, EMA 4-20
- job scheduling, EMC 2-8, EMC 3-4, EMA 4-1
  - credential preference, EMA 4-4, EMA 4-17
  - destination requirements, EMA 4-15
  - Enterprise Manager, EMA 1-3
  - example, EMA 4-21
  - General page, EMA 4-13
  - job destinations, EMA 4-13, EMA 4-15
  - job name, EMA 4-13
  - job tasks, EMA 4-15
  - job type, EMA 4-13
  - managing jobs, EMC 3-4, EMA 4-5
  - menu, EMA 4-10
  - scheduling jobs, EMA 4-5
  - scheduling process, EMA 4-2
  - task parameters, EMA 4-17
  - window, EMA 4-6
- Job Scheduling system, EMC 1-8, EMC 2-8, EMC 3-2
  - automating tasks, EMC 3-5

---

**KEY:** **COB** *Pro\*COBOL Precompiler Getting Started for Windows*; **COM** *Oracle COM Automation Developer's Guide*; **CPP** *Pro\*C/C++ Precompiler Getting Started for Windows*; **DBA** *Oracle8i Administrator's Guide for Windows NT*; **EMA** *Oracle Enterprise Manager Administrator's Guide*; **EMC** *Oracle Enterprise Manager Concepts Guide*; **EMI** *Oracle Intelligent Agent User's Guide*; **MTS** *Using Microsoft Transaction Server With Oracle8*; **OCI** *Oracle Call Interface Getting Started for Windows*; **OLE** *Oracle Provider for OLE DB User's Guide*; **OPS** *Oracle Parallel Server Administrator's Guide for Windows NT*; **SQL** *SQL\*Plus Getting Started for Windows*

---

- centralized control, EMC 3-4
- job scripts, EMC 3-5
- job tasks, EMC 3-5
- queuing, EMC 3-4
- scalability, EMC 3-6
- security, EMC 3-7
- job scripts, EMC 3-5
- Job Tasks
  - wizards, EMA 4-24
- jobs
  - alter, EMA 4-10
  - cancelling, EMA 4-5
  - create, EMA 4-10
  - manage, EMA 4-10
  - modify, EMA 4-10
  - view, EMA 4-10

## K

- Kerberos, DBA 8-9
  - default use of, DBA 8-3
  - features, DBA 8-2
- keyboard shortcuts, general Windows platform, EMC A-1

## L

- language preference
  - NLS issues and error messages, EMI 3-13
- large objects, CPP 3-5
- LARGE\_POOL\_SIZE parameter, DBA B-4
- LAST\_HOME parameter, DBA C-9
- launching a database tool
  - from a map, EMA 3-8
  - from the Console, EMA 2-5
  - from the Navigator, EMA 1-2
  - Navigator, EMA 2-4
  - with the right-mouse button, EMA 2-4
- LDAP
  - overview, DBA 4-2
- Legato Storage Manager
  - adding BIN directory to PATH, DBA 11-7
  - Japanese version, DBA 11-7

- settings for multiple tape devices, DBA 11-7
- LETTERDELETE
  - parameters, OPS 4-3
- levels of permission, EMA 1-24
- lib directory, OCI 1-4
- libraries
  - oci.lib, OCI 2-4
- library cache (Oracle SQL Analyze), EMC 5-12
- library file, COB 1-6
- Lightweight Directory Access Protocol. *See* LDAP
- LINK command, COB 2-5
- linking, COB 2-4, CPP 2-15
  - OCI applications, OCI 2-4
  - OCI with Oracle XA, OCI 2-6
  - Oracle XA Library, OCI 2-5
- listener
  - 1521 port, DBA E-11
  - configuring for Oracle COM Automation, COM 3-3
  - OracleHOME\_NAMETNSListener
    - service, DBA 7-5
  - OracleHOME\_NAMETNSListenerLSNR
    - service, DBA 7-5
- Listener Fault Management Events, EMA 5-42
- listener.ora files, EMI 2-10
- Listeners folder
  - Navigator tree, EMA 2-3
- Listing/Errors dialog box, CPP 2-10
- Lists, saving, EMA 1-27
- LoadLibrary, OCI 2-4
- LOB support, OLE 2-20
  - ISequentialStream interface, OLE 2-20
- LOBs, CPP 3-5
- local computer
  - creating an Oracle Service for MTS, MTS 3-6
- local database role
  - creating with Oracle Administration Assistant for Windows NT, DBA 8-30
- local groups
  - with database privileges, DBA 8-46, DBA 8-50, DBA 8-56, DBA 8-58
- LOCAL parameter, DBA E-5, SQL 4-5
- local roles

---

**KEY:** COB *Pro\*COBOL Precompiler Getting Started for Windows*; COM *Oracle COM Automation Developer's Guide*; CPP *Pro\*C/C++ Precompiler Getting Started for Windows*; DBA *Oracle8i Administrator's Guide for Windows NT*; EMA *Oracle Enterprise Manager Administrator's Guide*; EMC *Oracle Enterprise Manager Concepts Guide*; EMI *Oracle Intelligent Agent User's Guide*; MTS *Using Microsoft Transaction Server With Oracle8*; OCI *Oracle Call Interface Getting Started for Windows*; OLE *Oracle Provider for OLE DB User's Guide*; OPS *Oracle Parallel Server Administrator's Guide for Windows NT*; SQL *SQL\*Plus Getting Started for Windows*

---

- defined, DBA 8-22
- LockType
  - tips for ADO programmers, OLE 2-18
- Log, EMC 3-10
- Log On dialog, SQL 3-4
- Log Page (Event Viewer Window), EMC 2-11
- LOG parameter
  - use of, DBA G-2
- log view, DBA 9-5
- LOG\_ARCHIVE\_DEST\_n parameter, DBA 6-3, DBA 7-23, DBA 7-25
- LOG\_ARCHIVE\_FORMAT parameter, DBA 7-25
- LOG\_ARCHIVE\_START parameter, DBA 7-25
- LOG\_BUFFER parameter, DBA B-4
- LOGFILE parameter, DBA C-11
- logging error messages, DBA G-2
- logical partitions
  - assigning symbolic links, DBA D-11
  - creating, DBA D-9
  - for Oracle Database Configuration Assistant, OPS 3-12
  - initializing all space, OPS 4-3
  - naming convention, OPS 3-6
- LOGIN.SQL file, SQL 4-3
- logon as batch job, EMI 2-2
- LOGPARTFORMAT, OPS 4-3
- LSNRCTL utility
  - starting from the Control Panel, DBA F-6, DBA F-8

## M

---

- make.bat, OCI 1-5
- makeit.bat, COB 2-10
- Management Information Base (MIB)
  - with SNMP, EMI 1-3
- Management Pack for Oracle Applications, EMC 5-19
- Management Pack for SAP R/3, EMC 5-20
- management packs, EMC 5-1
- Management Server, EMC 1-4, EMC 1-11
- manipulation of the objects
  - in the Navigator, EMA 2-10

- manual database creation
  - raw devices, OPS 3-19
- Map, EMA 3-1
  - bitmap background, EMA 3-6
  - create, EMA 3-7
  - creating with dragging and dropping, EMA 3-7
  - customized views, EMA 3-1
  - expanding objects, EMA 3-8
  - status of objects, EMA 3-7
  - user-defined views, EMA 3-4
- MAPI
  - demo script mapidem.sql, COM 5-15
  - example, COM 5-15
- mapped drives, DBA 6-3, DBA 7-23
- mappings do not appear, troubleshooting, OPS 4-7
- MAXLITERAL option, COB 2-4
- MDAC, OLE 1-4
- memory resources
  - on Windows NT and UNIX, DBA 1-4
- menu bar, CPP 2-3
- menus
  - Console, EMA 1-4
  - File menu, EMA 1-5
  - GUI, SQL 3-6
  - Help menu, EMA 1-7
  - Job, EMA 4-10
  - View, EMA 1-5
- MERANT Micro Focus COBOL
  - Animator, COB 2-6
  - building sample programs, COB 2-10
  - COBSQL, COB 2-7
  - comp5, COB 2-3
  - compiling and linking, COB 2-6
  - IDE, COB 2-6
  - NetExpress, COB 2-6
  - version supported, COB 1-3
- Messaging Application Programming Interface.
  - See MAPI
- metadata columns
  - supported by Oracle Provider for OLE DB, OLE A-13

---

**KEY:** **COB** Pro\*COBOL Precompiler Getting Started for Windows; **COM** Oracle COM Automation Developer's Guide; **CPP** Pro\*C/C++ Precompiler Getting Started for Windows; **DBA** Oracle8i Administrator's Guide for Windows NT; **EMA** Oracle Enterprise Manager Administrator's Guide; **EMC** Oracle Enterprise Manager Concepts Guide; **EMI** Oracle Intelligent Agent User's Guide; **MTS** Using Microsoft Transaction Server With Oracle8; **OCI** Oracle Call Interface Getting Started for Windows; **OLE** Oracle Provider for OLE DB User's Guide; **OPS** Oracle Parallel Server Administrator's Guide for Windows NT; **SQL** SQL\*Plus Getting Started for Windows

---

Microsoft application demo  
     installation location, MTS 4-3  
     overview of database contents, MTS 4-3  
     running, MTS 4-5  
     running the OMTSSAMP.SQL script, MTS 4-5  
     setting sufficient INIT.ORA parameter values, MTS 3-3  
     using Microsoft Developer Studio, MTS 4-6  
     using OCI, MTS 4-2  
     using Oracle's ODBC driver, MTS 4-7  
     using the MTSDEMOUSR user name, MTS 4-4  
     using Visual C++, MTS 4-5  
     verifying installation, MTS 4-5  
     verifying Oracle8 database includes proper tables, MTS 4-3  
 Microsoft Data Access Components, OLE 1-4  
 Microsoft Developer Studio  
     using with Microsoft application demo, MTS 4-6  
 Microsoft Distributed Transaction Coordinator, OLE 2-7  
 Microsoft Excel  
     demo script exceldem.sql, COM 5-7  
     example, COM 5-7  
 Microsoft HTML Help, MTS 2-3, MTS 2-4  
 Microsoft Internet Information Server  
     installation requirements, MTS 2-4  
 Microsoft Management Console  
     defined, DBA 2-27  
     installation methods, MTS 2-4  
     integration with Oracle8i database, DBA 2-27  
     requirements, DBA 8-15  
     running Oracle Administration Assistant for Windows NT from, DBA 8-15  
 Microsoft PowerPoint  
     demo script pptdem.sql, COM 5-11  
     example, COM 5-11  
 Microsoft SNMP, DBA F-3  
 Microsoft Transaction Server, MTS 1-2, OLE 2-7  
     benefits, MTS 1-2  
     client computer responsibilities, MTS 5-3  
     COM components running in a transaction, MTS 5-6  
     components running in an MS DTC-coordinated transaction, MTS 5-7  
     connection pooling responsibilities, MTS 5-3  
     database links, MTS 7-17  
     definition, MTS 1-2  
     getting started with an Oracle8 database, MTS 1-5  
     increasing timeout parameter, MTS 6-10  
     installation requirements, MTS 2-3, MTS 2-4  
     integration with Oracle8 database, MTS 1-3  
     MS DTC responsibilities, MTS 5-3  
     OCI responsibilities, MTS 5-3  
     ODBC responsibilities, MTS 5-3  
     Oracle Objects for OLE responsibilities, MTS 5-3  
     Oracle Provider for OLE DB responsibilities, MTS 5-3  
     Oracle Service for MTS responsibilities, MTS 5-3  
     Oracle8 database responsibilities, MTS 5-3  
     programming with OCI, MTS 5-8  
     programming with ODBC, MTS 5-22  
     programming with Oracle Objects for OLE, MTS 5-25  
     programming with Oracle Provider for OLE DB, MTS 5-25  
     programming with the Oracle8 database, MTS 5-4  
     registering COM components, MTS 5-4  
     starting MS DTC, MTS 7-10  
     three-tiered architecture model, MTS 1-2  
     using OCI with the Microsoft application demo, MTS 4-2  
     using with Microsoft's Oracle ODBC Driver, MTS 5-24  
     using with Oracle's ODBC Driver, MTS 5-22  
 Microsoft Transaction Server demos  
     using Oracle's ODBC driver with the Microsoft application demo, MTS 4-7  
 Microsoft Visual C++  
     integrating Pro\*C/C++ into CPP A-1 to CPP A-8  
 Microsoft Word  
     demo script worddem.sql, COM 5-2

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

example, COM 5-2  
 MIGRATE.BSQ script, OPS 2-20  
 migrating  
     ALTER DATABASE CONVERT statement, OPS 2-27  
     ALTER DATABASE OPEN RESETLOGS statement, OPS 2-27  
     control files, OPS 2-19, OPS 2-38  
     from Oracle7, OPS 2-3  
     MIGRATE user, avoid, OPS 2-5  
     MIGRATE.BSQ script, OPS 2-20  
     offline tablespaces, OPS 2-5  
     ORADIM, OPS 2-18, OPS 2-37  
     OUTLN user, avoid, OPS 2-5  
     post-migration steps, OPS 2-21  
     prepare the Oracle7 source database, OPS 2-3  
     preparing the cluster, OPS 2-13  
     scripts  
         CATALOG.SQL, OPS 2-28  
         CATPARR.SQL, OPS 2-28  
         CATPROC.SQL, OPS 2-28  
         CATREP.SQL, OPS 2-28  
         R0703040.SQL, OPS 2-28  
         rerunning, OPS 2-28  
         U0703040.SQL, OPS 2-28  
         UTLRLP.SQL, OPS 2-28  
     SQL\*Net requirement, OPS 2-7  
 Migration Utility  
     operating system compatibility, DBA 2-4  
     options  
         CHECK\_ONLY, OPS 2-17  
     privileges required, OPS 2-15  
     running, OPS 2-18  
     starting, DBA 2-12  
 MissCount registry value, DBA C-13  
 mod\_incl.bat, CPP 2-13  
 modify  
     event set, EMA 5-24  
     group, EMA 3-3  
 monitoring  
     alert files, DBA 9-2  
     databases, DBA 9-1  
     Event Viewer, DBA 9-2  
     Management Pack, DBA 9-2  
     Oracle events, DBA 2-21, DBA 2-23  
     Oracle8i Objects, DBA 9-5  
     Performance Monitor, DBA 9-2  
     trace files, DBA 9-2  
 mouse, using to copy commands, SQL 3-5  
 MS DTC, MTS 5-16, MTS 5-19  
     COM components running in an MS DTC-coordinated transaction, MTS 5-7  
     modifying the location, MTS B-10  
     responsibilities, MTS 5-2, MTS 5-3  
     special downloadable file for installation, MTS 2-4  
     starting, MTS 7-10  
     using with Oracle Service for MTS, MTS 2-3  
 MS-DOS, accessing from SQL\*Plus, SQL 4-4  
 msgtxt, EMI 3-17  
 msgtxt1, EMI 3-18  
 MSHELP\_TOOLS parameter, DBA C-5  
 msvcr7.lib runtime library, CPP 2-15  
 MTS. *See* Microsoft Transaction Server  
 MTSDEMO, MTS 4-3  
     Net8 network connection, MTS 3-9  
 MTSDEMOUSR user name  
     using the Microsoft application demo, MTS 4-4  
 MTSSamples.dsn  
     using with Oracle's ODBC driver, MTS 5-23  
 MTSSYS user name  
     changing the password, MTS 3-5, MTS A-3  
     connecting with, MTS 3-5  
     for use with Oracle Service for MTS, MTS 3-4  
     manually creating for Oracle Service for MTS, MTS A-2  
     manually creating with the ORAMTS.SQL script, MTS A-2, MTS A-6  
     password, MTS 3-4  
     required roles and privileges, MTS 3-4  
     verifying inclusion in Oracle8 database, MTS 3-4  
 MTSUSER.SQL script  
     editing to create a custom user, MTS A-7  
     running, MTS A-7

---

**KEY:** COB *Pro\*COBOL Precompiler Getting Started for Windows*; COM *Oracle COM Automation Developer's Guide*; CPP *Pro\*C/C++ Precompiler Getting Started for Windows*; DBA *Oracle8i Administrator's Guide for Windows NT*; EMA *Oracle Enterprise Manager Administrator's Guide*; EMC *Oracle Enterprise Manager Concepts Guide*; EMI *Oracle Intelligent Agent User's Guide*; MTS *Using Microsoft Transaction Server With Oracle8*; OCI *Oracle Call Interface Getting Started for Windows*; OLE *Oracle Provider for OLE DB User's Guide*; OPS *Oracle Parallel Server Administrator's Guide for Windows NT*; SQL *SQL\*Plus Getting Started for Windows*

---

MTX.EXE  
     running, MTS 7-3  
 MTXSTOP.EXE  
     running, MTS 7-13  
 multiple instances, running, DBA 7-15  
 multiple Oracle home products, DBA 3-7  
 multiple Oracle homes, OPS 2-46  
     ALL\_HOMES registry subkey, DBA C-8  
     before release 8.0.4, DBA 3-3  
     benefits, DBA 3-3  
     classification of products, DBA 3-7  
     environment, DBA 3-5  
     for releases 8.0.4 to 8.0.5, DBA 3-3  
     for releases 8.1.3 and 8.1.4, DBA 3-3  
     functionality in different releases, DBA 3-3  
     introduction, DBA 3-2  
     on Windows NT and UNIX, DBA 1-6  
     overview, DBA 3-2  
     program groups, DBA 3-5, DBA 3-6  
     registry entries, DBA 3-5, DBA 3-6  
     service names, DBA 3-5, DBA 3-6  
     service naming conventions, DBA 7-2, DBA 7-4,  
         DBA 7-5  
     specifying font, SQL 3-12  
     system identifier, DBA 3-5, DBA 3-6  
     use of one listener for spawning, DBA 3-4  
 multiple tasks  
     submitting a job, EMA 4-12  
 multi-threaded applications, CPP 2-15, CPP 3-5  
 multi-threaded server  
     configuring with Oracle Database Configuration  
         Assistant, DBA 5-15  
     disabling, DBA 5-15  
     enabling, DBA 5-15  
 multithreading, OCI 1-5

## N

NAME parameter, DBA C-8  
 Named Pipes Protocol Adapter  
     with an Oracle Names Server, DBA E-9  
 NAMES.DIRECTORY\_PATH parameter, DBA E-8  
 naming conventions

    disk definition, OPS 3-4  
 naming conventions for multiple Oracle  
     homes, DBA 7-2  
 naming method  
     External Naming, DBA E-8  
 Navigator, EMA 2-1  
     Enterprise Manager, EMA 1-2  
     manipulating objects, EMA 2-10  
     menu, EMA 2-5  
     new view, EMA 2-6  
     objects, EMA 1-2  
     splitting the tree, EMA 2-4, EMA 2-6  
     window, EMA 2-2  
 Navigator Pane, EMC 2-3  
     split view, EMC 2-4  
 NDatatype, OLE 2-9  
 NDS Authentication Adapter  
     client configuration, DBA E-7  
     NetWare Server configuration, DBA E-7  
     using, DBA E-7  
 NDS Native Naming Adapter  
     establishing connections with, DBA E-8  
     using, DBA E-8  
 net service name  
     changes that impact connection pooling,  
         MTS 7-13  
     creating with Net8 Assistant, MTS 3-6  
     defined, MTS 3-9  
 NET START command, DBA 6-20  
 net\_service\_name. *See* connect\_identifier  
 Net8, CPP 1-2  
     configuring for external routines, DBA 12-5  
     MTSDemo net service name, MTS 3-9  
     unsupported features, DBA E-2  
 Net8 Assistant  
     creating a network connection, MTS 3-6  
     creating and modifying net service name objects  
         in a directory server, DBA 4-15  
     included with Oracle8i Client, DBA 4-12,  
         DBA 4-13  
     installation requirements, MTS 2-4  
     operating system compatibility, DBA 2-5  
     starting, DBA 2-10

---

**KEY:** COB *Pro\*COBOL Precompiler Getting Started for Windows*; COM *Oracle COM Automation Developer's Guide*; CPP *Pro\*C/C++ Precompiler Getting Started for Windows*; DBA *Oracle8i Administrator's Guide for Windows NT*; EMA *Oracle Enterprise Manager Administrator's Guide*; EMC *Oracle Enterprise Manager Concepts Guide*; EMI *Oracle Intelligent Agent User's Guide*; MTS *Using Microsoft Transaction Server With Oracle8*; OCI *Oracle Call Interface Getting Started for Windows*; OLE *Oracle Provider for OLE DB User's Guide*; OPS *Oracle Parallel Server Administrator's Guide for Windows NT*; SQL *SQL\*Plus Getting Started for Windows*

---

- Net8 Client
  - installation requirements, MTS 2-4
- Net8 Configuration Assistant
  - automatically discovering directory server information, DBA 4-9
  - configuring client access to a directory server, DBA 4-15
  - configuring Oracle software with a directory server, DBA 4-6, DBA 4-8
  - creating the Oracle Context, DBA 4-11, DBA 4-14
  - creating the Oracle schema, DBA 4-10, DBA 4-14
  - included with Oracle8i Client, DBA 4-12, DBA 4-13
  - operating system compatibility, DBA 2-5
  - running, DBA 4-15
  - setting up Access Control List security, DBA 4-15
  - starting, DBA 2-10
- Net8 directory naming
  - connecting to a database through a directory server, DBA 4-16
  - creation requirements, DBA 4-12
  - defined, DBA 4-3
  - testing connectivity from client computers, DBA 4-17
  - testing connectivity with Microsoft tools, DBA 4-17
- NET8 parameter, DBA E-2
- Net8 Server
  - installation requirements, MTS 2-4
- NetExpress, COB 2-6
- network
  - container, EMA 2-3
- network connection. See net service name
- network interconnects
  - optimizing to improve performance, MTS 6-3
- new features, OPS 1-2
- New toolbar button, CPP 2-6
- new view
  - Navigator tree, EMA 2-6
- NLS environment, EMI 1-3
- NLS issues and error messages
  - about, EMI 3-13
- NLS\_LANG parameter, DBA C-5
- NMI.LOG\_DIRECTORY, EMI A-5
- NMI.LOG\_FILE, EMI A-5
- NMI.TRACE\_DIRECTORY, EMI A-5
- NMI.TRACE\_FILE, EMI A-5
- NMI.TRACE\_FILECNT, EMI A-5
- NMI.TRACE\_FILESIZE, EMI A-5
- NMI.TRACE\_LEVEL, EMI A-5
- NOARCHIVELOG mode, DBA 7-24
- Node Fault Management Events, EMA 5-41
- Node Properties, EMA 2-10
- Nodes folder
  - Navigator tree, EMA 2-3
- nodes, managed, EMC 1-5
- non-COM components
  - using, MTS 5-11
- non-multiple Oracle home products, DBA 3-8
- non-Oracle home products, DBA 3-8
- nonprivileged database user
  - creating manually, DBA 8-40
  - creating with Oracle Administration Assistant for Windows NT, DBA 8-26
- Notification, EMC 1-14
- Notification Details Page (Event Viewer Window), EMC 2-11
- Notification, administrator preferences, EMC 1-16
- NTLM, DBA 8-9
  - default use of, DBA 8-3
  - features, DBA 8-2
- NTS
  - setting to enable Windows native authentication, DBA 8-42
- Windows authentication protocol, DBA 8-2

## O

---

- object names
  - case, OLE 2-20
- Object Type Translator (OTT), CPP 3-9, OCI 2-8
- ObjectName parameter, DBA C-11, DBA E-3

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---



- objects
  - creating, EMC 4-12, EMA 6-12
  - demonstration program, CPP 3-5
  - editing, EMC 4-12, EMA 6-12
- OCI
  - building applications, OCI 2-1
  - connection pooling differences with OCI, Net8, and Microsoft Transaction Server, MTS 7-18
  - enlisting an MS DTC-coordinated transaction, MTS 5-19
  - enlisting or de-enlisting an MS DTC-coordinated transaction, MTS 5-16
  - new features, OCI 1-2
  - obtaining pooled OCI connections, MTS 5-13
  - obtaining pooled or standard OCI connections, MTS 5-17
  - Oracle XA Library, OCI 2-6
  - OraMTSOCIErrGet() function, MTS 5-21
  - OraMTSSvcEnlist() function, MTS 5-16
  - OraMTSSvcEnlist() function parameters, MTS 5-16
  - OraMTSSvcEnlistEx() function, MTS 5-19
  - OraMTSSvcEnlistEx() function parameters, MTS 5-19
  - OraMTSSvcGet() function, MTS 5-12
  - OraMTSSvcGet() function parameters, MTS 5-12
  - OraMTSSvcRel() function, MTS 5-15
  - OraMTSSvcRel() function parameters, MTS 5-15, MTS 5-20
  - OraMTSTransTest() function, MTS 5-20
  - overview, OCI 1-2
  - overview of connection pooling, MTS 5-8
  - programming with Microsoft Transaction Server, MTS 5-8
  - release 7.x functions, OCI 1-2
  - releasing pooled OCI connections, MTS 5-15
  - responsibilities, MTS 5-3
  - sample file location, MTS 5-10
  - sample programs, OCI 1-5
  - using with the Microsoft application demo, MTS 4-2
  - warnings against using OCITransCommit() and OCITransAbort(), MTS 5-8
- OCI applications
  - compiling, OCI 2-3
  - linking, OCI 2-4
  - running, OCI 2-5
  - writing, OCI 2-2
- oci directory, OCI 1-4
- OCI\_THREADED flag
  - passing, MTS 5-9
- oci.dll, OCI 1-2
- OCIInitialize
  - calling, MTS 5-9
- oci.lib, OCI 1-2, OCI 2-4
- ociw32.dll, OCI 1-2
- ociw32.lib, OCI 1-2
- OCOPY
  - backing up raw partitions, OPS 3-29
  - backup file types, DBA 11-4
  - capabilities, DBA 11-3
  - copy modes, DBA 11-4
  - operating system compatibility, DBA 2-4
  - recovery file types, DBA 11-6
  - starting, DBA 2-12
  - syntax for backing up files, DBA 11-5
  - syntax for recovering files, DBA 11-6
- ODBC
  - configuring Microsoft's Oracle ODBC Driver with Microsoft Transaction Server, MTS 5-24
  - configuring Oracle's ODBC Driver with Microsoft Transaction Server, MTS 5-23
  - installation requirements, MTS 2-4
  - programming with Microsoft Transaction Server, MTS 5-22
  - responsibilities, MTS 5-3
  - setting the connection attribute, MTS 5-22
  - using Microsoft's Oracle ODBC Driver with Microsoft Transaction Server, MTS 5-24
  - using MTSSamples.dsn with Oracle's ODBC driver, MTS 5-23
  - using Oracle's ODBC Driver with Microsoft Transaction Server, MTS 5-22

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

- using Oracle's ODBC driver with the Microsoft application demo, MTS 4-7
  - using the SQL\_ATTR\_ENLIST\_IN\_DTC parameter, MTS 5-22
  - using the SQLSetConnectAttr function, MTS 5-22
- oevent executable, EMI 3-28
- OFA
  - Optimal Flexible Architecture, COM 3-2
- OLE
  - integration with Microsoft Transaction Server, MTS 5-3
- OLE automation
  - errors, COM 4-18
  - invoking, COM 1-5
- OLE DB
  - consumers, OLE 1-3
  - datatypes, OLE A-2
  - design, OLE 1-2
  - Microsoft Web site, OLE 1-4
  - overview, OLE 1-2
  - providers, OLE 1-3
- OLE/COM Object Viewer, COM 4-4
- OLTP
  - database environment, DBA 6-7
  - importing a sample schema, DBA 6-8
- OMTSSAMP.SQL script, MTS 4-5, MTS 5-24
- ONAME option, COB 2-2
- online help
  - accessing online help, SQL 2-3
  - installation prerequisites, SQL 2-2
  - installing, SQL 2-2
  - obtaining for SQL\*Plus, SQL 2-2
- Online Transaction Processing. *See* OLTP
- OO4O parameter, DBA C-8
- OO4O. *See* Oracle Objects for OLE
- open standards, EMC 1-8
- Open toolbar button, CPP 2-6
- operating system authentication
  - authenticating a new Oracle Service for MTS user name, MTS A-8
  - authenticating an existing Oracle Service for MTS user name, MTS A-11
  - automatically enabling during installation, DBA 8-13
  - available platforms, MTS 7-18
  - connecting as INTERNAL without a password, DBA 8-13, DBA 8-50
  - creating an authenticated user
    - creating, DBA 8-43
  - of Oracle Service for MTS user, MTS 3-6
  - overview, DBA 8-2
  - setting OS\_AUTHENT\_PREFIX, DBA 8-41
  - setting OSAUTH\_PREFIX\_DOMAIN, DBA 8-41
  - with OCI function OraMTSSvcGet(), MTS 5-14
- operating systems
  - audit trail, DBA 2-22
  - authentication overview, DBA 8-2
- OPERFCFG
  - starting, DBA 2-12
  - syntax examples, DBA C-21
- OPERF.LOG file, DBA 9-9
  - viewing Performance Monitor status, DBA 9-9
- OPSS, DBA 8-41
- OPSM
  - registry entries, DBA C-14
- Optimal Flexible Architecture, COM 3-2
  - benefits, DBA 3-15
  - characteristics of a database, DBA 3-16
  - default OFA database, DBA 3-24
  - differences since previous releases, DBA 3-17
  - directory naming conventions, MTS 4-2, MTS A-8, MTS A-11
  - introduction, DBA 3-2
  - non-default OFA database 1, DBA 3-26
  - non-default OFA database 2, DBA 3-28
  - NT and UNIX differences, DBA 3-31
  - OFA-compliant directory tree, DBA 3-19
  - Oracle Parallel Server option, DBA 3-20
  - overview, DBA 3-14
- optimizer modes (cost-based or rule-based), EMC 5-12
- options, COB 2-2
- options dialog box, CPP 2-8
- Options menu, SQL 3-9
- ORA error messages, SQL 4-2

---

**KEY:** **COB** *Pro\*COBOL Precompiler Getting Started for Windows*; **COM** *Oracle COM Automation Developer's Guide*; **CPP** *Pro\*C/C++ Precompiler Getting Started for Windows*; **DBA** *Oracle8i Administrator's Guide for Windows NT*; **EMA** *Oracle Enterprise Manager Administrator's Guide*; **EMC** *Oracle Enterprise Manager Concepts Guide*; **EMI** *Oracle Intelligent Agent User's Guide*; **MTS** *Using Microsoft Transaction Server With Oracle8*; **OCI** *Oracle Call Interface Getting Started for Windows*; **OLE** *Oracle Provider for OLE DB User's Guide*; **OPS** *Oracle Parallel Server Administrator's Guide for Windows NT*; **SQL** *SQL\*Plus Getting Started for Windows*

---

ORA\_AFFINITY parameter, DBA C-6  
 ORA\_CWD parameter, DBA C-5  
 ORA\_DBA local group  
     adding users to, DBA 8-13, DBA 8-46  
 ORA\_ENCRYPT\_LOGIN parameter, DBA 7-22  
 ORA\_OPER local group  
     adding users to, DBA 8-46  
 ORA\_SHUTDOWN parameter, DBA 7-13  
 ORA\_SID\_AUTOSTART parameter, DBA 7-13,  
     DBA C-5  
 ORA\_SID\_DBA local group  
     adding users to, DBA 8-46  
 ORA\_SID\_OPER local group  
     adding users to, DBA 8-46  
 ORA\_SID\_PFILE parameter, DBA 7-13, DBA C-5  
 ORA\_SID\_SHUTDOWN parameter, DBA 7-13,  
     DBA C-5  
 ORA\_SID\_SHUTDOWN\_TIMEOUT  
     parameter, DBA 7-14, DBA C-5  
 ORA\_SID\_SHUTDOWNTYPE parameter,  
     DBA 7-14, DBA C-5  
 ORA-00256 error, DBA 6-3, DBA 7-23  
 ORA-09291 error, DBA 6-3, DBA 7-23  
 ORA-12547 error, DBA G-19  
 ORA-28575 error message, COM 3-4  
 oraautocom, EMI 3-19  
 ORACA, COB 1-5  
 oraca.h header file, CPP 2-14  
 oracancel, EMI 3-19  
 Oracle  
     datatypes, OLE A-2  
 Oracle Administration Assistant for Windows NT  
     adding a computer to the navigation tree,  
         DBA 8-16  
     connecting to a database, DBA 8-21  
     creating a local database role, DBA 8-30  
     creating a nonprivileged database user,  
         DBA 8-26  
     creating an external role, DBA 8-32  
     granting administrator privileges for a single  
         database on a computer, DBA 8-37  
     granting administrator privileges for all  
         databases on a computer, DBA 8-19  
     granting operator privileges for a single database  
         on a computer, DBA 8-38  
     granting operator privileges for all databases on a  
         computer, DBA 8-20  
     managing Oracle 7.x and Oracle 8.0.x  
         computers, DBA 8-15  
     managing remote computers, DBA 8-15  
     saving a navigation tree configuration,  
         DBA 8-16  
     setting the OS\_AUTHENT\_PREFIX  
         parameter, DBA 8-24  
     setting the OS\_ROLES parameter, DBA 8-25  
     starting, DBA 2-10  
     troubleshooting database connection  
         issues, DBA 8-23  
     using, DBA 8-14, DBA C-19, DBA C-22  
     using the Oracle Home Configuration  
         snap-in, DBA C-19  
     using the Performance Monitoring  
         snap-in, DBA C-22  
     viewing database authentication parameter  
         settings, DBA 8-24  
 Oracle Advanced Events, EMC 5-3  
 Oracle Advanced Security  
     operating system compatibility, DBA 2-5  
 Oracle Applications Manager, EMC 5-21  
 Oracle Audio Data  
     configuration responsibilities, DBA 5-3  
 Oracle Call Interface. *See* OCI  
 Oracle Capacity Planner, EMC 5-5  
 Oracle Change Management Pack, EMC 5-14  
 Oracle COM Automation option  
     architecture, COM 1-4  
     benefits, COM 1-3  
     components, COM 2-2  
     configuring, COM 3-2  
     core functionality, COM 4-2  
     defined, COM 1-2  
     demos, COM 5-2  
     installing, COM 2-1  
     introduction, COM 1-2

---

**KEY:** COB *Pro\*COBOL Precompiler Getting Started for Windows*; COM *Oracle COM Automation Developer's Guide*; CPP *Pro\*C/C++ Precompiler Getting Started for Windows*; DBA *Oracle8i Administrator's Guide for Windows NT*; EMA *Oracle Enterprise Manager Administrator's Guide*; EMC *Oracle Enterprise Manager Concepts Guide*; EMI *Oracle Intelligent Agent User's Guide*; MTS *Using Microsoft Transaction Server With Oracle8*; OCI *Oracle Call Interface Getting Started for Windows*; OLE *Oracle Provider for OLE DB User's Guide*; OPS *Oracle Parallel Server Administrator's Guide for Windows NT*; SQL *SQL\*Plus Getting Started for Windows*

---

Oracle Connection Manager  
     1630 port, DBA E-11  
     1830 port, DBA E-11  
     OracleHOME\_NAMECMANService  
         service, DBA 7-5  
 Oracle Context  
     creating with Net8 Configuration  
         Assistant, DBA 4-11  
     creation requirements, DBA 4-11  
     defined, DBA 4-9  
 Oracle Data Migration Assistant  
     starting, DBA 2-10  
 Oracle database  
     creating for a multipurpose environment,  
         DBA 6-7  
     creating for a warehousing environment,  
         DBA 6-7  
     creating for an OLTP environment, DBA 6-7  
     sample OLTP schema, DBA 6-8  
     sample Warehousing schema, DBA 6-8  
 Oracle Database Configuration Assistant  
     configuring cartridges, DBA 6-9  
     creating a multipurpose database  
         environment, DBA 6-7  
     creating a warehousing database  
         environment, DBA 6-7  
     creating an OLTP database environment,  
         DBA 6-7  
     deleting databases, DBA 6-10  
     importing a sample OLTP schema, DBA 6-8  
     importing a sample Warehousing schema,  
         DBA 6-8  
     logical partitions, OPS 3-12  
     multi-threaded support, DBA 6-10  
     raw devices, OPS 3-9  
     registering a database object in a directory  
         server, DBA 4-8, DBA 4-15  
     running, DBA 4-15  
     starting, DBA 2-10  
     symbolic link names, OPS 3-15  
 Oracle DB UpDown  
     event profile, EMA 5-26  
 Oracle Diagnostics Pack, EMC 5-2  
 Oracle Enterprise Login Assistant  
     starting, DBA 2-11  
 Oracle Enterprise Manager  
     Backup Wizard, DBA 11-2  
     Management Pack, DBA 9-2  
     operating system compatibility, DBA 2-4  
     running in a web browser, DBA 2-15  
     single Oracle home product, DBA 3-7  
     starting, DBA 2-13  
 Oracle Enterprise Security Manager, EMC 5-21  
     creating enterprise users, roles, and  
         domains, DBA 4-15, DBA 8-8, DBA 8-9  
     creating security domains, DBA 4-25  
     using, DBA 8-11  
     using simple authentication, DBA 8-12  
     using with Windows native  
         authentication, DBA 8-12  
 Oracle events, EMA 5-40  
 Oracle Expert, EMC 5-10  
 Oracle Home  
     specifying font, SQL 3-12  
 Oracle home  
     new-style, defined, DBA 3-14  
     old-style, defined, DBA 3-8  
 Oracle Home Configuration snap-in  
     using, DBA C-19  
 Oracle Home Selector  
     changing PATH value, DBA 3-10  
 Oracle Host UpDown  
     event profile, EMA 5-26  
 Oracle Index Tuning Wizard, EMC 5-11  
 Oracle Intelligent Agent. *See* agent  
 Oracle *inter*Media Text  
     configuration responsibilities, DBA 5-5  
 Oracle Listener UpDown  
     event profile, EMA 5-26  
 Oracle Management Pack for Oracle  
     Applications, EMC 5-19  
 Oracle Management Pack for SAP R/3, EMC 5-20  
 Oracle Management Packs, EMC 5-1  
 Oracle Management Server, EMC 1-4, EMC 1-11  
 Oracle Manager for MTS Services snap-in, MTS 7-4  
     definition, MTS 1-3

---

**KEY:** **COB** Pro\*COBOL Precompiler Getting Started for Windows; **COM** Oracle COM Automation Developer's Guide; **CPP** Pro\*C/C++ Precompiler Getting Started for Windows; **DBA** Oracle8i Administrator's Guide for Windows NT; **EMA** Oracle Enterprise Manager Administrator's Guide; **EMC** Oracle Enterprise Manager Concepts Guide; **EMI** Oracle Intelligent Agent User's Guide; **MTS** Using Microsoft Transaction Server With Oracle8; **OCI** Oracle Call Interface Getting Started for Windows; **OLE** Oracle Provider for OLE DB User's Guide; **OPS** Oracle Parallel Server Administrator's Guide for Windows NT; **SQL** SQL\*Plus Getting Started for Windows

---

- displaying in the Microsoft Management Console, MTS 3-8
- using Microsoft HTML Help, MTS 2-3
- Oracle Migration Workbench
  - starting, DBA 2-10
- Oracle Names, EMI 2-10
  - 1575 port, DBA E-11
  - Named Pipes Protocol Adapter, DBA E-9
  - OracleHOME\_NAMEClientCache, DBA 7-5
  - OracleHOME\_NAMEClientCache service, DBA 7-5
- Oracle Object Link Manager, OPS 3-16
  - ORACLEOBJSERVICE, OPS 3-24
- Oracle Objects for OLE
  - programming with Microsoft Transaction Server, MTS 5-25
  - responsibilities, MTS 5-3
  - single Oracle home product, DBA 3-7
  - with Microsoft Transaction Server, MTS 5-3
- Oracle Open Database Connectivity Driver
  - single Oracle home product, DBA 3-7
- Oracle Parallel Server
  - documentation, OPS 1-3
  - generic information, OPS 1-3
  - overview, OPS 1-1 to OPS 1-3
- Oracle Parallel Server Manager, EMC 5-22
- Oracle Parallel Server option
  - Optimal Flexible Architecture, DBA 3-20
  - single Oracle home product, DBA 3-7
- Oracle Performance Manager, EMC 5-5
- Oracle Performance Monitor
  - accessing, DBA 9-4
  - alert view, DBA 9-4
  - chart view, DBA 9-4
  - for monitoring a database, DBA 9-2
  - Hostname parameter, DBA 9-3
  - log view, DBA 9-5
  - monitoring Oracle8i Objects, DBA 9-5
  - OPERF.LOG, DBA 9-9
  - Oracle8i Buffer Cache, DBA 9-7
  - Oracle8i Data Dictionary Cache, DBA 9-7
  - Oracle8i Data Files, DBA 9-7
  - Oracle8i Free List, DBA 9-8
  - Oracle8i Library Cache, DBA 9-7
  - Oracle8i Redo Log Buffer, DBA 9-7
  - parameters, DBA C-9, DBA C-20
  - password, DBA 9-3
  - registry information, DBA 9-3
  - Report View, DBA 9-5
  - single Oracle home product, DBA 3-7
  - troubleshooting information, DBA 9-9
  - username parameter, DBA 9-3
  - using, DBA 9-2, DBA C-22
- Oracle Provider for OLE DB
  - class ID, OLE 2-2
  - features, OLE 2-2
  - installation, OLE 1-5
  - installation requirements, MTS 2-4
  - installed files, OLE 1-5
  - integration with Microsoft Transaction Server, MTS 5-3
  - programming with Microsoft Transaction Server, MTS 5-25
  - provider-specific information, OLE A-1
  - system requirements, OLE 1-4
- Oracle schema
  - creating with Net8 Configuration Assistant, DBA 4-10
  - creation requirements, DBA 4-10
- Oracle Security Management, EMC 4-13, EMA 6-13
- Oracle server messages
  - about, EMI 3-6
  - oramsg, EMI 3-6
- Oracle Service for MTS
  - authenticating a new Oracle Service for MTS user name, MTS A-8
  - authenticating an existing Oracle Service for MTS user name, MTS A-11
  - automatically starting after a shutdown, MTS 6-2
  - creating a custom user name, MTS A-5
  - creating a new service, MTS 3-6
  - creating on a local computer, MTS 3-6
  - creating on a remote computer, MTS 3-6
  - creating on Windows 2000 computers, MTS 2-4
  - creating with Administrator privileges, MTS 3-7

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

definition, MTS 1-3  
 deleting, MTS B-5  
 deleting roles and privileges of inactive users, MTS B-16  
 ensuring connectivity and security, MTS 7-14  
 installation requirements, MTS 2-3  
 manually committing transactions after a restart, MTS 6-2  
 manually creating the MTSSYS user name, MTS A-2  
 modifying connection information to an Oracle8 database, MTS B-7  
 modifying Oracle Service for MTS in the registry, MTS B-13  
 modifying trace file and MS DTC information, MTS B-10  
 preparing to delete or modify, MTS B-3  
 reasons for failing to be deleted or modified, MTS B-13  
 requirements for deleting, MTS B-2  
 requirements for modifying, MTS B-2  
 responsibilities, MTS 5-3  
 special MTSSYS user name, MTS 3-4  
 starting the service, MTS 3-11  
 troubleshooting startup problems, MTS 7-5  
 using with MS DTC, MTS 2-3  
 verifying the MTSSYS user name, MTS 3-4  
 Oracle Services  
   auto-starting, DBA 7-9  
   for Oracle8i database, DBA 2-20  
   naming conventions for multiple Oracle homes, DBA 7-2  
   OracleAgent, DBA 7-5  
   OracleServiceSID, DBA 7-4  
   OracleTNSListener, DBA 7-4  
   OracleWebAssistant, DBA 7-5  
   shutting down a database by stopping a service, DBA 7-12  
   starting, DBA 7-6  
   stopping, DBA 7-7  
   viewing in the Control Panel, DBA 2-20  
 Oracle Services for Microsoft Transaction Server, OLE 1-4, OLE 2-7  
   installable product, MTS 1-3, MTS 3-2  
   installation methods, MTS 2-4  
   installation requirements, MTS 2-4  
 Oracle SNMP Agent  
   configuring, DBA F-4  
 Oracle SNMP Encapsulator  
   starting, DBA F-6  
 Oracle SNMP Master Agent  
   starting, DBA F-6  
 Oracle SNMP Master Agent and Encapsulator  
   controlling, DBA F-6  
 Oracle Spatial  
   configuration responsibilities, DBA 5-9  
   configuration tasks, DBA 5-9  
 Oracle SQL Analyze, EMC 5-12  
 Oracle SQL\*Plus Worksheet, EMC 4-20, EMA 6-20  
 Oracle SQLJ Translator  
   directory structure, DBA A-6  
 Oracle Standard Management Pack, EMC 5-17  
 Oracle Tablespace Map, EMC 5-13  
 Oracle Time Series  
   configuration responsibilities, DBA 5-11  
 Oracle TopSessions, EMC 5-6  
 Oracle Trace, EMC 5-6  
 Oracle Tuning Pack, EMC 5-10  
 Oracle Universal Installer, OPS 2-10  
 Oracle Visual Information Retrieval  
   configuration responsibilities, DBA 5-13  
 Oracle Wallet Manager  
   operating system compatibility, DBA 2-5  
   starting, DBA 2-10  
 Oracle Web Publishing Assistant  
   starting, DBA 2-10  
 Oracle WebDB  
   starting, DBA 2-11  
 Oracle XA, CPP 2-17  
 Oracle XA Library  
   additional documentation, CPP 2-19, OCI 2-8  
   compiling and linking an OCI program, OCI 2-6  
   dynamic registration, OCI 2-6  
   functions, OCI 2-5  
   overview, OCI 2-5

---

**KEY:** **COB** Pro\*COBOL Precompiler Getting Started for Windows; **COM** Oracle COM Automation Developer's Guide; **CPP** Pro\*C/C++ Precompiler Getting Started for Windows; **DBA** Oracle8i Administrator's Guide for Windows NT; **EMA** Oracle Enterprise Manager Administrator's Guide; **EMC** Oracle Enterprise Manager Concepts Guide; **EMI** Oracle Intelligent Agent User's Guide; **MTS** Using Microsoft Transaction Server With Oracle8; **OCI** Oracle Call Interface Getting Started for Windows; **OLE** Oracle Provider for OLE DB User's Guide; **OPS** Oracle Parallel Server Administrator's Guide for Windows NT; **SQL** SQL\*Plus Getting Started for Windows

---

**ORACLE\_BASE**  
 changing the value, DBA 3-20  
 explained, DBA 3-17, DBA 3-20, MTS 4-2, MTS A-8, MTS A-11  
**ORACLE\_BASE** parameter, DBA C-6  
**ORACLE\_GROUP\_NAME** parameter, DBA C-6  
**ORACLE\_HOME**  
 directory structure, DBA A-2  
 explained, MTS 4-2, MTS A-8, MTS A-11  
**ORACLE\_HOME** directory  
 explained, DBA 3-21  
 specifying, DBA 3-23  
**ORACLE\_HOME** environment variable  
 consequences of setting, DBA 3-13  
 how it is set, DBA 3-12  
**ORACLE\_HOME** parameter, DBA C-6  
**ORACLE\_HOME\_KEY** parameter, DBA C-6  
**ORACLE\_HOME\_NAME** parameter, DBA C-6  
**ORACLE\_PRIORITY** parameter, DBA C-7  
**ORACLE\_SID** parameter, DBA 6-23, DBA 7-4, DBA 7-15, DBA C-7  
**ORACLE\_TRACE\_COLLECTION\_PATH**  
 parameter, DBA B-4  
**ORACLE\_TRACE\_FACILITY\_NAME**  
 parameter, DBA B-4  
**ORACLE\_TRACE\_FACILITY\_PATH**  
 parameter, DBA B-4  
**Oracle7**  
 preparing for migration, OPS 2-3  
**Oracle8** database  
 authenticating an existing Oracle Service for MTS  
 user name, MTS A-11  
 changing INIT.ORA file parameter  
 settings, MTS 6-12  
 creating a custom Oracle Service for MTS user  
 name, MTS A-2, MTS A-5  
 installation requirements, MTS 2-4  
 integration with Microsoft Transaction  
 server, MTS 1-3  
 no Microsoft Transaction Server integration with  
 releases prior to 8.1, MTS 2-4  
 responsibilities, MTS 5-3  
 transaction processing monitor, OCI 2-5  
 verifying inclusion of MTSSYS user name,  
 MTS 3-4  
 with Microsoft Transaction Server, MTS 1-2  
**Oracle8i** Buffer Cache, DBA 9-7  
**Oracle8i** Client  
 directory structure, DBA A-7  
**Oracle8i** Data Dictionary Cache, DBA 9-7  
**Oracle8i** Data Files object, DBA 9-7  
**Oracle8i** database  
 available Oracle Services, DBA 2-20  
 connecting to, DBA 7-11, DBA 7-24  
 password encryption, DBA 7-22  
 selecting a backup and recovery tool, DBA 11-2  
 shutting down, DBA 7-11, DBA 7-12  
 shutting down a database with a service,  
 DBA 7-13  
 specifications, DBA B-5  
 starting, DBA 7-11  
 using Control Panel, DBA 2-20  
 using Event Viewer, DBA 2-21  
 using Microsoft Management Console,  
 DBA 2-27  
 using Performance Monitor, DBA 2-23  
 using User Manager, DBA 2-26  
**Oracle8i** database backup and recovery tools  
 OCOPY, DBA 11-3  
 Recovery Manager (RMAN.EXE), DBA 11-2  
 third-party vendors, DBA 11-3  
**Oracle8i** Enterprise Edition  
 directory structure, DBA A-2  
**Oracle8i** Free List, DBA 9-8  
**Oracle8i** *interMedia* Text, EMC 5-21  
**Oracle8i** Library Cache, DBA 9-7  
**Oracle8i** objects, EMC 4-10, EMA 6-10  
**Oracle8i** Objects, monitoring, DBA 9-5  
**Oracle8i** Redo Log Buffer, DBA 9-7  
**Oracle8i** Sorts, DBA 9-8  
**OracleAgent**, defined, DBA 7-5  
**OracleDBCreator** security group  
 defined, DBA 4-20  
**OracleDBSecurityAdmin** security group  
 defined, DBA 4-20

---

**KEY:** COB *Pro\*COBOL Precompiler Getting Started for Windows*; COM *Oracle COM Automation Developer's Guide*; CPP *Pro\*C/C++ Precompiler Getting Started for Windows*; DBA *Oracle8i Administrator's Guide for Windows NT*; EMA *Oracle Enterprise Manager Administrator's Guide*; EMC *Oracle Enterprise Manager Concepts Guide*; EMI *Oracle Intelligent Agent User's Guide*; MTS *Using Microsoft Transaction Server With Oracle8*; OCI *Oracle Call Interface Getting Started for Windows*; OLE *Oracle Provider for OLE DB User's Guide*; OPS *Oracle Parallel Server Administrator's Guide for Windows NT*; SQL *SQL\*Plus Getting Started for Windows*

---

OracleDefaultDomain	moving or copying password files, DBA 7-18
directory server security domain, DBA 4-25	operating system compatibility, DBA 2-5
OracleHOME_NAMEClientCache key, DBA E-3	starting, DBA 2-12
OracleHOME_NAMEClientCache service,	starting an instance, DBA 6-28
DBA 7-5	stopping an instance, DBA 6-28
OracleHOME_NAMECMAAdminService key,	upgrading, OPS 2-37
DBA E-3	orafail,
OracleHOME_NAMECManService key, DBA E-3	OraTcl function, EMI 3-21
OracleHOME_NAMECManService service,	orafetch,
DBA 7-5	OraTcl function, EMI 3-22
OracleHOME_NAMETNSListener key, DBA E-3	orainfo,
OracleHOME_NAMETNSListener service,	OraTcl function, EMI 3-23
DBA 7-5, DBA E-10	orajobstat,
OracleHOME_NAMETNSListenerLSNR	OraTcl function, EMI 3-25
service, DBA 7-5	oralogoff,
ORACLE.KEY file, DBA 3-12	OraTcl function, EMI 3-25
OracleNetAdmins security group	oralogon,
defined, DBA 4-20	OraTcl function, EMI 3-26
ORACLEOBSERVICE, OPS 3-24	oramsg elements, EMI 3-6
OracleServiceSID, DBA 7-4	ORAMTS_CFLG_ALLDEFAULT flag
starting the database, DBA 7-12	description, MTS 5-12
stopping the database, DBA 7-12	ORAMTS_CFLG_NOIMPLICIT flag
OracleSNMPPeerMasterAgent	description, MTS 5-13
MASTER.CFG configuration file, DBA F-8	ORAMTS_CFLG_PRELIMAUTH
OracleTNSListener	using, MTS 5-14
defined, DBA 7-4	ORAMTS_CFLG_PRELIMAUTH flag
OracleWebAssistant service, defined, DBA 7-5	description, MTS 5-13
oraclose	ORAMTS_CFLG_SYSDBALOGN
OraTcl function, EMI 3-20	using, MTS 5-14
oracols	ORAMTS_CFLG_SYSDBALOGN flag
OraTcl function, EMI 3-20	description, MTS 5-13
oracommith	ORAMTS_CFLG_SYSOPRLOGN
OraTcl function, EMI 3-20	using, MTS 5-14
ORADATA directory, explained, DBA 3-22	ORAMTS_CFLG_SYSOPRLOGN flag
oradbsnmp, EMI 3-21	description, MTS 5-13
ORADEBUG	ORAMTS_CFLG_UNIQUESVR flag
debugging utility, DBA 7-26	description, MTS 5-13
starting, DBA 7-26	ORAMTS_CONN_POOL_TIMEOUT registry
ORADIM	parameter, MTS 6-5, MTS 6-6
changing the INTERNAL password, DBA 7-20	ORAMTS_CP_TRACE_LEVEL registry
creating an instance, DBA 6-27	parameter, MTS 7-2
migrating, OPS 2-18, OPS 2-37	ORAMTS_ENFLG_DEFAULT flag
modifying an instance, DBA 6-29	description, MTS 5-17

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---



ORAMTS\_ENFLG\_DETCHTX flag  
     description, MTS 5-17  
 ORAMTS\_ENFLG\_RESUMTX flag  
     description, MTS 5-17  
 ORAMTS\_NET\_CACHE\_MAXFREE registry  
     parameter, MTS 6-5, MTS 6-6  
 ORAMTS\_NET\_CACHE\_TIMEOUT registry  
     parameter, MTS 6-5, MTS 6-6  
 ORAMTS\_ORADB registry parameter, MTS B-14  
 ORAMTS\_OSCREDS\_MATCH\_LEVEL registry  
     parameter, MTS 6-5, MTS 6-7  
 ORAMTS\_RPC\_TRACE\_LEVEL registry  
     parameter, MTS 7-2  
 ORAMTS\_SUNAME registry parameter, MTS B-14  
 ORAMTS\_SUPWD registry parameter, MTS B-14  
 ORAMTS\_SVC\_CONN\_POOL\_TIMEOUT  
     registry parameter, MTS 6-5  
 ORAMTS\_SVC\_CONN\_POOL\_TIMEOUT registry  
     parameter, MTS 6-5, MTS 6-8  
 ORAMTS\_SVC\_NET\_CACHE\_MAXFREE registry  
     parameter, MTS 6-5, MTS 6-8  
 ORAMTS\_SVC\_NET\_CACHE\_TIMEOUT registry  
     parameter, MTS 6-5, MTS 6-8  
 ORAMTS.DLL  
     definition, MTS 7-2  
 ORAMTSERR\_NOERROR  
     returning upon acquiring a connection,  
         MTS 5-17, MTS 5-19  
     returning upon obtaining a connection,  
         MTS 5-13  
     returning upon releasing a connection,  
         MTS 5-15  
 OraMTSOCIErrGet() function, MTS 5-21  
     OCI function, MTS 5-21  
 ORAMTS.SQL script  
     creating MTSSYS user, MTS 3-4  
     running, MTS 4-3  
     running to create the MTSSYS user, MTS A-2,  
         MTS A-6  
 OraMTSSvcEnlist() function  
     enlisting pooled or standard OCI  
         connections, MTS 5-17  
     OCI function, MTS 5-16  
     ORAMTS\_ENFLG\_DEFAULT flag, MTS 5-17  
     ORAMTS\_ENFLG\_DETCHTX flag, MTS 5-17  
     ORAMTS\_ENFLG\_RESUMTX flag, MTS 5-17  
     overview, MTS 5-8, MTS 5-11  
     parameters, MTS 5-16  
     returning ORAMTSERR\_NOERROR upon  
         acquiring a connection, MTS 5-17  
     syntax, MTS 5-16  
 OraMTSSvcEnlistEx() function  
     differences with OraMTSSvcEnlist()  
         function, MTS 5-19  
     OCI function, MTS 5-19  
     overview, MTS 5-8, MTS 5-11  
     parameters, MTS 5-19  
     returning ORAMTSERR\_NOERROR upon  
         acquiring a connection, MTS 5-19  
     syntax, MTS 5-19  
 OraMTSSvcGet() function  
     OCI function, MTS 5-12  
     ORAMTS\_CFLG\_ALLDEFAULT flag, MTS 5-12  
     ORAMTS\_CFLG\_NOIMPLICIT flag, MTS 5-13  
     ORAMTS\_CFLG\_PRELIMAUTH flag,  
         MTS 5-13  
     ORAMTS\_CFLG\_SYSDBALOGN flag,  
         MTS 5-13  
     ORAMTS\_CFLG\_SYSOPRLOGN flag,  
         MTS 5-13  
     ORAMTS\_CFLG\_UNIQUESVR flag, MTS 5-13  
     overview, MTS 5-8, MTS 5-11  
     parameters, MTS 5-12  
     responsibilities, MTS 5-12  
     returning a pooled connection, MTS 5-13  
     returning ORAMTSERR\_NOERROR upon  
         obtaining a connection, MTS 5-13  
     syntax, MTS 5-12  
     using with operating system  
         authentication, MTS 5-14  
 OraMTSSvcRel() function  
     OCI function, MTS 5-15  
     overview, MTS 5-8, MTS 5-11  
     parameters, MTS 5-15, MTS 5-20  
     releasing a pooled connection, MTS 5-15

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

returning ORAMTSERR\_NOERROR upon  
     releasing a connection, MTS 5-15  
 syntax, MTS 5-15  
 OraMTSTransTest() function, MTS 5-20  
     OCI function, MTS 5-20  
 ORAOCI  
     setting in the registry, MTS 5-25  
 oraopen,  
     OraTcl function, EMI 3-26  
 oraplexec,  
     OraTcl function, EMI 3-27  
 ORAPWD  
     creating password files, DBA 7-16  
     operating system compatibility, DBA 2-5  
     starting, DBA 2-12  
 orareadlong,  
     OraTcl function, EMI 3-27  
 orareportevent,  
     OraTcl function, EMI 3-28  
 oraroll,  
     OraTcl function, EMI 3-30  
 orasleep,  
     OraTcl function, EMI 3-30  
 orasnmpp,  
     OraTcl function, EMI 3-31  
 orasql,  
     OraTcl function, EMI 3-32  
 orasql8.lib library file, COB 1-6, CPP 2-15  
 orastart,  
     OraTcl function, EMI 3-33  
 orastop,  
     OraTcl function, EMI 3-33  
 oratab file, EMI 2-15  
 OraTcl  
     character set conversion and error handling  
         functions, EMI 3-14  
     commands and parameters, EMI 3-14  
     communication with agent functions, EMI 3-14  
     description, EMI 3-4  
     general purpose utility functions, EMI 3-14  
     job and event scripts, EMI 3-4  
     job scripts, EMA 4-2  
     RDBMS administration functions, EMI 3-14  
     SNMP accessing functions, EMI 3-14  
     SQL and PL/SQL functions, EMI 3-14  
     variables, EMI 3-14  
 oratime,  
     OraTcl function, EMI 3-34  
 orawritelong,  
     OraTcl function, EMI 3-34  
 ORDExcel  
     PL/SQL package, COM 5-7  
 ORDMAP  
     PL/SQL package, COM 5-15  
 ORDPPT  
     PL/SQL package, COM 5-11  
 ORDWord  
     PL/SQL package, COM 5-2  
 OS authentication, OLE 2-4  
     DBPROP\_INIT\_PROVIDERSTRING, OLE 2-4  
 OS database administrators  
     defined, DBA 8-22  
 OS database operators  
     defined, DBA 8-22  
 OS\_AUTHENT\_PREFIX parameter, DBA 8-24,  
     DBA 8-40, DBA 8-41  
 OS\_ROLES parameter, DBA 8-25, MTS 6-7  
     not required in Windows 2000 domains,  
         DBA 8-9  
     using with external roles, DBA 8-4, DBA 8-25,  
         DBA 8-54  
 OSAUTH\_PREFIX\_DOMAIN parameter, DBA 8-7,  
     DBA 8-15, DBA 8-41, DBA 8-42, DBA 8-49  
 OSAUTH\_X509\_NAME parameter, DBA 8-8,  
     DBA 8-10  
 OSAuthent  
     connection string attribute for data source,  
         OLE 2-4  
     enabling OS authentication, OLE 2-5  
 OSD-04000 to OSD-04099 error codes, DBA G-5  
 OSD-04018 error, DBA 6-3, DBA 7-23  
 OSD-04100 to OSD-04199 error codes, DBA G-10,  
     DBA G-12  
 OSD-04300 to OSD-04399 error codes, DBA G-16  
 OSD-04400 to OSD-04499 error codes, DBA G-16  
 OSD-04500 to OSD-04599 error codes, DBA G-17

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

- OTT (Object Type Translator), CPP 3-9, OCI 2-8
- OTTCFG.CFG configuration file, OCI 1-4
- OUTLN user
  - avoid, OPS 2-5, OPS 2-31
- out-of-process components
  - definition, MTS 7-3
- Output Dialog box
  - Job Scheduling, EMA 4-20
- output file names, CPP 2-6
- Output pane, SQL\*Plus Worksheet, EMC 4-20, EMA 6-20
- Outstanding Events page
  - Event system, EMA 5-22
- overview
  - OLE DB, OLE 1-2
  - SQL\*Plus, SQL 1-2
- OWAST parameter, DBA C-7
- OWAST\_HOME parameter, DBA C-7
- OWASTDBS parameter, DBA C-7

## P

- packaged functions
  - Intercartridge Exchange, DBA 12-12
  - UTL\_HTTP.REQUEST, DBA 12-13
  - UTL\_HTTP.REQUEST\_PIECES, DBA 12-13
- packages
  - setting the identity of, MTS 7-16
- packs
  - DBA Management Pack, EMC 1-17
  - Oracle Change Management Pack, EMC 5-14
  - Oracle Diagnostics Pack, EMC 5-2
  - Oracle Management Pack for Oracle Applications, EMC 5-19
  - Oracle Management Pack for SAP R/3, EMC 5-20
  - Oracle Standard Management Pack, EMC 5-17
  - Oracle Tuning Pack, EMC 5-10
- paging service
  - querying status, EMA 1-34
  - setting up, EMA 1-28
  - stopping, EMA 1-34
- paging status codes for numeric pages, EMA 1-18

- paging/email Blackouts
  - bringing down services, EMC 1-14
  - overview, EMA 2-12
  - total, EMA 2-12
- Parallel Server Manager, EMC 5-22
- parameter mode
  - Export Utility, DBA 6-12
  - Import Utility, DBA 6-22
- parameters
  - events, EMA 5-34
  - jobs, EMA 4-17
  - OraTcl, EMI 3-14
  - SQLPATH, SQL 4-3, SQL A-2
  - SQLPLUS\_FONT, SQL 3-11, SQL A-3
  - SQLPLUS\_FONT\_SIZE, SQL 3-11, SQL A-3
- Parameters Page
  - job, EMA 4-17
- PARFILE
  - using, DBA G-2
- PARSE option, CPP 2-16
- partitions
  - extended, DBA D-2, OPS 3-3
  - logical partition, DBA D-5, OPS 3-6
  - physical disk, DBA D-4, OPS 3-5
  - raw, DBA 3-31, DBA D-2
- password expiration
  - connection string attribute, OLE 2-5
  - PwdChgDlg, OLE 2-5
- password files
  - authenticating database administrators, DBA 7-16
  - connecting as INTERNAL, DBA 7-20
  - creating, DBA 7-16
  - deleting, DBA 7-19
  - hiding, DBA 7-17
  - viewing, DBA 7-18
- password management, EMC 4-15, EMA 6-15
- Password parameter, DBA C-10
- passwords
  - changing for MTSSYS user name, MTS 3-5, MTS A-3
  - for MTSSYS user name, MTS 3-4
  - changing for SYS user name, DBA 7-21

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

- changing for SYSTEM user name, DBA 7-21
- changing the INTERNAL password, DBA 7-20
- connecting without a password with
  - INTERNAL, DBA 8-13, DBA 8-50
- encryption, DBA 7-22
- for databases, DBA 6-22
- for INTERNAL user name, DBA 7-20
- pasting text, SQL 3-8
- PATH parameter, DBA C-8
- PATH
  - changing the value of, DBA 3-9
- paths
  - checking, CPP 3-9
  - checking the .pre files, CPP 3-10
- PCBCFG.CFG configuration file, COB 2-3
- PCCCOB.CFG configuration file, COB 2-3
- PCC-S-02014 error, CPP 2-13
- PCSCFG.CFG configuration file, CPP 2-16
- PERF\_FILE\_NAME parameter, DBA C-11
- performance
  - increasing, DBA 3-30
  - improving, MTS 6-3
  - registry values, DBA C-14
  - setting proper trace levels, MTS B-12
- PERFORMANCE key, DBA C-9
- Performance Management events, EMA 5-10
- Performance Manager, EMC 5-5
- Performance Monitor, DBA 9-2
  - defined, DBA 2-23
  - integration with Oracle8i database, DBA 2-23
  - monitoring specific Oracle events, DBA 2-23
  - starting, DBA 2-17
  - viewing OPERF.LOG file status, DBA 9-9
- Performance Pack, monitoring a database, DBA 9-2
- performance utilities
  - on Windows NT and UNIX, DBA 1-7
- PFILE option, DBA 7-11
- PhysicalDrive, DBA D-4, OPS 3-5
- Ping Agent, EMA 2-6
- ping agent menu item, EMA 2-9
- Plan Manager, EMC 5-17
- platform-specific installation documentation, EMI 1-2
- PL/SQL
  - application programming interfaces (APIs), COM 4-6
  - ORDCOM package, COM 4-6
  - ORDEExcel package, COM 5-7
  - ORDMAPI package, COM 5-15
  - ORDPPT package, COM 5-11
  - ORDWord package, COM 5-2
  - relation to SQL\*Plus, SQL 1-2
  - sample programs, location of, DBA A-5
  - using embedded, COB 2-4
  - using with Oracle SQL\*Plus Worksheet, EMC 4-20, EMC Glossary-10, EMA 6-20
- PLSQLRSet, OLE 2-8
  - connection string attribute for commands, OLE 2-4, OLE 2-10
- PMDLL registry value, DBA C-12
- PollInterval registry value, DBA C-13
- pooled connection
  - releasing, MTS 5-15
- post-migration steps, OPS 2-21
- post-upgrade steps, OPS 2-44
- PRAGMA RESTRICT\_REFERENCES, with
  - Intercartridge Exchange, DBA 12-14
- .pre files
  - checking the paths, CPP 3-10
  - opening projects, CPP 2-6
- precompiling
  - basics of precompiling, COB 2-2
  - commands, COB 2-2
  - steps involved, CPP 2-5 to CPP 2-13
- Pre-defined Profiles
  - Event system, EMA 5-26
- Preferences menu, CPP 2-3, CPP 2-6
- Preferred credentials
  - DEFAULT, EMA 1-26
- preferred credentials
  - connecting in a map, EMA 3-8
  - Console, EMA 1-25
- prerequisites
  - installing online help, SQL 2-2

---

**KEY:** COB *Pro\*COBOL Precompiler Getting Started for Windows*; COM *Oracle COM Automation Developer's Guide*; CPP *Pro\*C/C++ Precompiler Getting Started for Windows*; DBA *Oracle8i Administrator's Guide for Windows NT*; EMA *Oracle Enterprise Manager Administrator's Guide*; EMC *Oracle Enterprise Manager Concepts Guide*; EMI *Oracle Intelligent Agent User's Guide*; MTS *Using Microsoft Transaction Server With Oracle8*; OCI *Oracle Call Interface Getting Started for Windows*; OLE *Oracle Provider for OLE DB User's Guide*; OPS *Oracle Parallel Server Administrator's Guide for Windows NT*; SQL *SQL\*Plus Getting Started for Windows*

---

- Pre-SPAWNED dedicated server processes
  - Net8 unsupported feature, DBA E-2
- primary partitions
  - definition, OPS 3-2
- privileges
  - deleting privileges of an inactive Oracle Service
    - for MTS user, MTS B-16
  - in Windows NT local groups, DBA 8-46,
    - DBA 8-50, DBA 8-56, DBA 8-58
- Pro\*C/C++
  - command line interface, CPP 2-13
  - configuration files, CPP 2-16
  - features, CPP 1-2
  - graphical user interface, CPP 2-2 to CPP 2-5
  - integrating into Microsoft Visual C++, CPP
    - A-1 to CPP A-8
  - introduction, CPP 1-1
  - library file, CPP A-5
  - linking, CPP 2-15
  - overview, CPP 1-2
  - starting, CPP 2-2
- Pro\*COBOL
  - building applications, COB 2-1
  - compilers supported, COB 1-3
  - compiling and linking, COB 2-4
  - configuration files, COB 2-3
  - directory structure, COB 1-5
  - features, COB 1-4
  - options, COB 2-2
  - overview, COB 1-2
  - release 1.8.x
    - described, COB 1-2
    - installation, COB 1-2
  - restrictions, COB 1-4
- proactive events management, EMC 3-8
- problems
  - Navigator discovery, EMA 2-9
- Procedural Option
  - required for migration, OPS 2-3
- Process Explode, DBA 2-29
- Process Viewer, DBA 2-29
- processes
  - on Windows NT and UNIX, DBA 1-3

- PROCESSES parameter
  - changing the value, MTS 6-12
  - verifying INIT.ORA file value, MTS 3-3
- PRODUCT\_USER\_PROFILE table, SQL 4-4
- products
  - multiple Oracle home products, DBA 3-7
  - non-multiple Oracle home products, DBA 3-8
  - single Oracle home products, DBA 3-7
  - supporting multiple Oracle homes, DBA 3-7
- profile operations, Security Management, EMC
  - 4-15, EMA 6-15
- progID
  - COM objects, COM 4-3
- program groups
  - multiple Oracle homes, DBA 3-5, DBA 3-6
- program ID
  - COM objects, COM 4-3
- programming
  - with OCI and Microsoft Transaction
    - Server, MTS 5-8
  - with ODBC and Microsoft Transaction
    - Server, MTS 5-22
  - with Oracle Objects for OLE and Microsoft
    - Transaction Server, MTS 5-25
  - with Oracle Provider for OLE DB and Microsoft
    - Transaction Server, MTS 5-25
  - with Oracle's ODBC Driver and Microsoft
    - Transaction Server, MTS 5-22
- programming methods
  - optimizing to improve performance, MTS 6-3
- Progress page
  - job, EMA 4-20
- project files, CPP 2-6, CPP 3-9
- properties
  - data source, OLE A-3
  - initialization and authorization, OLE A-5
  - rowset, OLE A-6
  - rowset implications, OLE A-10
  - sessions, OLE A-6
  - supported by Oracle Provider for OLE DB,
    - OLE A-3
- providers
  - OLE DB, OLE 1-3

---

**KEY:** COB *Pro\*COBOL Precompiler Getting Started for Windows*; COM *Oracle COM Automation Developer's Guide*; CPP *Pro\*C/C++ Precompiler Getting Started for Windows*; DBA *Oracle8i Administrator's Guide for Windows NT*; EMA *Oracle Enterprise Manager Administrator's Guide*; EMC *Oracle Enterprise Manager Concepts Guide*; EMI *Oracle Intelligent Agent User's Guide*; MTS *Using Microsoft Transaction Server With Oracle8*; OCI *Oracle Call Interface Getting Started for Windows*; OLE *Oracle Provider for OLE DB User's Guide*; OPS *Oracle Parallel Server Administrator's Guide for Windows NT*; SQL *SQL\*Plus Getting Started for Windows*

---

PUPBLD.SQL file, SQL 4-4  
PwdChgDlg  
    connection string attribute for commands,  
        OLE 2-4  
    connection string attribute for data source,  
        OLE 2-5  
PWDSID.ORA file, DBA 7-16

## Q

---

query  
    defined, SQL 1-3  
    results defined, SQL 1-3  
Quick Change (Oracle DB Quick Change),  
    EMC 5-16  
QuickSlice, DBA 2-29

## R

---

R0703040.SQL script  
    replication, OPS 2-28  
RAID (Redundant Array of Inexpensive  
    Disks), DBA 3-32  
RAID configuration, DBA 3-30  
raw devices  
    additional management utilities, OPS 4-2  
    CRLOGDR utility, OPS 4-4  
    for current configuration, OPS 3-29  
    for manual database creation, OPS 3-19  
    for Oracle Database Configuration  
        Assistant, OPS 3-9  
    LOGPARTFORMAT, OPS 4-3  
    modifying file sizes, OPS 3-22  
    reformatting a disk, OPS 4-2  
    removing drive letters, OPS 4-3  
    troubleshooting SYMMAP.TBL file, OPS 4-8  
raw partitions  
    backing up, OPS 2-34, OPS 3-29  
    defined, DBA 3-31, DBA D-2  
    definition, OPS 3-2  
    logical partition, DBA D-5, OPS 3-6  
    on Windows NT and UNIX, DBA 1-9  
    overview, DBA D-2, OPS 3-2

    physical disk, DBA D-4, OPS 3-5  
RDBMS administration functions  
    OraTcl, EMI 3-14  
RDBMS\_ARCHIVE parameter, DBA C-7  
RDBMS\_CONTROL parameter, DBA C-7  
RECEIPT table  
    using with Microsoft application demo,  
        MTS 4-3  
recovering, an Oracle8i database, DBA 11-2  
recovery file types, OCOPY, DBA 11-6  
Recovery Manager  
    capabilities, DBA 11-2  
    operating system compatibility, DBA 2-5  
    overview, DBA 11-2  
    starting, DBA 2-13  
redo log files  
    archiving, DBA 7-23  
redo log group operations of Storage Management  
    features, EMC 4-18, EMA 6-18  
reentrant functions, CPP 2-15  
reformatting disk, DELETEDISK, OPS 4-2  
Refreshing Discovery  
    Refresh Topology Menu Choice, EMA 2-9  
REG\_MULTI\_SZ parameter, DBA C-14  
REGEDIT.EXE, SQL A-2  
REGEDT32, DBA 6-23, MTS 6-9, MTS B-14, SQL  
    A-2  
registered destination  
    map objects, EMA 3-7  
Registered Page (Events Pane), EMC 2-10  
registering events, EMA 5-29  
registering, an external routine, DBA 12-7  
Registrations page  
    Event window, EMA 5-23  
registry  
    adding parameters, DBA C-17  
    ALL\_HOMES subkey, DBA C-8  
    CmDiskFile value, DBA C-13  
    CMDLL value, DBA C-12  
    CmHostName value, DBA C-13  
    CmSrvrPath value, DBA C-13  
    configuration parameters, DBA C-1  
    default attribute values, OLE 2-4

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

DEFAULT\_HOME parameter, DBA C-9  
 DefinedNodes value, DBA C-13  
 DisplayName parameter, DBA C-11, DBA E-3  
 editor, SQL 3-11, SQL A-2, SQL A-3  
 entries for CM, DBA C-13  
 entries for OPSM, DBA C-14  
 ErrorLog value, DBA C-13  
 HOME\_COUNTER parameter, DBA C-9  
 Hostname value, DBA 9-3, DBA C-10  
 ImagePath parameter, DBA C-11, DBA E-3  
 INST\_LOC parameter, DBA C-8  
 IODLL value, DBA C-12  
 IPCDLL value, DBA C-12  
 keys folders, DBA C-2  
 LAST\_HOME parameter, DBA C-9  
 LOGFILE parameter, DBA C-11  
 MissCount value, DBA C-13  
 modifying the connection pooling  
     parameters, MTS 6-9  
 modifying the Oracle Service for MTS database  
     connection, MTS B-13  
 modifying values, DBA C-15  
 MSHELP\_TOOLS parameter, DBA C-5  
 NAME parameter, DBA C-8  
 NET8 parameter, DBA E-2  
 NLS\_LANG parameter, DBA C-5  
 ObjectName parameter, DBA C-11, DBA E-3  
 OO4O parameter, DBA C-8  
 ORA\_AFFINITY parameter, DBA C-6  
 ORA\_CWD parameter, DBA C-5  
 ORA\_SHUTDOWN parameter, DBA 7-13  
 ORA\_SID\_AUTOSTART parameter, DBA 7-13,  
     DBA C-5  
 ORA\_SID\_PFILE parameter, DBA 7-13,  
     DBA C-5  
 ORA\_SID\_SHUTDOWN parameter, DBA 7-13,  
     DBA C-5  
 ORA\_SID\_SHUTDOWN\_TIMEOUT, DBA 7-14,  
     DBA C-5  
 ORA\_SID\_SHUTDOWN\_TYPE parameter,  
     DBA 7-14, DBA C-5  
 ORACLE\_BASE parameter, DBA C-6  
 ORACLE\_GROUP\_NAME parameter, DBA C-6

ORACLE\_HOME parameter, DBA C-6  
 ORACLE\_HOME\_KEY parameter, DBA C-6  
 ORACLE\_HOME\_NAME parameter, DBA C-6  
 ORACLE\_PRIORITY parameter, DBA C-7  
 ORACLE\_SID parameter, DBA C-7  
 OracleHOME\_NAMEClientCache key,  
     DBA E-3  
 OracleHOME\_NAMEECMAAdminService  
     key, DBA E-3  
 OracleHOME\_NAMEECManService key,  
     DBA E-3  
 OracleHOME\_NAMEETNSListener key,  
     DBA E-3  
 OWAST parameter, DBA C-7  
 OWAST\_HOME parameter, DBA C-7  
 OWASTDBS parameter, DBA C-7  
 parameter values, DBA C-2  
 Password parameter, DBA C-10  
 password value, DBA 9-3  
 PATH parameter, DBA C-8  
 PERF\_FILE\_NAME parameter, DBA C-11  
 PERFORMANCE key, DBA C-9  
 PMDLL value, DBA C-12  
 PollInterval value, DBA C-13  
 RDBMS\_ARCHIVE parameter, DBA C-7  
 RDBMS\_CONTROL parameter, DBA C-7  
 REG\_DWORD parameter, DBA C-3, DBA C-18  
 REG\_EXPAND\_SZ parameter, DBA C-3,  
     DBA C-18  
 REG\_MULTI\_SZ parameter, DBA C-3,  
     DBA C-18  
 REG\_SZ parameter, DBA C-3, DBA C-18  
 REGEDT32 command, OCI 2-7, DBA C-15,  
     DBA C-17, MTS B-14  
 SQLPATH entry, SQL 4-3, SQL A-2  
 SQLPLUS\_FONT entry, SQL 3-11, SQL A-3  
 SQLPLUS\_FONT\_SIZE entry, SQL 3-11,  
     SQL A-3  
 STARTDLL value, DBA C-12  
 starting, DBA 2-17  
 trace file settings, MTS 7-2  
 update ORACLE\_SID, DBA 6-23

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

Username parameter, DBA 9-3, DBA C-10  
 using OPERFCFG, DBA C-21  
 Registry Editor, DBA C-2  
 registry entries  
   multiple Oracle homes, DBA 3-5, DBA 3-6  
 registry parameter  
   editing connection pooling parameters, MTS 6-9  
   ORAMTS\_CONN\_POOL\_TIMEOUT, MTS 6-5,  
     MTS 6-6  
   ORAMTS\_CP\_TRACE\_LEVEL parameter,  
     MTS 7-2  
   ORAMTS\_NET\_CACHE\_MAXFREE  
     parameter, MTS 6-5, MTS 6-6  
   ORAMTS\_NET\_CACHE\_TIMEOUT  
     parameter, MTS 6-5, MTS 6-6  
   ORAMTS\_ORADB parameter, MTS B-14  
   ORAMTS\_OSCREDS\_MATCH\_LEVEL  
     parameter, MTS 6-5, MTS 6-7  
   ORAMTS\_RPC\_TRACE\_LEVEL  
     parameter, MTS 7-2  
   ORAMTS\_SUNAME parameter, MTS B-14  
   ORAMTS\_SUPWD parameter, MTS B-14  
   ORAMTS\_SVC\_CONN\_POOL\_TIMEOUT  
     parameter, MTS 6-8  
   ORAMTS\_SVC\_NET\_CACHE\_MAXFREE  
     parameter, MTS 6-5, MTS 6-8  
   ORAMTS\_SVC\_NET\_CACHE\_TIMEOUT  
     parameter, MTS 6-5, MTS 6-8  
 release 1.8.x  
   described, COB 1-2  
   installation, COB 1-2  
 release 8.1, new features, OPS 2-2  
 reliability, increasing, DBA 3-30  
 remote computer  
   creating an Oracle Service for MTS, MTS 3-6  
 remote computers  
   accessing database files, DBA 7-22  
   managing with Oracle Administration Assistant  
     for Windows NT, DBA 8-15  
 REMOTE\_LOGIN\_PASSWORDFILE  
   parameter, DBA 7-17, DBA 7-20  
 removing  
   a split page in the Navigator, EMA 2-6  
   job with Remove menu item, EMA 4-10  
   problems with a job, EMA 4-10  
   problems with an event, EMA 5-25  
   registered events, EMA 5-25  
 Reorg Wizard, EMC 5-13  
 replication, configuration tasks, DBA 5-22  
 Report, EMA 1-35  
   creating, EMA 1-35  
   database configuration, EMA 1-36  
   enterprise, EMA 1-36  
   system requirements, EMA 1-37  
 Report View, DBA 9-5  
 Report Wizard, EMA 1-35  
   launching, EMA 1-37  
 report, defined, SQL 1-3  
 required support files, OCI 1-3  
 requirements  
   demo programs for Oracle COM  
     Automation, COM 2-2  
   for creating an Oracle Context in Active  
     Directory, DBA 4-11  
   for creating an Oracle schema in Active  
     Directory, DBA 4-10  
   for creating enterprise user security in Active  
     Directory, DBA 4-13  
   for creating Net8 directory naming in Active  
     Directory, DBA 4-12  
   for modifying or deleting an Oracle Service for  
     MTS, MTS B-2  
   for using Oracle with Active Directory,  
     DBA 4-10  
 Resource Management events, EMA 5-10  
 restrictions, COB 1-4  
 return codes  
   HRESULT, COM 4-6  
 returning rowsets  
   stored procedures and functions, OLE 2-11  
 REVOKEUSER.SQL script  
   running, MTS B-16  
 right mouse button  
   used in the Navigator, EMA 1-4  
 right-mouse button  
   Related Tools menu, EMA 2-4

---

**KEY:** COB *Pro\*COBOL Precompiler Getting Started for Windows*; COM *Oracle COM Automation Developer's Guide*; CPP *Pro\*C/C++ Precompiler Getting Started for Windows*; DBA *Oracle8i Administrator's Guide for Windows NT*; EMA *Oracle Enterprise Manager Administrator's Guide*; EMC *Oracle Enterprise Manager Concepts Guide*; EMI *Oracle Intelligent Agent User's Guide*; MTS *Using Microsoft Transaction Server With Oracle8*; OCI *Oracle Call Interface Getting Started for Windows*; OLE *Oracle Provider for OLE DB User's Guide*; OPS *Oracle Parallel Server Administrator's Guide for Windows NT*; SQL *SQL\*Plus Getting Started for Windows*

---



RM  
     responsibilities, MTS 5-2, MTS 5-3  
 role authorization  
     description, DBA 8-4  
     in Windows 2000 domains, DBA 8-9  
     of external roles, DBA 8-7  
 role operations, Security Management, EMC 4-15,  
     EMA 6-15  
 roles  
     authorization method enhancements, DBA 8-4  
     authorized in Windows 2000 domains, DBA 8-9  
     authorizing, DBA 8-7  
     creating a local database role with Oracle  
         Administration Assistant for Windows  
         NT, DBA 8-30  
     creating an external role with Oracle  
         Administration Assistant for Windows  
         NT, DBA 8-32  
     deleting roles of an inactive Oracle Service for  
         MTS user, MTS B-16  
     when to use enterprise roles, DBA 8-5  
     when to use external roles, DBA 8-5  
 rollback segment operations of Storage Management  
     features, EMC 4-18, EMA 6-18  
 rollback segments, EMC 4-16, EMC Glossary-10,  
     EMA 6-16  
 rolling upgrades, OPS 2-2  
 root.sh, EMI 2-6  
 rowsets, OLE 2-15  
     creating, OLE 2-15  
     creating with ICommand, OLE 2-15  
     creating with IOpenRowset, OLE 2-15  
     date formats, OLE 2-19  
     interfaces supported, OLE A-12  
     properties, OLE A-6  
     property implications, OLE A-10  
     returning with procedures and functions,  
         OLE 2-11  
     schema, OLE 2-19  
     searching with IRowsetFind, OLE 2-17  
     updatability, OLE 2-16  
 RSFs, OCI 1-3

rule-based optimizer mode (Oracle SQL  
     Analyze), EMC 5-12  
 rules inference engine (Oracle Expert), EMC 5-11  
 rules, for Windows arguments, SQL 3-2  
 Run DBA Script task, EMA 4-25  
 Run menu command  
     lists and executes SQL and PL/SQL, SQL 3-7  
 Run OS Command task, EMA 4-27  
 Run SQL\*Plus task, EMA 4-24  
 Run Tcl Script task, EMA 4-28  
 running OCI applications, OCI 2-5

## S

sample images, EMA 3-6  
 sample programs, OCI 1-5  
     ANSIDYN1, CPP 3-2, CPP 3-4  
     ANSIDYN2, CPP 3-2, CPP 3-4  
     batch files, COB 2-9  
     building, COB 2-8, CPP 3-9  
     COLDEMO1, CPP 3-2, CPP 3-4  
     CPPDEMO1, CPP 3-2, CPP 3-4  
     CPPDEMO2, CPP 3-2, CPP 3-4  
     CPPDEMO3, CPP 3-2, CPP 3-4  
     CV\_DEMO, CPP 3-2, CPP 3-4  
     default drive, CPP 3-9  
     described, CPP 3-4 to CPP 3-7  
     EMPCLASS, CPP 3-2, CPP 3-5  
     file names, COB 2-10  
     INCLUDE path, CPP 2-16  
     LOBDEMO1, CPP 3-3, CPP 3-5  
     location of, COB 1-5, CPP 1-3, CPP 3-2  
     MLTTHRD1, CPP 3-3, CPP 3-5  
     NAVDEMO1, CPP 3-3, CPP 3-5  
     OBJDEMO1, CPP 3-3, CPP 3-5  
     ORACA, CPP 3-3, CPP 3-5  
     PLSSAM, CPP 3-3, CPP 3-5  
     SAMPLE, CPP 3-3, CPP 3-5  
     SAMPLE1, CPP 3-3, CPP 3-6  
     SAMPLE10, CPP 3-3, CPP 3-7  
     SAMPLE11, CPP 3-3, CPP 3-7  
     SAMPLE12, CPP 3-3, CPP 3-7  
     SAMPLE2, CPP 3-3, CPP 3-6

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

- SAMPLE3, CPP 3-3, CPP 3-6
- SAMPLE4, CPP 3-3, CPP 3-6
- SAMPLE5, CPP 3-3, CPP 3-6
- SAMPLE6, CPP 3-3, CPP 3-6
- SAMPLE7, CPP 3-3, CPP 3-6
- SAMPLE8, CPP 3-3, CPP 3-6
- SAMPLE9, CPP 3-3, CPP 3-6
- setting the path, CPP 3-9
- setting the path for the .pre files, CPP 3-10
- SQLVCP, CPP 3-4, CPP 3-7
- WINSAM, CPP 3-4, CPP 3-7
- sample tables, SQL 2-4
  - building, CPP 3-8, OLE 2-24
- samples
  - Microsoft application demo, MTS 4-2, MTS 4-7
- samples directory, OCI 1-4
- Save As command, CPP 2-13
- saving
  - command files, SQL 3-6
  - job history, EMA 4-10
- schedule
  - administrator preferences, EMC 1-16
  - and manage jobs, EMA 4-5, EMC 3-4
  - execution of a job, EMA 4-17
  - job, EMA 4-5
- Schema Management, EMC 4-10, EMA 6-10
- schema rowsets, OLE 2-19
- schemas
  - importing an OLTP sample schema, DBA 6-8
  - importing an Warehousing sample schema, DBA 6-8
- SCOTT user name
  - using the ACCOUNT and RECEIPT tables, MTS 4-3, MTS A-2, MTS A-5
  - using with Microsoft application demo, MTS 4-3, MTS 4-7, MTS A-2, MTS A-5
- SCOTT.SQL script
  - running, MTS 4-3, MTS A-2, MTS A-5
  - running with ORAMTS.SQL, MTS 3-4
- SCOTT/TIGER account, COB 2-8
- screen buffer area, SQL 3-9
- scripts
  - for jobs, EMC 3-5
  - job and event, EMI 3-2
  - location of, DBA A-5
  - rerunning, OPS 2-28, OPS 2-42
  - upgrading, OPS 2-41
- Search menu, SQL 3-8
- second tier of Oracle Enterprise Manager, EMC 1-4
- security
  - for Oracle Service for MTS, MTS 7-14
  - PRODUCT\_USER\_PROFILE table, SQL 4-4
- security groups
  - accessing, DBA 4-21
  - adding or removing users, DBA 4-23
  - changing user permissions, DBA 4-24
- Security Management, EMC 4-13, EMA 6-13
- SELECT \* FROM ALL\_OBJECTS query, DBA 5-23
- sending results to a file, SQL 4-3
- Server Data on Insert property, OLE 2-17
- Server Manager
  - running multiple instances, DBA 7-16
  - shutting down the database, DBA 7-11
  - starting, DBA 7-11
  - starting the database, DBA 7-11
  - using ORADEBUG, DBA 7-26
- server package
  - setting the identity of, MTS 7-16
- server, Oracle Management Server, EMC 1-4, EMC 1-11
- Service Discovery
  - Navigator menu option, EMA 2-5
- service handles, MTS 5-12
- Service Name, EMA 1-25
- service names
  - multiple Oracle homes, DBA 3-5, DBA 3-6
- Service Pack 4.0 or greater
  - correcting Windows NT Explorer crashes, MTS 7-5
  - installation requirements, MTS 2-4
- Service Type, EMA 1-25
- SERVICE\_NAME parameter, DBA 6-15
- services, DBA 7-2
  - auto-starting, DBA 7-9

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

- available with Oracle8i database, DBA 2-20
- common services of Oracle Enterprise Manager, EMC 1-12
- creating a new Oracle Service for MTS, MTS 3-6
- deleting, MTS B-5
- how to start and stop, DBA E-11
- listed, DBA E-11
- modifying connection information to an Oracle8 database, MTS B-7
- on Windows NT and daemons on UNIX, DBA 1-2
- OracleAgent, DBA 7-5
- OracleServiceSID, DBA 7-4
- OracleTNSListener, DBA 7-4
- OracleWebAssistant, DBA 7-5
- preparing to delete or modify, MTS B-3
- shutting down a database by stopping a service, DBA 7-12
- starting, DBA 6-16, DBA 7-6
- starting Oracle Service for MTS, MTS 3-11
- stopping, DBA 7-7
- viewing in the Control Panel, DBA 2-20
- services.ora, EMI 2-14, EMI 2-15, EMI A-2
- sessions
  - interfaces supported, OLE A-11
  - objects, OLE 2-6
  - properties, OLE A-6
- SESSIONS parameter
  - changing the value, MTS 6-12
  - verifying INIT.ORA file value, MTS 3-3
- SET INSTANCE command, DBA 8-49, DBA 8-53, DBA 8-59
- SET NEWPAGE command, SQL 4-4
- Set Options area, SQL 3-9
- SET ORACLE\_SID=SID, DBA 7-16
- SET TIMING command, SQL 4-2
- SetArg
  - PL/SQL API, COM 4-13
- SETLINKS utility, DBA D-11
  - create symbolic links, DBA D-11, DBA D-13
  - ignoring links, DBA D-12
  - removing links, DBA D-12
- SetProperty
  - PL/SQL API, COM 4-11
- SetPtrArg
  - PL/SQL API, COM 4-14
- setting a bitmap background
  - Map menu, EMA 3-6
- setting up
  - paging service, EMA 1-28
  - using LOGIN and GLOGIN, SQL 4-3
- setuid root, EMI 2-6
- shadow process memory, DBA B-6
- shared data mode, OCI 2-2
- shared server mode, DBA 5-16
- SHARED\_MEMORY\_ADDRESS parameter, DBA B-4
- shortcut menu, EMA 1-4
- shortcuts to starting SQL\*Plus, SQL 4-2
- SHUTDOWN command
  - options, DBA 7-12
  - using, DBA 7-12
- Shutdown Database task, EMA 4-25
- Shutdown Listener task, EMA 4-30
- shutting down
  - databases, DBA 7-11, DBA 7-12
- SID Prefix, OPS 2-12
- SID. *See* system identifier
- signal flag
  - on map objects, EMA 3-7
- simple authentication
  - using with Oracle Enterprise Security Manager, DBA 8-12
- Simple Network Management Protocol (SNMP), EMC 1-5
- single log on
  - for accessing servers and databases, DBA E-8
- single Oracle home products, DBA 3-7
- Single Sign-On connections, DBA 4-4
- SMTP mail
  - setup, EMA 1-6
- snap-ins
  - Oracle Home Configuration, DBA C-19
  - Oracle Performance Monitoring, DBA C-22

---

**KEY:** COB *Pro\*COBOL Precompiler Getting Started for Windows*; COM *Oracle COM Automation Developer's Guide*; CPP *Pro\*C/C++ Precompiler Getting Started for Windows*; DBA *Oracle8i Administrator's Guide for Windows NT*; EMA *Oracle Enterprise Manager Administrator's Guide*; EMC *Oracle Enterprise Manager Concepts Guide*; EMI *Oracle Intelligent Agent User's Guide*; MTS *Using Microsoft Transaction Server With Oracle8*; OCI *Oracle Call Interface Getting Started for Windows*; OLE *Oracle Provider for OLE DB User's Guide*; OPS *Oracle Parallel Server Administrator's Guide for Windows NT*; SQL *SQL\*Plus Getting Started for Windows*

---

SNMP

- and agents, EMI 1-3
- description of support for Oracle products, DBA F-2
- in a TCIP/IP network, DBA F-2
- managed elements, DBA F-2
- management framework, DBA F-2
- management station, DBA F-2
- master agent, DBA F-2
- Oracle SNMPPeerMasterAgent, DBA F-3
- OracleSNMPPeerEncapsulator, DBA F-3
- subagents, DBA F-2

SNMP accessing functions

- OraTcl, EMI 3-14

snmp\*.ora file parameters, EMI A-2

snmp\_ro.ora, EMI 2-14, EMI 2-15, EMI A-2

snmp\_rw.ora, EMI 2-14, EMI 2-15, EMI A-2

SNMP.CONNECT.service\_name.world.PASSWORD

- EMI A-3

SNMP.CONNECT.service\_name.world.USER,

- EMI A-3

SNMP.CONTACT.service\_name.world, EMI A-3

SNMP.INDEX.service\_name.world, EMI A-2

snmp.ora

- parameters, EMI A-2

Space Management event, EMA 5-10

SPAWN

- Net8 unsupported feature, DBA E-2

special characters

- choosing a font, SQL 3-3
- Euro sign, SQL 3-3, SQL 3-12, SQL 3-13
- using, SQL 3-3, SQL 3-13

specifying an archiving file format, DBA 7-25

specifying service names, EMA 1-26

SPIN\_COUNT parameter, DBA B-4

split view

- (new) Navigator, EMA 2-6
- using Navigator Pane, EMC 2-4
- using SQL Analyze, EMC 5-13

splitting the Navigator tree, EMA 2-4, EMA 2-6

- new view, EMA 2-6

SPOOL command, using, DBA 5-23, DBA 5-24, SQL 4-3

spool files, SQL 4-3

spool menu command, SQL 3-7

SPOOL OUT clause, not supported, SQL 4-3

SPPrmsLOB, OLE 2-10

SQL (Structured Query Language), COB 1-2, CPP 1-2

- Oracle SQL\*Plus Worksheet, EMC 4-20, EMC Glossary-10, EMA 6-20

SQL Analyze, EMC 5-12

SQL and PL/SQL functions

- OraTcl, EMI 3-14

SQL DDL, EMC 5-16

SQL error

- job task, EMA 4-25

SQL hints, EMC 5-12

SQL History, EMC 5-11

SQL scripts

- location of, DBA A-5

SQL\*Loader

- control file conventions, DBA 2-19
- direct path option, DBA 2-19
- operating system compatibility, DBA 2-5
- starting, DBA 2-13
- using, DBA 2-17

SQL\*Net

- configuration files, EMI A-2
- requirement, OPS 2-7

SQL\*Net network

- services, EMA 2-2

SQL\*Plus, COB 1-2, COB 2-8

- application window, SQL 3-5
- basic concepts, SQL 1-2
- command defined, SQL 1-2
- command line interface, SQL 3-2
- connecting to a database through Active Directory, DBA 4-7, DBA 4-19
- exiting, SQL 3-14
- installation requirements, MTS 2-4
- installing, SQL 2-2
- installing online help, SQL 2-2
- menus, SQL 3-6
- operating system compatibility, DBA 2-3
- overview, SQL 1-2

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

- setting up environment from command line, SQL 4-3
  - setting up environment from GUI, SQL 3-9
  - shortcuts to starting, SQL 4-2
  - starting, DBA 2-13
  - using LOGIN and GLOGIN to setup, SQL 4-3
- SQL\*Plus Windows GUI
  - changing face and size, SQL 3-11, SQL 3-12
  - changing font, SQL 3-11
- SQL\*Plus Worksheet, EMC 4-20, EMA 6-20
- sql2oci.h header file, CPP 2-14
- sqlapr.h header file, CPP 2-14
- SQLCA, COB 1-5
- sqlca.h header file, CPP 2-14
- SQLCHECK option, COB 2-4
- sqlcpr.h header file, CPP 2-14
- SQLDA, COB 1-6
- sqlda.h header file, CPP 2-14
- sqlkpr.h header file, CPP 2-14
- sqllib80.lib, CPP A-5
- SQLNET.AUTHENTICATION\_SERVICES
  - parameter, DBA E-7
- SQLNET.ORA file
  - location of, DBA 8-2, DBA 8-42, DBA 8-44, DBA 8-49, DBA 8-51, DBA 8-53, DBA 8-54, DBA 8-58
  - setting to enable Windows native authentication, DBA 8-2, DBA 8-42, DBA 8-44, DBA 8-49, DBA 8-51, DBA 8-53, DBA 8-54, DBA 8-58
- SQLPATH parameter, SQL 4-3, SQL A-2
- SQLPLUS Environment Variable, SQL A-3
- SQLPLUS\_FONT parameter, SQL 3-11, SQL A-3
- SQLPLUS\_FONT\_SIZE parameter, SQL 3-11, SQL A-3
- sqlproto.h header file, CPP 2-14
- SQLStmntGetText() function, CPP 3-7
- sqlvcp() function, CPP 3-7
- Standard Management Pack, EMC 5-17
- START command, SQL 4-3
- Start menu location, for SQL\*Plus, SQL 3-4
- STARTDLL registry value, DBA C-12
- starter database
  - archiving mode, DBA 7-23
- starting
  - databases, DBA 7-11
  - Oracle Performance Monitor, DBA 9-4
  - Oracle Services, DBA 7-6
  - paging service, EMA 1-32
  - Pro\*C/C++, CPP 2-2
  - SQL\*Plus, DBA 7-11, SQL 3-2
  - SQL\*Plus Windows GUI, SQL 3-4
- STARTUP command, DBA 7-11
- Startup Database task, EMA 4-26
- Startup Listener task, EMA 4-30
- status
  - of a map object, EMA 3-7
  - of a registered event set, EMA 5-6
- status bar, CPP 2-5
- stopping
  - Oracle Services, DBA 7-7
  - paging service, EMA 1-34
- Storage Management, EMC 4-16, EMA 6-16
- stored packages, Interchange Exchange, DBA 12-12
- stored procedures and functions
  - executing, OLE 2-7
  - returning rowsets, OLE 2-11
- striping disks, DBA 3-30
- structure tuning, EMC 5-11
- subkey, registry, SQL A-2, SQL A-3
- summary of the pending jobs
  - Active Jobs page, EMA 4-7
- Super Administrator, EMA 1-8
- symbolic link names
  - for Oracle Database Configuration Assistant, OPS 3-15
  - re-synchronize links, OPS 3-18
  - troubleshooting, OPS 4-8
  - unassign drive letters, OPS 3-22
  - using Oracle Object Link Manager, OPS 3-16
- symbolic links, DBA 3-32
  - creating, DBA D-11, DBA D-13
  - ignoring, DBA D-12
  - removing, DBA D-12

---

**KEY:** COB *Pro\*COBOL Precompiler Getting Started for Windows*; COM *Oracle COM Automation Developer's Guide*; CPP *Pro\*C/C++ Precompiler Getting Started for Windows*; DBA *Oracle8i Administrator's Guide for Windows NT*; EMA *Oracle Enterprise Manager Administrator's Guide*; EMC *Oracle Enterprise Manager Concepts Guide*; EMI *Oracle Intelligent Agent User's Guide*; MTS *Using Microsoft Transaction Server With Oracle8*; OCI *Oracle Call Interface Getting Started for Windows*; OLE *Oracle Provider for OLE DB User's Guide*; OPS *Oracle Parallel Server Administrator's Guide for Windows NT*; SQL *SQL\*Plus Getting Started for Windows*

---

## SYMMAP.TBL

- creating, OPS 3-25
- modifying, OPS 3-25
- troubleshooting, OPS 4-8

Synchronization Wizard (with DB Diff), EMC 5-16

syntax, MTS 5-20

- for backing up files with OCOPY, DBA 11-5
- for recovering files with OCOPY, DBA 11-6

SYS user name

- changing the password, DBA 7-21

SYSDBA privileges

- connecting based on your NT local group, DBA 8-49
- granting for a single database on a computer with Oracle Administration Assistant for Windows NT, DBA 8-36, DBA 8-37
- granting for all databases on a computer with Oracle Administration Assistant for Windows NT, DBA 8-18, DBA 8-19
- manually granting for all databases on a computer, DBA 8-46
- mapping to a local group, DBA 8-46

SYSOPER privileges

- connecting based on your NT local group, DBA 8-49
- granting for a single database on a computer with Oracle Administration Assistant for Windows NT, DBA 8-36, DBA 8-38
- granting for all databases on a computer with Oracle Administration Assistant for Windows NT, DBA 8-18, DBA 8-20
- manually granting for all databases on a computer, DBA 8-46
- mapping to a local group, DBA 8-46

system identifier

- defined, DBA 7-4
- multiple Oracle homes, DBA 3-5, DBA 3-6

system requirements, SQL 2-2

- Oracle COM Automation, COM 2-2
- Oracle Provider for OLE DB, OLE 1-4

SYSTEM user name

- changing the password, DBA 7-21

system variables, setting, SQL 3-9

## T

tables

- defined, SQL 1-2
- demonstration, SQL 2-4

Tablespace Map, EMC 5-13

tablespace operations of Storage Management features, EMC 4-18, EMA 6-18

tablespaces, EMC 4-16, EMC Glossary-10, EMA 6-16

- Advanced Replication support, DBA 5-21, DBA 5-24

migrating offline tablespaces, OPS 2-5

Task List, DBA 2-29

Task Manager

- starting, DBA 2-18
- using, DBA 2-28

task parameters

- Job system, EMA 4-17

tasks, EMC 3-5

Tcl

- about scripting, EMI 3-2
- description, EMC 3-5, EMI 3-2
- job and event scripts, EMI 3-2
- job scripts, EMA 4-2
- script examples, EMA 4-28, EMI 3-4
- scripts executed by agents, EMI 1-3
- web sites, EMI 3-3

TCP protocol, Intelligent Agent, EMI A-6

tests, EMC 3-7

text editor

- defining, SQL 3-8
- invoking, SQL 3-8

third tier of Oracle Enterprise Manager, EMC 1-5

third-party applications, EMC 1-5

third-party backup and recovery vendors, DBA 11-3

third-party events

- creating, EMC 3-11, EMA 5-12
- with job task, EMA 4-29

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

- threads
  - defined, CPP 2-15
  - on Windows NT and UNIX, DBA 1-3
- three-tiered architecture, MTS 1-2, MTS 1-4, MTS 5-2
- timeout parameter
  - increasing for Microsoft Transaction Server, MTS 6-10
- TIMING command, SQL 4-2
- tips
  - for ADO programmers, OLE 2-18
- title bar, CPP 2-2
- TKPROF
  - operating system compatibility, DBA 2-5
  - starting, DBA 2-13
- TNS\_ADMIN parameter, DBA E-5
  - setting in the environment, DBA 3-14
- TNSNAMES.ORA file, DBA 12-5, EMA 2-9
  - overview, DBA F-8, DBA F-10
- Tool Command Language. *See* Tcl
- toolbar buttons
  - New, CPP 2-6
  - Open, CPP 2-6
- tools
  - DBA Studio, EMC 4-2, EMA 6-2
  - Integrated with Oracle Enterprise Manager
    - Oracle Applications Manager, EMC 5-21
    - Oracle Developer Server Forms Manager, EMC 5-23
    - Oracle Directory Manager, EMC 5-23
    - Oracle Distributed Access Manager, EMC 5-23
    - Oracle Enterprise Security Manager, EMC 5-21
    - Oracle Parallel Server Manager, EMC 5-22
    - Oracle Spatial Index Advisor, EMC 5-22
    - Oracle8i *interMedia* Text, EMC 5-21
  - Oracle Change Management Pack, EMC 5-14
  - Oracle Diagnostics Pack, EMC 5-2
  - Oracle Management Pack for Oracle Applications, EMC 5-19
  - Oracle Management Pack for SAP R/3, EMC 5-20
  - Oracle Standard Management Pack, EMC 5-17
  - Oracle Tuning Pack, EMC 5-10
- Tools menu, EMA 1-6
- top-level directory, explained, DBA 3-17
- TopSessions, EMC 5-6
- Trace, EMC 5-6
- trace files, DBA 9-13
  - creating with ORADEBUG, DBA 7-26
  - file name conventions, MTS 7-2
  - for monitoring a database, DBA 9-2
  - level 4 warning, MTS 7-4
  - modifying trace levels and file names, MTS B-10
  - registry settings, MTS 7-2
  - trace levels, MTS 7-3
  - using, DBA 9-13, MTS 7-2
  - using BACKGROUND\_DUMP\_DEST parameter, DBA 9-13
  - using USER\_DUMP\_DEST, DBA 9-13
- trace levels
  - available range, MTS B-12
  - best levels for performance, MTS B-12
  - controlled by Oracle Manager for MTS Services snap-in, MTS 7-4
  - file location, MTS B-12
- trace parameters
  - setting as environmental variables, MTS 7-3
  - setting in the registry, MTS 7-4
- tracing, OLE A-14
- transaction options
  - interfaces supported, OLE A-13
- transaction processing monitor
  - additional documentation, CPP 2-19, OCI 2-8
  - interacting with Oracle8 database, OCI 2-5
  - types, OCI 2-5
- transactions
  - distributed, OLE 2-7
  - global, OLE 2-7
  - increasing the transaction timeout parameter, MTS 6-10
  - isolation levels, OLE 2-7
  - local, OLE 2-7

---

**KEY:** COB *Pro\*COBOL Precompiler Getting Started for Windows*; COM *Oracle COM Automation Developer's Guide*; CPP *Pro\*C/C++ Precompiler Getting Started for Windows*; DBA *Oracle8i Administrator's Guide for Windows NT*; EMA *Oracle Enterprise Manager Administrator's Guide*; EMC *Oracle Enterprise Manager Concepts Guide*; EMI *Oracle Intelligent Agent User's Guide*; MTS *Using Microsoft Transaction Server With Oracle8*; OCI *Oracle Call Interface Getting Started for Windows*; OLE *Oracle Provider for OLE DB User's Guide*; OPS *Oracle Parallel Server Administrator's Guide for Windows NT*; SQL *SQL\*Plus Getting Started for Windows*

---

- overview of COM component integration, MTS 5-2
- types supported, OLE 2-6
- TRCROUTE
  - Net8 unsupported feature, DBA E-2
- trigevent, EMI 3-9
- troubleshooting, OLE A-14
  - agent, EMI B-2
  - COM automation errors, COM 4-16
  - correcting Net8 changes that impact connection pooling, MTS 7-13
  - correcting Windows NT Explorer crashes, MTS 7-5
  - general, OPS 4-7
  - increasing the transaction timeout parameter, MTS 6-10
  - Intercartridge Exchange, DBA 12-17
  - mappings do not appear, OPS 4-7
  - OLE automation errors, COM 4-18
  - ORA-12547 error, DBA G-19
  - ORA-28575 error, DBA G-19
  - Oracle Administration Assistant for Windows NT connection issues, DBA 8-23
  - Oracle Service for MTS startup problems, MTS 7-5
  - reason that a deletion or modification of Oracle Service for MTS fails, MTS B-13
  - starting MS DTC, MTS 7-10
  - symbolic link names in \*.TBL File not exported, OPS 4-8
  - TNS-12203 error, DBA G-19
  - unable to start a dedicated server process, OPS 4-7
  - using the Event Viewer, MTS 7-7
  - using trace files, MTS 7-2
  - Windows NT Disk Administrator cannot create partitions, OPS 4-7
  - with ORADEBUG, DBA 7-26
- tuning
  - changing the SESSIONS and PROCESSES INIT.ORA parameters, MTS 6-12
  - improving performance, MTS 6-3
  - increasing the transaction timeout

- parameter, MTS 6-10
- managing connection pooling, MTS 6-4
- setting proper trace levels, MTS B-12
- Windows NT Server operating system, DBA 10-2
- Tuning Pack, EMC 5-10

## U

---

- U0703040.SQL script, OPS 2-28
- UCS-2 character set, OLE 2-21
- UNC, DBA 6-3, DBA 7-22
- Unicode, OLE 2-21
- universal groups, DBA 8-9
- Universal Naming Convention, DBA 6-3, DBA 7-22
- UNIX
  - differences between UNIX and Windows NT, DBA 1-2
  - Optimal Flexible Architecture, DBA 3-31
- unsolicited events, EMA 5-10, EMA 5-12, EMA 5-33
- unsupported features
  - Net8, DBA E-2
- UpDown (Database) event, EMA 5-41
- UpDown (Listener) event, EMA 5-42
- UpDown (Node) event, EMA 5-41
- upgrading
  - initialization parameters, OPS 2-39
  - manually, OPS 2-37
  - ORADIM, OPS 2-37
  - OUTLN user, avoid, OPS 2-31
  - post-upgrade steps, OPS 2-44
  - preparing the cluster, OPS 2-33
  - preparing to upgrade, OPS 2-31
  - scripts, OPS 2-41
    - CATALOG.SQL, OPS 2-42
    - CATPROC.SQL, OPS 2-42
    - rerunning, OPS 2-42
  - steps, OPS 2-31
- USE\_SHARED\_SOCKET parameter, DBA E-6

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---



- user authentication
  - description, DBA 8-4
  - external users, DBA 8-6
  - in Windows NT 4.0 domains, DBA 8-6
  - of enterprise users, DBA 8-8
  - of external users, DBA 8-6
- user exits, not supported, COB 1-4
- User Manager
  - defined, DBA 2-26
  - integration with Oracle8i database, DBA 2-26
  - starting, DBA 2-18
- user name
  - custom, MTS A-2, MTS A-6, MTS A-7
  - MTSSYS, MTS 3-4
  - operating system authenticated, MTS A-11
- user operations, Security Management, EMC 4-14, EMA 6-14
- user preferences
  - jobs, EMA 4-4, EMA 4-17
  - when running jobs, EMA 4-4, EMA 4-17
- USER\_DUMP\_DEST parameter, DBA 6-16, DBA 9-13
- user-defined groups
  - job destinations, EMA 4-15
- user-defined map views
  - creating, EMA 3-4
- Username parameter, DBA C-10
- users
  - authentication enhancement methods, DBA 8-4
  - when to use enterprise users, DBA 8-5
  - when to use external users, DBA 8-5
- UTL\_HTTP.REQUEST, Inter cartridge Exchange, DBA 12-13
- UTL\_HTTP.REQUEST\_PIECES, Inter cartridge Exchange, DBA 12-13
- UTLRP.SQL script, OPS 2-28
- UTLXPLAN.SQL script
  - location of, DBA A-5

## V

---

- value area, SQL 3-9
- value screen area, SQL 3-9

- VCACCT.DLL, MTS 4-2
  - building, MTS 4-6
- verifying root.sh run successfully, EMI 2-6
- viewing
  - password file, DBA 7-18
- Visual C++
  - using with the Microsoft application demo, MTS 4-5

## W

---

- Warehousing
  - creating a database environment, DBA 6-7
  - importing a sample schema, DBA 6-8
- Web browser
  - running Oracle Enterprise Manager, DBA 2-15
- Web data, Inter cartridge Exchange, DBA 12-10
- Web server
  - discovering, EMA 2-11
- Windows 2000
  - creating Oracle Service for MTS on, MTS 2-4
- Windows 2000 domains
  - administering external users and roles with Oracle Administration Assistant for Windows NT, DBA 8-14
  - required domains for Oracle clients and server to use directory server features, DBA 4-10
  - role authorization, DBA 8-9
  - setting the OSAUTH\_X509\_NAME parameter, DBA 8-8
  - user authentication, DBA 8-8
- Windows authentication protocols
  - default protocol used, DBA 8-3
  - with Windows 2000, DBA 8-2
  - with Windows NT 4.0, DBA 8-2
- Windows Explorer
  - accessing directory server objects, DBA 4-17
  - integration with Oracle objects in Active Directory, DBA 4-7
  - testing database connectivity from, DBA 4-18
- Windows GUI
  - changing face and size, SQL 3-11, SQL 3-12
  - changing font, SQL 3-11

---

**KEY:** COB Pro\*COBOL Precompiler Getting Started for Windows; COM Oracle COM Automation Developer's Guide; CPP Pro\*C/C++ Precompiler Getting Started for Windows; DBA Oracle8i Administrator's Guide for Windows NT; EMA Oracle Enterprise Manager Administrator's Guide; EMC Oracle Enterprise Manager Concepts Guide; EMI Oracle Intelligent Agent User's Guide; MTS Using Microsoft Transaction Server With Oracle8; OCI Oracle Call Interface Getting Started for Windows; OLE Oracle Provider for OLE DB User's Guide; OPS Oracle Parallel Server Administrator's Guide for Windows NT; SQL SQL\*Plus Getting Started for Windows

---

Windows native authentication

- benefits, DBA 8-2
- enhancements, DBA 8-4
- installation of, DBA 8-2
- methods and use of, DBA 8-2
- overview, DBA 8-2
- role authorization enhancements, DBA 8-4
- setting the SQLNET.ORA file, DBA 8-2, DBA 8-42, DBA 8-44, DBA 8-49, DBA 8-51, DBA 8-53, DBA 8-54, DBA 8-58
- user and role requirements, DBA 8-4
- user authentication enhancements, DBA 8-4
- using Kerberos, DBA 8-9
- using with Oracle Enterprise Security Manager, DBA 8-12

Windows NT

- diagnostic and tuning utilities, DBA 2-29
- directory structure for database, DBA A-2
- tools, DBA 2-5

Windows NT 4.0 domains

- administering external users and roles manually, DBA 8-39
- administering external users and roles with Oracle Administration Assistant for Windows NT, DBA 8-14
- basic features, DBA 8-4
- user authentication, DBA 8-6

Windows NT Disk Administrator

- troubleshooting, OPS 4-7
- using, OPS 3-3

Windows NT Explorer

- correcting crashes, MTS 7-5

Windows NT local groups

- with database privileges, DBA 8-13, DBA 8-46, DBA 8-50, DBA 8-56, DBA 8-58

Windows NT tools

- operating system compatibility, DBA 2-5

Windows NT tuning

- applying latest service packs, DBA 10-13
- closing unnecessary foreground applications, DBA 10-20
- configuring server to be an application server, DBA 10-7
- disable unnecessary services, DBA 10-9
- multiple striped volumes for sequential and random access, DBA 10-19
- overview, DBA 10-2
- reducing priority of foreground applications on sever, DBA 10-6
- removing unused network protocols, DBA 10-10
- resetting the network protocol bind order, DBA 10-11
- screen savers, DBA 10-21
- spanning server virtual memory paging file across physical volumes, DBA 10-20
- startup folder, DBA 10-21
- using hardware and operating system striping, DBA 10-14
- virtual DOS machines, DBA 10-21

Wizard Job Tasks, EMA 4-24

wizards

- Oracle DB Diff's Synchronization Wizard, EMC 5-16
- Oracle Enterprise Manager Backup Wizard, DBA 11-2
- Oracle Index Tuning Wizard, EMC 5-11
- Reorg Wizard, EMC 5-13

worksheet, Oracle SQL\*Plus Worksheet, EMC 4-20, EMA 6-20

writing OCI applications, OCI 2-2

## X

X.500 naming convention, DBA 4-16

XA. *See* Oracle XA Library

XAVIEW.SQL script

- located in \RDBMS\ADMIN, DBA A-5

---

**KEY:** **COB** Pro\*COBOL Precompiler Getting Started for Windows; **COM** Oracle COM Automation Developer's Guide; **CPP** Pro\*C/C++ Precompiler Getting Started for Windows; **DBA** Oracle8i Administrator's Guide for Windows NT; **EMA** Oracle Enterprise Manager Administrator's Guide; **EMC** Oracle Enterprise Manager Concepts Guide; **EMI** Oracle Intelligent Agent User's Guide; **MTS** Using Microsoft Transaction Server With Oracle8; **OCI** Oracle Call Interface Getting Started for Windows; **OLE** Oracle Provider for OLE DB User's Guide; **OPS** Oracle Parallel Server Administrator's Guide for Windows NT; **SQL** SQL\*Plus Getting Started for Windows

---