

```
<!ELEMENT ASNOutHdrDesc (  
  to_location  
  , from_location  
  , asn_nbr  
  , asn_type  
  , container_qty  
  , bol_nbr  
  , shipment_date  
  , est_arr_date  
  , ship_address1  
  , ship_address2  
  , ship_address3  
  , ship_address4  
  , ship_address5  
  , ship_city  
  , ship_state  
  , ship_zip  
  , ship_country_id  
  , trailer_nbr  
  , seal_nbr  
  , carrier_code  
  , transshipment_nbr  
  , ASNOutDistroDesc+  
)>
```

```
<!ELEMENT ASNOutDistroDesc (  
  to_location  
  , from_location  
  , asn_nbr  
  , distro_nbr  
  , distro_doc_type  
  , customer_order_nbr  
  , consumer_direct  
  , ASNOutCtnDesc+  
)>
```

```
<!ELEMENT ASNOutCtnDesc (  
  to_location  
  , from_location  
  , asn_nbr  
  , distro_nbr  
  , distro_doc_type  
  , customer_order_nbr  
  , final_location  
  , container_id  
  , container_weight  
  , container_length  
  , container_width  
  , container_height  
  , container_cube  
  , expedite_flag  
  , in_store_date
```

# ASNOutHdrDesc.dtd

```
, rma_nbr
, tracking_nbr
, freight_charge
, ASNOutItemDesc+
)>
```

```
<!ELEMENT ASNOutItemDesc (
    to_location
    , from_location
    , asn_nbr
    , distro_nbr
    , distro_doc_type
    , customer_order_nbr
    , container_id
    , final_location
    , item_id
    , unit_qty
    , priority_level
    , order_line_nbr
    , lot_nbr
    , old_final_location
    , from_disposition
    , to_disposition
    , voucher_number?
    , voucher_expiration_date?
)>
```

```
<!ENTITY % varchar2 "(#PCDATA)">
<!ENTITY % number "(#PCDATA)">
<!ELEMENT year %number;>
<!ELEMENT month %number;>
<!ELEMENT day %number;>
<!ELEMENT hour %number;>
<!ELEMENT minute %number;>
<!ELEMENT second %number;>
<!ENTITY % date "( year, month, day, ( hour, minute, second )? )">
```

```
<!ELEMENT to_location %varchar2; >
<!ELEMENT from_location %varchar2; >
<!ELEMENT asn_nbr %varchar2; >
<!ELEMENT asn_type %varchar2; >
<!ELEMENT container_qty %number; >
<!ELEMENT bol_nbr %varchar2; >
<!ELEMENT shipment_date %date; >
<!ELEMENT est_arr_date %date; >
<!ELEMENT ship_address1 %varchar2; >
<!ELEMENT ship_address2 %varchar2; >
<!ELEMENT ship_address3 %varchar2; >
<!ELEMENT ship_address4 %varchar2; >
<!ELEMENT ship_address5 %varchar2; >
<!ELEMENT ship_city %varchar2; >
```

ASNOutHdrDesc.dtd

```
<!ELEMENT ship_state %varchar2; >
<!ELEMENT ship_zip %varchar2; >
<!ELEMENT ship_country_id %varchar2; >
<!ELEMENT trailer_nbr %varchar2; >
<!ELEMENT seal_nbr %varchar2; >
<!ELEMENT carrier_code %varchar2; >
<!ELEMENT transshipment_nbr %varchar2; >

<!ELEMENT distro_nbr %varchar2; >
<!ELEMENT distro_doc_type %varchar2; >
<!ELEMENT customer_order_nbr %varchar2; >
<!ELEMENT consumer_direct %varchar2; >

<!ELEMENT final_location %varchar2; >
<!ELEMENT container_id %varchar2; >
<!ELEMENT container_weight %number; >
<!ELEMENT container_length %number; >
<!ELEMENT container_width %number; >
<!ELEMENT container_height %number; >
<!ELEMENT container_cube %number; >
<!ELEMENT expedite_flag %varchar2; >
<!ELEMENT in_store_date %date; >
<!ELEMENT rma_nbr %varchar2; >
<!ELEMENT tracking_nbr %varchar2; >
<!ELEMENT freight_charge %number; >

<!ELEMENT item_id %varchar2; >
<!ELEMENT unit_qty %number; >
<!ELEMENT priority_level %number; >
<!ELEMENT order_line_nbr %number; >
<!ELEMENT lot_nbr %varchar2; >
<!ELEMENT old_final_location %varchar2; >
<!ELEMENT from_disposition %varchar2; >
<!ELEMENT to_disposition %varchar2; >
<!ELEMENT voucher_number %varchar2; >
<!ELEMENT voucher_expiration_date %date; >
```