

```
<!ELEMENT AllocHdrDesc (  
  alloc_no  
  , doc_type  
  , physical_wh  
  , wh  
  , item  
  , pick_not_before_date  
  , pick_not_after_date  
  , order_type  
  , order_no  
  , order_doc_type  
  , event  
  , event_description  
  , priority  
  , break_by_distro?  
  , rollback_allocation?  
  , cartonization?  
  , consumer_direct?  
  , message?  
  , chute_type?  
  , bill_address4?  
  , bill_address5?  
  , ship_address4?  
  , ship_address5?  
  , amount1?  
  , amount2?  
  , amount3?  
  , amount4?  
  , amount5?  
  , amount6?  
  , parent_customer_order?  
  , carrier_code?  
  , route?  
  , carrier_service_code?  
  , ship_address3?  
  , bill_address3?  
  , pick_complete?  
  , order_line_costs?  
  , ship_address_desc?  
  , ship_address1?  
  , ship_address2?  
  , ship_city?  
  , ship_state?  
  , ship_zip?  
  , ship_country_id?  
  , bill_address_desc?  
  , bill_address1?  
  , bill_address2?  
  , bill_city?  
  , bill_state?  
  , bill_zip?  
  , bill_country_id?  
  , sub_total?  
  , gift_cost_total?  
  , promotion_total?  
  , total?
```

```
, tax_total?
, shipping_total?
, container_type?
)>
```

```
<!ENTITY % varchar2 "(#PCDATA)">
<!ENTITY % number "(#PCDATA)">
<!ELEMENT year %number;>
<!ELEMENT month %number;>
<!ELEMENT day %number;>
<!ELEMENT hour %number;>
<!ELEMENT minute %number;>
<!ELEMENT second %number;>
<ENTITY % date "( year, month, day, ( hour, minute, second )? )">
```

```
<!ELEMENT alloc_no %number; >
<!ELEMENT doc_type %varchar2; >
<!ELEMENT physical_wh %number;>
<!ELEMENT wh %number; >
<!ELEMENT item %varchar2; >
<!ELEMENT pick_not_before_date %date; >
<!ELEMENT pick_not_after_date %date; >
<!ELEMENT order_type %varchar2; >
<!ELEMENT order_no %number; >
<!ELEMENT order_doc_type %varchar2; >
<!ELEMENT event %varchar2; >
<!ELEMENT event_description %varchar2; >
<!ELEMENT priority %number; >
```

```
<!ELEMENT break_by_distro %varchar2; >
<!ELEMENT rollback_allocation %varchar2; >
<!ELEMENT cartonization %varchar2; >
<!ELEMENT consumer_direct %varchar2; >
<!ELEMENT message %varchar2; >
<!ELEMENT chute_type %varchar2; >
<!ELEMENT bill_address4 %varchar2; >
<!ELEMENT bill_address5 %varchar2; >
<!ELEMENT ship_address4 %varchar2; >
<!ELEMENT ship_address5 %varchar2; >
<!ELEMENT amount1 %number; >
<!ELEMENT amount2 %number; >
<!ELEMENT amount3 %number; >
<!ELEMENT amount4 %number; >
<!ELEMENT amount5 %number; >
<!ELEMENT amount6 %number; >
<!ELEMENT parent_customer_order %varchar2; >
<!ELEMENT carrier_code %varchar2; >
<!ELEMENT route %varchar2; >
<!ELEMENT carrier_service_code %varchar2; >
<!ELEMENT ship_address3 %varchar2; >
<!ELEMENT bill_address3 %varchar2; >
<!ELEMENT pick_complete %varchar2; >
<!ELEMENT order_line_costs %varchar2; >
<!ELEMENT ship_address_desc %varchar2; >
<!ELEMENT ship_address1 %varchar2; >
```

```
<!ELEMENT ship_address2 %varchar2; >  
<!ELEMENT ship_city %varchar2; >  
<!ELEMENT ship_state %varchar2; >  
<!ELEMENT ship_zip %varchar2; >  
<!ELEMENT ship_country_id %varchar2; >  
<!ELEMENT bill_address_desc %varchar2; >  
<!ELEMENT bill_address1 %varchar2; >  
<!ELEMENT bill_address2 %varchar2; >  
<!ELEMENT bill_city %varchar2; >  
<!ELEMENT bill_state %varchar2; >  
<!ELEMENT bill_zip %varchar2; >  
<!ELEMENT bill_country_id %varchar2; >  
<!ELEMENT sub_total %number; >  
<!ELEMENT gift_cost_total %number; >  
<!ELEMENT promotion_total %number; >  
<!ELEMENT total %number; >  
<!ELEMENT tax_total %number; >  
<!ELEMENT shipping_total %number; >  
<!ELEMENT container_type %varchar2; >
```