

StoreDesc.dtd

```
<!ELEMENT StoreDesc (  
    store  
    , store_name  
    , store_name10  
    , store_name3  
    , store_add1  
    , store_add2  
    , store_city  
    , county  
    , state  
    , country_id  
    , store_pcode  
    , store_class  
    , store_mgr_name  
    , store_open_date  
    , store_close_date  
    , acquired_date  
    , remodel_date  
    , fax_number  
    , phone_number  
    , email  
    , total_square_ft  
    , selling_square_ft  
    , linear_distance  
    , stockholding_ind  
    , channel_id  
    , store_format  
    , mall_name  
    , district  
    , district_name  
    , promo_zone  
    , promo_desc  
    , transfer_zone  
    , description  
    , default_wh  
    , stop_order_days  
    , start_order_days  
    , currency_code  
    , lang  
    , integrated_pos_ind  
    , orig_currency_code  
    , duns_number  
    , duns_loc  
)>
```

```
<!ENTITY % varchar2 "(#PCDATA)">  
<!ENTITY % number "(#PCDATA)">  
<!ELEMENT year %number;>  
<!ELEMENT month %number;>  
<!ELEMENT day %number;>  
<!ELEMENT hour %number;>
```

StoreDesc.dtd

```
<!ELEMENT minute %number;>
<!ELEMENT second %number;>
<ENTITY % date "( year, month, day, ( hour, minute, second )? )">
```

```
<!ELEMENT store %number; >
<!ELEMENT store_name %varchar2; >
<!ELEMENT store_name10 %varchar2; >
<!ELEMENT store_name3 %varchar2; >
<!ELEMENT store_add1 %varchar2; >
<!ELEMENT store_add2 %varchar2; >
<!ELEMENT store_city %varchar2; >
<!ELEMENT county %varchar2; >
<!ELEMENT state %varchar2; >
<!ELEMENT country_id %varchar2; >
<!ELEMENT store_pcode %varchar2; >
<!ELEMENT store_class %varchar2; >
<!ELEMENT store_mgr_name %varchar2; >
<!ELEMENT store_open_date %date; >
<!ELEMENT store_close_date %date; >
<!ELEMENT acquired_date %date; >
<!ELEMENT remodel_date %date; >
<!ELEMENT fax_number %varchar2; >
<!ELEMENT phone_number %varchar2; >
<!ELEMENT email %varchar2; >
<!ELEMENT total_square_ft %number; >
<!ELEMENT selling_square_ft %number; >
<!ELEMENT linear_distance %number; >
<!ELEMENT stockholding_ind %varchar2; >
<!ELEMENT channel_id %number; >
<!ELEMENT store_format %number; >
<!ELEMENT mall_name %varchar2; >
<!ELEMENT district %number; >
<!ELEMENT district_name %varchar2; >
<!ELEMENT promo_zone %number; >
<!ELEMENT promo_desc %varchar2; >
<!ELEMENT transfer_zone %number; >
<!ELEMENT description %varchar2; >
<!ELEMENT default_wh %number; >
<!ELEMENT stop_order_days %number; >
<!ELEMENT start_order_days %number; >
<!ELEMENT currency_code %varchar2; >
<!ELEMENT lang %number; >
<!ELEMENT integrated_pos_ind %varchar2; >
<!ELEMENT orig_currency_code %varchar2; >
<!ELEMENT duns_number %varchar2; >
<!ELEMENT duns_loc %varchar2; >
```