

```

<!ELEMENT ItemHdrWHDesc (
  from_location
, to_location
, itemid
, description
, vendornbr
, containertype
, conveyableflag
, stdunitqty
, hazardmatlcode
, highvalueind
, department
, class
, singlecontainerbulk
, subclass
, expirationdays
, perishableind
, division
, putawaybyvolume
, stdunitfactor
, itemmasteruda1
, itemmasteruda2
, itemmasteruda3
, itemmasteruda4
, itemmasteruda5
, itemmasteruda6
, itemmasteruda7
, itemmasteruda8
, itemmasteruda9
, itemmasteruda10
, itemmasteruda11
, itemmasteruda12
, itemmasteruda13
, itemmasteruda14
, itemmasteruda15
, nonsaleable
, brand
, fragile
, rigid
, standarduom
, uomconvfactor

)>

```

```

<!ENTITY % varchar2 "(#PCDATA)">
<!ENTITY % number "(#PCDATA)">
<!ELEMENT year %number;>
<!ELEMENT month %number;>
<!ELEMENT day %number;>
<!ELEMENT hour %number;>
<!ELEMENT minute %number;>
<!ELEMENT second %number;>

```

<!ENTITY % date "(year, month, day, (hour, minute, second)?)">

```

<!ELEMENT from_location      %varchar2; >
<!ELEMENT to_location        %varchar2; >
<!ELEMENT itemid             %varchar2; >
<!ELEMENT description         %varchar2; >
<!ELEMENT vendornbr          %varchar2; >
<!ELEMENT containertype      %varchar2; >
<!ELEMENT conveyableflag     %varchar2; >
<!ELEMENT stdunitqty         %number; >
<!ELEMENT hazardmatlcode     %varchar2; >
<!ELEMENT highvalueind       %varchar2; >
<!ELEMENT department         %number; >
<!ELEMENT class               %varchar2; >
<!ELEMENT singlecontainerbulk %varchar2; >
<!ELEMENT subclass           %varchar2; >
<!ELEMENT expirationdays     %number; >
<!ELEMENT perishableind      %varchar2; >
<!ELEMENT division           %number; >
<!ELEMENT putawaybyvolume     %varchar2; >
<!ELEMENT stdunitfactor       %number; >
<!ELEMENT itemmasteruda1      %varchar2; >
<!ELEMENT itemmasteruda2      %varchar2; >
<!ELEMENT itemmasteruda3      %varchar2; >
<!ELEMENT itemmasteruda4      %varchar2; >
<!ELEMENT itemmasteruda5      %varchar2; >
<!ELEMENT itemmasteruda6      %varchar2; >
<!ELEMENT itemmasteruda7      %varchar2; >
<!ELEMENT itemmasteruda8      %varchar2; >
<!ELEMENT itemmasteruda9      %varchar2; >
<!ELEMENT itemmasteruda10     %varchar2; >
<!ELEMENT itemmasteruda11     %varchar2; >
<!ELEMENT itemmasteruda12     %varchar2; >
<!ELEMENT itemmasteruda13     %varchar2; >
<!ELEMENT itemmasteruda14     %varchar2; >
<!ELEMENT itemmasteruda15     %varchar2; >
<!ELEMENT nonsaleable         %varchar2; >
<!ELEMENT brand               %varchar2; >
<!ELEMENT fragile             %varchar2; >
<!ELEMENT rigid               %varchar2; >
<!ELEMENT standarduom         %varchar2; >
<!ELEMENT uomconvfactor       %number; >

```