



Family Name	Family Description		Family Short Name
<b>Allocations</b>	<b>Allocations</b>		<b>alloc</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
alloccre	alloc create	AllocDesc.dtd	allocdesc
allocdtlcre	alloc detail create	AllocDesc.dtd	allocdesc
allocdtldel	alloc detail delete	AllocRef.dtd	AllocRef
allocdtlmod	alloc detail modify	AllocDesc.dtd	allocdesc
allochdrmod	alloc header modify	AllocDesc.dtd	allocdesc
<b>ASN Inbound</b>	<b>ASN Inbound</b>		<b>asnin</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
asnincre	ASN Inbound Create	ASNInDesc.dtd	ASNInDesc
asnindel	ASN Inbound Delete	ASNInRef.dtd	asninref
asninmod	ASN Inbound Modify	ASNInDesc.dtd	ASNInDesc
<b>ASN Outbound</b>	<b>ASN Outbound</b>		<b>asnout</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
asnoutcre	ASN Outbound Create	ASNOutDesc.dtd	ASNOutDesc
<b>Banner</b>	<b>Banner</b>		<b>banner</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
bannercre	banner create	BannerDesc.dtd	BannerDesc
BannerCre	Banner Create	WSBannerDesc.dtd	BannerDesc
bannerdel	banner delete	BannerRef.dtd	BannerRef
BannerDel	Banner Delete	WSBannerRef.dtd	BannerRef
BanDivScdCre	Banner Delivery Schedule Create	WSBanDivScdDesc.dtd	BanDivScdDesc
BanDivScdDel	Banner Delivery Schedule Delete	WSBanDivScdRef.dtd	BanDivScdRef
BanDivScdMod	Banner Delivery Schedule Modify	WSBanDivScdDesc.dtd	BanDivScdDesc
BannerMod	Banner Modification	WSBannerDesc.dtd	BannerDesc



Family Name	Family Description		Family Short Name
bannermod	banner modify	BannerDesc.dtd	BannerDesc
channelcre	channel create	ChannelDesc.dtd	ChannelDesc
channeldel	channel delete	ChannelRef.dtd	ChannelRef
channelmod	channel modify	ChannelDesc.dtd	ChannelDesc
<b>Currency Rates</b>	<b>Currency Rates</b>		<b>currate</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
curratecre	currency rates create or modify	CurRateDesc.dtd	CurRateDesc
<b>Customer Return</b>	<b>Customer Return</b>		<b>custreturn</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
coretcre	customer order return create	CustRetDesc.dtd	custretdesc
coretdtlcre	customer order return detail create	CustRetDesc.dtd	custretdesc
corethdrcr	customer order return header create	CustRetDesc.dtd	custretdesc
<b>Customer Return Sale</b>	<b>Customer Return Sale</b>		<b>coreturn</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
custretsalecre	customer return sale create	CustRetSaleDesc.dtd	custretsaledesc
<b>Customer Sale</b>	<b>Customer Sale</b>		<b>cosale</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
custsalecre	customer sale create	CustSaleDesc.dtd	custsaledesc
<b>Differentiator Groups</b>	<b>Differentiator Groups</b>		<b>diffgrp</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
diffgrpdel	differentiators group delete	DiffGrpRef.dtd	diffgrpref
diffgrpdtlcre	differentiators group details create	DiffGrpDtlDesc.dtd	diffgrpdtldesc
diffgrpdtldel	differentiators group details delete	DiffGrpDtlRef.dtd	diffgrpdtlref
diffgrpdtlmod	differentiators group details modify	DiffGrpDtlDesc.dtd	diffgrpdtldesc
diffgrphdrcre	differentiators group header create	DiffGrpHdrDesc.dtd	diffgrphdrdesc



Family Name	Family Description		Family Short Name
diffgrphdrmod	differentiators group header modify	DffGrpHdrDesc.dtd	diffgrphdrdesc
<b>Differentiators</b>	<b>Differentiators</b>		<b>diffs</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
diffcre	differentiators create	DiffDesc.dtd	DiffDesc
diffdel	differentiators delete	DiffRef.dtd	DiffRef
diffmod	differentiators modify	DiffDesc.dtd	DiffDesc
<b>DSD Receipt</b>	<b>DSD Receipt</b>		<b>dsdreceipt</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
dsddealscre	DSD Deals Create	DSDDealsDesc.dtd	DSDDealsDesc
dsdreiptcre	DSD Receipt Create	DSDReceiptDesc.dtd	DSDReceiptDesc
<b>Emp</b>	<b>Employee Description</b>		<b>emp</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
EmployeeCre	EmployeeCre	EmployeeDesc.dtd	EmployeeDesc
EmployeeDel	EmployeeDel	EmployeeRef.dtd	EmployeeRef
EmployeeMod	EmployeeMod	EmployeeDesc.dtd	EmployeeDesc
<b>EmpTime</b>	<b>Employee Time From Time Application</b>		<b>emptime</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
EmpTimeCre	EmpTimeCre	EmpTimeDesc.dtd	EmpTimeDesc
<b>Freight Terms</b>	<b>Freight Terms</b>		<b>frtterm</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
frttermcre	freight terms create or modify	FrtTermDesc.dtd	FrtTermDesc
<b>GL Chart of Accounts</b>	<b>GL Chart of Accounts</b>		<b>glcoa</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
glcoacre	gl coa create or modify	GLCOADesc.dtd	GLCOADesc
<b>Inventory Adjustments</b>	<b>Inventory Adjustments</b>		<b>invadjust</b>



Family Name	Family Description	Family Short Name
Message Type	Message Type Description	DTD Name
invadjustcre	Inventory Adjustment create	InvAdjustDesc.dtd
ItemWH	Item Warehouse	itemwh
Message Type	Message Type Description	DTD Name
itemwhdel	item header delete	ItemWHRef.dtd
itemhdrwhmod	item header modify	ItemHdrWHDsc.dtd
itemsupctywhcre	item supplier country create	ItemSupCtyWDsc.dtd
itemsupctywhdel	item supplier country delete	ItemSupCtyWHRef.dtd
iscdimwhcre	item supplier country dim create	ISCDimWHDsc.dtd
iscdimwhdel	item supplier country dim delete	ISCDimWHRef.dtd
iscdimwhmod	item supplier country dim modify	ISCDimWHDsc.dtd
itemsupctywhmod	item supplier country modify	ItemSupCtyWDsc.dtd
itemsupwhcre	item supplier create	ItemSupWHDsc.dtd
itemsupwhdel	item supplier delete	ItemSupWHRef.dtd
itemsupwhmod	item supplier modify	ItemSupWHDsc.dtd
itemwhcre	items from the warehouse create	ItemWHDsc.dtd
Items	Items	items
Message Type	Message Type Description	DTD Name
ItemAttrCre	Item Attributes Create	WSItemAttrDesc.dtd
ItemAttrDel	Item Attributes Delete	WSItemAttrRef.dtd
ItemAttrMod	Item Attributes Modify	WSItemAttrDesc.dtd
IBomRecipeMod	Item Bill of Materials Modification	WSIBomRecipeDesc.dtd
IBomRecipeCre	Item Bill Of Materials Recipe Create	WSIBomRecipeDesc.dtd
IBomRecipeDel	Item Bill Of Materials Recipe Delete	WSIBomRecipeRef.dtd
itembomcre	item bom create	ItemBOMDesc.dtd
itembomdel	item bom delete	ItemBOMRef.dtd



Family Name	Family Description		Family Short Name
itembommod	item bom modify	ItemBOMDesc.dtd	ItemBOMDesc
ItmCarrSvcCre	Item Carrier Service Create	WSItmCarrSvcDesc.dtd	ItmCarrSvcDesc
ItmCarrSvcDel	Item Carrier Service Delete	WSItmCarrSvcRef.dtd	ItmCarrSvcRef
ItmCarrSvcMod	Item Carrier Service Modify	WSItmCarrSvcDesc.dtd	ItmCarrSvcDesc
itemcre	item full create	ItemDesc.dtd	ItemDesc
itemdel	item header delete	ItemRef.dtd	ItemRef
itemhdrmod	item header modify	ItemHdrDesc.dtd	ItemHdrDesc
itemimagecre	item image create	ItemImageDesc.dtd	itemImagedesc
itemimagedel	item image delete	ItemImageRef.dtd	itemImageref
itemimagemod	item image modify	ItemImageDesc.dtd	itemImagedesc
ItmLocAttrCre	Item Location Attribute Create	WSItmLocAttrDesc.dtd	ItmLocAttrDesc
ItmLocAttrDel	Item Location Attribute Delete	WSItmLocAttrRef.dtd	ItmLocAttrRef
ItmLocAttrMod	Item Location Attribute Modify	WSItmLocAttrDesc.dtd	ItmLocAttrDesc
ItemLocCre	Item Location Create	WSItemLocDesc.dtd	ItemLocDesc
ItemLocDel	Item Location Delete	WSItemLocRef.dtd	ItemLocRef
ItemLocMod	Item Location Modify	WSItemLocDesc.dtd	ItemLocDesc
ItemLocsCre	Item Locations Create	WSItemLocsDesc.dtd	ItemLocsDesc
ItemLocsMod	Item Locations Modify	WSItemLocsDesc.dtd	ItemLocsDesc
IShipRsCre	Item Shipping Restriction Create	WSIShipRsDesc.dtd	IShipRsDesc
IShipRsDtlCre	Item Shipping Restriction Detail Create	WSIShipRsDtlDesc.dtd	IShipRsDtlDesc
IShipRsDtlDel	Item Shipping Restriction Detail Delete	WSIShipRsDtlRef.dtd	IShipRsDtlRef
IShipRsDtlMod	Item Shipping Restriction Detail Modify	WSIShipRsDtlDesc.dtd	IShipRsDtlDesc
IShipRsHdrCre	Item Shipping Restriction Header Create	WSIShipRsHdrDesc.dtd	IShipRsHdrDesc
IShipRsHdrDel	Item Shipping Restriction Header Delete	WSIShipRsHdrRef.dtd	IShipRsHdrRef
IShipRsHdrMod	Item Shipping Restriction Header Modification	WSIShipRsHdrDesc.dtd	IShipRsHdrDesc
ISAttrCre	Item Supplier Attributes Create	WSISAttrDesc.dtd	ISAttrDesc



Family Name	Family Description		Family Short Name
ISAttrDel	Item Supplier Attributes Delete	WSISAttrRef.dtd	ISAttrRef
ISAttrMod	Item Supplier Attributes Modify	WSISAttrDesc.dtd	ISAttrDesc
itemsupctycre	item supplier country create	ItemSupCtyDesc.dtd	itemsupctydesc
itemsupctydel	item supplier country delete	ItemSupCtyRef.dtd	itemsupctyref
iscdimcre	item supplier country dim create	ISCDimDesc.dtd	ISCDimDesc
iscdimdel	item supplier country dim delete	ISCDimRef.dtd	ISCDimRef
iscdimmod	item supplier country dim modify	ISCDimDesc.dtd	ISCDimDesc
itemsupctymod	item supplier country modify	ItemSupCtyDesc.dtd	itemsupctydesc
itemsupcre	item supplier create	ItemSupDesc.dtd	ItemSupDesc
itemsupdel	item supplier delete	ItemSupRef.dtd	ItemSupRef
ISDlvBlkCre	Item Supplier Delivery Block Create	WSISDlvBlkDesc.dtd	ISDlvBlkDesc
ISDlvBlkDel	Item Supplier Delivery Block Delete	WSISDlvBlkRef.dtd	ISDlvBlkRef
ISDlvBlkMod	Item Supplier Delivery Block Modify	WSISDlvBlkDesc.dtd	ISDlvBlkDesc
itemsupmod	item supplier modify	ItemSupDesc.dtd	ItemSupDesc
ISPerAttrCre	Item Supplier Personalization Attributes Create	WSISPerAttrDesc.dtd	ISPerAttrDesc
ISPerAttrDel	Item Supplier Personalization Attributes Delete	WSISPerAttrRef.dtd	ISPerAttrRef
ISPerAttrMod	Item Supplier Personalization Attributes Modify	WSISPerAttrDesc.dtd	ISPerAttrDesc
ISPerFnCICre	Item Supplier Personalization Font Color Create	WSISPerFnCIDesc.dtd	ISPerFnCIDesc
ISPerFnCIDel	Item Supplier Personalization Font Color Delete	WSISPerFnCRef.dtd	ISPerFnCRef
ISPerFnCIMod	Item Supplier Personalization Font Color Modify	WSISPerFnCIDesc.dtd	ISPerFnCIDesc
ISPerMxChrCre	Item Supplier Personalization Max. Char. Create	WSISPerMxChrDesc.dtd	ISPerMxChrDesc
ISPerMxChrDel	Item Supplier Personalization Max. Char. Delete	WSISPerMxChrRef.dtd	ISPerMxChrRef
ISPerMxChrMod	Item Supplier Personalization Max. Char. Modify	WSISPerMxChrDesc.dtd	ISPerMxChrDesc
itemudadatecre	item uda date create	ItemUDADateDesc.dtd	itemudadatedesc
itemudadatedel	item uda date delete	ItemUDADateRef.dtd	itemudadateref
itemudadatemod	item uda date modify	ItemUDADateDesc.dtd	itemudadatedesc



Family Name	Family Description		Family Short Name
itemudaffcre	item uda ff create	ItemUDAFFDesc.dtd	itemudaffdesc
itemudaffdel	item uda ff delete	ItemUDAFFRef.dtd	itemudaffref
itemudaffmod	item uda ff modify	ItemUDAFFDesc.dtd	itemudaffdesc
itemudalovcre	item uda lov create	ItemUDALovDesc.dtd	ItemUDALovDesc
itemudalovdel	item uda lov delete	ItemUDALOVRef.dtd	itemudalovref
itemudalovmod	item uda lov modify	ItemUDALovDesc.dtd	ItemUDALovDesc
itemupccre	item upc create	ItemUPCDesc.dtd	itemupcdesc
itemupcdel	item upc delete	ItemUPCRef.dtd	itemupcref
itemupcmod	item upc modify	ItemUPCDesc.dtd	itemupcdesc
<b>Locations</b>	<b>Locations</b>		<b>loc</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
locationcre	location create	LocationDesc.dtd	LocationDesc
locationdel	location delete	LocationRef.dtd	LocationRef
locationmod	location modify	LocationDesc.dtd	LocationDesc
<b>Payment Terms</b>	<b>Payment Terms</b>		<b>payterm</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
paytermcre	payment terms create or modify	PayTermDesc.dtd	PayTermDesc
<b>Pending Return</b>	<b>Pending Return</b>		<b>pendreturn</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
pendretcre	pending return create	PendRtnDesc.dtd	pendtrndesc
pendretdel	pending return delete	PendRtnRef.dtd	pendtrnref
pendretdtlcre	pending return detail create	PendRtnDesc.dtd	pendtrndesc
pendretdtldel	pending return detail delete	PendRtnDtlRef.dtd	pendtrndtlref
pendretdtlmod	pending return detail modify	PendRtnDesc.dtd	pendtrndesc
pendretmod	pending return modify	PendRtnDesc.dtd	pendtrndesc



Family Name	Family Description		Family Short Name
<b>Purchase Order</b>	<b>Purchase Order</b>		<b>order</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
pocre	po create	PODesc.dtd	PODesc
podel	po delete	PORef.dtd	PORef
podtlcre	po details create	PODesc.dtd	PODesc
podtlldel	po details delete	PORef.dtd	PORef
podtlmod	po details modify	PODesc.dtd	PODesc
pohdrmod	po header modify	PODesc.dtd	PODesc
<b>Receiving</b>	<b>Receiving</b>		<b>receiving</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
appointcre	appointment create	AppointDesc.dtd	appointdesc
appointdel	appointment delete	AppointRef.dtd	appointref
appointdtlcre	appointment detail create	AppointDesc.dtd	appointdesc
appointdtldel	appointment detail delete	AppointRef.dtd	appointref
appointdtlmod	appointment detail modify	AppointDesc.dtd	appointdesc
appointhdrmod	appointment header modify	AppointDesc.dtd	appointdesc
otbmod	OTB modify	OTBDesc.dtd	OTBDesc
receiptcre	receipt create	ReceiptDesc.dtd	ReceiptDesc
receiptmod	receipt modify (adjustment)	ReceiptDesc.dtd	ReceiptDesc
<b>RTV</b>	<b>Return To Vendor</b>		<b>rtv</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
rtvcre	rtv	RTVDesc.dtd	RTVDesc
<b>SeedData</b>	<b>Seed data will be published through this interface. Currently DiffTypes and Code Head/Detail are included.</b>		<b>seeddata</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
CodeDtlCre	Codes Detail Create	CodeDtlDesc.dtd	CodeDtlDesc





Family Name	Family Description		Family Short Name
CodeDtlDel	Codes Detail Delete	CodeDtlRef.dtd	CodeDtlRef
CodeDtlMod	Codes Detail Modify	CodeHdrDesc.dtd	CodeHdrDesc
CodeHdrCre	Codes Header Create	CodeHdrDesc.dtd	CodeHdrDesc
CodeHdrDel	Codes Header Delete	CodeHdrRef.dtd	CodeHdrRef
CodeHdrMod	Codes Header Modify	CodeDtlDesc.dtd	CodeDtlDesc
DiffTypeCre	Diff Type Create	DiffTypeDesc.dtd	DiffTypeDesc
DiffTypeDel	Diff Type Delete	DiffTypeRef.dtd	DiffTypeRef
DiffTypeMod	Diff Type Modify	DiffTypeDesc.dtd	DiffTypeDesc
<b>SKUOptm</b>	<b>SKU Optimization</b>		<b>skuoptm</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
skuoptmcre	sku optimization create	SKOOptmDesc.dtd	SKUOptmDesc
<b>SpaceLocs</b>	<b>Space Locations</b>		<b>spacelocs</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
spacelocscre	space location create	SpaceLocsDesc.dtd	SpaceLocsDesc
spacelocsdel	space location delete	SpaceLocsRef.dtd	SpaceLocsRef
spacelocsmod	space location modify	SpaceLocsDesc.dtd	SpaceLocsDesc
<b>Stock Order</b>	<b>Stock Order</b>		<b>stockorder</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
socre	stock order create	SODesc.dtd	SODesc
sodtlcre	stock order detail create	SODesc.dtd	SODesc
sodtlidel	stock order details delete	SORef.dtd	SORef
sodtlmod	stock order details modify	SODesc.dtd	SODesc
sohdrdel	stock order header delete	SORef.dtd	SORef
sohdrmod	stock order header modify	SODesc.dtd	SODesc
<b>SOSatus</b>	<b>Stock Order Status</b>		<b>sostatus</b>



Family Name	Family Description	Family Short Name
Message Type	Message Type Description	RIB Doc Type Name
sostatuscre	stock order status create	SOSStatusDesc
<b>Stores</b>	<b>Stores</b>	<b>stores</b>
Message Type	Message Type Description	RIB Doc Type Name
storecre	store create	StoreDesc
storedel	store delete	StoreRef
storemod	store modify	StoreDesc
<b>Transfers</b>	<b>Transfers</b>	<b>transfers</b>
Message Type	Message Type Description	RIB Doc Type Name
transfercre	transfer create	TsfDesc
transferdtlcre	transfer details create	TsfDesc
transferdtldel	transfer details delete	TsfRef
transferdtlmod	transfer details modify	TsfDesc
transferdel	transfer header delete	TsfRef
transferhdrmod	transfer header modify	TsfDesc
<b>UDAs</b>	<b>UDA</b>	<b>udas</b>
Message Type	Message Type Description	RIB Doc Type Name
udahdrcre	uda header create	UDADesc
udahdrdel	uda header delete	UDARef
udahdrmod	uda header modify	UDADesc
udavalcre	uda value create	UDAValDesc
udavaldel	uda value delete	UDAValRef
udavalmod	uda value modify	UDAValDesc
<b>Vendor</b>	<b>Vendor</b>	<b>vendor</b>
Message Type	Message Type Description	RIB Doc Type Name



Family Name	Family Description		Family Short Name
vendoraddrcre	vendor address create	VendorAddrDesc.dtd	VendorAddrDesc
vendoraddrdel	vendor address delete	VendorAddrRef.dtd	VendorAddrRef
vendoraddrmod	vendor address modify	VendorAddrDesc.dtd	VendorAddrDesc
vendorhdrmod	vendor header modify	VendorHdrDesc.dtd	VendorHdrDesc
vendorcre	vendor record from financials	VendorDesc.dtd	VendorDesc
vendordel	vendoredelete	VendorRef.dtd	VendorRef
<b>WHEquip</b>	<b>Warehouse Equipment</b>		<b>whequip</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
WHEquipCre	WHEquipCre	WHEquipDesc.dtd	WHEquipDesc
WHEquipDel	WHEquipDel	WHEquipRef.dtd	WHEquipRef
WHEquipMod	WHEquipMod	WHEquipDesc.dtd	WHEquipDesc
<b>WHEquipClass</b>	<b>Warehouse Equipment Class</b>		<b>whequipclass</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
WHEquipClsCre	WHEquipClsCre	WHEquipClsDesc.dtd	WHEquipClsDesc
WHEquipClsDel	WHEquipClsDel	WHEquipClsRef.dtd	WHEquipClsRef
WHEquipClsMod	WHEquipClsMod	WHEquipClsDesc.dtd	WHEquipClsDesc
<b>WHSpaceLocs</b>	<b>Warehouse Space Locations</b>		<b>whspacelocs</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
WHSpaceLocsCre	WHSpaceLocsCre	WHSpaceLocsDesc.dtd	WHSpaceLocsDesc
WHSpaceLocsDel	WHSpaceLocsDel	WHSpaceLocsRef.dtd	WHSpaceLocsRef
WHSpaceLocsMod	WHSpaceLocsMod	WHSpaceLocsDesc.dtd	WHSpaceLocsDesc
<b>WHTrans</b>	<b>Warehouse Transactions</b>		<b>whtrans</b>
Message Type	Message Type Description	DTD Name	RIB Doc Type Name
WHTransCre	WHTransCre	WHTransDesc.dtd	WHTransDesc
<b>Warehouses</b>	<b>Warehouses</b>		<b>wh</b>



Family Name	Family Description	Family Short Name
Message Type	Message Type Description	RIB Doc Type Name
WHAttrCre	Warehouse Attributes Create	WHAttrDesc
WHAttrDel	Warehouse Attributes Delete	WHAttrRef
WHAttrMod	Warehouse Attributes Modify	WHAttrDesc
whcre	warehouse create	WHDesc
whdel	warehouse delete	WHRef
whmod	warehouse modify	WHDesc
<b>Work Order (Inbound)</b>	<b>Work Order Inbound</b>	<b>woin</b>
Message Type	Message Type Description	RIB Doc Type Name
inbdwocre	work order inbound create	WOInDesc
inbdwodel	work order inbound delete	WOInRef
inbdwomod	work order inbound modify	WOInDesc
<b>Work Order (Outbound)</b>	<b>Work Order Outbound</b>	<b>woout</b>
Message Type	Message Type Description	RIB Doc Type Name
outbdwocre	outbound work order create	WOOutDesc
outbdwodel	outbound work order delete	WOOutRef
outbdwomod	outbound work order modify	WOOutDesc