

```
<!ELEMENT PODesc (  
  POHdrDesc  
  , PODtlCreDesc+  
)>
```

```
<!ELEMENT POHdrDesc (  
  doc_type  
  , order_no  
  , order_type  
  , order_type_desc  
  , dept  
  , dept_name  
  , buyer  
  , buyer_name  
  , supplier  
  , promotion  
  , prom_desc  
  , qc_ind  
  , not_before_date  
  , not_after_date  
  , otb_eow_date  
  , earliest_ship_date  
  , latest_ship_date  
  , close_date  
  , terms  
  , terms_code  
  , freight_terms  
  , cust_order  
  , payment_method  
  , payment_method_desc  
  , backhaul_type  
  , backhaul_type_desc  
  , backhaul_allowance  
  , ship_method  
  , ship_method_desc  
  , purchase_type  
  , purchase_type_desc  
  , status  
  , ship_pay_method  
  , ship_pay_method_desc  
  , fob_trans_res  
  , fob_trans_res_code_desc  
  , fob_trans_res_desc  
  , fob_title_pass  
  , fob_title_pass_code_desc  
  , fob_title_pass_desc  
  , vendor_order_no  
  , exchange_rate  
  , factory  
  , factory_desc  
  , agent  
  , agent_desc  
  , discharge_port  
  , discharge_port_desc  
  , lading_port  
  , lading_port_desc
```

```
, bill_to_id
, freight_contract_no
, po_type
, po_type_desc
, pre_mark_ind
, currency_code
, contract_no
, pickup_loc
, pickup_no
, pickup_date
, app_datetime
, comment_desc
, POHdrLocDesc*
```



```
<!ELEMENT POHdrLocDesc (
  location
, loc_type
```



```
<!ELEMENT PODtlCreDesc (
  order_no
, item
, ref_item
, location_type
, location
, physical_location_type
, physical_location
, qty_ordered
, old_qty_ordered
, unit_cost
, origin_country_id
, supp_pack_size
, earliest_ship_date
, latest_ship_date
, pickup_loc
, pickup_no
, packing_method
, round_lvl
, door_ind?
, priority_level?
, new_item?
, quarantine?
, rcvd_unit_qty?
, tsf_po_link_id
```



```
<!ENTITY % varchar2 "(#PCDATA)">
```

```
<!ENTITY % number "(#PCDATA)">
```

```
<!ELEMENT year %number;>
```

```
<!ELEMENT month %number;>
```

```
<!ELEMENT day %number;>
```

```
<!ELEMENT hour %number;>
```

```
<!ELEMENT minute %number;>
```

```
<!ELEMENT second %number;>
```

<!ENTITY % date "(year, month, day, (hour, minute, second)?)">

<!ELEMENT doc_type %varchar2; >
 <!ELEMENT order_no %number; >
 <!ELEMENT order_type %varchar2; >
 <!ELEMENT order_type_desc %varchar2; >
 <!ELEMENT dept %number; >
 <!ELEMENT dept_name %varchar2; >
 <!ELEMENT buyer %number; >
 <!ELEMENT buyer_name %varchar2; >
 <!ELEMENT supplier %number; >
 <!ELEMENT promotion %number; >
 <!ELEMENT prom_desc %varchar2; >
 <!ELEMENT qc_ind %varchar2; >
 <!ELEMENT not_before_date %date; >
 <!ELEMENT not_after_date %date; >
 <!ELEMENT otb_eow_date %date; >
 <!ELEMENT earliest_ship_date %date; >
 <!ELEMENT latest_ship_date %date; >
 <!ELEMENT close_date %date; >
 <!ELEMENT terms %varchar2; >
 <!ELEMENT terms_code %varchar2; >
 <!ELEMENT freight_terms %varchar2; >
 <!ELEMENT cust_order %varchar2; >
 <!ELEMENT payment_method %varchar2; >
 <!ELEMENT payment_method_desc %varchar2; >
 <!ELEMENT backhaul_type %varchar2; >
 <!ELEMENT backhaul_type_desc %varchar2; >
 <!ELEMENT backhaul_allowance %number; >
 <!ELEMENT ship_method %varchar2; >
 <!ELEMENT ship_method_desc %varchar2; >
 <!ELEMENT purchase_type %varchar2; >
 <!ELEMENT purchase_type_desc %varchar2; >
 <!ELEMENT status %varchar2; >
 <!ELEMENT ship_pay_method %varchar2; >
 <!ELEMENT ship_pay_method_desc %varchar2; >
 <!ELEMENT fob_trans_res %varchar2; >
 <!ELEMENT fob_trans_res_code_desc %varchar2; >
 <!ELEMENT fob_trans_res_desc %varchar2; >
 <!ELEMENT fob_title_pass %varchar2; >
 <!ELEMENT fob_title_pass_code_desc %varchar2; >
 <!ELEMENT fob_title_pass_desc %varchar2; >
 <!ELEMENT vendor_order_no %varchar2; >
 <!ELEMENT exchange_rate %number; >
 <!ELEMENT factory %varchar2; >
 <!ELEMENT factory_desc %varchar2; >
 <!ELEMENT agent %varchar2; >
 <!ELEMENT agent_desc %varchar2; >
 <!ELEMENT discharge_port %varchar2; >
 <!ELEMENT discharge_port_desc %varchar2; >
 <!ELEMENT lading_port %varchar2; >
 <!ELEMENT lading_port_desc %varchar2; >
 <!ELEMENT bill_to_id %varchar2; >
 <!ELEMENT freight_contract_no %varchar2; >
 <!ELEMENT po_type %varchar2; >
 <!ELEMENT po_type_desc %varchar2; >

```
<!ELEMENT pre_mark_ind %varchar2; >
<!ELEMENT currency_code %varchar2; >
<!ELEMENT contract_no %number; >
<!ELEMENT pickup_loc %varchar2; >
<!ELEMENT pickup_no %varchar2; >
<!ELEMENT pickup_date %date; >
<!ELEMENT app_datetime %date; >
<!ELEMENT comment_desc %varchar2; >

<!ELEMENT location %number; >
<!ELEMENT loc_type %varchar2; >

<!ELEMENT item %varchar2; >
<!ELEMENT ref_item %varchar2; >
<!ELEMENT location_type %varchar2; >
<!ELEMENT physical_location_type %varchar2; >
<!ELEMENT physical_location %number; >
<!ELEMENT qty_ordered %number; >
<!ELEMENT old_qty_ordered %number; >
<!ELEMENT unit_cost %number; >
<!ELEMENT origin_country_id %varchar2; >
<!ELEMENT supp_pack_size %number; >
<!ELEMENT packing_method %varchar2; >
<!ELEMENT round_lvl %varchar2; >

<!ELEMENT door_ind %varchar2;>
<!ELEMENT priority_level %number;>
<!ELEMENT new_item %varchar2;>
<!ELEMENT quarantine %varchar2;>
<!ELEMENT rcvd_unit_qty %number;>

<!ELEMENT tsf_po_link_id %number; >
```