

```
<!ELEMENT CODesc (
  COHdrDesc
  , CODtlDesc+
)>
```

```
<!ELEMENT COHdrDesc (
  ship_request_id
  , document_type
  , physical_warehouse_id
  , creation_date
  , order_number
  , base_code
  , carrier_code
  , carrier_service_type_code
  , route
  , ship_to_full_name
  , ship_to_street_address
  , ship_to_address_line_2
  , ship_to_address_line_3
  , ship_to_city
  , ship_to_state_province
  , ship_to_postal_code
  , ship_to_country_code
  , bill_to_full_name
  , bill_to_street_address
  , bill_to_address_line_2
  , bill_to_address_line_3
  , bill_to_city
  , bill_to_state_province
  , bill_to_postal_code
  , bill_to_country_code
  , order_total
  , taxable_total
  , pick_not_before_date
  , pick_not_after_date
  , calculated_shipping_amount
  , order_type
  , pick_complete
  , consumer_direct_flag
  , rollback_allocation
  , cartonization_flag
  , order_line_cost
  , break_by_distro
  , message?
  , chute_type?
  , bill_address4?
  , bill_address5?
  , ship_address4?
  , ship_address5?
  , amount1?
  , amount2?
  , amount3?
  , amount4?
  , amount5?
  , amount6?
  , po_nbr?
```

```
, event_code?
, event_description?
)>
```

```
<!ELEMENT CODtIDesc (
  ship_request_id
, rdm_dest_id
, master_item_id
, requested_quantity
, unit_selling_price
, unit_tax_percent
, item_status
, order_line_nbr?
, amount1?
, amount2?
, amount3?
, amount4?
, amount5?
, amount6?
)>
```

```
<!ENTITY % varchar2 "(#PCDATA)">
<!ENTITY % number "(#PCDATA)">
<!ELEMENT year %number;>
<!ELEMENT month %number;>
<!ELEMENT day %number;>
<!ELEMENT hour %number;>
<!ELEMENT minute %number;>
<!ELEMENT second %number;>
<!ENTITY % date "( year, month, day, ( hour, minute, second )? )">
```

```
<!ELEMENT ship_request_id %number; >
<!ELEMENT document_type %varchar2; >
<!ELEMENT physical_warehouse_id %number; >
<!ELEMENT creation_date %date; >
<!ELEMENT order_number %varchar2; >
<!ELEMENT base_code %varchar2; >
<!ELEMENT carrier_code %varchar2; >
<!ELEMENT carrier_service_type_code %varchar2; >
<!ELEMENT route %number; >
<!ELEMENT ship_to_full_name %varchar2; >
<!ELEMENT ship_to_street_address %varchar2; >
<!ELEMENT ship_to_address_line_2 %varchar2; >
<!ELEMENT ship_to_address_line_3 %varchar2; >
<!ELEMENT ship_to_city %varchar2; >
<!ELEMENT ship_to_state_province %varchar2; >
<!ELEMENT ship_to_postal_code %varchar2; >
<!ELEMENT ship_to_country_code %varchar2; >
<!ELEMENT bill_to_full_name %varchar2; >
<!ELEMENT bill_to_street_address %varchar2; >
<!ELEMENT bill_to_address_line_2 %varchar2; >
<!ELEMENT bill_to_address_line_3 %varchar2; >
<!ELEMENT bill_to_city %varchar2; >
<!ELEMENT bill_to_state_province %varchar2; >
<!ELEMENT bill_to_postal_code %varchar2; >
```

```
<!ELEMENT bill_to_country_code %varchar2; >
<!ELEMENT order_total %number; >
<!ELEMENT taxable_total %number; >
<!ELEMENT pick_not_before_date %date; >
<!ELEMENT pick_not_after_date %date; >
<!ELEMENT calculated_shipping_amount %number; >
<!ELEMENT order_type %varchar2; >
<!ELEMENT pick_complete %varchar2; >
<!ELEMENT consumer_direct_flag %varchar2; >
<!ELEMENT rollback_allocation %varchar2; >
<!ELEMENT cartonization_flag %varchar2; >
<!ELEMENT order_line_cost %varchar2; >
<!ELEMENT break_by_distro %varchar2; >
```

```
<!ELEMENT message %varchar2; >
<!ELEMENT chute_type %varchar2; >
<!ELEMENT bill_address4 %varchar2; >
<!ELEMENT bill_address5 %varchar2; >
<!ELEMENT ship_address4 %varchar2; >
<!ELEMENT ship_address5 %varchar2; >
<!ELEMENT amount1 %number; >
<!ELEMENT amount2 %number; >
<!ELEMENT amount3 %number; >
<!ELEMENT amount4 %number; >
<!ELEMENT amount5 %number; >
<!ELEMENT amount6 %number; >
<!ELEMENT po_nbr %varchar2; >
<!ELEMENT event_code %varchar2; >
<!ELEMENT event_description %varchar2; >
```

```
<!ELEMENT rdm_dest_id %number; >
<!ELEMENT master_item_id %number; >
<!ELEMENT requested_quantity %number; >
<!ELEMENT unit_selling_price %number; >
<!ELEMENT unit_tax_percent %number; >
<!ELEMENT item_status %varchar2; >
```

```
<!ELEMENT order_line_nbr %number; >
```