

Mapping and Simple Transformation Document

Related Mapping (copy from related mapping)

Mapping Name
RMS Differentiator
Group Add or Modify

Mapping Participants	
Application	RMS
Type	DiffGrpHdrDesc.dtd

XML Tag Name	Included Mapping	Cardinality of included mapping	Table Name	Column Name	Data Type	Length	Permissible values and descriptions	Keys (pk)	Required? (yes/no)
diff_group_id			DIFF_GROUP_HEAD	DIFF_GROUP_ID	VARCHAR2	10	This field will hold a unique number (identifier) of the differential group types. (for example, diff_type = 'S' might have these group ids: 1, 50, 1000; then diff_type = 'C' cannot use the same numbers; the group ids will have to be different: 2, 20, 51, 1001)	PK	Yes
diff_group_type			DIFF_GROUP_HEAD	DIFF_GROUP_TYPE	VARCHAR2	6	This field will hold a value of all possible differential types. (for example, 'S' - size, 'C' - color, 'F' - flavor, 'E' - scent, 'P' - pattern). Valid values are stored on the code_detail table with the code_type 'DIFF'.		Yes
diff_group_desc			DIFF_GROUP_HEAD	DIFF_GROUP_DESC	VARCHAR2	40	Description of the differential group. (for example, Men's Shirts, Women's Shoes, Girl's Dresses, Nivea Shower Gel Scents, Yogurt Flavors, etc.)		Yes