

```
<!ELEMENT SOHdrDesc (  
  distro_nbr  
  , document_type  
  , dc_dest_id  
  , order_type  
  , pick_not_before_date  
  , pick_not_after_date  
  , priority  
  , event_code  
  , event_description  
  , carrier_code  
  , carrier_service_code  
  , route  
  , ship_address_desc  
  , ship_address1  
  , ship_address2  
  , ship_address3  
  , ship_address4  
  , ship_address5  
  , ship_city  
  , ship_state  
  , ship_zip  
  , ship_country_id  
  , bill_address_desc  
  , bill_address1  
  , bill_address2  
  , bill_address3  
  , bill_address4  
  , bill_address5  
  , bill_city  
  , bill_state  
  , bill_zip  
  , bill_country_id  
  , break_by_distro  
  , rollback_allocation  
  , cartonization  
  , consumer_direct  
  , message  
  , chute_type  
  , po_nbr  
  , parent_customer_order  
  , pick_complete  
  , order_line_costs  
  , container_type?  
  , amount1  
  , amount2  
  , amount3  
  , amount4  
  , amount5  
  , amount6  
  , sub_total?  
  , gift_cost_total?
```

```
, promotion_total?
, total
, tax_total
, shipping_total
, order_uda1?
, order_uda2?
, order_uda3?
, order_uda4?
, order_uda5?
, order_uda6?
, order_uda7?
, order_uda8?
, order_uda9?
, order_uda10?
, dl_comment
)>
```

```
<!ENTITY % varchar2 "(#PCDATA)">
<!ENTITY % number "(#PCDATA)">
<!ELEMENT year %number;>
<!ELEMENT month %number;>
<!ELEMENT day %number;>
<!ELEMENT hour %number;>
<!ELEMENT minute %number;>
<!ELEMENT second %number;>
<!ENTITY % date "( year, month, day, ( hour, minute, second )? )">
```

```
<!ELEMENT distro_nbr %varchar2; >
<!ELEMENT document_type %varchar2; >
<!ELEMENT dc_dest_id %varchar2; >
<!ELEMENT pick_not_before_date %date; >
<!ELEMENT pick_not_after_date %date; >
<!ELEMENT order_type %varchar2; >
<!ELEMENT po_nbr %varchar2; >
<!ELEMENT event_code %varchar2; >
<!ELEMENT event_description %varchar2; >
<!ELEMENT priority %number; >
<!ELEMENT break_by_distro %varchar2; >
<!ELEMENT rollback_allocation %varchar2; >
<!ELEMENT cartonization %varchar2; >
<!ELEMENT consumer_direct %varchar2; >
<!ELEMENT message %varchar2; >
<!ELEMENT chute_type %varchar2; >
<!ELEMENT amount1 %number; >
<!ELEMENT amount2 %number; >
<!ELEMENT amount3 %number; >
<!ELEMENT amount4 %number; >
<!ELEMENT amount5 %number; >
<!ELEMENT amount6 %number; >
<!ELEMENT parent_customer_order %varchar2; >
<!ELEMENT carrier_code %varchar2; >
```

SOHdrDesc.dtd

```

<!ELEMENT route %varchar2; >
<!ELEMENT carrier_service_code %varchar2; >
<!ELEMENT pick_complete %varchar2; >
<!ELEMENT order_line_costs %varchar2; >
<!ELEMENT ship_address_desc %varchar2; >
<!ELEMENT ship_address1 %varchar2; >
<!ELEMENT ship_address2 %varchar2; >
<!ELEMENT ship_address3 %varchar2; >
<!ELEMENT ship_address4 %varchar2; >
<!ELEMENT ship_address5 %varchar2; >
<!ELEMENT ship_city %varchar2; >
<!ELEMENT ship_state %varchar2; >
<!ELEMENT ship_zip %varchar2; >
<!ELEMENT ship_country_id %varchar2; >
<!ELEMENT bill_address_desc %varchar2; >
<!ELEMENT bill_address1 %varchar2; >
<!ELEMENT bill_address2 %varchar2; >
<!ELEMENT bill_address3 %varchar2; >
<!ELEMENT bill_address4 %varchar2; >
<!ELEMENT bill_address5 %varchar2; >
<!ELEMENT bill_city %varchar2; >
<!ELEMENT bill_state %varchar2; >
<!ELEMENT bill_zip %varchar2; >
<!ELEMENT bill_country_id %varchar2; >
<!ELEMENT sub_total %number; >
<!ELEMENT gift_cost_total %number; >
<!ELEMENT promotion_total %number; >
<!ELEMENT total %number; >
<!ELEMENT tax_total %number; >
<!ELEMENT shipping_total %number; >
<!ELEMENT container_type %varchar2; >

<!ELEMENT order_uda1 %varchar2; >
<!ELEMENT order_uda2 %varchar2; >
<!ELEMENT order_uda3 %varchar2; >
<!ELEMENT order_uda4 %varchar2; >
<!ELEMENT order_uda5 %varchar2; >
<!ELEMENT order_uda6 %varchar2; >
<!ELEMENT order_uda7 %varchar2; >
<!ELEMENT order_uda8 %varchar2; >
<!ELEMENT order_uda9 %varchar2; >
<!ELEMENT order_uda10 %varchar2; >
<!ELEMENT dl_comment %varchar2; >

```