

**Application Name: Retek Customer Order Managem****Version: 11.0.1****DTD or Node Name: CODtlDesc****CO Detail Description****RCOM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
ship_request_id	COR_SHIP_REQUEST	SHIP_REQUEST_ID	number	10		Yes	
rdm_dest_id		RDM_DEST_ID	number	10		Yes	
item_number	MED_MEDIA_SELLING_	SELLING_SKU_DISPLAY_C	varchar2	25		Yes	
requested_quantity	COR_CUSTOMER_ORD	RESERVED_QUANTITY	number	9		Yes	
unit_selling_price	COR_CUDTOMER_ORD	SELLING_SKU_PRICE	number			Yes	
unit_tax_percent		UNIT_TAX_PERCENT	number			Yes	
item_status	GENERATED	ITEM_STATUS	varchar2	1		Yes	
amount1						No	
amount2						No	
amount3						No	
amount4						No	
amount5						No	
amount6						No	
voucher_to	COR_GIFT_CERTIFICAT	TO_TEXT	varchar2	55		No	
voucher_from	COR_GIFT_CERTIFICAT	FROM_TEXT	varchar2	55		No	
voucher_message	COR_GIFT_CERTIFICAT	MESSAGE_TEXT	varchar2	100		No	

**Application Name: Retek Customer Order Managem****Version: 11.0.1****DTD or Node Name: COHdrDesc****CO Header Description****RCOM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
ship_request_id	COR_SHIP_REQUEST	SHIP_REQUEST_ID	number	10	PK	Yes	
document_type	GENERATED	DOCUMENT_TYPE	varchar2	1		Yes	
physical_warehouse_id			number	10		Yes	
creation_date	COR_SHIP_REQUEST	CREATE_DATE	date			Yes	
order_number	COR_SHIP_REQUEST	ORDER_ID	varchar2	20		Yes	
base_code	COR_CUSTOMER_ORD	PRIORITY_CODE	varchar2	4		Yes	
carrier_code	COR_SHIP_REQUEST	CARRIER_CODE	varchar2	4		Yes	
carrier_service_type_code	COR_SHIP_REQUEST	SHIP_METHOD_CODE	varchar2	6		Yes	
route	GENERATED	ROUTE	number	1		Yes	
ship_to_full_name	COR_CUSTOMER_ORD		varchar2	30		Yes	
ship_to_street_address1	COR_CUSTOMER_ORD	SHIP_TO_LINE1	varchar2	30		Yes	
ship_to_address_line_2	COR_CUSTOMER_ORD	SHIP_TO_LINE2	varchar2	30		No	
ship_to_address_line_3	COR_CUSTOMER_ORD	SHIP_TO_LINE3	varchar2	30		No	
ship_to_city	COR_CUSTOMER_ORD	SHIP_TO_CITY	varchar2	25		Yes	
ship_to_state_province	COR_CUSTOMER_ORD	SHIP_TO_STATE	varchar2	3		Yes	
ship_to_postal_code	COR_CUSTOMER_ORD	SHIP_TO_POSTAL_CODE	varchar2	10		Yes	
ship_to_country_code	COR_CUSTOMER_ORD	SHIP_TO_COUNTRY_ID	varchar2	3		Yes	
bill_to_full_name	COR_CUSTOMER_ORD		varchar2	30		Yes	
bill_to_street_address	COR_CUSTOMER_ORD	BILL_TO_LINE1	varchar2	30		Yes	
bill_to_address_line_2	COR_CUSTOMER_ORD	BILL_TO_LINE2	varchar2	30		Yes	
bill_to_address_line_3	COR_CUSTOMER_ORD	BILL_TO_LINE3	varchar2	30		Yes	
bill_to_city	COR_CUSTOMER_ORD	BILL_TO_CITY	varchar2	25		Yes	
bill_to_state_province	COR_CUSTOMER_ORD	BILL_TO_STATE	varchar2	3		Yes	

**Application Name: Retek Customer Order Managem****Version: 11.0.1****DTD or Node Name: COHdrDesc****CO Header Description****RCOM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
bill_to_postal_code	COR_CUSTOMER_ORD	BILL_TO_POSTAL_CODE	varchar2	10		Yes	
bill_to_country_code	COR_CUSTOMER_ORD	BILL_TO_COUNTRY_ID	varchar2	3		Yes	
order_total			number			Yes	
taxable_total			number			Yes	
pick_not_before_date	COE_ORDERS	RELEASED_DATE	date			Yes	
pick_not_after_date	COE_ORDERS	RELEASED_DATE + PARA	date			Yes	
calculated_shipping_amo			number			Yes	
order_type	GENERATED	ORDER_TYPE	varchar2	9		Yes	
pick_complete	GENERATED	PICK_COMPLETE	varchar2	1		Yes	
consumer_direct_flag	GENERATED	CONSUMER_DIRECT_FL	varchar2	1		Yes	
rollback_allocation	GENERATED	ROLLBACK_ALLOCATION	varchar2	1		Yes	
cartonization_flag	GENERATED	CARTONIZATION_FLAG	varchar2	1		Yes	
order_line_cost	GENERATED	ORDER_LINE_COST	varchar2	1		Yes	
break_by_distro	GENERATED	BREAK_BY_DISTRO	varchar2	1		Yes	
message						No	
chute_type						No	
bill_address4						No	
bill_address5						No	
ship_address4						No	
ship_address5						No	
amount1						No	
amount2						No	
amount3						No	

**Application Name: Retek Customer Order Managem****Version: 11.0.1****DTD or Node Name: COHdrDesc****CO Header Description****RCOM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
amount4						No	
amount5						No	
amount6						No	
po_nbr						No	
event_code						No	
event_description				0		No	
gift_certificate_flag	GENERATED	GIFT_CERTIFICATE_FLAG	varchar2	1		No	
ship_to_day_phone	COR_CUSTOMER_ORD	SHIP_TO_DAY_PHONE_N	varchar2	30		No	
ship_to_evening_phone	COR_CUSTOMER_ORD	SHIP_TO_EVENING_PHON	varchar2	30		No	
shipping_instructions	COR_CUSTOMER_ORD	SHIPPING_LABEL_MESSA	varchar2	500		No	
picking_instructions	COR_CUSTOMER_ORD	WAREHOUSE_INSTRUCTI	varchar2	500		No	

**Application Name: Retek Customer Order Managem****Version: 11.0.1****DTD or Node Name: CustRetDesc****Customer Return Description RCOM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
from_location	cor_return_line	return_to_wh_id	number	10		Yes	
rma_nbr						Yes	API Logic. Note: for no customer returns we do not need rma number
pro_nbr						Yes	Not used by Rcom
comments	cor_missing_info_return	comments	varchar2	1000		No	
return_date	cor_missing_info_return	return_date	Date			No	



Application Name: Retek Customer Order Managem

Version: 11.0.1

DTD or Node Name: CustRetItem

Customer Return Item Descrip RCOM

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item_id	cor_missing_info_retuen	sku_id	varchar2	25		Yes	API logic for regular returns (i.e. not missing info returns)

**Application Name: Retek Customer Order Managem****Version: 11.0.1****DTD or Node Name: CustRetItemQty****Customer Return Item Quantit RCOM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
unit_qty	cor_retrun_line	expected_return_qty	number	12 4		Yes	
from_wip						No	Not used by Rcom
from_disposition						No	Not used by Rcom
to_disposition	cor_return_line	supp_return_disposition_id	varchar2	6		No	
saleable						No	Not used by Rcom

**Application Name: Retek Customer Order Managem****Version: 11.0.1****DTD or Node Name: CustRetItemQtyDtl****Customer Return Item Quantit RCOM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
reason_code	cor_return_line	return_reason_id	varchar2	6		No	
action_code						No	Not used by Rcom
replace_unit_qty						No	Not used by Rcom
cust_ret_postage_amt	cor_return_line	return_postage	number	18 4		No	



Application Name: Retek Customer Order Managem

Version: 11.0.1

DTD or Node Name: ItemLocDesc

Item Location description

RCOM

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	itm_item_location	item_id	varchar2	25	m_item_lo	Yes	



Application Name: Retek Customer Order Managem

Version: 11.0.1

DTD or Node Name: ItemLocPhys

Item Physical Location

RCOM

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
physical_loc	itm_item_location					Yes	Not used by rco

**Application Name: Retek Customer Order Managem****Version: 11.0.1****DTD or Node Name: ItemLocVirt****Item Virtual Location****RCOM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
loc				0		Yes	
loc_type				0		Yes	
local_item_desc	itm_item_location					Yes	Not used by rco
local_short_desc	itm_item_location					No	Not used by rco
primary_supp	itm_item_location					No	Not used by rco
primary_cntry	itm_item_location					No	Not used by rco
receive_as_type	itm_item_location					No	Not used by rco
taxable_ind	itm_item_location	taxable_flag	number	1		Yes	
source_method						Yes	Not used by rcom
source_wh						No	Not used by rcom
unit_retail	itm_item_location	unit_retail	number	18 4		No	
selling_unit_retail	itm_item_location	selling_unit_retail	number	18 4		No	



Application Name: Retek Customer Order Managem

Version: 11.0.1

DTD or Node Name: ItemLocVirtRepl

Item Loc Virtual Replenishme RCOM

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
primary_repl_supplier	itm_item_location					No	Not used by rcom
next_delivery_date	itm_item_location					No	Not used By rcom

**Application Name: Retek Customer Order Managem****Version: 11.0.1****DTD or Node Name: RefdPayStlmtDesc****Refund Payment Settlement D RCOM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
order_id	COR_CUSTOMER_ORD	ORDER_ID	varchar2	30		Yes	
order_id	COR_CUSTOMER_ORD	ORDER_ID	varchar2	30	PK	Yes	
customer_id	COR_CUSTOMER_ORD	CUSTOMER_ID	varchar2	12		Yes	
customer_id	COR_CUSTOMER_ORD	CUSTOMER_ID	varchar2	12		Yes	
name_title_code	CST_CUSTOMER_ADD	NAME_TITLE_CODE	varchar2	12		No	
name_title_code	CST_CUSTOMER_ADD	NAME_TITLE_CODE	varchar2	12		No	
first_name	CST_CUSTOMER_ADD	FIRST_NAME	varchar2	20		Yes	
first_name	CST_CUSTOMER_ADD	FIRST_NAME	varchar2	20		Yes	
middle_initial	CST_CUSTOMER_ADD	MIDDLE_INITIAL	varchar2	1		No	
middle_initial	CST_CUSTOMER_ADD	MIDDLE_INITIAL	varchar2	1		No	
last_name	CST_CUSTOMER_ADD	LAST_NAME	varchar2	20		Yes	
last_name	CST_CUSTOMER_ADD	LAST_NAME	varchar2	20		Yes	
name_suffix_code	CST_CUSTOMER_ADD	NAME_SUFFIX_CODE	varchar2	12		No	
name_suffix_code	CST_CUSTOMER_ADD	NAME_SUFFIX_CODE	varchar2	12		No	
line_1	CST_CUSTOMER_ADD	LINE_1	varchar2	30		Yes	
line_1	CST_CUSTOMER_ADD	LINE_1	varchar2	30		Yes	
line_2	CST_CUSTOMER_ADD	LINE_2	varchar2	30		No	
line_2	CST_CUSTOMER_ADD	LINE_2	varchar2	30		No	
line_3	CST_CUSTOMER_ADD	LINE_3	varchar2	30		No	
line_3	CST_CUSTOMER_ADD	LINE_3	varchar2	30		No	
city	CST_CUSTOMER_ADD	CITY	varchar2	25		No	
city	CST_CUSTOMER_ADD	CITY	varchar2	25		No	
state	CST_CUSTOMER_ADD	STATE	varchar2	3		No	

**Application Name: Retek Customer Order Managem****Version: 11.0.1****DTD or Node Name: RefdPayStlmtDesc****Refund Payment Settlement D RCOM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
state	CST_CUSTOMER_ADD	STATE	varchar2	3		No	
postal_code	CST_CUSTOMER_ADD	POSTAL_CODE	varchar2	10		No	
postal_code	CST_CUSTOMER_ADD	POSTAL_CODE	varchar2	10		No	
country_code	CST_CUSTOMER_ADD	COUNTRY_CODE	varchar2	3		Yes	
country_code	CST_CUSTOMER_ADD	COUNTRY_CODE	varchar2	3		Yes	
tender_type	COR_CUSTOMER_ORD	TENDER_TYPE_ID	varchar2	6		Yes	
tender_type	COR_CUSTOMER_ORD	TENDER_TYPE_ID	varchar2	6		Yes	
payment_amount	COR_CUSTOMER_ORD	PAYMENT_AMOUNT	number	18 4		Yes	
payment_amount	COR_CUSTOMER_ORD	PAYMENT_AMOUNT	number	18 4		Yes	
banner_id	COR_CUSTOMER_ORD	BANNER_ID	number	4		Yes	
order_payment_id	COR_PAYMENT	PAYMENT_ID	number	12		Yes	
settlement_date	COR_SETTLEMENT	SETTLEMENT_DATE	date			Yes	



Application Name: Retek Customer Order Managem

Version: 11.0.1

DTD or Node Name: SOStatusDesc

Stock Order Status Descriptio RCOM

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dc_dest_id			number	10		Yes	
distro_nbr						No	
distro_document_type						Yes	

**Application Name: Retek Customer Order Managem****Version: 11.0.1****DTD or Node Name: SOStatusDtl****SO Status Detail****RCOM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
updated_date	COR_CUSTOMER_ORD	ESTIMATED_SHIP_DATE	date				
cust_order_nbr	COR_SHIP_REQUEST	SHIP_REQUEST_ID	number	12		Yes	
dest_id						Yes	
item_id	MED_MEDIA_SELLING_	SELLING_SKU_DISPLAY_C	varchar2	25		Yes	
order_line_nbr	COR_SHIP_REQUEST_L	ORDER_LINE_ID	number	12		Yes	
unit_qty	COR_CUSTOMER_ORD	BACKORDERED_QUANTIT	number	12 4		Yes	
status	COR_CUSTOMER_ORD	PICK_EXCEPTION_STATU	varchar2	2		Yes	NI-No Inventory,EX-Expired(Pick not after date reached),SD- Successful delete,US-updated ship date
user_id						No	

**Application Name: Retek Customer Order Managem****Version: 11.0.1****DTD or Node Name: StoreDesc****Stores Description****RCOM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
store	LOC_STORE	DISPLAY_CODE	varchar2	10		Yes	
store_name	LOC_STORE	STORE_NAME	varchar2	20		Yes	
store_name10						No	Not used by Rcom
store_name3						No	Not used by Rcom
store_add1	LOC_STORE	ADDRESS_LINE1	varchar2	30		No	
store_add2	LOC_STORE	ADDRESS_LINE2	varchar2	30		No	
store_city	LOC_STORE	CITY	varchar2	20		No	
county	LOC_STORE	COUNTY	varchar2	20		No	
state	LOC_STORE	STATE	varchar2	3		No	
country_id	LOC_STORE	COUNTRY_CODE	varchar2	3		Yes	
store_pcode	LOC_STORE	POSTAL_CODE	varchar2	10		No	
store_class						No	Not used by Rcom
store_mgr_name	LOC_STORE	MANAGER_NAME	varchar2	32		No	
store_open_date	LOC_STORE	STORE_OPEN_DATE	date			No	
store_close_date	LOC_STORE	STORE_CLOSE_DATE	date			No	
acquired_date						No	Not used by Rcom
remodel_date						No	Not used by Rcom
fax_number	LOC_STORE	FAX_NUMBER	varchar2	20		No	
phone_number	LOC_STORE	TELEPHONE_NUMBER	varchar2	20		No	
email	LOC_STORE	EMAIL_ADDRESS	varchar2	100		No	
total_square_ft						No	Not used by rcom
selling_square_ft						No	Not used by Rcom
linear_distance						No	Not used by Rcom

**Application Name: Retek Customer Order Managem****Version: 11.0.1****DTD or Node Name: StoreDesc****Stores Description****RCOM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
stockholding_ind	LOC_STORE	STOCK_HOLDING_FLAG	number	1		No	
channel_id	LOC_STORE	CHANNEL_ID	number	4		No	
store_format						No	Not used by rcom
mall_name	LOC_STORE	MALL_NAME	varchar2	20		No	
district						No	Not used by rcom
district_name						No	Not used by Rcom
promo_zone						No	Not used by Rcom
promo_desc						No	Not used by Rcom
transfer_zone						No	Not used by Rcom
description						No	Not used by Rcom
default_wh	LOC_STORE	DEFAULT_WAREHOUSE_I	number	10		No	
stop_order_days						No	Not used by Rcom
start_order_days						No	Not used by Rcom
currency_code	LOC_STORE	CURRENCY_CODE	varchar2	3		No	
lang						No	Not used by Rcom
integrated_pos_ind						No	Not used by Rcom
orig_currency_code						No	Not used by Rcom
duns_number						No	Not used by Rcom
duns_loc						No	Not used by Rcom

**Application Name: Retek Customer Order Managem****Version: 11.0.1****DTD or Node Name: WHDesc****Warehouses Description****RCOM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
wh	LOC_WAREHOUSE	WAREHOUSE_ID	number	10		Yes	
wh_name	LOC_WAREHOUSE	WAREHOUSE_NAME	varchar2	20		Yes	
wh_add1	LOC_WAREHOUSE	ADDRESS_LINE1	varchar2	30		No	
wh_add2	LOC_WAREHOUSE	ADDRESS_LINE2	varchar2	30		No	
wh_city	LOC_WAREHOUSE	CITY	varchar2	20		No	
county	LOC_WAREHOUSE	COUNTY	varchar2	30		No	
state	LOC_WAREHOUSE	STATE	varchar2	3		No	
country_id	LOC_WAREHOUSE	COUNTRY_CODE	varchar2	3		No	
wh_pcode	LOC_WAREHOUSE	POSTAL_CODE	varchar2	10		No	
email	LOC_WAREHOUSE	EMAIL_ADDRESS	varchar2	100		No	
stockholding_ind	LOC_WAREHOUSE	STOCKHOLDING_FLAG	number	1		No	
channel_id	LOC_WAREHOUSE	CHANNEL_ID	number	4		No	
currency_code	LOC_WAREHOUSE	CURRENCY_CODE	varchar2	3		Yes	
duns_number						No	Not used by Rcom
duns_loc						No	Not used by Rcom
physical_wh	LOC_WAREHOUSE	PHYSICAL_WAREHOUSE_I	number	10		No	
break_pack_ind	LOC_WAREHOUSE	BREAK_PACK_FLAG	number	1		No	
redist_wh_ind						No	Not used by Rcom
delivery_policy	LOC_WAREHOUSE	DELIVERY_POLICY_CODE	varchar2	6		No	
contact_person						No	Not used by Rcom
dest_fax						No	Not used by Rcom
phone_nbr						No	Not used by Rcom
default_route						No	Not used by Rcom

**Application Name: Retek Customer Order Managem****Version: 11.0.1****DTD or Node Name: WHDesc****Warehouses Description****RCOM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
default_carrier_code						No	Not used by Rcom
default_service_code						No	Not used by Rcom
expedite_route						No	Not used by Rcom
expedite_carrier_code						No	Not used by Rcom
expedite_service_code						No	Not used by Rcom
bol_upload_type						No	Not used by Rcom
bol_print_type						No	Not used by Rcom
lead_time						No	Not used by Rcom
distance_to_dest						No	Not used by Rcom
drop_trailers_accepted_fl						No	Not used by Rcom
rcv_dock_available_flag						No	Not used by Rcom
container_type						No	Not used by Rcom
mld_default_route						No	Not used by Rcom
unit_pick_container_type						No	Not used by Rcom
dest_seq_nbr						No	Not used by Rcom
owning_dc						No	



Application Name: Retek Merchandising System

Version: 11.0.1

DTD or Node Name: ItemLocDesc

Item Location description

RMS

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	item_loc	item	varchar2	25		Yes	Unique identifier for the item.



Application Name: Retek Merchandising System

Version: 11.0.1

DTD or Node Name: ItemLocPhys

Item Physical Location

RMS

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
physical_loc	wh	physical_wh	number	10		Yes	The physical warehouse that is assigned to the virtual wh, if the loc_type is 'W' and the location is a warehouse.

**Application Name: Retek Merchandising System****Version: 11.0.1****DTD or Node Name: ItemLocVirt****Item Virtual Location****RMS**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
loc	item_loc	loc	number	10		Yes	Location where the item is to be found. This field may contain a store or a warehouse.
loc_type	item_loc	loc_type	varchar2	1		Yes	Type of location in the "loc" field. Valid values are 'S' (store) and 'W' (warehouse).
local_item_desc	item_loc	local_item_desc	varchar2	100		Yes	Contains the local description of the item.
local_short_desc	item_loc	local_short_desc	varchar2	20		No	Contains the local short description of the item.
status	item_loc	status	varchar2	1		Yes	Current status of the item at the store (valid values are 'A' (active), 'I' (inactive), 'C' (discontinued) and 'D' (deleted).
primary_supp	item_loc	primary_supp	number	10		No	Primary supplier for the item/location.
primary_cntry	item_loc	primary_cntry	varchar2	3		No	Contains the origin country which will be considered the primary country for the item/location.
receive_as_type	item_loc	receive_as_type	varchar2	1		No	Determines whether the stock on hand for a pack component item or the buyer pack itself will be updated when a buyer pack is received at a warehouse. Valid values are 'E'ach or 'P'ack.
taxable_ind	item_loc	taxable_ind	varchar2	1		Yes	Indicates whether the item is taxable at the store. Valid values are 'Y' (yes) and 'N' (No).
source_method	item_loc	source_method	varchar2	1		Yes	Determines the source method for a requested item at a store. Valid values: 'W'(warehouse) and 'S'(supplier), default value is 'S'.
source_wh	item_loc	source_wh	number	10		No	If the source_method is 'W', this field contains the source warehouse for fulfilling item requests at a store.
unit_retail	item_loc			0		No	Unit retail of the item in the SUOM. Only published for create not modify.
selling_unit_retail	Item_loc			0		No	Selling unit retail in selling unit of measure. Only published for create, not update
selling_uom	Item_loc			0		No	Sellin Unit of measure. Only published for Create not update
store_price_ind	Item_Loc			0		No	Indicates if the location can modifythe item's price

**Application Name: Retek Merchandising System****Version: 11.0.1****DTD or Node Name: ItemLocVirtRepl****Item Loc Virtual Replenishme RMS**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
loc	REPL_ITEM_LOC	LOCATION	NUMBER	10		Yes	Location that is on replenishment. Will hold only virtual warehouse in the multi-channel environment.
loc_type	REPL_ITEM_LOC	LOC_TYPE	VARCHAR2	6		Yes	Contains the type of the location on replenishment. Valid values include 'Store', 'Warehouse'.
primary_repl_supplier	REPL_ITEM_LOC	PRIMARY_REPL_SUPPLIE	NUMBER	10		No	Contains the numeric identifier of the supplier from which the specified location will source the replenishment demand for the specified item location. Used for items on Direct to Store/Warehouse or Cross-docked replenishment.
repl_method	REPL_ITEM_LOC	REPL_METHOD	VARCHAR2	6		No	Contains the character code for the algorithm that will be used to calculate the recommended order quantity for the item location. Valid values include 'Constant', 'Min/Max', 'Floating point', 'Time Supply', 'Dynamic', 'SO' Store Orders.
reject_store_order_ind	REPL_ITEM_LOC	REJECT_STORE_ORD_IN	VARCHAR2	1		No	Contains an indicator that determines if uploaded store orders should be rejected. If the indicator is 'N', then store orders for all need dates are valid. If 'Y', store orders with needs date on or after the NEXT_DELIVERY_DATE are valid."
next_delivery_date	REPL_ITEM_LOC	NEXT_DELIVERY_DATE	DATE	0		No	Contains the next delivery date calculated for the next review cycle. If, for the next review cycle, an order will be created that is calculated to arrive on Thursday, this field will be updated with Thursday's date.



Application Name: Retek Merchandising System

Version: 11.0.1

DTD or Node Name: RegPrcChgDesc

Regular Price Change

RMS

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
location	ticket_request	location		0		Yes	
loc_type	ticket_request	loc_type		0		Yes	

**Application Name: Retek Merchandising System****Version: 11.0.1****DTD or Node Name: RegPrcChgDtl****Regular Price Change Detail D RMS**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
price_change_id	ticket_request	price_change_id		0		Yes	
item	ticket_request	item	VARCHAR	25		Yes	
effective_date	Ticket_request	price_change_eff_date	Date	10		Yes	
selling_retail_changed_in				0		Yes	For API processing.
selling_unit_retail	ticket_request	unit_retail		0		Yes	
multi_unit_changed_ind				0		Yes	For API processing.
multi_units	ticket_request	multi_units		0		No	
multi_unit_retail_currency				0		No	Used for API data verification.

**Application Name: Retek Merchandising System****Version: 11.0.1****DTD or Node Name: SOStatusDesc****Stock Order Status Descriptio RMS**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dc_dest_id				0		Yes	Drives API logic for inventory movement at ItemLoc level. This is the WH ID
distro_nbr				0		No	Thsi is the trasfer number in RMS. The Status of all the items pertaing to this transfer ID is drive through the API logic
distro_document_type				0		Yes	Drives API logic for Transfer in RMS for items in a transfer items

**Application Name: Retek Merchandising System****Version: 11.0.1****DTD or Node Name: SOStatusDtl****SO Status Detail****RMS**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
updated_date				0			The date of updating the status of the transfer
cust_order_nbr				0		Yes	Drives API logic
item_id				0		Yes	This is the item ID on the tRansfer fo which the ItemLoc status is adjusted.
order_line_nbr				0		Yes	
unit_qty				0		Yes	The qty pertaining to the item in a transfer for which the status is being consumed by the API
status				0		Yes	The status of the Transfer at the WH. The Status code will drive the API logice to adjust inventory of an Item at the Item Loc Level
user_id				0		No	The user Id of the user updating the transfer status.. This record is not inserted into the Database.



Application Name: Retek Price Management	Version: 11.0.1	DTD or Node Name: ItemLocDesc
--	-----------------	-------------------------------

Item Location description RPM

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item				0		Yes	



Application Name: Retek Price Management	Version: 11.0.1 DTD or Node Name: ItemLocVirtRepl
--	---

Item Loc Virtual Replenishme RPM

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
loc				0		Yes	
loc_type				0		Yes	



Application Name: Retek Price Management

Version: 11.0.1

DTD or Node Name: MrchHrClsDesc

Merchandise Hierarchy Class RPM

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
class				0		Yes	
class_name				0		Yes	
class_vat_ind				0		No	
dept				0		Yes	

**Application Name: Retek Price Management****Version: 11.0.1****DTD or Node Name: MrchHrDeptDesc****Merchandise Hierarchy Depart RPM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dept				0		Yes	
dept_name				0		No	
buyer				0		No	
purchase_type				0		No	
total_market_amt				0		No	
merch				0		No	
group_no				0		No	
bud_mkup				0		No	
profit_calc_type				0		No	
markup_calc_type				0		No	
otb_calc_type				0		No	
max_avg_counter				0		No	
avg_tolerance_pct				0		No	
bud_int				0		No	
dept_vat_incl_ind				0		No	



Application Name: Retek Price Management

Version: 11.0.1

DTD or Node Name: MrchHrDivDesc

Merchandise Hierarchy Divisi RPM

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
division				0		Yes	
div_name				0		Yes	
buyer				0		No	
merch				0		No	
total_market_amt				0		No	



Application Name: Retek Price Management

Version: 11.0.1

DTD or Node Name: MrchHrGrpDesc

Merchandise Hierarchy Group RPM

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
group_no				0		Yes	
group_name				0		Yes	
buyer				0		No	
merch				0		No	
division				0		Yes	



Application Name: Retek Price Management	Version: 11.0.1 DTD or Node Name: MrchHrScIsDesc
--	--

Merchandise Hierarchy Sub-CI RPM

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
subclass				0		Yes	
subclass_name				0		Yes	
class				0		Yes	
dept				0		Yes	



Application Name: Retek Price Management

Version: 11.0.1

DTD or Node Name: RegPrcChgDesc

Regular Price Change

RPM

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
location				0		Yes	
loc_type				0		Yes	

**Application Name: Retek Price Management****Version: 11.0.1****DTD or Node Name: RegPrcChgDtl****Regular Price Change Detail D RPM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
price_change_id	RPM_PRICE_CHANGE	PRICE_CHANGE_ID		0		Yes	
item	RPM_FUTURE_RETAIL	ITEM		0		Yes	
effective_date	RPM_FUTURE_RETAIL	ACTION_DATE		0		Yes	
selling_retail_changed_in				0		Yes	IS NOT USED IN RPM
selling_unit_retail	RPM_FUTURE_RETAIL	SELLING RETAIL		0		Yes	
selling_uom				0		Yes	IS NOT USED BY RPM
selling_currency	RPM_FUTURE_RETAIL	SELLING RETAIL CURREN		0		Yes	
multi_unit_changed_ind				0		Yes	IS NOT USED BY RPM
multi_units	RPM_FUTURE_RETAIL	MULTI UNITS		0		No	
multi_unit_retail	RPM_FUTURE_RETAIL	MULTI UNIT RETAIL		0		No	
multi_unit_retail_currency				0		No	IS NOT USED BY RPM
multi_selling_uom	RPM_FUTURE_RETAIL	MULTI SELLING UOM		0		No	



Application Name: Retek Price Management

Version: 11.0.1

DTD or Node Name: StoreDesc

Stores Description

RPM

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
store				0		Yes	
pricing_loc				0		No	



Application Name: Retek Price Management

Version: 11.0.1

DTD or Node Name: WHDesc

Warehouses Description

RPM

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
wh				0		Yes	
pricing_loc				0		No	

**Application Name: Retek Warehouse Distribution M****Version: 11.0.1****DTD or Node Name: PendRtrnDesc****Pending Return Description RWMS**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
physical_wh	TRANSSHIPMENT_SET	DC_DEST_ID	varchar2	10		Yes	
return_order_number	PENDING_RETURNS	PRO_NBR	varchar2	18		Yes	
rma_nbr	PENDING_RETURNS	RMA_NBR	varchar2	20		Yes	
creation_date	PENDING_RETURNS	EXPECTED_RECEIPT	date			Yes	

**Application Name: Retek Warehouse Distribution M****Version: 11.0.1****DTD or Node Name: PendRtrnDtlDesc****Pending Return Detail Descrip RWMS**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
return_order_number	PENDING_RETURNS_D	PRO_NBR	varchar2	18		Yes	
rma_nbr	PENDING_RETURNS_D	RMA_NBR	varchar2	20		Yes	
item	PENDING_RETURNS_D	ITEM_ID	varchar2	25		Yes	
ordered_quantity	PENDING_RETURNS_D	UNIT_QTY	number	12 4		Yes	



Application Name: Store Inventory Management

Version: 11.0.1

DTD or Node Name: ItemLocDesc

Item Location description

SIM

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	AS_ITM_RTL_STR	ID_ITM	VARCHAR	128		Yes	



Application Name: Store Inventory Management

Version: 11.0.1

DTD or Node Name: ItemLocPhys

Item Physical Location

SIM

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
physical_loc	AS_ITM_RTL_STR	ID_STR_RT	VARCHAR	128		Yes	

**Application Name: Store Inventory Management****Version: 11.0.1****DTD or Node Name: ItemLocVirt****Item Virtual Location****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
loc	N/A			0		Yes	
loc_type	N/A			0		Yes	
local_item_desc	AS_ITM_RTL_STR	SHORT_DESC	VARCHAR	128		Yes	
local_short_desc	N/A			0		No	
status	AS_ITM_RTL_STR	SC_ITM	VARCHAR	20		Yes	
primary_supp	N/A			0		No	
primary_cntry	N/A			0		No	
receive_as_type	N/A			0		No	
taxable_ind	N/A			0		Yes	
source_method	N/A			0		Yes	
source_wh	N/A			0		No	
unit_retail	N/A			0		No	Not used by SIM10.4
selling_unit_retail	N/A			0		No	Not used by SIM10.4
selling_uom	N/A			0		No	Not used by SIM10.4
store_price_ind	N/A			0		No	Not used by SIM10.4