

Mapping and Simple Transformation Document

Related Mapping (copy from related mapping)

Mapping Name
RMS Available to
Promise Add or Modify

Mapping Participants	
Application	RMS
Type	ATPDesc.dtd

XML Tag Name	Included Mapping	Cardinality of included mapping	Table Name	Column Name	Data Type	Length	Permissible values and descriptions	Keys (pk)	Required? (yes/no)
item			ITEM_LOC_SOH	ITEM	VARCHAR2	25	Unique alphanumeric value that identifies the item.	PK	
item_parent			ITEM_LOC_SOH	ITEM_PARENT	VARCHAR2	25	Alphanumeric value that uniquely identifies the item/group at the level above the item.		
item_grandparent			ITEM_LOC_SOH	ITEM_GRANDPARENT	VARCHAR2	25	Alphanumeric value that uniquely identifies the item/group two levels above the item.		
loc			ITEM_LOC_SOH	LOC	NUMBER	10	Number of the location in which the item is to be found. This field may contain a store or a warehouse.	PK	
loc_type			ITEM_LOC_SOH	LOC_TYPE	VARCHAR2	1	Type of location in the location field. Valid values are: S = Store, W = Warehouse		
av_cost			ITEM_LOC_SOH	AV_COST	NUMBER	20,4	Calculated using P.O.'s estimated landed cost during PO receiving process if elc_ind = 'Y'. This field		
unit_cost			ITEM_LOC_SOH	UNIT_COST	NUMBER	20,4	in system_options.std_av_ind = 'A' and elc_ind = 'Y' then this field holds the estimated landed cost		
stock_on_hand			ITEM_LOC_SOH	STOCK_ON_HAND	NUMBER	12,4			
soh_update_datetime			ITEM_LOC_SOH	SOH_UPDATE_DATETIME	DATE		Current stock on hand for the item.		
last_hist_export_date			ITEM_LOC_SOH	LAST_HIST_EXPORT_DATE	DATE		Date and time of most recent update to stock_on_hand.		
in_transit_qty			ITEM_LOC_SOH	IN_TRANSIT_QTY	NUMBER	12,4	This field contains most recent date up to which sales/issues have been exported to an external		
							All quantities of an item shipped but not received on all transfers for the "destination" location. Should		

Mapping and Simple Transformation Document

Related Mapping (copy from related mapping)

Mapping Name
RMS Available to Promise Add or Modify

Mapping Participants	
Application	RMS
Type	ATPDesc.dtd

XML Tag Name	Included Mapping	Cardinality of included mapping	Table Name	Column Name	Data Type	Length	Permissible values and descriptions	Keys (pk)	Required? (yes/no)
pack_comp_intran			ITEM_LOC_SOH	PACK_COMP_INTRAN	NUMBER	12,4	All quantities of a pack component item shipped but not received on all transfers for the "destination"		
pack_comp_soh			ITEM_LOC_SOH	PACK_COMP_SOH	NUMBER	12,4	Current stock on hand for pack component item		
tsf_reserved_qty			ITEM_LOC_SOH	TSF_RESERVED_QTY	NUMBER	12,4	All quantities of an item requested but not shipped on all transfers for the "source" location. Should		
pack_comp_resv			ITEM_LOC_SOH	PACK_COMP_RESV	NUMBER	12,4	All quantities of a pack component item requested but not shipped on all transfers for the "source"		
tsf_expected_qty			ITEM_LOC_SOH	TSF_EXPECTED_QTY	NUMBER	12,4	All quantities of an item requested but not shipped on all transfers for the "destination" location. Should		
pack_comp_exp			ITEM_LOC_SOH	PACK_COMP_EXP	NUMBER	12,4	All quantities of a pack component item requested but not shipped on all transfers for the "destination"		
rtv_qty			ITEM_LOC_SOH	RTV_QTY	NUMBER	12,4	All quantities approved but not shipped on all RTV's from inventory for an item/location. Will		
non_sellable_qty			ITEM_LOC_SOH	NON_SELLABLE_QTY	NUMBER	12,4	Total non-sellable quantity for an item/location (i.e. sum of inv_status_qty.qty for an		
customer_resv			ITEM_LOC_SOH	CUSTOMER_RESV	NUMBER	12,4	This will hold the number of units being reserved for customer orders.		
customer_backorder			ITEM_LOC_SOH	CUSTOMER_BACKORDER	NUMBER	12,4	This will hold the number of units held for customer back orders.		
pack_comp_cust_resv			ITEM_LOC_SOH	PACK_COMP_CUST_RESV	NUMBER	12,4	This will hold the number of packs being reserved for customer orders.		
pack_comp_cust_back			ITEM_LOC_SOH	PACK_COMP_CUST_BACK	NUMBER	12,4	This will hold the number of packs held for customer back orders.		

Mapping and Simple Transformation Document

Related Mapping (copy from related mapping)

Mapping Name
RMS Available to
Promise Add or Modify

Mapping Participants	
Application	RMS
Type	ATPDesc.dtd

XML Tag Name	Included Mapping	Cardinality of included mapping	Table Name	Column Name	Data Type	Length	Permissible values and descriptions	Keys (pk)	Required? (yes/no)
create_datetime			ITEM_LOC_SOH	CREATE_DATETIME	DATE		Date/time stamp of when the record was created. This date/time will be used in export processing.		
last_update_datetime			ITEM_LOC_SOH	LAST_UPDATE_DATETIME	DATE		holds the date time stamp of the most recent update by the last_update_id. This field is		
last_update_id			ITEM_LOC_SOH	LAST_UPDATE_ID	VARCHAR2	30	holds the Oracle user id of the user who most recently updated this record. This field is required		