



Application Name: Oracle Financials	Version: 10.3	DTD or Node Name: TermsDesc.dtd
--	----------------------	--

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
discdays	external program		number	3		Yes	
due_days	external program		number	3		Yes	
enabled_flag	external program		varchar2	1		Yes	
end_date_active	external program		date				
percent	external program		number	12		Yes	
start_date_active	external program		date				
terms	external program		varchar2	15		Yes	
terms_code	external program		varchar2	50		Yes	
terms_desc	external program		varchar2	240		Yes	



Application Name: Retek Customer Order Managem	Version: 10.3	DTD or Node Name: ASNOutCtn
---	----------------------	------------------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dl_comment	coe_ship_requests	ship_confirmed_dates	Date				
order_uda10	** Not Stored but, RCOM						
order_uda9	coe_warehouses	physical_warehouse	Number	10			
ship_date	coe_ship_requests	estimated_arrival_dates	Date				



Application Name: Retek Customer Order Managem	Version: 10.3	DTD or Node Name: ASNOutDesc.dtd
---	----------------------	---

ASN Out Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
asn_nbr	ship_containers	rma_number	varchar2	20			
asn_type	coe_ship_containers	tracking_number	varchar2	80			
from_location	coe_ship_containers	actual_weight	Number				
to_location	coe_ship_containers	ship_container_number	Number	15			



Application Name: Retek Customer Order Managem	Version: 10.3	DTD or Node Name: ATPDesc.dtd
--	---------------	-------------------------------

ATP Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
customer_backorder	coe_item_onhand_quantit	backordered_quantity	Number	9			
customer_resv	coe_item_onhand_quantit	order_reserved_quantity	Number	9			
item	coe_master_items	display_code	varchar2	25			
loc	coe_warehouses/cad_sto	display_code	varchar2	10			
loc_type	**Not Stored only used for						
non_sellable_qty	coe_item_onhand_quantit	onhand_quantity	Number	9			
pack_comp_cust_resv	coe_item_onhand_quantit	order_reserved_quantity	Number	9			
pack_comp_resv	coe_item_onhand_quantit	pack_comp_onhand_quantit	Number	9			
pack_comp_soh	coe_item_onhand_quantit	pack_comp_onhand_quantit	Number	9			
rtv_qty	coe_item_onhand_quantit	onhand_quantity	Number	9			
stock_on_hand	coe_item_onhand_quantit	onhand_quantity	Number	9			
tsf_reserved_qty	coe_item_onhand_quantit	onhand_quantity	Number	9			

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: BannerDesc.dtd****Banner Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
banner_id	cad_banner_a	display_code	varchar2	12		Yes	
banner_name	cad_banner_a	banner_name	varchar2	20		Yes	

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: BannerRef.dtd****Banner Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
banner_id	cad_banner_a	display_code	varchar2	12		Yes	

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: ChannelDesc.dtd****Channel Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
banner_id	cad_banners.display_cod		varchar2	12			
channel_id	cad_channels.display_co		varchar2	12			
channel_name	cad_channels.channel_na		varchar2	40			
channel_type	cad_channels.channel_ty		varchar2	6			

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: ChannelRef.dtd****Channel Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
channel_id	cad_channels.display_co	display_code	varchar2	12		Yes	

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: CodeDtIDesc.dtd****Codes Detail Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
code	coe_ship_container_lines	requested_quantity	number	3		Yes	
code_desc	coe_order_lines	unit_tax_percent	number			Yes	
code_seq						No	
code_type	coe_ship_request	ship_request_id	number	10		Yes	
required_ind						No	



Application Name: Retek Customer Order Managem	Version: 10.3	DTD or Node Name: COResDesc.dtd
---	----------------------	--

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
direct_ship_ind		direct_ship_flag	varchar2	1			
item	COE_MASTER_ITEMS	DISPLAY_CODE	VARCHAR2	25			
reserved_quantity	COE_ORDER_LINES	ORDERED_QUANTITY	NUMBER	9			
ship_date		shipped_date	date				
supplier		direct_ship_supplier	number	10			
wh	COE_WAREHOUSES	DISPLAY_CODE	VARCHAR2	12			

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: CustRetDesc.dtd****Customer Return Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
rma_nbr	coe_ship_containers	rma_nbr	varchar2	20		Yes	

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: CustRetItem**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item_id	coe_master_items	item_number	varchar2	25		Yes	

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: DffGrpHdrDesc.dtd****Differentiator Groups Header**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_group_desc	coe_diff_group	diff_group_desc	VARCHAR2	40		Yes	
diff_group_id	coe_diff_group	display_code	VARCHAR2	12		Yes	
diff_group_type	coe_diff_group	diff_type	VARCHAR2	6		Yes	



Application Name: Retek Customer Order Managem	Version: 10.3	DTD or Node Name: DiffDesc.dtd
---	----------------------	---------------------------------------

Differentiator Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_desc	coe_differentiators	diff_desc	VARCHAR2	30		Yes	
diff_id	coe_differentiators	display_code	VARCHAR2	10		Yes	
diff_type	coe_differentiators	diff_type	VARCHAR2	6		Yes	
industry_code	coe_differentiators	industry_code	VARCHAR2	10		No	
industry_subcode	coe_differentiators	industry_subgroup	VARCHAR2	10		No	

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: DiffGrpDtlDesc.dtd****Differentiator Groups Detail D**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_group_id	coe_diff_group_detail	display_code	VARCHAR2	12		Yes	
diff_id	coe_differentiators	diff_id	VARCHAR2	12		Yes	
display_seq	coe_diff_group_detail	sort_order	NUMBER	6		Yes	

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: DiffGrpDtlRef.dtd****Differentiator Groups Detail R**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_group_id	coe_diff_group_detail	display_code	VARCHAR2	10		Yes	
diff_id	coe_diff_group_detail	diff_id	VARCHAR2	10		Yes	



Application Name: Retek Customer Order Managem	Version: 10.3	DTD or Node Name: DiffGrpRef.dtd
---	----------------------	---

Differentiator Groups Referen

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_group_id	coe_diff_group	display_code	VARCHAR2	12		Yes	

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: DiffRef.dtd****Differentiator Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_id	coe_differentiators	display_code	VARCHAR2	10		Yes	

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: ItemDesc.dtd****Item Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
bill_address_desc							
bill_address1							
ship_country_id							
ship_zip							

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: ItemImageDesc.dtd****Item Image Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
image_addr	coe_item_images	image_path	varchar2	255			
image_name	coe_item_images	image_name	varchar2	64			
item	coe_master_item	item_number	Number	25			

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: ItemImageRef.dtd****Item Image Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
image_name	coe_item_images	image_name	varchar2	64			
item	coe_master_item	item_number	Number	25			



Application Name: Retek Customer Order Managem	Version: 10.3	DTD or Node Name: PendRtrnDesc.dtd
---	----------------------	---

Pending Return Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
creation_date	coe_orders	creation_date	Date			Yes	
PendRtrnDtlDesc		PendRtrnDtlDesc					
physical_wh	coe_warehouses		Number	10	PK	Yes	
return_order_number	coe_orders	return_order_number	Varchar2	20	PK		
rma_nbr	coe_ship_containers	rma_nbr	Varchar2	20	PK	Yes	



Application Name: Retek Customer Order Managem	Version: 10.3	DTD or Node Name: PendRtrnDtlDesc
---	----------------------	--

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	coe_master_items	display_code	Varchar2	25	Yes	Yes	
ordered_quantity	coe_order_lines	ordered_quantity	Number	9		Yes	
physical_wh	coe_warehouses		number	10	Yes	Yes	
return_order_number	coe_orders	return_order_number	Varchar2	20	Yes	Yes	
rma_nbr	coe_ship_containers	rma_nbr	Varchar2	20	Yes	Yes	

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: PendRtrnDtlRef.dtd****Pending Return Detail Refere**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	coe_master_items	display_code	Varchar2	25	Yes	Yes	
physical_wh	coe_warehouses		number	10	Yes	Yes	
return_order_number	coe_orders	return_order_number	Varchar2	20	Yes	Yes	
rma_nbr	coe_ship_containers	rma_nbr	Varchar2	20	Yes	Yes	

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: PendRtrnRef.dtd****Pending Return Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
physical_wh	coe_warehouses		Number	10	PK	Yes	
return_order_number	coe_orders	return_order_number	Varchar2	20	PK		
rma_nbr	coe_ship_containers	rma_nbr	Varchar2	20	PK	Yes	

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: VendorAddrDesc.dtd****Vendor Address Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
add_1	coe_company_addresses	state	varchar2	60			
add_2	coe_company_addresses	country_code	varchar2	12			
add_3	coe_company_addresses	postal_code	varchar2	20			
addr_type	coe_company_addresses	address_line_3	varchar2	64			
city	coe_company_addresses	attention	varchar2	60			
key_value_1	coe_company_addresses	primary_flag	number	1			
key_value_2	coe_company_addresses	street_address	varchar2	64			
module	coe_company_addresses	address_type_code	varchar2	12			
post	coe_company_addresses	address_fax	varchar2	30			
primary_addr_ind	coe_company_addresses	city	varchar2	60			
seq_no	coe_company_addresses	address_line_2	varchar2	64			
state	coe_company_addresses	address_telephone	varchar2	30			

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: VendorHdrDesc.dtd****Vendor Header Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
edi_asn	coe_item_vendors	edi_enabled_flag	number	1			
edi_contract_ind	coe_item_vendors	edi_enabled_flag	number	1			
edi_invc_ind	coe_item_vendors	edi_enabled_flag	number	1			
edi_po_chg	coe_item_vendors	edi_enabled_flag	number	1			
edi_po_confirm	coe_item_vendors	edi_enabled_flag	number	1			
edi_po_ind	coe_item_vendors	edi_enabled_flag	number	1			
edi_supp_available_ind	coe_item_vendors	edi_enabled_flag	number	1			
sup_name	coe_item_vendors	description	varchar2	80			
sup_status	coe_item_vendors	inactive_flag	number	1			
supplier	coe_item_vendors	display_code	varchar2	12			

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: WHDesc.dtd****Warehouses Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
country_id	coe_warehouses	physical_wh	number	10			
county	coe_warehouses	channel_id	number	15			
state	coe_warehouses	base_currency_code	varchar2	12			
wh	coe_company_addresses	city	varchar2	60			
wh_add1	coe_company_addresses	country_code	varchar2	12			
wh_add2	coe_company_addresses	postal_code	varchar2	20			
wh_city	Not Stored - Only need vir						
wh_name	coe_company_addresses	state	varchar2	60			

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: CodeDtlRef.dtd****Codes Detail Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
code						Yes	
code_type						Yes	

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: DiffTypeDesc.dtd****Diff Type Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_type						Yes	
diff_type_desc						Yes	

**Application Name: Retek Customer Order Managem****Version: 10.3****DTD or Node Name: DiffTypeRef.dtd****Diff Type Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
----------	------------	-------------	-----------	--------	------	-----	-------------

diff_type

Yes

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: AllocDtl****Allocation Detail**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
AllocDtlTckt							
priority	STOCK_ALLOCATION.P	STOCK_ALLOCATION.PRI	NUMBER	4			
selling_uom	STOCK_ALLOCATION.S	STOCK_ALLOCATION.SEL	VARCHAR2	4			
store_ord_mult	STOCK_ALLOCATION.S	STOCK_ALLOCATION.STO	VARCHAR2	1		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: AppointDesc.dtd****Appointment Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
AppointDtl		AppointDtl					
appt_action_status	APPT_HEADER_TO_UP	appt_action_status	varchar2	2		Yes	
appt_nbr	APPT_HEADER_TO_UP	appt_nbr	number	9		Yes	
appt_start_ts	APPT_HEADER_TO_UP	appt_start_ts	date			Yes	
from_location	TRANSSHIPMENT_SET	dc_dest_id	varchar2	10		Yes	
to_location			varchar2	10		Yes	



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: AppointDtl
--	----------------------	-------------------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
asn_nbr	APPT_DETAIL_TO_UPL	asn_nbr	varchar2	30		No	
document_type	APPT_DETAIL_TO_UPL	document_type	varchar2	1		Yes	
item_id	APPT_DETAIL_TO_UPL	item_id	varchar2	25		Yes	
po_nbr	APPT_DETAIL_TO_UPL	po_nbr	varchar2	10		Yes	
unit_qty	APPT_DETAIL_TO_UPL	unit_qty	number	12,4		No	



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: AppointDtlRef
--	----------------------	--

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
asn_nbr		asn_nbr	varchar2	30		No	
item_id		item_id	varchar2	25		Yes	
po_nbr		po_nbr	varchar2	10		Yes	



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: AppointRef.dtd
--	----------------------	---

Appointment Reference

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
AppointDtlRef		AppointDtlRef					



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: ASNInCtn
--	----------------------	-----------------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
ASNInItem		ASNInItem					
container_cube	CONTAINER	container_cube	NUMBER	12,2			
container_height	CONTAINER	container_height	NUMBER	6,2			
container_id	CONTAINER	container_id	VARCHAR2	20		Yes	
container_length	CONTAINER	container_length	NUMBER	6,2			
container_weight	CONTAINER	container_weight	NUMBER	7,3			
container_width	CONTAINER	container_width	NUMBER	6,2			
expedite_flag	CONTAINER	expedite_flag	VARCHAR2	1			
final_location	CONTAINER	DEST_ID	VARCHAR2	10		No	
freight_charge	CONTAINER	freight_charge	NUMBER	8,2			
in_store_date	CONTAINER	in_store_date	DATE				
master_container_id	CONTAINER	master_container_id	VARCHAR2	20			
rma_nbr	CONTAINER	rma_nbr	VARCHAR2	20			
tracking_nbr	CONTAINER	tracking_id	VARCHAR2	25			



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: ASNInDesc.dtd
---	---------------	---------------------------------

ASN Inbound Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
asn_nbr	asn_upload	asn_nbr	varchar2	30		Yes	
asn_type	asn_upload	asn_type	varchar2	1			
ASNInPO		ASNInPO					
bol_nbr	asn_upload	bol_nbr	varchar2	17			
carrier_code			varchar2	4			
container_qty	asn_upload	container_qty	number	6			
est_arr_date			date				
from_location	transshipment_setup	dc_dest_id	varchar2	10			
seal_nbr			varchar2	12			
ship_address1			varchar2	30			
ship_address2			varchar2	30			
ship_address3			varchar2	30			
ship_address4			varchar2	30			
ship_address5			varchar2	30			
ship_city			varchar2	30			
ship_country_id			varchar2				
ship_pay_method			varchar2	2		No	
ship_state			varchar2	3			
ship_zip			varchar2	10			
shipment_date			date				
to_location	transshipment_setup	dc_dest_id	varchar2	10		Yes	
trailer_nbr			varchar2	12			
vendor_nbr	asn_upload	vendor_nbr	varchar2	10			



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: ASNInItem
--	----------------------	------------------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
container_qty	asn	container_qty	number	6		No	
distro_doc_type		distro_doc_type	varchar2	1		No	
distro_nbr	asn_item	distro_nbr	varchar2	10		No	
final_location	container_item	dest_id	varchar2	10		No	
item_id	asn_item	item_id	varchar2	25		Yes	
lot_nbr		lot_nbr	varchar2	12		No	
order_line_nbr		order_line_nbr	number	3		No	
priority_level	container_item	priority_level	number	1		No	
ref_item		ref_item	varchar2	25		No	
unit_qty	asn_item	unit_qty	number	12,4		No	
vpn		vpn	varchar2	30		No	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: ASNInPO****ASN Inbound Purchase Order**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
ASNInCtn		ASNInCtn					
ASNInItem		ASnInItem					
doc_type	PO	DOC_TYPE	VARCHAR2	1		Yes	
not_after_date	PO	deliv_not_after_date					
po_nbr	ASN_ITEM	PO_NBR	VARCHAR2	10		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: ASNInRef.dtd****ASN Inbound Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
asn_nbr	Calculated	asn_nbr	varchar2	30			
from_location	transshipment_setup	dc_dest_id	varchar2	10			
to_location	Manifest	dest_id	varchar2	10			



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: ASNOutCtn
---	---------------	-----------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
ASNOutItem		ASNOutItem					
container_cube	CONTAINER	container_cube	number	12,2		No	
container_height	CONTAINER	container_height	number	6,2		No	
container_id	CONTAINER	container_id	varchar2	20		Yes	
container_length	CONTAINER	container_length	number	6,2		No	
container_weight	CONTAINER	container_weight	number	7,3		No	
container_width	CONTAINER	container_width	number	6,2		No	
expedite_flag	CONTAINER	expedite_flag	varchar2	1		No	
final_location	CONTAINER	dest_id	varchar2	10		No	
freight_charge		freight_charge	number	8,2		No	
in_store_date	CONTAINER	in_store_date	date			No	
master_container_id	CONTAINER	master_container_id	varchar2	20		No	
rma_nbr	CONTAINER	rma_nbr	varchar2	20		No	
tracking_nbr		tracking_nbr	varchar2	25		No	



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: ASNOutDesc.dtd
---	---------------	----------------------------------

ASN Out Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
asn_nbr	computed		varchar2	30		No	
asn_type	calculated		varchar2	1		No	
ASNOutDistro		ASNOutDistro					
bol_nbr	bol_to_upload	bol_nbr	varchar2	17		Yes	
carrier_code	trailer	carrier_code	varchar2	4		Yes	
container_qty	computed		number	6		No	
est_arr_date			date			No	
from_location	transshipment_setup	dc_dest_id	varchar2	10		Yes	
seal_nbr	manifest	seal_nbr	varchar2	12		No	
ship_address1	ship_dest	address1	varchar2	30		No	
ship_address2	ship_dest	address2	varchar2	30		No	
ship_address3			varchar2	30		No	
ship_address4			varchar2	30		No	
ship_address5			varchar2	30		No	
ship_city	ship_dest	city	varchar2	25		No	
ship_country_id			varchar2	3		No	
ship_state	ship_dest	state	varchar2	3		No	
ship_zip	ship_dest	zip	varchar2	10		No	
shipment_date	manifest	ship_ts	date			No	
to_location	ship_dest	dest_id	varchar2	10		Yes	
trailer_nbr	manifest	trailer_id	varchar2	12		Yes	
transshipment_nbr	manifest	transshipment_nbr	varchar2	30		No	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: ASNOutDistro**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
ASNOutCtn		ASNOutCtn					
consumer_direct	STOCK_ORDER	CONSUMER_DIRECT	VARCHAR2	1		No	
customer_order_nbr	STOCK_ORDER	CUST_ORDER_NBR	VARCHAR2	10		Yes	
distro_doc_type	STOCK_ORDER	DOCUMENT_TYPE	VARCHAR2	1		Yes	
distro_nbr	CONTAINER_ITEM	DISTRO_NBR	VARCHAR2	10		Yes	



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: ASNOutItem
--	----------------------	-------------------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
container_qty	Computed		number	6		No	
final_location			varchar2	10		No	
from_disposition			varchar2	4		No	
item_id	CONTAINER_ITEM	item_id	varchar2	25		Yes	
lot_nbr	CONTAINER	lot_nbr	varchar2	12		No	
order_line_nbr			number	3		No	
priority_level	CONTAINER_ITEM	priority_level	number	1		No	
to_disposition			varchar2	4		No	
unit_qty	CONTAINER_ITEM	unit_qty	number	12,4		Yes	
voucher_expiration_date			date			No	
voucher_number			varchar2	16		No	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: CustRetDesc.dtd****Customer Return Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
comments	RETURNS_UPLOAD	COMMENTS	VARCHAR2	300			
CustRetItem		CustReturnItemDesc					
from_location	TRANSSHIPMENT_SET	DC_DEST_ID	VARCHAR2	10	PK	Yes	
pro_nbr	RETURNS_UPLOAD	PRO_NBR	VARCHAR2	18		Yes	
rma_nbr	RETURNS_UPLOAD	RMA_NBR	VARCHAR2	20	PK	Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: CustRetItem**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
CustRetItemQty		CustRetItemQty					
item_id	RETURNS_UPLOAD	ITEM_ID	VARCHAR2	25	PK	Yes	



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: CustRetItemQty
--	----------------------	---

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
CustRetItemQtyDtl		CustRetItemQtyDtl					
from_disposition	returns_upload	from_disposition	varchar2	4			
from_wip	returns_upload	from_wip_code	varchar2	6			
saleable	returns_upload	saleable	varchar2	1			
to_disposition	returns_upload	to_disposition	varchar2	4			
to_wip	returns_upload	to_wip_code	varchar2	6			
unit_qty	returns_upload	unit_qty	number	12,4			



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: CustRetItemQtyDtl
--	----------------------	--

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
action_code	RETURNS_UPLOAD	ACTION_CODE	VARCHAR2	6			
reason_code	RETURNS_UPLOAD	REASON_CODE	VARCHAR2	6			
replace_unit_qty	RETURNS_UPLOAD	REPLACE_UNIT_QTY	NUMBER	12,4			
replacement_item	RETURNS_UPLOAD	REPLACEMENT_ITEM	VARCHAR2	25			
unit_qty	RETURNS_UPLOAD	UNIT_QTY	NUMBER	12,4	PK	Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: DffGrpHdrDesc.dtd****Differentiator Groups Header**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_group_desc	DIFFERENTIATOR_GRO	DIFF_GROUP_DESC	VARCHAR2	40		Yes	
diff_group_id	DIFFERENTIATOR_GRO	DIFF_GROUP_ID	VARCHAR2	10		Yes	
diff_group_type	DIFFERENTIATOR_GRO	DIFF_GROUP_TYPE	VARCHAR2	6		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: DiffDesc.dtd****Differentiator Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_desc	DIFFERENTIATOR.DIFF	DIFFERENTIATOR.DIFF_D	VARCHAR2	30		Yes	
diff_id	DIFFERENTIATOR.DIFF	DIFFERENTIATOR.DIFF_ID	VARCHAR2	10		Yes	
diff_type	DIFFERENTIATOR.DIFF	DIFFERENTIATOR.DIFF_T	VARCHAR2	6		Yes	
industry_code						No	
industry_subcode						No	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: DiffGrpDtlDesc.dtd****Differentiator Groups Detail D**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_group_id	DIFF_GROUP_DETAILS.	DIFF_GROUP_DETAILS.DI	VARCHAR2	10		Yes	
diff_id	DIFF_GROUP_DETAILS.	DIFF_GROUP_DETAILS.DI	VARCHAR2	10		Yes	
display_seq							



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: DiffGrpDtlRef.dtd
--	----------------------	--

Differentiator Groups Detail R

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_group_id	DIFF_GROUP_DETAILS.	DIFF_GROUP_DETAILS.DI	VARCHAR2	10		Yes	
diff_id	DIFF_GROUP_DETAILS.	DIFF_GROUP_DETAILS.DI	VARCHAR2	10		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: DiffGrpRef.dtd****Differentiator Groups Referen**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_group_id	DIFFERENTIATOR_GRO	DIFFERENTIATOR_GROU	VARCHAR2	10		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: DiffRef.dtd****Differentiator Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_id	DIFFERENTIATOR.DIFF	DIFFERENTIATOR.DIFF_ID	VARCHAR2	10		Yes	



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: InvAdjustDesc.dtd
--	----------------------	--

Inventory Adjustments Descri

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dc_dest_id		dc_dest_id	VARCHAR2	10		Yes	
InvAdjustDtl		InvAdjustDtl					



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: InvAdjustDtl
---	---------------	--------------------------------

Inventory Adjustment Detail

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
adjustment_reason_code	INV_ADJUSTMENT_TO_	adjustment_reason_code	VARCHAR2	2			
aux_reason_code	INV_ADJUSTMENT_TO_	aux_reason_code	VARCHAR2	4			
create_date	INV_ADJUSTMENT_TO_	create_date	DATE				
doc_type	PO	doc_type	VARCHAR2	1		Yes	
from_disposition	INV_ADJUSTMENT_TO_	from_disposition	VARCHAR2	4			
from_trouble_code	INV_ADJUSTMENT_TO_	from_trouble_code	VARCHAR2	2			
from_wip_code	INV_ADJUSTMENT_TO_	from_wip_code	VARCHAR2	6			
item_id	INV_ADJUSTMENT_TO_	item_id	VARCHAR2	25		Yes	
po_nbr	INV_ADJUSTMENT_TO_	po_nbr	VARCHAR2	10			
to_disposition	INV_ADJUSTMENT_TO_	to_disposition	VARCHAR2	4			
to_trouble_code	INV_ADJUSTMENT_TO_	to_trouble_code	VARCHAR2	2			
to_wip_code	INV_ADJUSTMENT_TO_	to_wip_code	VARCHAR2	6			
transaction_code	INV_ADJUSTMENT_TO_	transaction_code	NUMBER	4			
transshipment_nbr	INV_ADJUSTMENT_TO_	transshipment_nbr	VARCHAR2	30			
unit_qty	INV_ADJUSTMENT_TO_	unit_qty	NUMBER	12,4			
user_id	INV_ADJUSTMENT_TO_	user_id	VARCHAR2	10			



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: ISCDimDesc.dtd
---	---------------	----------------------------------

Item Supplier Country dims

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dim_object	ITEM_SUPP_COUNTRY	ITEM_SUPP_COUNTRY_DI	VARCHAR2	6		Yes	
height	ITEM_SUPP_COUNTRY	ITEM_SUPP_COUNTRY_DI	NUMBER	12,4			
item	ITEM_SUPP_COUNTRY	ITEM_SUPP_COUNTRY_DI	VARCHAR2	25		Yes	
length	ITEM_SUPP_COUNTRY	ITEM_SUPP_COUNTRY_DI	NUMBER	12,4			
liquid_volume	ITEM_SUPP_COUNTRY	LIQUID_VOLUME	NUMBER	12,4			
liquid_volume_uom	ITEM_SUPP_COUNTRY	LIQUID_VOLUME_UOM	VARCHAR2	4			
lwh_uom	ITEM_SUPP_COUNTRY	LWH_UOM	VARCHAR2	4			
method_desc							
net_weight							
object_desc	ITEM_SUPP_COUNTRY	ITEM_SUPP_COUNTRY_DI	VARCHAR2	40			
origin_country	ITEM_SUPP_COUNTRY	ITEM_SUPP_COUNTRY_DI	VARCHAR2	3		Yes	
presentation_method							
stat_cube							
supplier	ITEM_SUPP_COUNTRY	ITEM_SUPP_COUNTRY_DI	VARCHAR2	10		Yes	
tare_type	ITEM_SUPP_COUNTRY	TARE_TYPE	VARCHAR2	6			
tare_weight	ITEM_SUPP_COUNTRY	TARE_WEIGHT	NUMBER	12,4			
weight	ITEM_SUPP_COUNTRY	ITEM_SUPP_COUNTRY_DI	NUMBER	12,4			
weight_uom	ITEM_SUPP_COUNTRY	WEIGHT_UOM	VARCHAR2	4			
width	ITEM_SUPP_COUNTRY	ITEM_SUPP_COUNTRY_DI	NUMBER	12,4			



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: ISCDimRef.dtd
--	----------------------	--

Item Supplier Country dimens

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dim_object	ITEM_SUPPLIER_COUN	DIM_OBJECT	VARCHAR2	6		Yes	
item	ITEM_SUPPLIER_COUN	ITEM_ID	VARCHAR2	25		Yes	
origin_country	ITEM_SUPPLIER_COUN	ORIGIN_COUNTRY_ID	VARCHAR2	3		Yes	
supplier							

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: ItemBOMDesc.dtd****Item BOM Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	BILL_OF_MATERIALS.C	BILL_OF_MATERIALS.COM	VARCHAR2	25		Yes	
pack_no	BILL_OF_MATERIALS.M	BILL_OF_MATERIALS.MAS	VARCHAR2	25		Yes	
pack_qty	BILL_OF_MATERIALS.U	BILL_OF_MATERIALS.UNIT	NUMBER	12,4			

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: ItemBOMRef.dtd****Item BOM Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	BILL_OF_MATERIALS.C	BILL_OF_MATERIALS.COM	VARCHAR2	25		Yes	
pack_no	BILL_OF_MATERIALS.M	BILL_OF_MATERIALS.MAS	VARCHAR2	25		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: ItemDesc.dtd****Item Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
inner_pack_size			number				



Application Name: Retek Distribution Management

Version: 10.3

DTD or Node Name: ItemHdrDesc.dtd

Item Header Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
autopackable	ITEM_MASTER.AUTOPA	ITEM_MASTER.AUTOPAC	NUMBER	8			
brand	ITEM_MASTER.BRAND	ITEM_MASTER.BRAND	VARCHAR2	10			
break_case_ups	ITEM_MASTER.BREAK_	ITEM_MASTER.BREAK_CA	VARCHAR2	4			
catch_weight_ind	ITEM_MASTER.CATCH_	ITEM_MASTER.CATCH_W	VARCHAR2	1			
class	ITEM_MASTER	CLASS	VARCHAR2	7			
class_name							
color	ITEM_MASTER.COLOR	ITEM_MASTER.COLOR	VARCHAR2	24			
comments							
const_dimen_ind							
container_type	ITEM_MASTER.CONTAI	ITEM_MASTER.CONTAINE	VARCHAR2	6			
contains_inner_ind							
conveyable_flag	ITEM_MASTER.CONVE	ITEM_MASTER.CONVEYA	CHAR	1			
cost_zone_group_id							
default_waste_pct							
dept	ITEM_MASTER	DEPARTMENT	NUMBER	4			
dept_name							
desc_up							
diff_1	ITEM_DIFFERENTIATOR	DIFF_ID	VARCHAR2	10			
diff_1_type	ITEM_DIFFERENTIATOR	DIFF_TYPE	VARCHAR2	6			
diff_2	ITEM_DIFFERENTIATOR	DIFF_ID	VARCHAR2	10			
diff_2_type	ITEM_DIFFERENTIATOR	DIFF_TYPE	VARCHAR2	6			
diff_3	ITEM_DIFFERENTIATOR	DIFF_ID	VARCHAR2	10			
diff_3_type	ITEM_DIFFERENTIATOR	DIFF_TYPE	VARCHAR2	6			



Application Name: Retek Distribution Management

Version: 10.3

DTD or Node Name: ItemHdrDesc.dtd

Item Header Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_4	ITEM_DIFFERENTIATOR	DIFF_ID	VARCHAR2	10			
diff_4_type	ITEM_DIFFERENTIATOR	DIFF_TYPE	VARCHAR2	6			
division	ITEM_MASTER.DIVISIO	ITEM_MASTER.DIVISION	NUMBER	4			
expiration_days	item_master	expiration_days	number	4		No	
fit	ITEM_MASTER.FIT	ITEM_MASTER.FIT	VARCHAR2	6			
forecast_ind							
format_id							
fragile	ITEM_MASTER.FRAGIL	ITEM_MASTER.FRAGILE	VARCHAR2	1			
freight_class	ITEM_MASTER.FREIGH	ITEM_MASTER.FREIGHT_	VARCHAR2	4			
gift_wrap_ind							
handling_sensitivity							
handling_temp							
handling_temp_desc							
hazard_matl_code	ITEM_MASTER.HAZARD	ITEM_MASTER.HAZARD_M	VARCHAR2	6			
high_value_ind	ITEM_MASTER.HIGH_V	ITEM_MASTER.HIGH_VAL	CHAR	1			
item	ITEM_MASTER	ITEM_ID	VARCHAR2	25		Yes	
item_cube	item_master	item_cube	number	12,4		No	
item_desc	ITEM_MASTER	DESCRIPTION	VARCHAR2	60		Yes	
item_grandparent							
item_height	item_master	item_height	number	12,4		No	
item_length	item_master	item_length	number	12,4		No	
item_level							
item_master_uda1	ITEM_MASTER.ITEM_M	ITEM_MASTER.ITEM_MAS	VARCHAR2	20			



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: ItemHdrDesc.dtd
--	----------------------	--

Item Header Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item_master_uda10	ITEM_MASTER.ITEM_M	ITEM_MASTER.ITEM_MAS	VARCHAR2	20			
item_master_uda11	ITEM_MASTER.ITEM_M	ITEM_MASTER.ITEM_MAS	VARCHAR2	20			
item_master_uda12	ITEM_MASTER.ITEM_M	ITEM_MASTER.ITEM_MAS	VARCHAR2	20			
item_master_uda13	ITEM_MASTER.ITEM_M	ITEM_MASTER.ITEM_MAS	VARCHAR2	20			
item_master_uda14	ITEM_MASTER.ITEM_M	ITEM_MASTER.ITEM_MAS	VARCHAR2	20			
item_master_uda15	ITEM_MASTER.ITEM_M	ITEM_MASTER.ITEM_MAS	VARCHAR2	20			
item_master_uda2	ITEM_MASTER.ITEM_M	ITEM_MASTER.ITEM_MAS	VARCHAR2	20			
item_master_uda3	ITEM_MASTER.ITEM_M	ITEM_MASTER.ITEM_MAS	VARCHAR2	20			
item_master_uda4	ITEM_MASTER.ITEM_M	ITEM_MASTER.ITEM_MAS	VARCHAR2	20			
item_master_uda5	ITEM_MASTER.ITEM_M	ITEM_MASTER.ITEM_MAS	VARCHAR2	20			
item_master_uda6	ITEM_MASTER.ITEM_M	ITEM_MASTER.ITEM_MAS	VARCHAR2	20			
item_master_uda7	ITEM_MASTER.ITEM_M	ITEM_MASTER.ITEM_MAS	VARCHAR2	20			
item_master_uda8	ITEM_MASTER.ITEM_M	ITEM_MASTER.ITEM_MAS	VARCHAR2	20			
item_master_uda9	ITEM_MASTER.ITEM_M	ITEM_MASTER.ITEM_MAS	VARCHAR2	20			
item_parent							
item_service_level							
item_type	item_master	item_type	varchar2	4		No	
item_weight	item_master	item_weight	number	12,4		No	
item_width	item_master	item_width	number	12,4		No	
kitting_wip_code	item_master	kitting_wip_code	varchar2	6		No	
merchandise_ind							
mfg_rec_retail	ITEM_MASTER.RETAIL_	ITEM_MASTER.RETAIL_PR	NUMBER	20, 4			
new_item	ITEM_MASTER.NEW_IT	ITEM_MASTER.NEW_ITEM	VARCHAR2	1			



Application Name: Retek Distribution Management

Version: 10.3

DTD or Node Name: ItemHdrDesc.dtd

Item Header Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
order_as_type							
orderable_ind							
pack_ind							
pack_type							
package_size							
package_uom							
perishable_ind	ITEM_MASTER.PERISH	ITEM_MASTER.PERISHAB	VARCHAR2	1			
planned_residual	ITEM_MASTER.PLANNE	ITEM_MASTER.PLANNED_	VARCHAR2	1			
prefix							
preticket_flag	ITEM_MASTER.PRETIC	ITEM_MASTER.PRETICKE	VARCHAR2	1			
primary_ref_item_ind							
putaway_by_volume	item_master	putaway_by_volume	vchar2	1		No	
putaway_plan	item_master	putaway_plan	vchar2	6		No	
retail_label_type							
retail_label_type_desc							
retail_label_value	ITEM_MASTER	RETAIL_PRICE	NUMBER	20,4			
retail_zone_group_id							
rigid	ITEM_MASTER.RIGID	ITEM_MASTER.RIGID	VARCHAR2	1			
roundable_flag	ITEM_MASTER.ROUND	ITEM_MASTER.ROUNDAB	VARCHAR2	1			
sellable_ind							
shade	ITEM_MASTER.SHADE	ITEM_MASTER.SHADE	VARCHAR2	6			
ship_alone	ITEM_MASTER.SHIP_AL	ITEM_MASTER.SHIP_ALO	VARCHAR2	1			
ship_alone_ind	ITEM_MASTER	SHIP_ALONE	VARCHAR2	1			



Application Name: Retek Distribution Management

Version: 10.3

DTD or Node Name: ItemHdrDesc.dtd

Item Header Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
short_desc							
simple_pack_ind							
single_contain_bulk	ITEM_MASTER.SINGLE	ITEM_MASTER.SINGLE_C	VARCHAR2	1			
single_price_flag	ITEM_MASTER.SINGLE	ITEM_MASTER.SINGLE_P	VARCHAR2	1			
size1	ITEM_MASTER.SIZE1	ITEM_MASTER.SIZE1	VARCHAR2	6			
sku_optimization	item_master	sku_optimization	varchar2	1		No	
slottable	ITEM_MASTER.SLOTTA	ITEM_MASTER.SLOTTABL	VARCHAR2	1			
sortable	ITEM_MASTER.SORTAB	ITEM_MASTER.SORTABLE	VARCHAR2	1			
sorter_group	item_master	sorter_group	varchar2	6		No	
standard_uom	ITEM_MASTER.STANDA	ITEM_MASTER.STANDAR	VARCHAR2	4		Yes	
status							
std_unit_factor	item_master	std_unit_factor	number	6,2		No	
std_unit_qty	item_master	std_unit_qty	number	12,4		No	
std_unit_weight	ITEM_MASTER.STD_UN	ITEM_MASTER.STD_UNIT_	NUMBER	20,10			
store_ord_mult							
sub_name							
subclass	ITEM_MASTER	SUB_CLASS	VARCHAR2	4			
ticket_type	ITEM_MASTER.TICKET_	ITEM_MASTER.TICKET_TY	VARCHAR2	4			
tran_level							
unit_pick_system_cod	ITEM_MASTER.UNIT_PI	ITEM_MASTER.UNIT_PICK	VARCHAR2	4		Yes	
unit_retail	ITEM_MASTER	RETAIL_PRICE	NUMBER	20,4			
unit_ticket_qty	item_master	unit_ticket_qty	number	3		No	
uom_conv_factor	ITEM_MASTER.UOM_C	ITEM_MASTER.UOM_CON	NUMBER	20,10			



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: ItemHdrDesc.dtd
--	----------------------	--

Item Header Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
velocity	ITEM_MASTER.VELOC	ITEM_MASTER.VELOCITY	NUMBER	2			
vendor_nbr	ITEM_MASTER.VENDO	ITEM_MASTER.VENDOR_	VARCHAR2	10		Yes	
vendor_style	ITEM_MASTER.VENDO	ITEM_MASTER.VENDOR_	VARCHAR2	15			
waste_pct							
waste_type							
waste_type_desc							

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: ItemRef****Item Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	item_master	item_id	varchar2	25		Yes	



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: ItemSupCtyDesc.dtd
---	---------------	--------------------------------------

Item Supplier Country Descrip

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
default_uop							
lead_time	ITEM_SUPP_COUNTRY	LEAD_TIME	NUMBER	4			
max_order_qty							
min_order_qty							
packing_method	ITEM_SUPP_COUNTRY	PACKING_METHOD	VARCHAR2	6			
pickup_lead_time							
round_lvl							
supp_pack_size	ITEM_SUPP_COUNTRY.	ITEM_SUPP_COUNTRY.SU	NUMBER	12,4			
unit_cost			number				



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: ItemSupCtyRef.dtd
--	----------------------	--

Item Supplier Country Refere

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	ITEM_SUPP_COUNTRY.	ITEM_SUPP_COUNTRY.IT	VARCHAR2	25		Yes	
origin_country_id	ITEM_SUPP_COUNTRY.	ITEM_SUPP_COUNTRY.O	VARCHAR2	3		Yes	
supplier	ITEM_SUPP_COUNTRY.	ITEM_SUPP_COUNTRY.VE	VARCHAR2	10		Yes	



Application Name: Retek Distribution Management

Version: 10.3

DTD or Node Name: ItemSupDesc.dtd

Item Supplier Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
case_name	ITEM_SUPPLIER	CASE_NAME	VARCHAR2	6			
consignment_rate							
direct_ship_ind							
inner_name	ITEM_SUPPLIER	INNER_NAME	VARCHAR2	6			
item	ITEM_SUPPLIER.ITEM_I	ITEM_SUPPLIER.ITEM_ID	VARCHAR2	25		Yes	
pallet_name	ITEM_SUPPLIER	PALLET_NAME	VARCHAR2	6			
primary_supp_ind	ITEM_SUPPLIER	PRIMARY_SUPP_IND	VARCHAR2	1			
supp_diff_1							
supp_diff_2							
supp_diff_3							
supp_diff_4							
supp_discontinue_date							
supp_label							
supplier	ITEM_SUPPLIER.VEND	ITEM_SUPPLIER.VENDOR	VARCHAR2	10		Yes	
vpn	ITEM_SUPPLIER.VPN	ITEM_SUPPLIER.VPN	VARCHAR2	30			



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: ItemSupRef.dtd
--	----------------------	---

Item Suppliers Reference

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	ITEM_SUPPLIER.ITEM_I	ITEM_SUPPLIER.ITEM_ID	VARCHAR2	25		Yes	
supplier	ITEM_SUPPLIER.VEND	ITEM_SUPPLIER.VENDOR	VARCHAR2	10		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: ItemUDALovDesc.dtd****Item UDA List of Value Descri**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	ITEM_ATTRIBUTES.ITE	ITEM_ATTRIBUTES.ITEM_I	VARCHAR2	25		Yes	
uda_id	ITEM_ATTRIBUTES.ATT	ITEM_ATTRIBUTES.ATTRI	NUMBER	5		Yes	
uda_value	ITEM_ATTRIBUTES.ATT	ITEM_ATTRIBUTES.ATTRI	VARCHAR2	30		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: ItemUDALOVRef.dtd****Item UDA List of Value Refere**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	ITEM_ATTRIBUTES.ITE	ITEM_ATTRIBUTES.ITEM_I	VARCHAR2	25		Yes	
uda_id	ITEM_ATTRIBUTES.ATT	ITEM_ATTRIBUTES.ATTRI	VARCHAR2	10		Yes	
uda_value	ITEM_ATTRIBUTES.ATT	ITEM_ATTRIBUTES.ATTRI	NUMBER	5		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: ItemUPCDesc.dtd****Item UPC Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
format_id							
item_id	ITEM_UPC.UPC	ITEM_UPC.UPC	VARCHAR2	25		Yes	
item_number_type							
item_parent	ITEM_UPC.ITEM_ID	ITEM_UPC.ITEM_ID	VARCHAR2	25		Yes	
prefix							
primary_ref_item_ind	ITEM_UPC.PRIMARY_U	ITEM_UPC.PRIMARY_UPC	VARCHAR2	1			

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: ItemUPCRef.dtd****Item UPC Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
----------	------------	-------------	-----------	--------	------	-----	-------------

ItemRef



Application Name: Retek Distribution Management

Version: 10.3

DTD or Node Name: LocationDesc.dtd

Location Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
address1	SHIP_DEST	address1	VARCHAR2	30			
address2	SHIP_DEST	address2	VARCHAR2	30			
bol_print_type	SHIP_DEST	bol_print_type	VARCHAR2	4			
bol_upload_type	SHIP_DEST	bol_upload_type	VARCHAR2	4			
city	SHIP_DEST	city	VARCHAR2	25			
contact_person	SHIP_DEST	contact_person	VARCHAR2	20			
container_type	SHIP_DEST	container_type	VARCHAR2	6			
country_code	SHIP_DEST	country_code	VARCHAR2	3			
currency_code	SHIP_DEST	currency_code	VARCHAR2	3			
default_carrier_code	SHIP_DEST	default_carrier_code	VARCHAR2	4			
default_route	SHIP_DEST	default_route	VARCHAR2	10			
default_service_code	SHIP_DEST	default_service_code	VARCHAR2	6			
description	SHIP_DEST	description	VARCHAR2	30			
dest_fax	SHIP_DEST	dest_fax	VARCHAR2	20			
dest_id	SHIP_DEST	dest_id	VARCHAR2	10		Yes	
dest_seq_nbr	SHIP_DEST	dest_seq_nbr	NUMBER	4			
dest_type	SHIP_DEST	dest_type	VARCHAR2	20			
distance_to_dest	SHIP_DEST	distance_to_dest	NUMBER	4			
drop_trailers_accepted	SHIP_DEST	drop_trailers_accepted_flag	VARCHAR2	1			
email_bcc	ship_dest	email_bcc	varchar2	500		No	
email_cc	ship_dest	email_cc	varchar2	500		No	
email_to	ship_dest	email_to	varchar2	500		No	
expedite_carrier_code	SHIP_DEST	expedite_carrier_code	VARCHAR2	4			

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: LocationDesc.dtd****Location Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
expedite_route	SHIP_DEST	expedite_route	VARCHAR2	10			
expedite_service_code	SHIP_DEST	expedite_service_code	VARCHAR2	6			
lead_time	SHIP_DEST	lead_time	NUMBER	3			
mld_default_route	SHIP_DEST	mld_default_route	VARCHAR2	10			
owning_dc	SHIP_DEST	owning_dc	VARCHAR2	10			
phone_nbr	SHIP_DEST	phone_nbr	VARCHAR2	20			
rcv_dock_available_flag	SHIP_DEST	rcv_dock_available_flag	VARCHAR2	1			
state	SHIP_DEST	state	VARCHAR2	3			
unit_pick_container_type	SHIP_DEST	unit_pick_container_type	VARCHAR2	6			
zip	SHIP_DEST	zip	VARCHAR2	10			

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: LocationRef.dtd****Location Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dest_id	SHIP_DEST	dest_id	VARCHAR2	10		Yes	



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: OTB
--	----------------------	------------------------------

OTB

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
approved_qty		approved_qty	number	12,4			
class		class	varchar2	7			
dept		dept	number	4,0			
po_nbr		po_nbr	varchar2	10			
receipt_qty		receipt_qty	number	12,4			
subclass		subclass	varchar2	4			
unit_cost		unit_cost	number	20,4			
unit_retail		unit_retail	number	20,4			

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: OTBDesc.dtd****OTB Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
OTB		OTB					

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: PendRtrnDesc.dtd****Pending Return Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
creation_date	PENDING_RETURNS	expected_receipt	DATE				
PendRtrnDtlDesc		PendRtrnDtlDesc					
physical_wh		dest_id	varchar2	10			
return_order_number	PENDING_RETURNS	pro_nbr	VARCHAR2	18		Yes	
rma_nbr	PENDING_RETURNS	rma_nbr	VARCHAR2	20		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: PendRtrnDtlDesc**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	PENDING_RETURNS_D	item_id	VARCHAR2	25		Yes	
ordered_quantity	PENDING_RETURNS_D	unit_qty	NUMBER	12,4		No	
return_order_number	PENDING_RETURNS_D	pro_nbr	VARCHAR2	18		Yes	
rma_nbr	PENDING_RETURNS_D	rma_nbr	VARCHAR2	20		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: PendRtrnDtlRef.dtd****Pending Return Detail Refere**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	PENDING_RETURNS_D	item_id	VARCHAR2	25		Yes	
return_order_number	PENDING_RETURNS	pro_nbr	VARCHAR2	18		Yes	
rma_nbr	PENDING_RETURNS	rma_nbr	VARCHAR2	20		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: PendRtrnRef.dtd****Pending Return Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
return_order_number	PENDING_RETURNS	pro_nbr	VARCHAR2	18		Yes	
rma_nbr	PENDING_RETURNS	rma_nbr	VARCHAR2	20		Yes	



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: PODesc.dtd
--	----------------------	-------------------------------------

Purchase Order Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
agent		agent				No	
agent_desc		agent_desc				No	
app_datetime		app_datetime				No	
backhaul_allowance		backhaul_allowance				No	
backhaul_type		backhaul_type				No	
backhaul_type_desc		backhaul_type_desc				No	
bill_to_id		bill_to_id				No	
buyer		buyer				No	
buyer_name	po	buyer_code	varchar2	32		No	
close_date		close_date				No	
comment_desc	po	po_comments	varchar2	250		No	
contract_no		contract_no				No	
currency_code		currency_code				Yes	
cust_order		cust_order				Yes	
dept		dept				No	
dept_name		dept_name				No	
discharge_port		discharge_port				No	
discharge_port_desc		discharge_port_desc				No	
doc_type	po	doc_type	varchar2	1		Yes	
earliest_ship_date		earliest_ship_date				No	
exchange_rate		exchange_rate				No	
factory		factory				No	
factory_desc		factory_desc				No	



Application Name: Retek Distribution Management

Version: 10.3

DTD or Node Name: PODesc.dtd

Purchase Order Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
fob_title_pass		fob_title_pass				No	
fob_title_pass_code_des		fob_title_pass_code_desc				No	
fob_title_pass_desc		fob_title_pass_desc				No	
fob_trans_res		fob_trans_desc				No	
fob_trans_res_code_des		fob_trans_res_code_desc				No	
fob_trans_res_desc		fob_trans_res_desc				No	
freight_contract_no		freight_contract_no				No	
freight_terms	po	shipping_terms	varchar2	3		No	
lading_port		lading_port				No	
lading_port_desc		lading_port_desc				No	
latest_ship_date		latest_ship_date				No	
not_after_date	po	deliv_not_after_date	date			No	
not_before_date	po	deliv_not_before_date	date			No	
order_no	po	po_nbr	varchar2	10		Yes	
order_type		order_type				Yes	
order_type_desc		order_type_desc				Yes	
otb_eow_date		otb_eow_date				No	
payment_method		payment_method				No	
payment_method_desc		payment_method_desc				No	
pickup_date		pickup_date				No	
pickup_loc		pickup_loc				No	
pickup_no		pickup_no				No	
po_type		po_type				No	



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: PODesc.dtd
---	---------------	------------------------------

Purchase Order Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
po_type_desc	po	po_type	varchar2	60		No	
pre_mark_ind		pre_mark_ind				Yes	
prom_desc		prom_desc				No	
promotion						No	
purchase_type		purchase_type				No	
purchase_type_desc		purchase_type_desc				No	
qc_ind		qc_ind				Yes	
ship_method	po	transportation_mode	varchar2	20		No	
ship_method_desc		ship_method_desc				No	
ship_pay_method		ship_pay_method				No	
ship_pay_method_desc		ship_pay_method_desc				No	
status	po	status	varchar2	1		No	
supplier	po	vendor_nbr	varchar2	10		Yes	
terms		terms				Yes	
terms_code		terms_code				Yes	
vendor_order_no		vendor_order_no				No	



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: PODtl
--	----------------------	--------------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
door_ind	po_detail	door_ind	varchar2	1		No	
earliest_ship_date						No	
item	po_detail	item_id	varchar2	25		Yes	
latest_ship_date						No	
new_item	po_detail	new_item	varchar2	1		No	
origin_country_id	po_detail	country_code	varchar2	3		Yes	
packing_method						No	
physical_location						No	
physical_location_type						No	
physical_qty_ordered	po_detail	requested_unit_qty	number	12,4		Yes	
pickup_loc						No	
pickup_no						No	
POVirtualDtl		POVirtualDtl					
priority_level	po_detail	priority_level	number	1		No	
quarantine	po_detail	quarantine	varchar2	1		No	
rcvd_unit_qty	po_detail	rcvd_unit_qty	number	12,4		No	
ref_item						No	
round_lvl	po_detail	round_lvl	varchar2	6		No	
supp_pack_size	po_detail	order_casepack	number	12,4		Yes	
tsf_po_link_id						No	
unit_cost						No	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: PORef.dtd****Purchase Order Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dc_dest_id	TRANSSHIPMENT_SET	FROM_LOCATION	VARCHAR2	10		Yes	
doc_type	PO.PO_NBR	doc_type	VARCHAR2	10		Yes	
order_no	PO.DOC_TYPE	order_no	VARCHAR2	1		Yes	
PODtIRef		POPhyDtIRef				Yes	



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: POVirtualDtl
--	----------------------	---------------------------------------

PO Virtual Detail

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
location		location				Yes	
location_type		location_type				Yes	
qty_ordered		qty_ordered				No	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: Receipt****Receipt**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
asn_nbr	receipt_to_upload	asn_nbr	varchar2	30			
dc_dest_id	transshipment_setup	dc_dest_id	varchar2	10		Yes	
document_type	po	doc_type	varchar2	1		Yes	
po_nbr	receipt_to_upload	po_nbr	varchar2	10		Yes	
ReceiptDtl		ReceiptDtl					

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: ReceiptDesc.dtd****Receipt Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
appt_nbr	receipt_to_upload	appt_nbr	number	9		Yes	
Receipt	receipt_to_upload	receipt_nbr	number	9		Yes	



Application Name: Retek Distribution Management

Version: 10.3

DTD or Node Name: ReceiptDtl

Receipt Detail

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
container_id	receipt_to_upload	container_id	varchar2	20		Yes	
dest_id	receipt_to_upload	dest_id	varchar2	10		No	
distro_doc_type	receipt_to_upload	distro_doc_type	varchar2	1		No	
distro_nbr	receipt_to_upload	distro_nbr	varchar2	10		No	
from_disposition	receipt_to_upload	from_disposition	varchar2	4		No	
from_trouble	receipt_to_upload	from_trouble_code	varchar2	2		No	
from_wip	receipt_to_upload	from_wip_code	varchar2	6		No	
item_id	receipt_to_upload	item_id	varchar2	25		Yes	
receipt_date	receipt_to_upload	receipt_date	date			No	
receipt_nbr	receipt_to_upload	receipt_nbr	number	9		Yes	
receipt_xactn_type	receipt_to_upload	receipt_xactn_type	char	1		Yes	
to_disposition	receipt_to_upload	to_disposition	varchar2	4		No	
to_trouble	receipt_to_upload	to_trouble_code	varchar2	2		No	
to_wip	receipt_to_upload	to_wip_code	varchar2	6		No	
unit_qty	receipt_to_upload	unit_qty	number	12,4		Yes	
user_id	receipt_to_upload	user_id	varchar2	10		No	



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: RTVDesc.dtd
---	---------------	-------------------------------

RTV Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
city	RTV	CITY	VARCHAR2	20		No	
container_qty	RTV	CONTAINER_QTY	NUMBER	6		No	
country	RTV	COUNTRY	VARCHAR2	3		No	
creation_ts	RTV	CREATION_TS	Date			No	
dc_dest_id	TRANSSHIPMENT_SET	DC_DEST_ID	VARCHAR2	10		Yes	
from_disposition	INV_ADJUSTMENT_TO_	FROM_DISPOSITION	VARCHAR2	4		No	
item_id	INV_ADJUSTMENT_TO_	ITEM_ID	VARCHAR2	25		Yes	
reason			varchar2			No	
rtn_auth_nbr	INV_ADJUSTMENT_TO_	RTN_AUTH_NBR	VARCHAR2	12		Yes	
rtv_id	INV_ADJUSTMENT_TO_	RTV ID	NUMBER	7		Yes	
ship_address1	RTV	ADDRESS1	VARCHAR2	30		No	
ship_address2	RTV	ADDRESS2	VARCHAR2	30		No	
ship_address3	RTV	ADDRESS3	VARCHAR2	30		No	
shipto_zip	RTV	SHIPTO_ZIP	VARCHAR2	10		No	
state	RTV	STATE	VARCHAR2	3		No	
to_disposition	INV_ADJUSTMENT_TO_	TO_DISPOSITION	VARCHAR2	4		No	
unit_cost			NUMBER			No	
unit_qty	INV_ADJUSTMENT_TO_	UNIT_QTY	NUMBER	12,4		No	
vendor_nbr	RTV	VENDOR_NBR	VARCHAR2	10		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: SKOOptmDesc.dtd****SKU Optimization Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
from_location			varchar2	10			
fromlocationid	TRANSSHIPMENT_SET	DC_DEST_ID	VARCHAR2	12		Yes	
groupnbr	TASK_QUEUE	GROUP_NBR	NUMBER	3			
itemid	TASK_QUEUE	ITEM_ID	VARCHAR2	25			
movenbr	TASK_QUEUE	MOVE_NBR	NUMBER	3			
seqnbr	TASK_QUEUE	SEQ_NBR	NUMBER	3			
to_location			VARCHAR2	10			
tolocationid			VARCHAR2	12			



Application Name: Retek Distribution Management

Version: 10.3

DTD or Node Name: SODesc.dtd

Stock Order Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
amount1	STOCK_ORDER	amount1	number	8,2		No	
amount2	STOCK_ORDER	amount2	number	8,2		No	
amount3	STOCK_ORDER	amount3	number	8,2		No	
amount4	STOCK_ORDER	amount4	number	16,4		No	
amount5	STOCK_ORDER	amount5	number	16,4		No	
amount6	STOCK_ORDER	amount6	number	16,4		No	
bill_address2	STOCK_ORDER	bill_address2	varchar2	30		No	
bill_address3	STOCK_ORDER	bill_address3	varchar2	25		No	
bill_address4	STOCK_ORDER	bill_address4	varchar2	30		No	
bill_address5	STOCK_ORDER	bill_address5	varchar2	30		No	
bill_city	STOCK_ORDER	bill_city	varchar2	25		No	
bill_country_id	STOCK_ORDER	bill_country_CODE	varchar2	3		No	
bill_state	STOCK_ORDER	bill_state	varchar2	3		No	
bill_zip	STOCK_ORDER	bill_zip	varchar2	10		No	
break_by_distro	STOCK_ORDER	break_by_distro	char	1		No	
carrier_code	STOCK_ORDER	carrier_code	varchar2	4		No	
carrier_service_code	STOCK_ORDER	carrier_service_code	varchar2	6		No	
cartonization	STOCK_ORDER	cartonization	varchar2	1		No	
chute_type	STOCK_ORDER	chute_type	varchar2	6		No	
consumer_direct	STOCK_ORDER	consumer_direct	varchar2	1		No	
container_type	STOCK_ORDER	container_type	varchar2	6		No	
dc_dest_id	TRANSSHIPMENT_SET	dc_dest_id	varchar2	10		Yes	
dl_comment	STOCK_ORDER	dl_comment	varchar2	30		No	



Application Name: Retek Distribution Management

Version: 10.3

DTD or Node Name: SODesc.dtd

Stock Order Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
document_type	STOCK_ORDER	document_type	varchar2	1			
event_code	STOCK_ORDER	event_code	varchar2	6			
event_description	STOCK_ORDER	event_description	varchar2	60			
gift_cost_total	STOCK_ORDER	gift_cost_total	number	12,4		No	
message	STOCK_ORDER	message	varchar2	300		No	
order_line_costs	STOCK_ORDER	order_line_costs	varchar2	1		No	
order_type	STOCK_ORDER	order_type	varchar2	9			
order_uda1	STOCK_ORDER	order_uda1	varchar2	10		No	
order_uda10	STOCK_ORDER	order_uda10	varchar2	10		No	
order_uda2	STOCK_ORDER	order_uda2	varchar2	10		No	
order_uda3	STOCK_ORDER	order_uda3	varchar2	10		No	
order_uda4	STOCK_ORDER	order_uda4	varchar2	10		No	
order_uda5	STOCK_ORDER	order_uda5	varchar2	10		No	
order_uda6	STOCK_ORDER	order_uda6	varchar2	10		No	
order_uda7	STOCK_ORDER	order_uda7	varchar2	10		No	
order_uda8	STOCK_ORDER	order_uda8	varchar2	10		No	
order_uda9	STOCK_ORDER	order_uda9	varchar2	10		No	
parent_customer_order	STOCK_ORDER	parent_customer_order	varchar2	20		No	
pick_complete	STOCK_ORDER	pick_complete	varchar2	1		No	
pick_not_after_date	STOCK_ORDER	pick_not_after_date	date			Yes	
pick_not_before_date	STOCK_ORDER	pick_not_before_date	date			Yes	
po_nbr	STOCK_ORDER	po_nbr	varchar2	10			
priority	STOCK_ORDER	priority	number	4			



Application Name: Retek Distribution Management

Version: 10.3

DTD or Node Name: SODesc.dtd

Stock Order Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
promotion_total	STOCK_ORDER	promotion_total	number	12,4		No	
rollback_allocation	STOCK_ORDER	rollback_allocation	varchar2	1		No	
route	STOCK_ORDER	route	varchar2	10		No	
ship_address_desc	STOCK_ORDER	ship_address_desc	varchar2	30		No	
ship_address1	STOCK_ORDER	ship_address1	varchar2	30		No	
ship_address2	STOCK_ORDER	ship_address2	varchar2	30		No	
ship_address3	STOCK_ORDER	ship_address3	varchar2	30		No	
ship_address4	STOCK_ORDER	ship_address4	varchar2	30		No	
ship_address5	STOCK_ORDER	ship_address5	varchar2	30		No	
ship_city	STOCK_ORDER	ship_city	varchar2	25		No	
ship_date			date				
ship_state	STOCK_ORDER	ship_state	varchar2	3		No	
shipping_total	STOCK_ORDER	shipping_total	number	12,4		No	
sub_total	STOCK_ORDER	sub_total	number	12,4		No	
tax_total	STOCK_ORDER	tax_total	number	12,4		No	
total	STOCK_ORDER	total	number	12,4		No	



Application Name: Retek Distribution Management

Version: 10.3

DTD or Node Name: SODtlDesc

Stock Order Detail Descriptio

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
amount1	STOCK_ALLOCATION.R	amount1	number	16,4			
amount2	STOCK_ALLOCATION.R	amount2	number	16,4			
amount3	STOCK_ALLOCATION.S	amount3	number	16,4			
amount4	STOCK_ALLOCATION.TI	amount4	number	16,4			
amount5	STOCK_ALLOCATION.P	amount5	number	16,4			
amount6	STOCK_ALLOCATION.E	amount6	number	16,4			
component_ticketing_distro	COMPONENT_TICKETI	component_ticketing_distro	varchar2	10			
dest_id	STOCK_ALLOCATION.D	dest_id	varchar2	10		Yes	
expedite_flag	STOCK_ALLOCATION.D	expedite_flag	varchar2	1		Yes	
gift_cost	STOCK_ALLOCATION.D	gift_cost	number	12,4		Yes	
in_store_date	STOCK_ALLOCATION.R	in_store_date	date				
item_id	STOCK_ALLOCATION.D	item_id	varchar2	25		Yes	
item_status	STOCK_ALLOCATION	item_status	varchar2	1			
order_detail_uda1	STOCK_ALLOCATION.S	order_detail_uda1	varchar2	10			
order_detail_uda2	STOCK_ALLOCATION	order_detail_uda2	varchar2	10			
order_detail_uda3	STOCK_ALLOCATION	ORDER_DETAIL_UDA3	VARCHAR2	10			
order_detail_uda4	STOCK_ALLOCATION.R	order_detail_uda4	varchar2	10			
order_detail_uda5	STOCK_ALLOCATION.TI	order_detail_uda5	varchar2	10			
priority	STOCK_ORDER.DOCU	priority	number	4		Yes	
promotion	STOCK_ALLOCATION.P	promotion	number	10,0			
requested_unit_qty	STOCK_ALLOCATION.IT	requested_unit_qty	number	12,4		Yes	
retail_price	COMPONENT_TICKETI	retail_price	number	20,4		Yes	
selling_uom	STOCK_ALLOCATION.R	selling_uom	varchar2	4			



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: SODtlDesc
--	----------------------	------------------------------------

Stock Order Detail Descriptio

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
shipping	STOCK_ALLOCATION.D	shipping	number	12,4		Yes	
SODtlTcktDesc	STOCK_ALLOCATION.IT	SODtlDesc				Yes	
store_ord_mult	STOCK_ALLOCATION.IT	store_ord_mult	varchar2	1		Yes	
sub_total	STOCK_ALLOCATION.E	sub_total	number	12,4			
tax	STOCK_ALLOCATION.S	tax	number	12,4			
tax_percent	STOCK_ALLOCATION.S	tax_percent	number	12,4			
ticket_type	STOCK_ALLOCATION.D	ticket_type	varchar2	4		Yes	
total	TRANSSHIPMENT_SET	total	number	12,4			

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: SODtlRef**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dc_dest_id	TRANSSHIPMENT_SET		VARCHAR2	10		Yes	
dest_id	STOCK_ALLOCATION.D	STOCK_ALLOCATION.DES	varchar2	10		Yes	
distro_nbr	STOCK_ALLOCATION	DISTRO_NBR	VARCHAR2	10		Yes	
document_type							
item_id	STOCK_ALLOCATION.IT	STOCK_ALLOCATION.ITE	varchar2	25		Yes	



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: SODtITcktDesc
--	----------------------	--

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
component_item_id	COMPONENT_TICKETI	component_item_id	varchar2	25		Yes	
dest_id	STOCK_ALLOCATION.D	dest_id	varchar2	10		Yes	
distro_nbr	STOCK_ALLOCATION.D	distro_nbr	varchar2	10		Yes	
document_type	STOCK_ORDER.DOCU	document_type	varchar2	1		Yes	
item_id	STOCK_ALLOCATION.IT	item_id	varchar2	25		Yes	
retail_price	COMPONENT_TICKETI	retail_price	number	20, 4			
selling_uom	COMPONENT_TICKETI	selling_uom	varchar2	4			



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: SORef.dtd
--	----------------------	------------------------------------

Stock Order Reference

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dc_dest_id	TRANSSHIPMENT_SET	dc_dest_id	varchar2	10		Yes	
distro_nbr	STOCK_ALLOCATION.T	distro_nbr	varchar2	10		Yes	
document_type	STOCK_ALLOCATION.IT	document_type	varchar2	1		Yes	
SODtlRef		SODtlRef					

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: SOStatusDesc.dtd****Stock Order Status Descriptio**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dc_dest_id	TRANSSHIPMENT_SET	dc_dest_id	varchar2	10		Yes	
distro_document_type	STOCK_ORDER	distro_document_type	varchar2	1		Yes	
distro_nbr	STOCK_ORDER_INFO_	distro_nbr	varchar2	2		No	
SOStatusDtl		SOStatusDtl				Yes	



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: SOStatusDtl
--	----------------------	--------------------------------------

SO Status Detail

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
cust_order_nbr		cust_order_nbr	varchar2	10		Yes	
dest_id		dest_id	varchar2	10		Yes	
item_id		item_id	varchar2	25		Yes	
order_line_nbr		order_line_nbr	number	3		Yes	
status		status	varchar2	2		Yes	
unit_qty		unit_qty	number	12,4		Yes	
user_id		user_id	varchar2	10		No	



Application Name: Retek Distribution Management

Version: 10.3

DTD or Node Name: StoreDesc.dtd

Stores Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
acquired_date							
channel_id							
country_id	ship_dest	country_code	varchar2	3			
county							
currency_code	ship_dest	currency_code	varchar2	3			
default_wh	ship_dest	owning_dc	varchar2	10			
description							
district							
district_name							
duns_loc							
duns_number							
email							
fax_number	ship_dest	dest_fax	varchar2	20			
integrated_pos_ind							
lang							
linear_distance							
mall_name							
orig_currency_code							
phone_number	ship_dest	phone_nbr	varchar2	20			
promo_desc							
promo_zone							
remodel_date							
selling_square_ft							

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: StoreDesc.dtd****Stores Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
start_order_days							
state	ship_dest	state	varchar2	3			
stockholding_ind							
stop_order_days							
store	ship_dest	dest_id	varchar2	10		Yes	
store_add1	ship_dest	address1	varchar2	30			
store_add2	ship_dest	address2	varchar2	30			
store_city	ship_dest	city	varchar2	25			
store_class							
store_close_date							
store_format							
store_mgr_name	ship_dest	contact_person	varchar2	20			
store_name	ship_dest	description	varchar2	10			
store_name10							
store_name3							
store_open_date							
store_pcode	ship_dest	zip	varchar2	10			
total_square_ft							
transfer_zone							

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: StoreRef.dtd****Stores Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
store	ship_dest	dest_id	varchar2	10		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: UDADesc.dtd****UDA Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
carton_group	ATTRIBUTE_TYPE.CAR	ATTRIBUTE_TYPE.CARTO	VARCHAR2	1			
combinability	ATTRIBUTE_TYPE.COM	ATTRIBUTE_TYPE.COMBI	VARCHAR2	1			
data_length							
data_type							
display_type							
host_ind	ATTRIBUTE_TYPE	HOST_TYPE	VARCHAR2	1			
module							
single_value_ind							
uda_desc	attribute_type	DESCRIPTION	VARCHAR2	40		Yes	
uda_id	attribute_type	attribute_type	number	5		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: UDARef.dtd****UDA Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
uda_id	ATTRIBUTE_TYPE.ATT	ATTRIBUTE_TYPE.ATTRIB	NUMBER	5		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: UDAValDesc.dtd****UDA Value Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
uda_id	ATTRIBUTES.ATTRIBUT	ATTRIBUTE_TYPE	NUMBER	5		Yes	
uda_value	ATTRIBUTES.ATTRIBUT	ATTRIBUTE	VARCHAR2	30		Yes	
uda_value_desc	ATTRIBUTES.DESCRIP	DESCRIPTION	VARCHAR2	250		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: UDAValRef.dtd****UDA Value Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
uda_id	ATTRIBUTES.ATTRIBUT	ATTRIBUTES.ATTRIBUTE_	NUMBER	5		Yes	
uda_value	ATTRIBUTES.ATTRIBUT	ATTRIBUTES.ATTRIBUTE	VARCHAR2	10		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: VendorAddrDesc.dtd****Vendor Address Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
add_1	VENDOR_ADDRESS	ADDRESS1	VARCHAR2	30			
add_2	VENDOR_ADDRESS	ADDRESS2	VARCHAR2	30			
add_3	VENDOR_ADDRESS	ADDRESS3	VARCHAR2	30			
addr_type	VENDOR_ADDRESS	ADDR_TYPE	VARCHAR2	30		Yes	
city	VENDOR_ADDRESS	CITY	VARCHAR2	20			
contact_email							
contact_fax							
contact_name							
contact_phone							
contact_telex							
country_id	VENDOR_ADDRESS	COUNTRY	VARCHAR2	3			
key_value_1	VENDOR_ADDRESS	VENDOR_NBR	VARCHAR2	10		Yes	
key_value_2	VENDOR_ADDRESS	VENDOR_ADDRESS.ADDR	VARCHAR2	30			
module							
oracle_vendor_site_id							
post	VENDOR_ADDRESS	SHIPTO_ZIP	VARCHAR2	10			
primary_addr_ind	VENDOR_ADDRESS	PRIMARY_ADDR_IND	VARCHAR2	1		Yes	
seq_no	VENDOR_ADDRESS	SEQ_NBR	VARCHAR2	30			
state	VENDOR_ADDRESS	STATE	VARCHAR2	3			



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: VendorAddrRef.dtd
--	----------------------	--

Vendor Address Reference

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
addr_type	VENDOR_ADDRESS	addr_type	VARCHAR2	2		Yes	
seq_no	VENDOR_ADDRESS	seq_no	VARCHAR2	4		Yes	
supplier	VENDOR_ADDRESS	vendor_nbr	VARCHAR2	10		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: VendorDesc.dtd****Vendor Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
VendorAddrDesc		VendorAddrDesc					
VendorHdrDesc		VendorHdrDesc					

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: VendorHdrDesc.dtd****Vendor Header Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
addinvc_gross_net		addinvc_gross_net					
auto_appr_dbt_memo_in		auto_appr_dbt_memo_ind					
backorder_ind		backorder_ind					
bracket_costing_ind		bracket_costing_ind					
comment_desc							
contact_email		contact_email					
contact_fax		contact_fax					
contact_name		contact_name					
contact_pager		contact_pager					
contact_phone		contact_phone					
contact_telex		contact_telex					
cost_chg_amt_var		cost_chg_amt_var					
cost_chg_pct_var		cost_chg_pct_var					
currency_code		currency_code					
default_item_lead_time		default_item_lead_time					
delivery_policy		delivery_policy					
duns_loc		duns_loc					
duns_number		duns_number					
edi_asn		edi_asn					
edi_contract_ind		edi_contract_ind					
edi_invc_ind		edi_invc_ind					
edi_po_chg		edi_po_chg					
edi_po_confirm		edi_po_confirm					



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: VendorHdrDesc.dtd
---	---------------	-------------------------------------

Vendor Header Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
edi_po_ind		edi_po_ind					
edi_sales_rpt_freq		edi_sales_rpt_freq					
edi_supp_available_ind		edi_supp_available_ind					
end_date_active		end_date_active					
freight_terms		freight_terms					
handling_pct		handling_pct					
inv_mgmt_lvl		inv_mgmt_lvl					
inv_pay_loc		inv_pay_loc					
inv_receive_loc		inv_receive_loc					
lang		lang					
payment_method		payment_method					
pre_mark_ind		pre_mark_ind					
prepay_inv_ind		prepay_inv_ind					
qc_freq	VENDOR	FREQ_QA_AUDIT	NUMBER	2		No	
qc_ind		qc_ind					
qc_pct	VENDOR	PERCENT_QA_SAMPLING	NUMBER	12,4		No	
replen_approval_ind		replen_approval_ind					
ret_allow_ind		ret_allow_ind					
ret_auth_req		ret_auth_req					
ret_courier		ret_courier					
ret_min_dol_amt		ret_min_dol_amt					
service_perf_req_ind		service_perf_req_ind					
settlement_code		settlement_code					

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: VendorHdrDesc.dtd****Vendor Header Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
ship_method		ship_method					
sup_name	VENDOR	VENDOR.VENDOR_NAME	VARCHAR2	32		Yes	
sup_status	VENDOR	VENDOR.SUP_STATUS	VARCHAR2	1		No	
supplier	VENDOR	VENDOR.VENDOR_NBR	VARCHAR2	10		Yes	
terms		terms					
vat_region		vat_region					
vc_freq	VENDOR	FREQ_VA_AUDIT	NUMBER	2		No	
vc_ind		vc_ind					
vc_pct	VENDOR	PERCENT_VA_SAMPLING	NUMBER	12,4		No	
vmi_order_status		vmi_order_status					

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: VendorRef.dtd****Vendor Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
supplier	vendor	vendor_nbr	VARCHAR2	10		Yes	



Application Name: Retek Distribution Management

Version: 10.3

DTD or Node Name: WHDesc.dtd

Warehouses Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
bol_print_type	ship_dest	bol_print_type	varchar2	4			
bol_upload_type	ship_dest	bol_upload_type	varchar2	4			
break_pack_ind							
channel_id							
contact_person	ship_dest	contact_person	varchar2	20			
container_type	ship_dest	container_type	varchar2	6			
country_id	ship_dest	country_code	varchar2	3			
county							
currency_code	ship_dest	currency_code	varchar2	3			
default_carrier_code	ship_dest	default_carrier_code	varchar2	4			
default_route	ship_dest	default_route	varchar2	10			
default_service_code	ship_dest	default_service_code	varchar2	6			
delivery_policy							
dest_fax	ship_dest	dest_fax	varchar2	20			
dest_seq_nbr	ship_dest	dest_seq_nbr	number	4			
distance_to_dest	ship_dest	distance_to_dest	number	4			
drop_trailers_accepted_flag	ship_dest	drop_trailers_accepted_flag	varchar2	1			
duns_loc							
duns_number							
email							
expedite_carrier_code	ship_dest	expedite_carrier_code	varchar2	4			
expedite_route	ship_dest	expedite_route	varchar2	10			
expedite_service_code	ship_dest	expedite_service_code	varchar2	6			



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: WHDesc.dtd
---	---------------	------------------------------

Warehouses Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
lead_time	ship_dest	lead_time	number	3			
mld_default_route	ship_dest	mld_default_route	varchar2	10			
owning_dc	ship_dest	owning_dc	varchar2	10			
phone_nbr	ship_dest	phone_nbr	varchar2	20			
physical_wh							
rcv_dock_available_flag	ship_dest	rcv_dock_available_flag	varchar2	1			
redist_wh_ind							
state	ship_dest	state	varchar2	3			
stockholding_ind							
unit_pick_container_type	ship_dest	unit_pick_container_type	varchar2	6			
wh	ship_dest	dest_id	varchar2	10			
wh_add1	ship_dest	address1	varchar2	30			
wh_add2	ship_dest	address2	varchar2	30			
wh_city	ship_dest	city	varchar2	25			
wh_name	ship_dest	description	varchar2	30			
wh_pcode	ship_dest	zip	varchar2	10			

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: WHRef.dtd****Warehouses Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
wh	ship_dest	dest_id	varchar2	10		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: WOInDesc.dtd****WO Inbound Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
order_no	inbound_work_order	po_nbr	varchar2	10		Yes	
wo_id							
WOInDtl		WOInDtl					



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: WOInDtl
--	----------------------	----------------------------------

WO Inbound Detail

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
instructions	inbound_work_order	instructions	varchar2	300		No	
item	inbound_work_order	item_id	varchar2	25		Yes	
loc_type							
location	inbound_work_order	dest_id	varchar2	10		Yes	
seq_no	inbound_work_order	wip_seq_no	number	7,3		Yes	
wh							
wip_code	inbound_work_order	wip_code	varchar2	6		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: WOInDtlRef****WO Inbound Detail Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	inbound_work_order	item_id	varchar2	25		Yes	
loc_type							
location	inbound_work_order	dest_id	varchar2	10		Yes	
seq_no	inbound_work_order	wip_seq_nbr	number	7,3		Yes	
wh							
wip_code	inbound_work_order	wip_code	varchar2	6		Yes	



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: WOIInRef.dtd
--	----------------------	---------------------------------------

WO Inbound Reference

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
order_no	inbound_work_order	po_nbr	varchar2	10		Yes	
wo_id							
WOInDtIRef		WOInDtIRef					

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: WOOOutDesc.dtd****WO Outbound Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dc_dest_id	transshipment_setup	dc_dest_id	varchar2	10		Yes	
distro_nbr	outbound_work_order	distro_nbr	varchar2	10		Yes	
wo_id							
WOOOutDtl		WOOOutDtl					



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: WOOOutDtl
--	----------------------	------------------------------------

WO Outbound Detail

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
auto_complete	outbound_work_order	auto_complete	varchar2	1		No	
dest_id	outbound_work_order	dest_id	varchar2	10		Yes	
instructions	outbound_work_order	instructions	varchar2	300		No	
item_id	outbound_work_order	item_id	varchar2	25		Yes	
order_line_nbr	outbound_work_order	order_line_nbr	number	3		Yes	
personalization	outbound_work_order	personalization	varchar2	300		No	
wip_code	outbound_work_order	wip_code	varchar2	6		Yes	
wip_seq_nbr	outbound_work_order	wip_seq_nbr	number	7,3		Yes	



Application Name: Retek Distribution Management	Version: 10.3	DTD or Node Name: WOOutDtlRef
--	----------------------	--------------------------------------

WO Outbound Reference

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dest_id	outbound_work_order	dest_id	varchar2	10		Yes	
item_id	outbound_work_order	item_id	varchar2	25		Yes	
order_line_nbr	outbound_work_order	order_line_nbr	number	3		Yes	
wip_seq_nbr	outbound_work_order	wip_seq_nbr	number	7,3		Yes	

**Application Name: Retek Distribution Management****Version: 10.3****DTD or Node Name: WOOOutRef.dtd****WO Outbound Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dc_dest_id	transshipment_setup	dc_dest_id	varchar2	10		Yes	
distro_nbr	outbound_work_order	distro_nbr	varchar2	10		Yes	
wo_id							
WOOOutDtlRef		WOOOutDtlRef					



Application Name: Retek Merchandising System

Version: 10.3

DTD or Node Name: AllocDesc.dtd

Allocation Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
alloc_no	ALLOC_HEADER	alloc_no	number	10	PK	Yes	
AllocDtl		AllocDtl					
doc_type	Generated		varchar2	1		Yes	
event	PROMHEAD	event	varchar2	6		No	
event_description	PROMOHEAD	event_description	varchar2			No	
item	ALLOC_HEADER	item	varchar2	25		Yes	
order_doc_type	Generated	order_doc_type	varchar2	1		Yes	
order_no	ALLOC_HEADER	order_no	varchar2	10		No	
order_type	ALLOC_HEADER	order_type	varchar2	9		No	
physical_wh	WH	physical_wh	number	10		Yes	
pick_not_after_date	Generated		date			No	
pick_not_before_date	Generated		date			No	
priority	Hard coded - always 1	priority	number	4		Yes	
ticket_type_id	ITEM_TICKET	ticket_type_id	varchar2	4		No	
wh	ALLOC_HEADER	wh	number	10		Yes	



Application Name: Retek Merchandising System

Version: 10.3

DTD or Node Name: AllocDtl

Allocation Detail

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
AllocDtlTckt		AllocDtlTckt					
loc_type	ALLOC_DETAIL	loc_type -- always a store: 'S'	varchar2	1		Yes	
physical_to_loc	to_loc		number	10		Yes	since to_loc is always a store, can just take to_loc from alloc
price	PRICING_ATTRIB_SQL.		number	20,4		No	
priority	GENERATED	priority	number	4		Yes	
qty_allocated	ALLOC_DETAIL	qty_allocated	number	12,4		Yes	
selling_uom	PRICING_ATTRIB_SQL.	selling_uom	varchar2	2		No	
store_ord_mult	ITEM_LOC	store_ord_mult	varchar2	1		Yes	
to_loc	ALLOC_DETAIL	to_loc	number	10		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: AllocDtlRef****Allocation Detail Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
to_loc	ALLOC_DETAIL	to_loc	varchar2	10		Yes	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: AllocDtlTckt
---	----------------------	---------------------------------------

Allocation Detail Ticket

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
comp_item	V_PACKSKU_QTY	comp_item	varchar2	25		Yes	
comp_price	PRICING_ATTRIB_SQL.		number	20,4		No	
comp_selling_uom	PRICING_ATTRIB_SQL.		varchar2	2		Yes	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: AllocRef.dtd
---	----------------------	---------------------------------------

Allocation Reference

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
alloc_no	ALLOC_HEADER	alloc_no	number	10	PK	Yes	
AllocDtIRef		AllocDtIRef					
doc_type	GENERATED - always Y		varchar2	1		Yes	
item	ALLOC_HEADER	item	varchar2	25		Yes	
physical_wh	WH	physical_wh	number	10		Yes	
wh	ALLOC_HEADER	wh	number	10	FK1, AK1	Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: AppointDesc.dtd****Appointment Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
AppointDtl		AppointDtl					
appt_action_status	APPT_HEAD	status	varchar2				
appt_nbr	APPT_HEAD	appt	number			Yes	
appt_start_ts			date				not used
from_location	APPT_HEAD	from_location	number			Yes	
to_location			varchar2				not used



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: AppointDtl
---	----------------------	-------------------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
asn_nbr	APPT_DETAIL	asn	varchar2	30		Yes	
document_type	APPT_DETAIL	doc_type	varchar2	1		Yes	
item_id	APPT_DETAIL	item	varchar2			Yes	
po_nbr	APPT_DETAIL	doc	varchar2	10		Yes	
unit_qty	APPT_DETAIL	appt_detail	number	12,4			



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: AppointDtlRef
---	----------------------	--

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
asn_nbr	APPT_DETAIL	asn	varchar2	1			
item_id	APPT_DETAIL	item	varchar2	12,4		Yes	
po_nbr	APPT_DETAIL	doc	number	10			



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: AppointRef.dtd
---	----------------------	---

Appointment Reference

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
AppointDtlRef		AppointDtlRef		25			
appt_nbr	APPT_HEAD	appt	number	9		Yes	
from_location	APPT_HEAD	loc	number	10		Yes	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: ASNInCtn
---	----------------------	-----------------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
ASNInItem		ASNInItem					
container_cube		container_cube	number	12,4			
container_height		container_height	number	12,4			
container_id		container_id	varchar2	20			
container_length		container_length	number	12,4			
container_weight		container_weight	number	12,4			
container_width		container_width	number	12,4			
expedite_flag		expedite_flag	varchar2	1			
final_location		final_location	varchar2	10			
freight_charge		freight_charge	number	12,4			
in_store_date		in_store_date	date				
master_container_id		master_container_id	varchar2	20			
rma_nbr		rma_nbr	varchar2	20			
tracking_nbr		tracking_nbr	varchar2	25			



Application Name: Retek Merchandising System

Version: 10.3

DTD or Node Name: ASNInDesc.dtd

ASN Inbound Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
asn_nbr		asn_nbr	varchar2	30			
asn_type		asn_type	varchar2	1			
ASNInPO		ASNInPO					
bol_nbr		bol_nbr	varchar2	17		No	
carrier_code		carrier_code	varchar2	4			
container_qty		container_qty	number	6			
est_arr_date		est_arr_date	date				
from_location		from_location	varchar2	10			
seal_nbr		seal_nbr	varchar2	12			
ship_address1		ship_address1	varchar2	30			
ship_address2		ship_address2	varchar2	30			
ship_address3		ship_address3	varchar2	30			
ship_address4		ship_address4	varchar2	30			
ship_address5		ship_address5	varchar2	30			
ship_city		ship_city	varchar2	25			
ship_country_id		ship_country_id	varchar2	3			
ship_pay_method		ship_pay_method	varchar2	2			
ship_state		ship_state	varchar2	3			
ship_zip		ship_zip	varchar2	10			
shipment_date		shipment_date	date				
to_location		to_location	varchar2	10		Yes	
trailer_nbr		trailer_nbr	varchar2	12			
vendor_nbr		vendor_nbr	varchar2	10			



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: ASNInItem
---	----------------------	------------------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
container_qty		container_qty	number	6			
distro_doc_type		distro_doc_type	varchar2	1			
distro_nbr		distro_nbr	varchar2	10			
final_location		final_location	varchar2	10			
item_id		item_id	varchar2	25			
lot_nbr		lot_nbr	varchar2	12			
order_line_nbr		order_line_nbr	number	3			
priority_level		priority_level	number	1			
ref_item		ref_item	varchar2	25			
unit_qty		unit_qty	number	12,4			
vpn		vpn	varchar2	30			

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ASNInPO****ASN Inbound Purchase Order**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
ASNInCtn		ASNInCtn					
ASNInItem		ASNInItem					
doc_type		doc_type	varchar2	1			
not_after_date		not_after_date	date				
po_nbr		po_nbr	varchar2	10			

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ASNInRef.dtd****ASN Inbound Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
asn_nbr		asn_nbr	varchar2	30			
from_location		from_location	varchar2	10			



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: ASNOutCtn
--	---------------	-----------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
ASNOutItem		ASNOutItem					
container_cube		container_cube	number	12,4		No	not used b RMS
container_height		container_height	number	12,4		No	not used b RMS
container_id		container_id	varchar2	20		Yes	not used b RMS
container_length		container_length	number	12,4		No	not used b RMS
container_weight		container_weight	number	12,4		No	not used b RMS
container_width		container_width	number	12,4		No	not used b RMS
expedite_flag		expedite_flag	varchar2	1		No	not used b RMS
final_location		final_location	varchar2	10		No	not used b RMS
freight_charge		freight_charge	number	12,4		No	not used b RMS
in_store_date		in_store_date	date			No	not used b RMS
master_container_id		master_container_id	varchar2	20		No	not used b RMS
rma_nbr		rma_nbr	varchar2	20		No	not used b RMS
tracking_nbr		tracking_nbr	varchar2	25		No	not used b RMS



Application Name: Retek Merchandising System

Version: 10.3

DTD or Node Name: ASNOutDesc.dtd

ASN Out Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
asn_nbr	shipment	bol_no	varchar2	30		Yes	Used as bol_no on SHIPMENT table
asn_type			varchar2	1		No	no used
ASNOutDistro							
bol_nbr	shipment	ext_ref_no_out	varchar2	17		No	
carrier_code	shipment	shipment	varchar2	4		No	
container_qty	shipment	no_boxes	number	6		No	
est_arr_date	shipment	est_arr_date	date			No	
from_location	shipment	from_loc	varchar2	10		Yes	
seal_nbr			varchar2	12		No	no used
ship_address1			varchar2	30		No	no used
ship_address2			varchar2	30		No	no used
ship_address3			varchar2	30		No	no used
ship_address4			varchar2	30		No	no used
ship_address5			varchar2	30		No	no used
ship_city			varchar2	25		No	no used
ship_country_id			varchar2	3		No	no used
ship_state			varchar2	3		No	no used
ship_zip			varchar2	10		No	no used
shipment_date	shipment	ship_date	date			Yes	
to_location	shipment	to_loc	varchar2	10		Yes	
trailer_nbr			varchar2	12		No	no used
transshipment_nbr			varchar2	30		No	no used



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: ASNOutDistro
---	----------------------	---------------------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
ASNOutCtn		ASnOutCtn					
consumer_direct			varchar2	1		No	no used
customer_order_nbr			varchar2	10		Yes	no used
distro_doc_type			varchar2	1		Yes	V, D, T (transfer) or A (allocation)
distro_nbr	TSFHEAD or ALLOC_HE	tsf_no or alloc_no	varchar2			Yes	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: ASNOutItem
---	----------------------	-------------------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
container_qty			number	6		No	not used by rms
final_location			varchar2	10		No	not used by rms
from_disposition	shipsku	from_disposition	varchar2	4		Yes	Not directly but mapped through inv_status_codes
item_id	shipsku	item_id	varchar2	25		Yes	
lot_nbr			varchar2	12		No	not used by rms
order_line_nbr			number			No	not used by rms
priority_level			number	1		No	not used by rms
to_disposition			varchar2	4		No	not used by rms
unit_qty	shipsku	qty_expected	number	12,4		Yes	
voucher_expiration_date			date			No	not used by rms
voucher_number			varchar2	16		No	not used by rms



Application Name: Retek Merchandising System

Version: 10.3

DTD or Node Name: ATPDesc.dtd

ATP Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
av_cost	ITEM_LOC_SOH	AV_COST	NUMBER	20,4			
create_datetime	ITEM_LOC_SOH	CREATE_DATETIME	DATE				
customer_backorder	ITEM_LOC_SOH	CUSTOMER_BACKORDER	NUMBER	12,4			
customer_resv	ITEM_LOC_SOH	CUSTOMER_RESV	NUMBER	12,4			
in_transit_qty	ITEM_LOC_SOH	IN_TRANSIT_QTY	NUMBER	12,4			
item	ITEM_LOC_SOH	ITEM	VARCHAR2	25	PK		
item_grandparent	ITEM_LOC_SOH	ITEM_GRANDPARENT	VARCHAR2	25			
item_parent	ITEM_LOC_SOH	ITEM_PARENT	VARCHAR2	25			
last_hist_export_date	ITEM_LOC_SOH	LAST_HIST_EXPORT_DAT	DATE				
last_update_datetime	ITEM_LOC_SOH	LAST_UPDATE_DATETIME	DATE				
last_update_id	ITEM_LOC_SOH	LAST_UPDATE_ID	VARCHAR2	30			
loc	ITEM_LOC_SOH	LOC	NUMBER	10	PK		
loc_type	ITEM_LOC_SOH	LOC_TYPE	VARCHAR2	1			
non_sellable_qty	ITEM_LOC_SOH	NON_SELLABLE_QTY	NUMBER	12,4			
pack_comp_cust_back	ITEM_LOC_SOH	PACK_COMP_CUST_BAC	NUMBER	12,4			
pack_comp_cust_resv	ITEM_LOC_SOH	PACK_COMP_CUST_RES	NUMBER	12,4			
pack_comp_exp	ITEM_LOC_SOH	PACK_COMP_EXP	NUMBER	12,4			
pack_comp_intran	ITEM_LOC_SOH	PACK_COMP_INTRAN	NUMBER	12,4			
pack_comp_resv	ITEM_LOC_SOH	PACK_COMP_RESV	NUMBER	12,4			
pack_comp_soh	ITEM_LOC_SOH	PACK_COMP_SOH	NUMBER	12,4			
rtv_qty	ITEM_LOC_SOH	RTV_QTY	NUMBER	12,4			
soh_update_datetime	ITEM_LOC_SOH	SOH_UPDATE_DATETIME	DATE				
stock_on_hand	ITEM_LOC_SOH	STOCK_ON_HAND	NUMBER	12,4			

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ATPDesc.dtd****ATP Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
tsf_expected_qty	ITEM_LOC_SOH	TSF_EXPECTED_QTY	NUMBER	12,4			
tsf_reserved_qty	ITEM_LOC_SOH	TSF_RESERVED_QTY	NUMBER	12,4			
unit_cost	ITEM_LOC_SOH	UNIT_COST	NUMBER	20,4			

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: BannerDesc.dtd****Banner Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
banner_id	BANNER	BANNER_ID	NUMBER	4	PK	Yes	
banner_name	BANNER	BANNER_NAME	VARCHAR2	20		Yes	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: ChannelDesc.dtd
---	----------------------	--

Channel Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
banner_id	CHANNELS	BANNER_ID	NUMBER	4		Yes	
channel_id	CHANNELS	CHANNEL_ID	NUMBER	4	PK	Yes	
channel_name	CHANNELS	CHANNEL_NAME	VARCHAR2	20		Yes	
channel_type	CHANNELS	CHANNEL_TYPE	VARCHAR2	6		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ChannelRef.dtd****Channel Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
channel_id	CHANNELS	CHANNEL_ID	NUMBER	4	PK	Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: CodeDtlDesc.dtd****Codes Detail Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
code	code_detail	code	varchar2	6			
code_desc	code_detail	code_desc	varchar2	40			
code_seq	code_detail	code_seq	number	4			
code_type	code_detail	code_type	varchar2	4			
required_ind	code_detail	required_ind	varchar2	1			

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: CodeDtlRef.dtd****Codes Detail Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
code	code_detail	code	varchar2	6		Yes	
code_type	code_detail	code_type	varchar2	4		Yes	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: COResDesc.dtd
---	----------------------	--

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
direct_ship_ind	item_supplier	direct_ship_ind	varchar2	1			
item	ITEM_LOC_SOH	ITEM	VARCHAR2	25		Yes	
reserved_quantity	ITEM_LOC_SOH	CUSTOMER_RESV, PACK	NUMBER	12,4		Yes	
ship_date			date				
supplier	item_supplier	supplier	varchar2	10			
wh	ITEM_LOC_SOH	LOC	NUMBER	10		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: CurRateDesc.dtd****Currency Rate Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
conversion_date			date			Yes	
conversion_rate			number	20,10		Yes	
from_currency			varchar2	3		Yes	
to_currency			varchar2	3		Yes	
user_conversion_type			varchar2	12		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: DffGrpHdrDesc.dtd****Differentiator Groups Header**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_group_desc	DIFF_GROUP_HEAD	DIFF_GROUP_DESC	VARCHAR2	40		Yes	
diff_group_id	DIFF_GROUP_HEAD	DIFF_GROUP_ID	VARCHAR2	10	PK	Yes	
diff_group_type	DIFF_GROUP_HEAD	DIFF_GROUP_TYPE	VARCHAR2	6		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: DiffDesc.dtd****Differentiator Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_desc	DIFF_IDS	DIFF_DESC	VARCHAR2	40		Yes	
diff_id	DIFF_IDS	DIFF_ID	VARCHAR2	10	PK	Yes	
diff_type	DIFF_IDS	DIFF_TYPE	VARCHAR2	6		Yes	
industry_code	DIFF_IDS	INDUSTRY_CODE	VARCHAR2	10		No	
industry_subcode	DIFF_IDS	INDUSTRY_SUBCODE	VARCHAR2	10		No	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: DiffGrpDtlDesc.dtd****Differentiator Groups Detail D**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_group_id	DIFF_GROUP_DETAIL	DIFF_GROUP_ID	VARCHAR2	10	PK, FK	Yes	
diff_id	DIFF_GROUP_DETAIL	DIFF_ID	VARCHAR2	10	PK, FK	Yes	
display_seq	DIFF_GROUP_DETAIL	DISPLAY_SEQ	NUMBER	4		No	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: DiffGrpDtlRef.dtd****Differentiator Groups Detail R**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_group_id	DIFF_GROUP_DETAIL	DIFF_GROUP_ID	VARCHAR2	10	PK, FK	Yes	
diff_id	DIFF_GROUP_DETAIL	DIFF_ID	VARCHAR2	10	PK, FK	Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: DiffGrpRef.dtd****Differentiator Groups Referen**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_group_id	DIFF_GROUP_HEAD	DIFF_GROUP_ID	VARCHAR2	10	PK	Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: DiffRef.dtd****Differentiator Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_id	DIFF_IDS	DIFF_ID	VARCHAR2	10	PK	Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: DiffTypeDesc.dtd****Diff Type Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_type	diff_type	diff_type	varchar2	6		Yes	
diff_type_desc	diff_type	diff_type_desc	varchar2	40		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: DiffTypeRef.dtd****Diff Type Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_type	diff_type	diff_type	varchar2	6		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: DSDDeals****DSD Deals**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
cost_sum			number			Yes	
currency_code			varchar2			Yes	
deals_ind			varchar2			Yes	
dept			number			No	
ext_ref_no			varchar2			No	
invc_id			number			Yes	
invc_ind			varchar2			Yes	
order_no			number			Yes	
paid_ind			varchar2			Yes	
payment_date			date			No	
payment_ref_no			varchar2			No	
proof_of_delivery_no			varchar2			No	
qty_cost			number			yes	
shipment			number			Yes	
store			number			Yes	
supplier			varchar2			Yes	
vdate			date			Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: DSDDealsDesc.dtd****DSD Deals Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
DSDDeals						Yes	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: DSDDtl
---	----------------------	---------------------------------

DSD Detail

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	item_master	item	varchar2	25		Yes	
qty_received	shipsku	qty_received	number	12,4		Yes	
unit_cost	item_supp_country	unit_cost	number	20,4		No	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: DSDNonMerch****DSD Non Merchandise**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
non_merch_amt	invc_non_merch_temp	non_merch_amount	number	20		Yes	
non_merch_code	invc_non_merch_temp	non_merch_code	varchar2	6		Yes	
service_perf_ind	invc_non_merch_temp	service_perf_ind	varchar2	1		Yes	
vat_code	invc_non_merch_temp	vat_code	varchar2	6		No	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: DSDReceipt
--	---------------	------------------------------

DSD Receipt

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
currency_code	sups	currency_code	varchar2	3		Yes	
deals_ind		deals_ind	varchar2	1		Yes	
dept	deps	dept	number	4,0		No	
DSDDtl		DSDDtl					
DSDNonMerch		DSDNonMerch					
ext_ref_no	invc_head	ext_ref_no	varchar2	30		No	
invc_ind		invc_ind	varchar2	1		Yes	
origin_country_id	item_supp_country	origin_country_id	varchar2	3		Yes	
paid_ind	invc_head	paid_ind	varchar2	1		Yes	
payment_date		payment_date	varchar2	14		No	
payment_ref_no	invc_head	payment_ref_no	varchar2	16		No	
proof_of_delivery_no	invc_head	proof_of_delivery_no	varchar2	30		No	
store	store	store	number	10,0		Yes	
supplier	sups	supplier	varchar2	10		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: DSDReceiptDesc.dtd****Direct Ship Delivery Receipt D**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
DSDReceipt		DSDReceipt					

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: FrtTermDesc.dtd****Freight Terms Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
enabled_flag	freight_terms	enabled_flag	varchar2	1		Yes	
end_date_active	freight_terms	end_date_active	date			No	
freight_terms	freight_terms	freight_terms	varchar2	30		Yes	
start_date_active	freight_terms	start_date_active	date			No	
term_desc	freight_terms	term_desc	varchar2	240		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: InvAdjustDesc.dtd****Inventory Adjustments Descri**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dc_dest_id	INV_ADJ	dc_dest_id	NUMBER	10		Yes	
InvAdjustDtl		InvAdjustDtl					



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: InvAdjustDtl
--	---------------	--------------------------------

Inventory Adjustment Detail

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
adjustment_reason_code	INV_ADJ	adjustment_reason_code	varchar	4			
aux_reason_code	Data not stored but needs	aux_reason_code					
create_date	INV_ADJ	create_date	DATE				
doc_type	Data not stored but needs	doc_type					
from_disposition	Data not stored but needs	from_disposition					
from_trouble_code	Data not stored but needs	from_trouble_code					
from_wip_code	Data not stored but needs	from_wip_code					
item_id	INV_ADJ	item_id	VARCHAR2	25			
po_nbr	ORDHEAD / TSFHEAD	po_nbr	NUMBER	10			
to_disposition	Data not stored but needs	to_disposition					
to_trouble_code	Data not stored but needs	to_trouble_code					
to_wip_code	Data not stored but needs	to_wip_code					
transaction_code	Data not stored but needs	transaction_code					
transshipment_nbr	Data not stored but needs	transshipment_nbr					
unit_qty	Data not stored but needs	unit_qty					
user_id	INV_ADJ	user_id	VARCHAR2	30			



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: ISCDimDesc.dtd
--	---------------	----------------------------------

Item Supplier Country dimens

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dim_object	ITEM_SUPP_COUNTRY	DIM_OBJECT	VARCHAR2	6		Yes	
height	ITEM_SUPP_COUNTRY	HEIGHT	NUMBER	12,4		No	
item	ITEM_SUPP_COUNTRY	ITEM	VARCHAR2	25		Yes	
length	ITEM_SUPP_COUNTRY	LENGTH	NUMBER	12,4		No	
liquid_volume	ITEM_SUPP_COUNTRY	LIQUID_VOLUME	NUMBER	12,4		No	
liquid_volume_uom	ITEM_SUPP_COUNTRY	LIQUID_VOLUME_UOM	VARCHAR2	4		No	
lwh_uom	ITEM_SUPP_COUNTRY	LWH_UOM	VARCHAR2	4		No	
method_desc	CODE_DETAIL	CODE_DESC/METHOD_DE	VARCHAR2	40		No	
net_weight	ITEM_SUPP_COUNTRY	NET_WEIGHT	NUMBER	12,4		No	
object_desc	CODE_DETAIL	CODE_DESC/OBJECT_DE	VARCHAR2	40		Yes	
origin_country	ITEM_SUPP_COUNTRY	ORIGIN_COUNTRY	VARCHAR2	3		Yes	
presentation_method	ITEM_SUPP_COUNTRY	PRESENTATION_METHOD	VARCHAR2	6		No	
stat_cube	ITEM_SUPP_COUNTRY	STAT_CUBE	NUMBER	12,4		No	
supplier	ITEM_SUPP_COUNTRY	SUPPLIER	varchar2	10		Yes	
tare_type	ITEM_SUPP_COUNTRY	TARE_TYPE	VARCHAR2	6		No	
tare_weight	ITEM_SUPP_COUNTRY	TARE_WEIGHT	NUMBER	12,4		No	
weight	ITEM_SUPP_COUNTRY	WEIGHT	NUMBER	12		No	
weight_uom	ITEM_SUPP_COUNTRY	WEIGHT_UOM	VARCHAR2	4		No	
width	ITEM_SUPP_COUNTRY	WIDTH	NUMBER	12,4		No	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: ISCDimRef.dtd
---	----------------------	--

Item Supplier Country dimens

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dim_object	ITEM_SUPP_COUNTRY	DIM_OBJECT	VARCHAR2	6		Yes	
item	ITEM_SUPP_COUNTRY	ITEM	VARCHAR2	25		Yes	
origin_country	ITEM_SUPP_COUNTRY	ORIGIN_COUNTRY	VARCHAR2	3		Yes	
supplier	ITEM_SUPP_COUNTRY	SUPPLIER	varchar2	10		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ItemBOMDesc.dtd****Item BOM Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	PACKITEM_BREAKOUT	ITEM	VARCHAR2	25	FK	No	
pack_no	PACKITEM_BREAKOUT	PACK_NO	VARCHAR2	25	PK,FK	Yes	
pack_qty	PACKITEM_BREAKOUT	PACK_QTY	NUMBER	12,4		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ItemBOMRef.dtd****Item BOM Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	PACKITEM_BREAKOUT	ITEM	VARCHAR2	25	FK	Yes	
pack_no	PACKITEM_BREAKOUT	PACK_NO	VARCHAR2	25	PK,FK	Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ItemDesc.dtd****Item Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
ISCDimDesc		ISCDimDesc					
ItemBOMDesc		ItemBOMDesc					
ItemHdrDesc		ItemHdrDesc					
ItemImageDesc		ItemImageDesc					
ItemSupCtyDesc		ItemSupCtyDesc					
ItemSupDesc		ItemSupDesc					
ItemUDADateDesc		ItemUDADateDesc					
ItemUDAFFDesc		ItemUDAFFDesc					
ItemUDALOVDesc		ItemUDALOVDesc					
ItemUPCDesc		ItemUPCDesc					



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: ItemHdrDesc.dtd
--	---------------	-----------------------------------

Item Header Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
autopackable							
brand							
break_case_ups							
catch_weight_ind	ITEM_MASTER	CATCH_WEIGHT_IND	VARCHAR2	1		Yes	
class	ITEM_MASTER	CLASS	NUMBER	4		Yes	
class_name	CLASS	CLASS_NAME	VARCHAR2	20		Yes	
color							
comments	ITEM_MASTER	COMMENTS	VARCHAR2	250		No	
const_dimen_ind	ITEM_MASTER	CONST_DIMEN_IND	VARCHAR2	1		Yes	
container_type							
contains_inner_ind	ITEM_MASTER	CONTAINS_INNER_IND	VARCHAR2	1		Yes	
conveyable_flag							
cost_zone_group_id	ITEM_MASTER	COST_ZONE_GROUP_ID	NUMBER	4		No	
default_waste_pct	ITEM_MASTER	DEFAULT_WASTE_PCT	NUMBER	12,4		No	
dept	ITEM_MASTER	DEPT	NUMBER	4		Yes	
dept_name	DEPS	DEPT_NAME	VARCHAR2	20		Yes	
desc_up	ITEM_MASTER	DESC_UP	VARCHAR2	100		Yes	
diff_1	ITEM_MASTER	DIFF_1	VARCHAR2	10		No	
diff_1_type	DIFF_IDS	DIFF_TYPE	VARCHAR2	6		No	
diff_2	ITEM_MASTER	DIFF_2	VARCHAR2	10		No	
diff_2_type	DIFF_IDS	DIFF_TYPE	VARCHAR2	6		No	
diff_3	ITEM_MASTER	DIFF_3	VARCHAR2	10		No	
diff_3_type	DIFF_IDS	DIFF_TYPE	VARCHAR2	6		No	



Application Name: Retek Merchandising System

Version: 10.3

DTD or Node Name: ItemHdrDesc.dtd

Item Header Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
diff_4	ITEM_MASTER	DIFF_4	VARCHAR2	10		No	
diff_4_type	DIFF_IDS	DIFF_TYPE	VARCHAR2	6		No	
division							
fit							
forecast_ind	ITEM_MASTER	FORECAST_IND	VARCHAR2	1		Yes	
format_id	ITEM_MASTER	FORMAT_ID	VARCHAR2	1		No	
fragile							
freight_class							
gift_wrap_ind	ITEM_MASTER	GIFT_WRAP_IND	VARCHAR2	1		Yes	
handling_sensitivity	ITEM_MASTER	HANDLING_SENSITIVITY	VARCHAR2	6		No	
handling_sensitivity_desc	CODE_DETAIL	CODE_DESC HANDLING_	VARCHAR2	40		No	
handling_temp	ITEM_MASTER	HANDLING_TEMP	VARCHAR2	6		No	
handling_temp_desc	CODE_DETAIL	CODE_DESC HANDLING_T	VARCHAR2	40		No	
hazard_matl_code							
high_value_ind			varchar2	1			
item	ITEM_MASTER	ITEM	VARCHAR2	25	PK	Yes	
item_desc	ITEM_MASTER	ITEM_DESC	VARCHAR2	100		Yes	
item_grandparent	ITEM_MASTER	ITEM_GRANDPARENT	VARCHAR2	25		No	
item_level	ITEM_MASTER	ITEM_LEVEL	NUMBER	1		Yes	
item_master_uda1							
item_master_uda10							
item_master_uda11							
item_master_uda12							



Application Name: Retek Merchandising System

Version: 10.3

DTD or Node Name: ItemHdrDesc.dtd

Item Header Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item_master_uda13							
item_master_uda14							
item_master_uda15							
item_master_uda2							
item_master_uda3							
item_master_uda4							
item_master_uda5							
item_master_uda6							
item_master_uda7							
item_master_uda8							
item_master_uda9			varchar2	20			
item_number_type	ITEM_MASTER	ITEM_NUMBER_TYPE	VARCHAR2	6		Yes	
item_parent	ITEM_MASTER	ITEM_PARENT	VARCHAR2	25		No	
item_service_level	ITEM_MASTER	ITEM_SERVICE_LEVEL	VARCHAR2	6		No	
merchandise_ind	ITEM_MASTER	MERCHANDISE_IND	VARCHAR2	1		Yes	
mfg_rec_retail	ITEM_MASTER	MFG_REC_RETAIL	NUMBER	20,4		No	
new_item							
order_as_type	ITEM_MASTER	ORDER_AS_TYPE	VARCHAR2	1		No	
orderable_ind	ITEM_MASTER	ORDERABLE_IND	VARCHAR2	1		Yes	
pack_ind	ITEM_MASTER	PACK_IND	VARCHAR2	1		Yes	
pack_type	ITEM_MASTER	PACK_TYPE	VARCHAR2	1		No	
package_size	ITEM_MASTER	PACKAGE_SIZE	NUMBER	12,4		No	
package_uom	ITEM_MASTER	PACKAGE_UOM	VARCHAR2	4		No	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: ItemHdrDesc.dtd
--	---------------	-----------------------------------

Item Header Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
perishable_ind							
planned_residual							
prefix	ITEM_MASTER	PREFIX	NUMBER	2		No	
preticket_flag							
primary_ref_item_ind	ITEM_MASTER	PRIMARY_REF_ITEM_IND	VARCHAR2	1		Yes	
retail_label_type	ITEM_MASTER	RETAIL_LABEL_TYPE	VARCHAR2	6		No	
retail_label_type_desc	CODE_DETAIL	CODE_DESC RETAIL_LAB	VARCHAR2	40		No	
retail_label_value	ITEM_MASTER	RETAIL_LABEL_VALUE	NUMBER	20,4		No	
retail_zone_group_id	ITEM_MASTER	RETAIL_ZONE_GROUP_ID	NUMBER	4		No	
rigid							
roundable_flag							
sellable_ind	ITEM_MASTER	SELLABLE_IND	VARCHAR2	1		Yes	
shade							
ship_alone							
ship_alone_ind	ITEM_MASTER	SHIP_ALONE_IND	VARCHAR2	1		Yes	
short_desc	ITEM_MASTER	SHORT_DESC	VARCHAR2	20		Yes	
simple_pack_ind	ITEM_MASTER	SIMPLE_PACK_IND	VARCHAR2	1		Yes	
single_contain_bulk							
single_price_flag							
size1							
slottable							
sortable							
standard_uom	ITEM_MASTER	STANDARD_UOM	VARCHAR2	4		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ItemHdrDesc.dtd****Item Header Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
status	ITEM_MASTER	STATUS	VARCHAR2	1		Yes	
std_unit_weight							
store_ord_mult	ITEM_MASTER	STORE_ORD_MULT	VARCHAR2	1		Yes	
sub_name	SUBCLASS	SUB_NAME	VARCHAR2	20		Yes	
subclass	ITEM_MASTER	SUBCLASS	NUMBER	4		Yes	
ticket_type							
tran_level	ITEM_MASTER	TRAN_LEVEL	NUMBER	1		Yes	
unit_pick_system_code							
unit_retail	ITEM_ZONE_PRICE	UNIT_RETAIL	NUMBER	20,4		No	
uom_conv_factor	ITEM_MASTER	UOM_CONV_FACTOR	NUMBER	20,10		No	
velocity							
vendor_nbr							
vendor_style							
waste_pct	ITEM_MASTER	WASTE_PCT	NUMBER	12,4		No	
waste_type	ITEM_MASTER	WASTE_TYPE	VARCHAR2	6		No	
waste_type_desc	CODE_DETAIL	CODE_DESC WASTE_TYP	VARCHAR2	40			

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ItemImageDesc.dtd****Item Image Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
image_addr	ITEM_IMAGE	IMAGE_ADDR	VARCHAR2	255		Yes	
image_name	ITEM_IMAGE	IMAGE_NAME	VARCHAR2	64	PK	Yes	
item	ITEM_IMAGE	ITEM	VARCHAR2	25	PK,FK	Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ItemImageRef.dtd****Item Image Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
image_name	ITEM_IMAGE	IMAGE_NAME	VARCHAR2	64	PK	Yes	
item	ITEM_IMAGE	ITEM	VARCHAR2	25	PK,FK	Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ItemRef****Item Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	item_master	item	varchar2	25		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ItemRef.dtd****Item Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	ITEM_MASTER	ITEM	VARCHAR2	25	PK	Yes	
ItemRef							



Application Name: Retek Merchandising System

Version: 10.3

DTD or Node Name: ItemSupCtyDesc.dtd

Item Supplier Country Descrip

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
default_uop	ITEM_SUPP_COUNTRY	DEFAULT_UOP	VARCHAR2	6		No	
hi	ITEM_SUPP_COUNTRY	HI	NUMBER	12,4		Yes	
inner_pack_size	ITEM_SUPP_COUNTRY	INNER_PACK_SIZE	NUMBER	12,4		Yes	
item	ITEM_SUPP_COUNTRY	ITEM	VARCHAR2	25	PK,FK	Yes	
lead_time	ITEM_SUPP_COUNTRY	LEAD_TIME	NUMBER	4		No	
max_order_qty	ITEM_SUPP_COUNTRY	MAX_ORDER_QTY	NUMBER	12,4		No	
min_order_qty	ITEM_SUPP_COUNTRY	MIN_ORDER_QTY	NUMBER	12,4		No	
origin_country_id	ITEM_SUPP_COUNTRY	ORIGIN_COUNTRY_ID	VARCHAR2	3	PK,FK	Yes	
packing_method	ITEM_SUPP_COUNTRY	PACKING_METHOD	VARCHAR2	6		No	
pickup_lead_time	ITEM_SUPP_COUNTRY	PICKUP_LEAD_TIME	NUMBER	4		No	
primary_country_ind	ITEM_SUPP_COUNTRY	PRIMARY_COUNTRY_IND	VARCHAR2	1		Yes	
primary_supp_ind	ITEM_SUPP_COUNTRY	PRIMARY_SUPP_IND	VARCHAR2			Yes	
round_lvl	ITEM_SUPP_COUNTRY	ROUND_LVL	VARCHAR2	6		Yes	
supp_pack_size	ITEM_SUPP_COUNTRY	SUPP_PACK_SIZE	NUMBER	12,4		Yes	
supplier	ITEM_SUPP_COUNTRY	SUPPLIER	varchar2	10	PK,FK	Yes	
ti	ITEM_SUPP_COUNTRY	TI	NUMBER	12,4		Yes	
unit_cost	ITEM_SUPP_COUNTRY	UNIT_COST	NUMBER	20,4		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ItemSupCtyRef.dtd****Item Supplier Country Refere**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	ITEM_SUPP_COUNTRY	ITEM	VARCHAR2	25	PK,FK	Yes	
origin_country_id	ITEM_SUPP_COUNTRY	ORIGIN_COUNTRY_ID	VARCHAR2	3	PK,FK	Yes	
supplier	ITEM_SUPP_COUNTRY	SUPPLIER	varchar2	10	PK,FK	Yes	



Application Name: Retek Merchandising System

Version: 10.3

DTD or Node Name: ItemSupDesc.dtd

Item Supplier Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
case_name	ITEM_SUPPLIER	CASE_NAME	VARCHAR2	6		Yes	
consignment_rate	ITEM_SUPPLIER	CONSIGNMENT_RATE	NUMBER	12,4		No	
direct_ship_ind	ITEM_SUPPLIER	DIRECT_SHIP_IND	VARCHAR2	1		Yes	
inner_name	ITEM_SUPPLIER	INNER_NAME	VARCHAR2	6		Yes	
item	ITEM_SUPPLIER	ITEM	VARCHAR2	25	PK,FK	Yes	
pallet_name	ITEM_SUPPLIER	PALLET_NAME	VARCHAR2	6		Yes	
primary_supp_ind	ITEM_SUPP_COUNTRY	PRIMARY_SUPP_IND	VARCHAR2	1		Yes	
supp_diff_1	ITEM_SUPPLIER	SUPP_DIFF_1	VARCHAR2	80		No	
supp_diff_2	ITEM_SUPPLIER	SUPP_DIFF_2	VARCHAR2	80		No	
supp_diff_3	ITEM_SUPPLIER	SUPP_DIFF_3	VARCHAR2	80		No	
supp_diff_4	ITEM_SUPPLIER	SUPP_DIFF_4	VARCHAR2	80		No	
supp_discontinue_date	ITEM_SUPPLIER	SUPP_DISCONTINUE_DAT	DATE	7		No	
supp_label	ITEM_SUPPLIER	SUPP_LABEL	VARCHAR2	15		No	
supplier	ITEM_SUPPLIER	SUPPLIER	varchar2	10	PK,FK	Yes	
vpn	ITEM_SUPPLIER	VPN	VARCHAR2	30		No	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: ItemSupRef.dtd
---	----------------------	---

Item Suppliers Reference

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	ITEM_SUPPLIER	ITEM	VARCHAR2	25	PK,FK	Yes	
supplier	ITEM_SUPPLIER	SUPPLIER	varchar2	10	PK,FK	Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ItemUDADateDesc.dtd****Item UDA Date Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	UDA_ITEM_DATE	ITEM	VARCHAR2	25	PK,FK	Yes	
uda_date	UDA_ITEM_DATE	UDA_DATE	DATE	7		Yes	
uda_id	UDA_ITEM_DATE	UDA_ID	NUMBER	5	PK,FK	Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ItemUDADateRef.dtd****Item UDA Date Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	UDA_ITEM_DATE	ITEM	VARCHAR2	25	PK,FK	Yes	
uda_id	UDA_ITEM_DATE	UDA_ID	NUMBER	5	PK,FK	Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ItemUDAFFDesc.dtd****Item UDA FF Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	UDA_ITEM_FF	ITEM	VARCHAR2	25	PK,FK	Yes	
uda_id	UDA_ITEM_FF	UDA_ID	NUMBER	5	PK,FK	Yes	
uda_text	UDA_ITEM_FF	UDA_TEXT	VARCHAR2	250		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ItemUDAFFRef.dtd****Item UDA FF Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	UDA_ITEM_FF	ITEM	VARCHAR2	25	PK,FK	Yes	
uda_id	UDA_ITEM_FF	UDA_ID	NUMBER	5	PK,FK	Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ItemUDALovDesc.dtd****Item UDA List of Value Descri**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	UDA_ITEM_LOV	ITEM	VARCHAR2	25	PK,FK	Yes	
uda_id	UDA_ITEM_LOV	UDA_ID	NUMBER	5	PK,FK	Yes	
uda_value	UDA_ITEM_LOV	UDA_VALUE	NUMBER	3	PK,FK	Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ItemUDALOVRef.dtd****Item UDA List of Value Refere**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	UDA_ITEM_LOV	ITEM	VARCHAR2	25	PK,FK	Yes	
uda_id	UDA_ITEM_LOV	UDA_ID	NUMBER	5	PK,FK	Yes	
uda_value	UDA_ITEM_LOV	UDA_VALUE	NUMBER	3	PK, FK	Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ItemUPCDesc.dtd****Item UPC Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
format_id	ITEM_MASTER	FORMAT_ID	VARCHAR2	1		No	
item_id	ITEM_MASTER	ITEM_ID	VARCHAR2	25		Yes	
item_number_type	ITEM_MASTER	ITEM_NUMBER_TYPE	VARCHAR2	6		Yes	
item_parent	ITEM_MASTER	ITEM_PARENT	VARCHAR2	25		Yes	
prefix	ITEM_MASTER	PREFIX	NUMBER	2		No	
primary_ref_item_ind	ITEM_MASTER	PRIMARY_REF_ITEM_IND	VARCHAR2	1		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ItemUPCRef.dtd****Item UPC Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
ItemRef		ItemRef				Yes	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: OTB
---	----------------------	------------------------------

OTB

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
approved_qty	Calculated		number	12,4		No	
class	ITEM_MASTER	CLASS	varchar2	7		Yes	
dept	ITEM_MASTER	DEPT	number	4,0		Yes	
po_nbr	ORDHEAD	ORDER_NO	varchar2	10		Yes	
receipt_qty	Calculated		number	12,4			
subclass	ITEM_MASTER	SUBCLASS	varchar2	4		Yes	
unit_cost	Calculated		number	20,4		No	
unit_retail	Calculated		number	20,4		No	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: OTBDesc.dtd****OTB Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
OTB		OTB				Yes	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: PayTermDesc.dtd
---	----------------------	--

Payment Terms Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
discdays	terms	discdays	number	3		Yes	
due_days	terms	due_days	number	3		Yes	
enabled_flag	terms	enabled_flag	varchar2	1		Yes	
end_date_active	terms	end_date_active	date			No	
percent	terms	percent	number	12,4		Yes	
start_date_active	terms	start_date_active	date			No	
terms	terms	terms	varchar2	15		Yes	
terms_code	terms	terms_code	varchar2	50		Yes	
terms_desc	terms	terms_desc	varchar2	240		Yes	



Application Name: Retek Merchandising System

Version: 10.3

DTD or Node Name: PODesc.dtd

Purchase Order Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
agent	ORDHEAD	agent				No	
agent_desc	Generated from PARNTE	agent_desc				No	
app_datetime	ORDHEAD	app_datetime				No	
backhaul_allowance	ORDHEAD	backhaul_allowance				No	
backhaul_type	ORDHEAD	backhaul_type				No	
backhaul_type_desc	Generated from LANGUA	backhaul_type_desc				No	
bill_to_id	ORDHEAD	bill_to_id				No	
buyer	ORDHEAD	buyer				No	
buyer_name	Generated from BUYER_	buyer_name				No	
close_date	ORDHEAD	close_date	date			No	
comment_desc	ORDHEAD	comment_desc				No	
contract_no	ORDHEAD	contract_no				No	
currency_code	ORDHEAD	currency_code				Yes	
cust_order	ORDHEAD	cust_order				Yes	
dept	ORDHEAD	dept				No	
dept_name	Generated from DEPT_A	dept_name				No	
discharge_port	ORDHEAD	discharge_port				No	
discharge_port_desc	Generated from OUTSID	discharge_port_desc				No	
doc_type	Generated	doc_type				Yes	
earliest_ship_date	ORDHEAD	earliest_ship_date	date			No	
exchange_rate	ORDHEAD	exchange_rate				No	
factory	ORDHEAD	factory				No	
factory_desc	Generated from PARTNE	factory_desc				No	



Application Name: Retek Merchandising System

Version: 10.3

DTD or Node Name: PODesc.dtd

Purchase Order Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
fob_title_pass	ORDHEAD	fob_title_pass				No	
fob_title_pass_code_desc	Generated from LANGUA	fob_title_pass_code_desc				No	
fob_title_pass_desc	ORDHEAD	fob_title_pass_desc				No	
fob_trans_res	ORDHEAD	fob_trans_res				No	
fob_trans_res_code_desc	Generated from LANGUA	fob_trans_res_code_desc				No	
fob_trans_res_desc	ORDHEAD	fob_trans_res_desc				No	
freight_contract_no	ORDHEAD	freight_contract_no				No	
freight_terms	ORDHEAD	freight_terms				No	
lading_port	ORDHEAD	lading_port				No	
lading_port_desc	Generated fro OUTSIDE_	lading_port_desc				No	
latest_ship_date	ORDHEAD	latest_ship_date	date			No	
not_after_date	ORDHEAD	not_after_date	date			No	
not_before_date	ORDHEAD	not_before_date	date			No	
order_no	ORDHEAD	order_no				Yes	
order_type	ORDHEAD	order_type				Yes	
order_type_desc	Generated from LANGUA	order_type_desc				Yes	
otb_eow_date	ORDHEAD	otb_eow_date	date			No	
payment_method	ORDHEAD	payment_method				No	
payment_method_desc	Generated from LANGUA	payment_method_desc				No	
pickup_date	ORDHEAD	pickup_date	date			No	
pickup_loc	ORDHEAD	pickup_loc				No	
pickup_no	ORDHEAD	pickup_no				No	
po_type	ORDHEAD	po_type				No	



Application Name: Retek Merchandising System

Version: 10.3

DTD or Node Name: PODesc.dtd

Purchase Order Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
po_type_desc	Generated from ORDER_	po_type_desc				No	
PODtIDesc		PODtIDesc					
pre_mark_ind	ORDHEAD	pre_mark_ind				Yes	
prom_desc	Generated from PROMO	prom_desc				No	
promotion	ORDHEAD	promotion				No	
purchase_type	ORDHEAD	purchase_type				No	
purchase_type_desc	Generated from LANGUA	purchase_type_desc				No	
qc_ind	ORDHEAD	qc_ind				Yes	
ship_method	ORDHEAD	ship_method				No	
ship_method_desc	Generated from LANGUA	ship_method_desc				No	
ship_pay_method	ORDHEAD	ship_pay_method				No	
ship_pay_method_desc	Generated from LANGUA	ship_pay_method_desc				No	
status	ORDHEAD	status				Yes	
supplier	ORDHEAD	supplier				Yes	
terms	ORDHEAD	terms				Yes	
terms_code	Generated from ORDER_	terms_code				Yes	
vendor_order_no	ORDHEAD	vendor_order_no				No	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: PODtl
--	---------------	-------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
door_ind	Generated	door_ind				No	
earliest_ship_date	ORDSKU	EARLIEST_SHIP_DATE	DATE	DD-MM-Y		Yes	
item	ORDLOC	ITEM	VARCHAR2	25	PK	Yes	
latest_ship_date	ORDSKU	LATEST_SHIP_DATE	DATE	DD-MM-Y		Yes	
new_item	Generated	new_item				No	
origin_country_id	ORDSKU	ORIGIN_COUNTRY_ID	VARCHAR2	3		Yes	
packing_method	ITEM_SUPP_COUNTRY	PACKING_METHOD	VARCHAR2	6		No	
physical_location	STORE OR WH	STORE OR PHYSICAL_WH	NUMBER	10		Yes	
physical_location_type	ORDLOC	LOC_TYPE	VARCHAR2	1		Yes	
physical_qty_ordered	ORDLOC	QTY_ORDERED	number	12,4		Yes	
pickup_loc	ORDSKU	PICKUP_LOC	VARCHAR2	45		No	
pickup_no	ORDSKU	PICKUP_NO	VARCHAR2	25		No	
POVirtualDtl		POVirtualDtl					
priority_level	Generated	priority_level				No	
quarantine	Generated	quarantine				No	
rcvd_unit_qty	Generated	rcvd_unit_qty	number			No	
ref_item	ORDSKU	REF_ITEM	VARCHAR2	25		No	
round_lvl	ITEM_SUPP_COUNTRY	ROUND_LVL	VARCHAR2	6		No	
supp_pack_size	ORDSKU	SUPP_PACK_SIZE	NUMBER	12,4		Yes	
tsf_po_link_id	ORDLOC	TSF_PO_LINK_ID	NUMBER	10		No	
unit_cost	ITEM_SUPP_COUNTRY	UNIT_COST	NUMBER	20,4		Yes	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: PODtlRef
---	----------------------	-----------------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	ORDLOC	ITEM	VARCHAR2	25	PK	Yes	
physical_location	STORE OR WH	STORE OR WH	NUMBER	10		Yes	
physical_location_type	ORDLOC	LOC_TYPE	VARCHAR2	1		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: PORef.dtd****Purchase Order Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
doc_type	Generated	DOC_TYPE	VARCHAR2	1		Yes	
order_no	ORDHEAD	ORDER_NO	NUMBER	8	PK	Yes	
PODtIRef		POPhyDtIRef					

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: POVirtualDtl****PO Virtual Detail**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
location	ordloc	location	number	10,0		Yes	
location_type	ordloc	loc_type	varchar2	1		Yes	
qty_ordered	ordloc	qty_ordered	number	12,4		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: Receipt****Receipt**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
asn_nbr			varchar2	30			
dc_dest_id			varchar2	10			
document_type			varchar2	1			
po_nbr			varchar2	10			
ReceiptDtl		ReceiptDtl					

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: ReceiptDesc.dtd****Receipt Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
appt_nbr			number	9			
Receipt		Receipt					



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: ReceiptDtl
---	----------------------	-------------------------------------

Receipt Detail

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
container_id			varchar2	20			
dest_id			varchar2	2			
distro_doc_type			varchar2	1			
distro_nbr			varchar2	10			
from_disposition			varchar2	4			
from_trouble			varchar2	2			
from_wip			varchar2	6			
item_id			varchar2	25			
receipt_date			date				
receipt_nbr			number	9			
receipt_xactn_type			varchar2	1			
to_disposition			varchar2	4			
to_trouble			varchar2	2			
to_wip			varchar2	6			
unit_qty			number	12,4			
user_id			varchar2	10			



Application Name: Retek Merchandising System

Version: 10.3

DTD or Node Name: StoreDesc.dtd

Stores Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
acquired_date	STORE	ACQUIRED_DATE	DATE			No	
channel_id	STORE	CHANNEL_ID	NUMBER	4,0		No	
country_id	STORE	COUNTRY_ID	VARCHAR2	3	FK	Yes	
county	STORE	COUNTY	VARCHAR2	20		No	
currency_code	STORE	CURRENCY_CODE	VARCHAR2	3	FK	Yes	
default_wh	STORE	DEFAULT_WH	NUMBER	10,0		No	
description	TSFZONE	DESCRIPTION	VARCHAR2	20		No	
district	STORE	DISTRICT	NUMBER	4,0		Yes	
district_name	DISTRICT	DISTRICT_NAME	VARCHAR2	20		Yes	
duns_loc	STORE	DUNS_LOC	VARCHAR2	4		No	
duns_number	STORE	DUNS_NUMBER	VARCHAR2	9		No	
email	STORE	EMAIL	VARCHAR2	100		No	
fax_number	STORE	FAX_NUMBER	VARCHAR2	20		No	
integrated_pos_ind	STORE	INTEGRATED_POS_IND	VARCHAR2	1		Yes	
lang	STORE	LANG	NUMBER	6,0	FK	Yes	
linear_distance	STORE	LINEAR_DISTANCE	NUMBER	8,0		No	
mall_name	STORE	MALL_NAME	VARCHAR2	20		No	
orig_currency_code	STORE	ORIG_CURRENCY_CODE	VARCHAR2	3	FK	Yes	
phone_number	STORE	PHONE_NUMBER	VARCHAR2	20		No	
promo_desc	PROMO_ZONE	PROMO_DESC	VARCHAR2	20		No	
promo_zone	STORE	PROMO_ZONE	NUMBER	4,0		No	
remodel_date	STORE	REMODEL_DATE	DATE			No	
selling_square_ft	STORE	SELLING_SQUARE_FT	NUMBER	8,0		No	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: StoreDesc.dtd****Stores Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
start_order_days	STORE	START_ORDER_DAYS	NUMBER	3,0		Yes	
state	STORE	STATE	VARCHAR2	3		No	
stockholding_ind	STORE	STOCKHOLDING_IND	VARCHAR2	1		Yes	
stop_order_days	STORE	STOP_ORDER_DAYS	NUMBER	3,0		No	
store	STORE	STORE	NUMBER	10	PK	Yes	
store_add1	STORE	STORE_ADD1	VARCHAR2	30		Yes	
store_add2	STORE	STORE_ADD2	VARCHAR2	30		No	
store_city	STORE	STORE_CITY	VARCHAR2	20		Yes	
store_class	STORE	STORE_CLASS	VARCHAR2	1		Yes	
store_close_date	STORE	STORE_CLOSE_DATE	DATE			No	
store_format	STORE	STORE_FORMAT	NUMBER	4,0		No	
store_mgr_name	STORE	STORE_MGR_NAME	VARCHAR2	32		Yes	
store_name	STORE	STORE_NAME	VARCHAR2	20		Yes	
store_name10	STORE	STORE_NAME10	VARCHAR2	10		Yes	
store_name3	STORE	STORE_NAME3	VARCHAR2	3		Yes	
store_open_date	STORE	STORE_OPEN_DATE	DATE			Yes	
store_pcode	STORE	STORE_PCODE	VARCHAR2	10		No	
total_square_ft	STORE	TOTAL_SQUARE_FT	NUMBER	8,0		No	
transfer_zone	STORE	TRANSFER_ZONE	NUMBER	4,0		No	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: StoreRef.dtd****Stores Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
store	STORE	STORE	NUMBER	10,0	PK	Yes	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: TermsDesc.dtd
---	----------------------	--

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
discdays	terms	discdays	number	3			
due_days	terms	duedays	number	3			
enabled_flag	terms	enabled_flag	varchar2	1			
end_date_active	terms	end_date_active	date				
percent	terms	percent	number	12			
start_date_active	terms	start_date_active	date				
terms	terms	terms	varchar2	15			
terms_code	terms	terms_code	varchar2	50			
terms_desc	terms	terms_desc	varchar2	240			



Application Name: Retek Merchandising System

Version: 10.3

DTD or Node Name: TsfDesc.dtd

Transfers Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
break_by_distro	GENERATED	Y or N	varchar2	1		Yes	
cust_name	CUSTOMER	cust_name	varchar2	30		No	
default_order_type	SYSTEM_OPTIONS	default_order_type	varchar2	9		Yes	
deliver_add1	ORDCUST	deliver_add1	varchar2	30		No	
deliver_add2	ORDCUST	deliver_add2	varchar2	30		No	
deliver_city	ORDCUST	deliver_city	varchar2	25		No	
deliver_country_id	ORDCUST	deliver_country_id	varchar2	3		No	
deliver_post	ORDCUST	deliver_post	varchar2	10		No	
deliver_state	ORDCUST	deliver_state	varchar2	3		No	
delivery_date	TSFHEAD	delivery_date	date			No	
doc_type	GENERATED	always equal T	varchar2	1		Yes	
from_loc	TSFHEAD	from_loc	number	10		Yes	
from_loc_type	ITEM_LOC	loc_type	varchar2	1		Yes	
message	TSFHEAD	comment_desc	varchar2	300		No	
physical_from_loc	STORE OR WH	store or physical_wh	number	10		Yes	
physical_to_loc	STORE OR WH	store or physical_wh	number	10		Yes	
pick_not_after_date	GENERATED	based on TSFHEAD approv	date			Yes	
pick_not_before_date	GENERATED	based on TSFHEAD approv	date			Yes	
priority	GENERATED	always 1	number	4		No	
to_loc	TSFHEAD	to_loc	number	10		Yes	
to_loc_type	ITEM_LOC	to_loc_type	varchar2	1		Yes	
tsf_no	TSFHEAD	tsf_no	number	10		Yes	
tsf_type	TSFHEAD	tsf_type	varchar2	6		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: TsfDesc.dtd****Transfers Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
TsfDtl		TsfDtl				No	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: TsfDtl
---	----------------------	---------------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
expedite_flag	generated by freight code	expedite_flag	varchar2	1		No	
item	TSFDETAIL	item	varchar2	25	PK, FK1	Yes	
price	Generated from PRICING	price	number	20,4		No	
priority	Always 1 now (reserved f	priority	number	4		No	
selling_uom	Generated from PRICING	selling_uom	varchar2	2		No	
store_ord_mult	ITEM_LOC	store_ord_mult	varchar2	1		Yes	
ticket_type_id	item_ticket	ticket_type_id	varchar2	4		No	
tsf_po_link_no	TSFDETAIL	tsf_po_link_no	number	10		No	
tsf_qty	TSFDETAIL	tsf_qty	number	12,4		Yes	
TsfDtlTckt		TsfDtlTckt					

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: TsfDtlRef**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	TSFDETAIL	item	varchar2	25		Yes	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: TsfDtlTckt
---	----------------------	-------------------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
comp_item	V_PACKSKU_QTY	comp_item	varchar2	25	PK, FK1	Yes	
comp_price	Generated from PRICING	comp_price	number	20,4		No	
comp_selling_uom	TSFDETAIL	comp_selling_uom	varchar2	2	FK2	No	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: TsfDtlTcktDesc.dtd
---	----------------------	---

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
comp_item	V_PACKSKU_QTY	COMP_ITEM	VARCHAR2	25			
doc_type	Generate	DOC_TYPE	VARCHAR2	1			
item	TSFDETAIL	ITEM	VARCHAR2	25	PK, FK1	Yes	
physical_to_loc	Generate	PHYSICAL_TO_LOC	NUMBER	10			
price	Generated from PRICING	PRICE	NUMBER	20,4			
selling_uom	Generated from PRICING	SELLING_UOM	VARCHAR2	2			
to_loc	TSFHEAD	TO_LOC	NUMBER	10			
tsf_no	TSFHEAD	TSF_NO	NUMBER	10	PK, FK1	Yes	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: TsfRef.dtd
---	----------------------	-------------------------------------

Transfers Reference

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
doc_type	GENERATED		varchar2	1		Yes	
from_loc	TSFHEAD	from_loc	number	10		Yes	
physical_from_loc	STORE OR WH	store or physical_wh	number	10		Yes	
physical_to_loc	STORE OR WH	store or physical_wh	number	10		Yes	
to_loc	TSFHEAD	to_loc	number	10		Yes	
tsf_no	TSFHEAD	tsf_no	number	10		Yes	
TsfDtlRef		TsfDtlref					

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: UDADesc.dtd****UDA Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
carton_group						No	
combinability						No	
data_length	UDA	DATA_LENGTH	NUMBER	3		Yes	
data_type	UDA	DATA_TYPE	VARCHAR2	12		Yes	
display_type	UDA	DISPLAY_TYPE	VARCHAR2	2		Yes	
host_ind						No	
module	UDA	MODULE	VARCHAR2	20		Yes	
single_value_ind	UDA	SINGLE_VALUE_IND	VARCHAR2	1		Yes	
uda_desc	UDA	UDA_DESC	VARCHAR2	40		Yes	
uda_id	UDA	UDA_ID	NUMBER	5	PK	Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: UDAREf.dtd****UDA Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
uda_id	UDA	UDA_ID	NUMBER	5	PK	Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: UDAValDesc.dtd****UDA Value Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
uda_id	UDA_VALUES	UDA_ID	NUMBER	5	PK	Yes	
uda_value	UDA_VALUES	UDA_VALUE	VARCHAR2	3	PK	Yes	
uda_value_desc	UDA_VALUES	UDA_VALUE_DESC	VARCHAR2	250		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: UDAValRef.dtd****UDA Value Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
uda_id	UDA_VALUES	UDA_ID	NUMBER	5	PK	Yes	
uda_value	UDA_VALUES	UDA_VALUE	VARCHAR2	3	PK	Yes	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: VendorAddrDesc.dtd
--	---------------	--------------------------------------

Vendor Address Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
add_1	ADDR	ADD_1	VARCHAR2	30		Yes	
add_2	ADDR	ADD_2	VARCHAR2	30		No	
add_3	ADDR	ADD_3	VARCHAR2	30		No	
addr_type	ADDR	ADDR_TYPE	VARCHAR2	2	AK	Yes	
city	ADDR	CITY	VARCHAR2	20		Yes	
contact_email	ADDR	CONTACT_EMAIL	VARCHAR2	100		No	
contact_fax	ADDR	CONTACT_FAX	VARCHAR2	20		No	
contact_name	ADDR	CONTACT_NAME	VARCHAR2	20		No	
contact_phone	ADDR	CONTACT_PHONE	VARCHAR2	20		No	
contact_telex	ADDR	CONTACT_TELEX	VARCHAR2	20		No	
country_id	ADDR	COUNTRY_ID	VARCHAR2	3		Yes	
key_value_1	ADDR	KEY_VALUE_1	VARCHAR2	20	AK	Yes	
key_value_2	ADDR	KEY_VALUE_2	VARCHAR2	20	AK	No	
module	ADDR	MODULE MODULE	VARCHAR2	4		Yes	
oracle_vendor_site_id	ADDR	ORACLE_VENDOR_SITE_I	NUMBER	15		No	
post	ADDR	POST	VARCHAR2	10		No	
primary_addr_ind	ADDR	PRIMARY_ADDR_IND	VARCHAR2	1		Yes	
seq_no	ADDR	SEQ_NO	NUMBER	4	AK	Yes	
state	ADDR	STATE	VARCHAR2	3		No	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: VendorAddrRef.dtd****Vendor Address Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
addr_type	ADDR	ADDR_TYPE	VARCHAR2	2	AK	Yes	
seq_no	ADDR	SEQ_NO	NUMBER	4	AK	Yes	
supplier	SUPS	SUPPLIER	varchar2	10	PK	Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: VendorDesc.dtd****Vendor Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
VendorAddrDesc		VendorAddrDesc					
VendorHdrDesc		VendorHdrDesc					



Application Name: Retek Merchandising System

Version: 10.3

DTD or Node Name: VendorHdrDesc.dtd

Vendor Header Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
addinvc_gross_net	SUPS	ADDINVC_GROSS_NET	VARCHAR2	6		No	
auto_appr_dbt_memo	SUPS	AUTO_APPR_DBT_MEMO_	VARCHAR2	1		Yes	
auto_appr_invc_ind	SUPS	AUTO_APPR_INVC_IND	VARCHAR2	1		Yes	
backorder_ind	SUPS	BACKORDER_IND	VARCHAR2	1		Yes	
bracket_costing_ind	SUPS	BRACKET_COSTING_IND	VARCHAR2	1		Yes	
comment_desc	SUPS	COMMENT_DESC	VARCHAR2	240		No	
contact_email	SUPS	CONTACT_EMAIL	VARCHAR2	100		No	
contact_fax	SUPS	CONTACT_FAX	VARCHAR2	20		No	
contact_name	SUPS	CONTACT_NAME	VARCHAR2	30		Yes	
contact_pager	SUPS	CONTACT_PAGER	VARCHAR2	20		No	
contact_phone	SUPS	CONTACT_PHONE	VARCHAR2	20		Yes	
contact_telex	SUPS	CONTACT_TELEX	VARCHAR2	20		No	
cost_chg_amt_var	SUPS	COST_CHG_AMT_VAR	NUMBER	20,4		No	
cost_chg_pct_var	SUPS	COST_CHG_PCT_VAR	NUMBER	12,4		No	
currency_code	SUPS	CURRENCY_CODE	VARCHAR2	3		Yes	
dbt_memo_code	SUPS	DBT_MEMO_CODE	VARCHAR2	1		No	
default_item_lead_time	SUPS	DEFAULT_ITEM_LEAD_TI	NUMBER	4		No	
delivery_policy	SUPS	DELIVERY_POLICY	VARCHAR2	6		Yes	
duns_loc	SUPS	DUNS_LOC	VARCHAR2	4		No	
duns_number	SUPS	DUNS_NUMBER	VARCHAR2	9		No	
edi_asn	SUPS	EDI_ASN	VARCHAR2	1		Yes	
edi_contract_ind	SUPS	EDI_CONTRACT_IND	VARCHAR2	1		Yes	
edi_invc_ind	SUPS	EDI_INVC_IND	VARCHAR2	1		Yes	



Application Name: Retek Merchandising System

Version: 10.3

DTD or Node Name: VendorHdrDesc.dtd

Vendor Header Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
edi_po_chg	SUPS	EDI_PO_CHG	VARCHAR2	1		Yes	
edi_po_confirm	SUPS	EDI_PO_CONFIRM	VARCHAR2	1		Yes	
edi_po_ind	SUPS	EDI_PO_IND	VARCHAR2	1		Yes	
edi_sales_rpt_freq	SUPS	EDI_SALES_RPT_FREQ	VARCHAR2	1		No	
edi_supp_available_in	SUPS	EDI_SUPP_AVAILABLE_IN	VARCHAR2	1		Yes	
end_date_active			DATE			No	
freight_charge_ind	SUPS	FREIGHT_CHARGE_IND	VARCHAR2	1		Yes	
freight_terms	SUPS	FREIGHT_TERMS	VARCHAR2	30		Yes	
handling_pct	SUPS	HANDLING_PCT	NUMBER	12,4		No	
inv_mgmt_lvl	SUPS	INV_MGMT_LVL	VARCHAR2	6		No	
inv_pay_loc	SUPS	INV_PAY_LOC	VARCHAR2	6		No	
inv_receive_loc	SUPS	INV_RECEIVE_LOC	VARCHAR2	6		No	
lang	SUPS	LANG	NUMBER	6		No	
payment_method	SUPS	PAYMENT_METHOD	VARCHAR2	6		No	
pre_mark_ind	SUPS	PRE_MARK_IND	VARCHAR2	1		Yes	
prepay_inv_ind	SUPS	PREPAY_INV_IND	VARCHAR2	1		Yes	
qc_freq	SUPS	QC_FREQ	NUMBER	2		No	
qc_ind	SUPS	QC_IND	VARCHAR2	1		No	
qc_pct	SUPS	QC_PCT	NUMBER	12,4		No	
replen_approval_ind	SUPS	REPLEN_APPROVAL_IND	VARCHAR2	1		Yes	
ret_allow_ind	SUPS	RET_ALLOW_IND	VARCHAR2	1		Yes	
ret_auth_req	SUPS	RET_AUTH_REQ	VARCHAR2	1		Yes	
ret_courier	SUPS	RET_COURIER	VARCHAR2	20		No	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: VendorHdrDesc.dtd****Vendor Header Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
ret_min_dol_amt	SUPS	RET_MIN_DOL_AMT	NUMBER	20,4		No	
service_perf_req_ind	SUPS	SERVICE_PERF_REQ_IND	VARCHAR2	1		Yes	
settlement_code	SUPS	SETTLEMENT_CODE	VARCHAR2	1		Yes	
ship_method	SUPS	SHIP_METHOD	VARCHAR2	6		No	
sup_name	SUPS	SUP_NAME	VARCHAR2	32		Yes	
sup_status	SUPS	SUP_STATUS	VARCHAR2	1		Yes	
supplier	SUPS	SUPPLIER	number	10	PK	Yes	
terms	SUPS	TERMS	VARCHAR2	15		Yes	
vat_region	SUPS	VAT_REGION	NUMBER	4		No	
vc_freq	SUPS	VC_FREQ	NUMBER	2		No	
vc_ind	SUPS	VC_IND	VARCHAR2	1		Yes	
vc_pct	SUPS	VC_PCT	NUMBER	12,4		No	
vmi_order_status	SUPS	VMI_ORDER_STATUS	VARCHAR2	6		No	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: VendorRef.dtd****Vendor Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
supplier	SUPS	SUPPLIER	varchar2	10	PK	Yes	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: WHDesc.dtd
---	----------------------	-------------------------------------

Warehouses Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
bol_print_type							not populated by RMS
bol_upload_type							not populated by RMS
break_pack_ind	WH	break_pack_ind	varchar2	1		Yes	
channel_id	wh	channel_id	number	4		No	
contact_person				1			not populated by RMS
container_type							not populated by RMS
country_id	WH	COUNTRY_ID	VARCHAR2	3	FK	Yes	
county	WH	COUNTY	VARCHAR2	20		No	
currency_code	WH	currency_code	varchar2	3		Yes	
default_carrier_code							not populated by RMS
default_route							not populated by RMS
default_service_code							not populated by RMS
delivery_policy	WH	delivery_policy	varchar2	6		Yes	
dest_fax				1			not populated by RMS
dest_seq_nbr							not populated by RMS
distance_to_dest							not populated by RMS
drop_trailers_accepted_fl							not populated by RMS
duns_loc	WH	duns_locs	varchar2	4		No	
duns_number	WH	duns_number	varchar2	9		Yes	
email	wh	email	varchar2	100		no	
expedite_carrier_code							not populated by RMS
expedite_route							not populated by RMS
expedite_service_code							not populated by RMS



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: WHDesc.dtd
--	---------------	------------------------------

Warehouses Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
lead_time							not populated by RMS
mld_default_route							not populated by RMS
owning_dc							not populated by RMS
phone_nbr				6			not populated by RMS
physical_wh	WH	physical_wh	number	10		Yes	
rcv_dock_available_flag							not populated by RMS
redist_wh_ind	WH	redist_wh_ind	varchar2	1		Yes	
state	WH	STATE	VARCHAR2	3		No	
stockholding_ind	wh	stockholding_ind	varchar2	1		Yes	
unit_pick_container_type							not populated by RMS
wh	WH	WH	NUMBER	10	PK	Yes	
wh_add1	WH	WH_ADD1	VARCHAR2	30		Yes	
wh_add2	WH	WH_ADD2	VARCHAR2	30		No	
wh_city	WH	WH_CITY	VARCHAR2	20		Yes	
wh_name	WH	WH_NAME	VARCHAR2	20		Yes	
wh_pcode	WH	WH_PCODE	VARCHAR2	10		No	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: WHRef.dtd****Warehouses Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
wh	WH	WH	NUMBER	10	PK	Yes	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: WODtl
---	----------------------	--------------------------------

Work Order Detail

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
instructions			varchar2			No	
item			varchar2			Yes	
loc_type			varchar2			Yes	
location			number			Yes	
seq_no			number			Yes	
wh			number			Yes	
wip_code			varchar2			Yes	



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: WOHdr
---	----------------------	--------------------------------

Work Order Header Descriptio

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
order_no			varchar2			Yes	
wo_id			number			Yes	
WODtl		WODtl					

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: WOInDesc.dtd****WO Inbound Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
order_no		order_no	varchar2	10			
wo_id		wo_id	number	10			
WOInDtl		WOInDtl					



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: WOInDtl
---	----------------------	----------------------------------

WO Inbound Detail

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
instructions		instructions	varchar2	300			
item		item	varchar2	25			
loc_type		loc_type	varchar2	1			
location		location	number	10			
seq_no		seq_no	number	4			
wh		wh	number	10			
wip_code		wip_code	varchar2	6			



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: WOInDtlRef
---	----------------------	-------------------------------------

WO Inbound Detail Reference

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item		item	varchar2	25			
loc_type		loc_type	varchar2	1			
location		location	number	10			
seq_no		seq_no	number	4			
wh		wh	number	10			
wip_code		wip_code	varchar2	6			

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: WOInRef.dtd****WO Inbound Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
order_no		order_no	varchar2	10			
wo_id		wo_id	number	10			
WOInDtlRef		WOInDtlRef					

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: WOOOutDesc.dtd****WO Outbound Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dc_dest_id		dc_dest_id	varchar2	10		Yes	
distro_nbr		distro_nbr	varchar2	10		Yes	
wo_id		wo_id	number	10		Yes	
WOOOutDtl		WOOOutDtl					



Application Name: Retek Merchandising System	Version: 10.3	DTD or Node Name: WOOutDtl
---	----------------------	-----------------------------------

WO Outbound Detail

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
auto_complete		auto_complete	varchar2	1		Yes	
dest_id		dest_id	varchar2	2		Yes	
instructions		instructions	varchar2	300		Yes	
item_id		item_id	varchar2	25		Yes	
order_line_nbr		order_line_nbr	number	3		Yes	
personalization		personalization	varchar2	300		Yes	
wip_code		wip_code	varchar2	6		Yes	
wip_seq_nbr		wip_seq_nbr	number	7,3		Yes	

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: WOOutDtlRef****WO Outbound Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dest_id		dest_id	varchar2	2			
item_id		item_id	varchar2	25			
order_line_nbr		order_line_nbr	number	3			
wip_seq_nbr		wip_seq_nbr	number	7,3			

**Application Name: Retek Merchandising System****Version: 10.3****DTD or Node Name: WOOOutRef.dtd****WO Outbound Reference**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dc_dest_id		dc_dest_id	varchar2	10			
distro_nbr		distro_nbr	varchar2	10			
wo_id		wo_id	number	10			
WOOOutDtlRef		WOOOutDtlRef					



Application Name: Store GA April 2003	Version: 10.3	DTD or Node Name: ASNInCtn
--	----------------------	-----------------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
ASNInItem							Message contains the details of the item's that exist in the co
container_cube							RSS will likely not use this value.
container_height							RSS will likely not use this value.
container_id							Contains a unique identifier for the container.
container_length							RSS will likely not use this value.
container_weight							Contains the weight of the container. RSS will likely not use
container_width							RSS will likely not use this value.
expedite_flag							Indicates whether or not the shipment will be rushed. RSS w
final_location							Contains the final destination location for the container. This
freight_charge							Contains the actual freight charge for the container. RSS will
in_store_date							Contains the estimated date that the container will be in the s
master_container_id							Not sure what this value is used for.
rma_nbr							Return Merchandise Authorization number. RSS will likely n
tracking_nbr							Shipper's carton tracking number (e.g. UPS tracking #). RS



Application Name: Store GA April 2003

Version: 10.3

DTD or Node Name: ASNInDesc.dtd

ASN Inbound Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
asn_nbr							Unique ID for the ASN/shipment.
asn_type							'P' for PO-type, 'C' for Container type.
ASNInPO							Message contains the purchase order details associated with
bol_nbr							Contains the Bill of Lading number for an ASN that is internal
carrier_code							RSS will likely not need this value.
container_qty							Contains the total number of containers on the ASN/shipmen
est_arr_date							Contains the estimated arrival date for the shipment.
from_location							Contains the location from which the ASN (shipment) was se
seal_nbr							Contains the seal number of the trailer. RSS will likely not n
ship_address1							Contains the first line of the mailing address. RSS will likely
ship_address2							Contains the 2nd line of the mailing address. RSS will likely
ship_address3							Contains the 3rd line of the mailing address. RSS will likely
ship_address4							Contains the 4th line of the mailing address. RSS will likely
ship_address5							Contains the 5th line of the mailing address. RSS will likely
ship_city							Contains the mailing address city. RSS will likely not need th
ship_country_id							Contains the mailing address country. RSS will likely not ne
ship_pay_method							RSS will likely not use this value.
ship_state							Contains the mailing address state. RSS will likely not need
ship_zip							Contains the mailing address postal code. RSS will likely no
shipment_date							Contains the date the ASN/shipment was shipped.
to_location							Contains the location for which the ASN (shipment) is bound.
trailer_nbr							Contains a unique ID for the trailer carrying the shipment. R
vendor_nbr							Contains the vendor number for any ASNs that originate fro



Application Name: Store GA April 2003	Version: 10.3	DTD or Node Name: ASNInItem
--	----------------------	------------------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
container_qty							Contains the number of containers that the item exists in.
distro_doc_type							Valid values are 'T'=Transfer and 'A'=Allocation.
distro_nbr							Contain the transfer or allocation number associated with the
final_location							RSS will likely not use this value.
item_id							Contains the item's identifier. This number must map to an it
lot_nbr							RSS will likley not use this value.
order_line_nbr							RSS will likley not use this value.
priority_level							RSS will likely not use this value.
ref_item							May contain the identifier for a below transaction-level item (
unit_qty							Contains the # of units of the item that exist on the ASN/ship
vpn							Contains the vendor's product number, used by the vendor t



Application Name: Store GA April 2003	Version: 10.3	DTD or Node Name: ASNInPO
--	----------------------	----------------------------------

ASN Inbound Purchase Order

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
ASNInCtn							Message contains the carton level details for the ASN's PO.
ASNInItem							Message contains the item level details for the ASN's PO.
doc_type							Contains the type of document on the ASN/shipment. Always
not_after_date							Contains the latest date that the ASN/shipment will be accepted
po_nbr							Contains the purchase order associated with the ASN/shipment



Application Name: Store GA April 2003	Version: 10.3	DTD or Node Name: ASNOutCtn
--	----------------------	------------------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
ASNOutItem							Message contains the item level details for the ASN/Distro/C
container_cube							RSS will likely not use this value.
container_height							RSS will likely not use this value.
container_id							Contains the unique identifier for the container.
container_length							RSS will likely not use this value.
container_weight							RSS will likely not user this value.
container_width							RSS will likely not use this value.
expedite_flag							Valid values are 'Y'es and 'N'o. This is used to indicate if the
final_location							Contains the location ID of the destination location. Store # f
freight_charge							Contains the actual freight charge associated with the shipm
in_store_date							Contains the estimated date that the shipment will be receive
master_container_id							RSS will likely not use this value.
rma_nbr							Return Merchandise Authorization number. RSS will not like
tracking_nbr							Contains the carton tracking number (e.g. UPS tracking cod

**Application Name: Store GA April 2003****Version: 10.3****DTD or Node Name: ASNOutDesc.dtd****ASN Out Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
asn_nbr							Contains a unique identifier for the Advanced Shipping Notic
asn_type							RSS will always send the value 'C' for container.
ASNOutDistro							Message contains the distro details for the ASN.
bol_nbr							Contains the Bill of Lading number (does this differ from asn
carrier_code							RSS will likely not use this value.
container_qty							Contains the total number of containers included in the ship
est_arr_date							Contains the date the shipment is expected to arrive.
from_location							Contains the store number from which the shipment is being
seal_nbr							Contains the seal number of the trailer. RSS will likely not us
ship_address1							Contains the 1st line of the mailing address.
ship_address2							Contains the 2nd line of the mailing address.
ship_address3							Contains the 3rd line of the mailing address.
ship_address4							Contains the 4th line of the mailing address.
ship_address5							Contains the 5th line of the mailing address.
ship_city							Contains the city on the mailing address.
ship_country_id							Contains the country on the mailing address.
ship_state							Contains the state on the mailing address.
ship_zip							Contains the postal code on the mailing address.
shipment_date							Contains the date the goods were shipped.
to_location							Contains the location that the shipment is bound for.
trailer_nbr							Contains the ID for the trailer the goods were shipped on. R
transshipment_nbr							RSS will likely not use this valuee.



Application Name: Store GA April 2003	Version: 10.3	DTD or Node Name: ASNOutDistro
--	----------------------	---------------------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
ASNOutCtn							Message contains the container/carton details for the ASN/di
consumer_direct							'Y'es or 'N'o, used to indicate if the ASN/shipment is to fulfill
customer_order_nbr							Contains the customer order number. This value will only be
distro_doc_type							'T' for transfer, or 'C' for customer order if the ASN/shipment i
distro_nbr							Contains the distro number. This number will be the transfer



Application Name: Store GA April 2003	Version: 10.3	DTD or Node Name: ASNOutItem
--	----------------------	-------------------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
container_qty							Contains the number of ??? RSS will not need this value.
final_location							RSS will likely not use this value.
from_disposition							RSS will likely not use this value.
item_id							Contains the identifier for the item. This must be a valid item
lot_nbr							RSS will likely not use this value.
order_line_nbr							RSS will likely not use this value.
priority_level							RSS will likely not use this value.
to_disposition							RSS will likely not use this value.
unit_qty							Contains the number of units of the item that exist in the AS
voucher_expiration_date							RSS will likely not use this value.
voucher_number							RSS will likely not use this value.



Application Name: Store GA April 2003	Version: 10.3	DTD or Node Name: DSDDtI
--	----------------------	---------------------------------

DSD Detail

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item							Contains the identifier for the item(s) that existed on the recei
qty_received							Contains the number of units of the item that were received i
unit_cost							May contain the unit cost of the item being received. If this v

**Application Name: Store GA April 2003****Version: 10.3****DTD or Node Name: DSDNonMerch****DSD Non Merchandise**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
non_merch_amt							RSS will not use this value.
non_merch_code							RSS will not use this value.
service_perf_ind							RSS will not use this value.
vat_code							RSS will not use this value.



Application Name: Store GA April 2003	Version: 10.3	DTD or Node Name: DSDReceipt
--	----------------------	-------------------------------------

DSD Receipt

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
currency_code							Contains the code for the currency that the receipt costs are i
deals_ind							Valid values are 'Y'es and 'N'o. Indicates whether or not deal
dept							Contains the departments that the goods included in the rece
DSDDtl							Message contains the item-level details of the receipt.
DSDNonMerch							Message contains any non-merchandise expenses associate
ext_ref_no							May contain an external reference number provided by the v
invc_ind							Valid values are 'Y'es or 'N'o. Indicates whether or not an inv
origin_country_id							Contains the origin country from which the receipt originated.
paid_ind							Valid values are 'Y'es and 'N'o. Indicates whether or not the i
payment_date							May contain the date the payment for the receipt was made.
payment_ref_no							May contain a number that ties the receipt to the payment for
proof_of_delivery_no							May contain a proof of delivery document number that indicat
store							Contains the store number where the receipt took place.
supplier							Contains the supplier number from which the delivery origina

**Application Name: Store GA April 2003****Version: 10.3****DTD or Node Name: DSDReceiptDesc.dtd****Direct Ship Delivery Receipt D**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
----------	------------	-------------	-----------	--------	------	-----	-------------

DSDReceipt

Message contains the details for a DSD Receipt. From a RI

**Application Name: Store GA April 2003****Version: 10.3****DTD or Node Name: InvAdjustDesc.dtd****Inventory Adjustments Descri**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dc_dest_id							Contains the store number where the adjustment is taking pl
InvAdjustDtl							Message contains the details of the inventory adjustment.



Application Name: Store GA April 2003	Version: 10.3	DTD or Node Name: InvAdjustDtl
---------------------------------------	---------------	--------------------------------

Inventory Adjustment Detail

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
adjustment_reason_code							Contains the reason code for the adjustment as assigned in t
aux_reason_code							RSS does not need to pass this value.
create_date							Contains the date the adjustment was created.
doc_type							RSS does not need to pass this value.
from_disposition							Contains the disposition from which the inventory is being m
from_trouble_code							RSS does not need to pass this value.
from_wip_code							RSS does not need to pass this value.
item_id							Contains the identifier for the item being adjusted. This item
po_nbr							RSS does not need to pass this value.
to_disposition							Contains the disposition the inventory is moving to. Within R
to_trouble_code							RSS does not need to pass this value.
to_wip_code							RSS does not need to pass this value.
transaction_code							RSS does not need to pass this value.
transshipment_nbr							RSS does not need to pass this value.
unit_qty							Contains the adjustment units.
user_id							Contains the ID of the user that created the inventory adjust

**Application Name: Store GA April 2003****Version: 10.3****DTD or Node Name: PODesc.dtd****Purchase Order Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
agent							Can be ignored by RSS.
agent_desc							Can be ignored by RSS.
app_datetime							Can be ignored by RSS. It is used for appointments in RDM.
backhaul_allowance							Can be ignored by RSS.
backhaul_type							Can be ignored by RSS.
backhaul_type_desc							Can be ignored by RSS.
bill_to_id							Can be ignored by RSS.
buyer							Contains the ID for the buyer that built the order. Not Require
buyer_name							Contains the name of the buyer in the buyer field.
close_date							Contains the date which the order is closed. Will not be published
comment_desc							Contains any miscellaneous comments associated with the order
contract_no							Can be ignored by RSS.
currency_code							Contains the currency code for the PO.
cust_order							Indicates whether or not the PO is a customer order. Valid values are 0 and 1.
dept							Contains the department number that items existing on the order
dept_name							Contains the department name. Only present when a department is specified
discharge_port							Can be ignored by RSS.
discharge_port_desc							Can be ignored by RSS.
doc_type							Will always contain letter 'P'.
earliest_ship_date							The date before which the items on the purchase order cannot be shipped
exchange_rate							Rate of exchange between the order and primary currency.
factory							Can be ignored by RSS.
factory_desc							Can be ignored by RSS.

**Application Name: Store GA April 2003****Version: 10.3****DTD or Node Name: PODesc.dtd****Purchase Order Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
fob_title_pass							Can be ignored by RSS.
fob_title_pass_code_des							Can be ignored by RSS.
fob_title_pass_desc							Can be ignored by RSS.
fob_trans_res							Can be ignored by RSS.
fob_trans_res_code_des							Can be ignored by RSS.
fob_trans_res_desc							Can be ignored by RSS.
freight_contract_no							Can be ignored by RSS.
freight_terms							Can be ignored by RSS.
lading_port							Can be ignored by RSS.
lading_port_desc							Can be ignored by RSS.
latest_ship_date							The date after which the items on the PO cannot be shipped
not_after_date							Contains the last date that delivery of the order will be accept
not_before_date							Contains the first date that delivery of the order will be accept
order_no							Contains the unique number identifying the purchase order.
order_type							'ARB'=Automatic Reorder of Basic, 'BRB'=Buyer Reorder of
order_type_desc							Contains the decoded value for the order_type.
otb_eow_date							Can be ignored by RSS.
payment_method							Can be ignored by RSS.
payment_method_desc							Can be ignored by RSS.
pickup_date							Contains the date the order can be picked up from the suppli
pickup_loc							Contains the location at which the order will be picked up. O
pickup_no							Contains the reference number of the "Pickup" order. Not su
po_type							This column differs from the order type column. It can likely



Application Name: Store GA April 2003	Version: 10.3	DTD or Node Name: PODesc.dtd
---------------------------------------	---------------	------------------------------

Purchase Order Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
po_type_desc							Description of PO type value. Can likely be ignored by RSS.
PODtDesc							Message contains the item/location details for the PO.
pre_mark_ind							Indicates whether or not the supplier has agreed to break an
prom_desc							Can be ignored by RSS.
promotion							Can be ignored by RSS.
purchase_type							Can be ignored by RSS.
purchase_type_desc							Can be ignored by RSS.
qc_ind							Indicates whether or not quality control checking needs to be
ship_method							Method used to ship items from country of origin to country o
ship_method_desc							Description of the shipment method. Can be ignored by RS
ship_pay_method							Can be ignored by RSS.
ship_pay_method_desc							Can be ignored by RSS.
status							Indicates the status of the PO. Valid values are 'A'proved a
supplier							Contains the ID for the PO's supplier.
terms							Can be ignored by RSS.
terms_code							Can be ignored by RSS.
vendor_order_no							Contains the vendors PO number. RSS will only need this if



Application Name: Store GA April 2003	Version: 10.3	DTD or Node Name: PODtl
--	----------------------	--------------------------------

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
door_ind							RSS will likely not use this value.
earliest_ship_date							Contains the earliest date that the item will ship.
item							Contains the item number on the order. This value must be
latest_ship_date							Contains the latest date that the item will be shipped.
new_item							RSS will likely not use this value.
origin_country_id							Contains the item's origin country ID. RSS will likely not use
packing_method							RSS will likely not use this value.
physical_location							Contains the store number.
physical_location_type							Contains the type of the physical location. This will contain t
physical_qty_ordered							Quantity of item ordered. This value will be represented as a
pickup_loc							Contains the location at which the order will be picked up for
pickup_no							Contains the reference number for the "Pickup" order. RSS
POVirtualDtl							RSS will not use this message.
priority_level							RSS will likely not use this value.
quarantine							RSS will likely not use this value.
rcvd_unit_qty							RSS will likely not use this value.
ref_item							May contain a reference item number if the purchase order w
round_lvl							RSS will likely not use this value.
supp_pack_size							Contains the suppliers pack size. The physical_qty_ordered
tsf_po_link_id							Contains a ref # used to link the item on a tsf to any POs that
unit_cost							Contains the unit cost of the item.



Application Name: Store GA April 2003	Version: 10.3	DTD or Node Name: Receipt
--	----------------------	----------------------------------

Receipt

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
asn_nbr							Contains the ASN number that the receipt is tied to. This val
dc_dest_id							Contains the store # where the receipt took place. This will o
document_type							Valid values are 'T' for transfer and 'P' for purchase order.
po_nbr							Contains the purchase order or transfer number that is being
ReceiptDtl							Message contains the details of the receipt.

**Application Name: Store GA April 2003****Version: 10.3****DTD or Node Name: ReceiptDesc.dtd****Receipt Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
appt_nbr							RSS will not use this value.
Receipt							Message containing the receipt details (see Receipt definitio

**Application Name: Store GA April 2003****Version: 10.3****DTD or Node Name: ReceiptDtl****Receipt Detail**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
container_id							Contains a unique identifier for the container in which the ite
dest_id							Contains the store number at which the receipt took place.
distro_doc_type							Will contain the value 'T' for a transfer receipt, or 'A' for the re
distro_nbr							Will contain either a transfer number or allocations number,
from_disposition							Contains the disposition that the inventory is moving from. F
from_trouble							This value will not be used by RSS.
from_wip							This value will not be used by RSS.
item_id							Contains the item number. The number provided here must
receipt_date							Contains the date the receipt was recorded.
receipt_nbr							Contains a value that uniquely identifies the receipt transacti
receipt_xactn_type							Value will always be 'R' for receipt. Other values are 'A' for r
to_disposition							Contains the disposition that the inventory is moving into. Va
to_trouble							This value will not be used by RSS.
to_wip							This value will not be used by RSS.
unit_qty							Contains the number of single units received for the item.
user_id							Contains the ID of the user that performed the receipt.



Application Name: Store GA April 2003	Version: 10.3	DTD or Node Name: RTVDesc.dtd
---------------------------------------	---------------	-------------------------------

RTV Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
city							Contains the city for the supplier's address to where the item
container_qty							Contains the number of containers being returned.
country							Contains the country for the supplier's address to where the i
creation_ts							Contains the date/time stamp that the RTV was created.
dc_dest_id							Contains the store number from which the return is being pro
from_disposition							RSS will always return item from an 'Available' disposition.
item_id							Contains the identifier for the item being returned. This valu
rtn_auth_nbr							Contains a return authorization number that is provided by th
rtv_id							Contains a unique identifier for the RTV. This value will be u
ship_address1							Contains the 1st line of the supplier's address to where the it
ship_address2							Contains the 2nd line of the supplier's address to where the it
ship_address3							Contains the 3rd line of the supplier's address to where the it
shipto_zip							Contains the postal code for the supplier's address to where
state							Contains the state for the supplier's address to where the ite
to_disposition							This value should always be passed as NULL.
unit_cost							Contains the cost of a single item that is being returned.
unit_qty							Contains the quantity being returned, expressed as "eaches"
vendor_nbr							Contains the supplier's ID where the items are being returne

**Application Name: Store GA April 2003****Version: 10.3****DTD or Node Name: SOStatusDesc.dtd****Stock Order Status Descriptio**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dc_dest_id							Contains the store from which the Stock Order Status origina
distro_document_type							RSS will always send a value of 'T' for transfer. RSS will not
distro_nbr							Contains the transfer number. RSS will not use this messag
SOStatusDtl							Message contains the details for the stock order status chan

**Application Name: Store GA April 2003****Version: 10.3****DTD or Node Name: SOStatusDtl****SO Status Detail**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
cust_order_nbr							RSS will not use this message before 3/31.
dest_id							RSS will not use this message before 3/31.
item_id							RSS will not use this message before 3/31.
order_line_nbr							RSS will not use this message before 3/31.
status							RSS will not use this message before 3/31.
unit_qty							RSS will not use this message before 3/31.
user_id							RSS will not use this message before 3/31.

**Application Name: Store GA April 2003****Version: 10.3****DTD or Node Name: TsfDesc.dtd****Transfers Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
cust_name							Contains the customer's name. Used on a customer order tr
deliver_add1							Contains the customer's delivery address. Used on a custo
deliver_add2							Contains a second line for the customer's name. Used on a
deliver_city							Contains the customer's delivery city. Used on a customer o
deliver_country_id							Contains the customer's delivery country. Used on a custom
deliver_post							Contains the customer's delivery state. Used on a customer
deliver_state							Contains the customer's delivery state. Used on a customer
delivery_date							Contains the earliest date the transfer can be delivered to th
doc_type							'T' for Transfer
from_loc							Contains the store or warehouse number for the location wh
from_loc_type							'S' if from_loc value is a store, 'W' if it's a warehouse.
to_loc							Contains the store or warehouse number for the location wh
to_loc_type							'S' if to_loc is a store, 'W' if it's a warehouse
tsf_no							Contains the unique number identifying the transfer
tsf_type							'AS'=Administrative, 'CF'=Confirmation, 'CO'=Customer Ord
TsfDtl							Message contains the item level details for the transfer.



Application Name: Store GA April 2003	Version: 10.3	DTD or Node Name: VendorDesc.dtd
--	----------------------	---

Vendor Description

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
VendorAddrDesc							Message contains vendor address information.
VendorHdrDesc							Message contains vendor header level information.

**Application Name: Third Party****Version: 10.3****DTD or Node Name: SKOOptmDesc.dtd****SKU Optimization Description**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
from_location	TBD	TBD					
fromlocationid	move_h_t	from_loc	varchar	50			
groupnbr	move_h_t	grp_id	int		2		
itemid	move_h_t	sku_id	varchar	80			
movenbr	move_h_t	mov_id	int		3		
seqnbr	move_h_t	sub_id	int		4		
tolocationid	move_h_t	to_loc	varchar	50			