

# Mapping and Simple Transformation Document

Related Mapping (copy from related mapping)

Mapping Name
RCOM Customer Order
Add

Mapping Participants	
Application	RCOM
Type	COHdrDesc.dtd

XML Tag Name	Included Mapping	Cardinality of included mapping	Table Name	Column Name	Data Type	Length	Permissible values and descriptions	Keys (pk)	Required? (yes/no)
ship_request_id			COE_SHIP_REQUESTS	SHIP_REQUEST_ID	NUMBER	10	unique identifying number for a ship request within the system	PK	Yes
document_type			GENERATED	DOCUMENT_TYPE	VARCHAR2	1	'C'ustomer Orders		Yes
physical_warehouse_id			COE_WAREHOUSES	PHYSICAL_WAREHOUSE_ID	NUMBER	10	This needs to be physical wh. The warehouse from which the items were ordered.		Yes
creation_date			COE_SHIP_REQUESTS	CREATION_DATE	DATE		Contains the creation date of the ship container		Yes
order_number			COE_SHIP_REQUESTS	ORDER_NUMBER	VARCHAR2	20	contains customer order #		Yes
base_code			COE_ORDER_PRIORITIES_A	BASE_CODE	VARCHAR2	4	Contains the priority of the order, 1 being the highest and 9999 being the lowest priority.		Yes
carrier_code			COE_CARRIER_SERVICES_A	CARRIER_CODE	VARCHAR2	4	The code for each carrier used in RCOM (i.e. FEDEX, UPS)		No
carrier_service_type_code			COE_CARRIER_SERVICES_A	CARRIER_SERVICE_TYPE_CODE	VARCHAR2	6	The code for each carrier service type used in RCOM (i.e. 'AIR' for Air, 'INT' for international)		No
route			GENERATED	ROUTE	NUMBER	1	Will always display a "1" for the Route		No
ship_to_full_name			COE_CUSTOMERS	FULL_NAME	VARCHAR2	30	ship to customer name		Yes
ship_to_street_address			COE_CUSTOMER_ADDRESSES	STREET_ADDRESS	VARCHAR2	30	ship to customer street address		Yes
ship_to_address_line_2			COE_CUSTOMER_ADDRESSES	ADDRESS_LINE_2	VARCHAR2	30	ship to customer address, contains the suite apartment information. It is optional.		No
ship_to_address_line_3			COE_CUSTOMER_ADDRESSES	ADDRESS_LINE_3	VARCHAR2	30	ship to customer address. The field is optional		No
ship_to_city			COE_CUSTOMER_ADDRESSES	CITY	VARCHAR2	25	ship to customer city		No
ship_to_state_province			COE_CUSTOMER_ADDRESSES	STATE_PROVINCE	VARCHAR2	3	ship to state or province		No
ship_to_postal_code			COE_CUSTOMER_ADDRESSES	POSTAL_CODE  '-'  ZIP_PLUS_4	VARCHAR2	10	ship to postal code, for US addresses this may contain the plus 4		No
ship_to_country_code			COE_CUSTOMER_ADDRESSES	COUNTRY_CODE	VARCHAR2	3	I.e. 'US' for USA		Yes
bill_to_full_name			COE_CUSTOMERS	FULL_NAME	VARCHAR2	30	bill to customer address		Yes
bill_to_street_address			COE_CUSTOMER_ADDRESSES	STREET_ADDRESS	VARCHAR2	30	bill to customer name		Yes



# Mapping and Simple Transformation Document

Related Mapping (copy from related mapping)

Mapping Name
RCOM Customer Order
Add

## Mapping Participants

Application	RCOM
Type	COHdrDesc.dtd

[illegible]