

CustReturnDesc.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<!--Sample XML file generated by XML Spy v4.1 U (http://www.xmlspy.com)-->
<!DOCTYPE CustReturnDesc SYSTEM "http://www.retek.com/dtd/rib/CustReturnDesc.dtd">
<CustReturnDesc>
  <from_location>Text</from_location>
  <rma_nbr>Text</rma_nbr>
  <pro_nbr>Text</pro_nbr>
  <comments>Text</comments>
  <CustReturnItemDesc>
    <from_location>Text</from_location>
    <rma_nbr>Text</rma_nbr>
    <item_id>Text</item_id>
    <CustReturnItemQtyDesc>
      <from_location>Text</from_location>
      <rma_nbr>Text</rma_nbr>
      <item_id>Text</item_id>
      <unit_qty>Text</unit_qty>
      <from_wip>Text</from_wip>
      <to_wip>Text</to_wip>
      <from_disposition>Text</from_disposition>
      <to_disposition>Text</to_disposition>
      <saleable>Text</saleable>
      <CustReturnItemQtyDtlDesc>
        <from_location>Text</from_location>
        <rma_nbr>Text</rma_nbr>
        <item_id>Text</item_id>
        <unit_qty>Text</unit_qty>
        <reason_code>Text</reason_code>
        <action_code>Text</action_code>
        <replacement_item>Text</replacement_item>
        <replace_unit_qty>Text</replace_unit_qty>
      </CustReturnItemQtyDtlDesc>
      <CustReturnItemQtyDtlDesc>
        <from_location>Text</from_location>
        <rma_nbr>Text</rma_nbr>
        <item_id>Text</item_id>
        <unit_qty>Text</unit_qty>
        <reason_code>Text</reason_code>
        <action_code>Text</action_code>
        <replacement_item>Text</replacement_item>
        <replace_unit_qty>Text</replace_unit_qty>
      </CustReturnItemQtyDtlDesc>
    </CustReturnItemQtyDesc>
    <CustReturnItemQtyDesc>
      <from_location>Text</from_location>
      <rma_nbr>Text</rma_nbr>
      <item_id>Text</item_id>
      <unit_qty>Text</unit_qty>
      <from_wip>Text</from_wip>
      <to_wip>Text</to_wip>
      <from_disposition>Text</from_disposition>
      <to_disposition>Text</to_disposition>
    </CustReturnItemQtyDesc>
  </CustReturnItemDesc>
  <CustReturnItemQtyDesc>
    <from_location>Text</from_location>
    <rma_nbr>Text</rma_nbr>
    <item_id>Text</item_id>
    <unit_qty>Text</unit_qty>
    <from_wip>Text</from_wip>
    <to_wip>Text</to_wip>
    <from_disposition>Text</from_disposition>
    <to_disposition>Text</to_disposition>
  </CustReturnItemQtyDesc>

```

```

<saleable>Text</saleable>
<CustReturnItemQtyDtlDesc>
  <from_location>Text</from_location>
  <rma_nbr>Text</rma_nbr>
  <item_id>Text</item_id>
  <unit_qty>Text</unit_qty>
  <reason_code>Text</reason_code>
  <action_code>Text</action_code>
  <replacement_item>Text</replacement_item>
  <replace_unit_qty>Text</replace_unit_qty>
</CustReturnItemQtyDtlDesc>
<CustReturnItemQtyDtlDesc>
  <from_location>Text</from_location>
  <rma_nbr>Text</rma_nbr>
  <item_id>Text</item_id>
  <unit_qty>Text</unit_qty>
  <reason_code>Text</reason_code>
  <action_code>Text</action_code>
  <replacement_item>Text</replacement_item>
  <replace_unit_qty>Text</replace_unit_qty>
</CustReturnItemQtyDtlDesc>
</CustReturnItemQtyDesc>
</CustReturnItemDesc>
<CustReturnItemDesc>
  <from_location>Text</from_location>
  <rma_nbr>Text</rma_nbr>
  <item_id>Text</item_id>
  <CustReturnItemQtyDesc>
    <from_location>Text</from_location>
    <rma_nbr>Text</rma_nbr>
    <item_id>Text</item_id>
    <unit_qty>Text</unit_qty>
    <from_wip>Text</from_wip>
    <to_wip>Text</to_wip>
    <from_disposition>Text</from_disposition>
    <to_disposition>Text</to_disposition>
    <saleable>Text</saleable>
    <CustReturnItemQtyDtlDesc>
      <from_location>Text</from_location>
      <rma_nbr>Text</rma_nbr>
      <item_id>Text</item_id>
      <unit_qty>Text</unit_qty>
      <reason_code>Text</reason_code>
      <action_code>Text</action_code>
      <replacement_item>Text</replacement_item>
      <replace_unit_qty>Text</replace_unit_qty>
    </CustReturnItemQtyDtlDesc>
    <CustReturnItemQtyDtlDesc>
      <from_location>Text</from_location>
      <rma_nbr>Text</rma_nbr>
      <item_id>Text</item_id>
      <unit_qty>Text</unit_qty>

```

CustReturnDesc.xml

```

    <reason_code>Text</reason_code>
    <action_code>Text</action_code>
    <replacement_item>Text</replacement_item>
    <replace_unit_qty>Text</replace_unit_qty>
  </CustReturnItemQtyDtlDesc>
</CustReturnItemQtyDesc>
<CustReturnItemQtyDesc>
  <from_location>Text</from_location>
  <rma_nbr>Text</rma_nbr>
  <item_id>Text</item_id>
  <unit_qty>Text</unit_qty>
  <from_wip>Text</from_wip>
  <to_wip>Text</to_wip>
  <from_disposition>Text</from_disposition>
  <to_disposition>Text</to_disposition>
  <saleable>Text</saleable>
  <CustReturnItemQtyDtlDesc>
    <from_location>Text</from_location>
    <rma_nbr>Text</rma_nbr>
    <item_id>Text</item_id>
    <unit_qty>Text</unit_qty>
    <reason_code>Text</reason_code>
    <action_code>Text</action_code>
    <replacement_item>Text</replacement_item>
    <replace_unit_qty>Text</replace_unit_qty>
  </CustReturnItemQtyDtlDesc>
  <CustReturnItemQtyDtlDesc>
    <from_location>Text</from_location>
    <rma_nbr>Text</rma_nbr>
    <item_id>Text</item_id>
    <unit_qty>Text</unit_qty>
    <reason_code>Text</reason_code>
    <action_code>Text</action_code>
    <replacement_item>Text</replacement_item>
    <replace_unit_qty>Text</replace_unit_qty>
  </CustReturnItemQtyDtlDesc>
</CustReturnItemQtyDesc>
</CustReturnItemDesc>
</CustReturnDesc>

```