

ReceiptDesc.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<!--Sample XML file generated by XML Spy v4.2 U (http://www.xmlspy.com)-->
<!DOCTYPE ReceiptDesc SYSTEM "http://www.retek.com/dtd/rib/ReceiptDesc.dtd">
<ReceiptDesc>
  <appt_nbr>Text</appt_nbr>
  <Receipt>
    <dc_dest_id>Text</dc_dest_id>
    <po_nbr>Text</po_nbr>
    <document_type>Text</document_type>
    <asn_nbr>Text</asn_nbr>
    <ReceiptDtl>
      <item_id>Text</item_id>
      <unit_qty>Text</unit_qty>
      <receipt_xactn_type>Text</receipt_xactn_type>
      <receipt_date>
        <year>Text</year>
        <month>Text</month>
        <day>Text</day>
        <hour>Text</hour>
        <minute>Text</minute>
        <second>Text</second>
      </receipt_date>
      <receipt_nbr>Text</receipt_nbr>
      <dest_id>Text</dest_id>
      <container_id>Text</container_id>
      <distro_nbr>Text</distro_nbr>
      <distro_doc_type>Text</distro_doc_type>
      <to_disposition>Text</to_disposition>
      <from_disposition>Text</from_disposition>
      <to_wip>Text</to_wip>
      <from_wip>Text</from_wip>
      <to_trouble>Text</to_trouble>
      <from_trouble>Text</from_trouble>
      <user_id>Text</user_id>
    </ReceiptDtl>
    <ReceiptDtl>
      <item_id>Text</item_id>
      <unit_qty>Text</unit_qty>
      <receipt_xactn_type>Text</receipt_xactn_type>
      <receipt_date>
        <year>Text</year>
        <month>Text</month>
        <day>Text</day>
        <hour>Text</hour>
        <minute>Text</minute>
        <second>Text</second>
      </receipt_date>
      <receipt_nbr>Text</receipt_nbr>
      <dest_id>Text</dest_id>
      <container_id>Text</container_id>
      <distro_nbr>Text</distro_nbr>
      <distro_doc_type>Text</distro_doc_type>

```

```

ReceiptDesc.xml
    <to_disposition>Text</to_disposition>
    <from_disposition>Text</from_disposition>
    <to_wip>Text</to_wip>
    <from_wip>Text</from_wip>
    <to_trouble>Text</to_trouble>
    <from_trouble>Text</from_trouble>
    <user_id>Text</user_id>
  </ReceiptDtl>
</Receipt>
<Receipt>
  <dc_dest_id>Text</dc_dest_id>
  <po_nbr>Text</po_nbr>
  <document_type>Text</document_type>
  <asn_nbr>Text</asn_nbr>
  <ReceiptDtl>
    <item_id>Text</item_id>
    <unit_qty>Text</unit_qty>
    <receipt_xactn_type>Text</receipt_xactn_type>
    <receipt_date>
      <year>Text</year>
      <month>Text</month>
      <day>Text</day>
      <hour>Text</hour>
      <minute>Text</minute>
      <second>Text</second>
    </receipt_date>
    <receipt_nbr>Text</receipt_nbr>
    <dest_id>Text</dest_id>
    <container_id>Text</container_id>
    <distro_nbr>Text</distro_nbr>
    <distro_doc_type>Text</distro_doc_type>
    <to_disposition>Text</to_disposition>
    <from_disposition>Text</from_disposition>
    <to_wip>Text</to_wip>
    <from_wip>Text</from_wip>
    <to_trouble>Text</to_trouble>
    <from_trouble>Text</from_trouble>
    <user_id>Text</user_id>
  </ReceiptDtl>
  <ReceiptDtl>
    <item_id>Text</item_id>
    <unit_qty>Text</unit_qty>
    <receipt_xactn_type>Text</receipt_xactn_type>
    <receipt_date>
      <year>Text</year>
      <month>Text</month>
      <day>Text</day>
      <hour>Text</hour>
      <minute>Text</minute>
      <second>Text</second>
    </receipt_date>
    <receipt_nbr>Text</receipt_nbr>

```

```
ReceiptDesc.xml
  <dest_id>Text</dest_id>
  <container_id>Text</container_id>
  <distro_nbr>Text</distro_nbr>
  <distro_doc_type>Text</distro_doc_type>
  <to_disposition>Text</to_disposition>
  <from_disposition>Text</from_disposition>
  <to_wip>Text</to_wip>
  <from_wip>Text</from_wip>
  <to_trouble>Text</to_trouble>
  <from_trouble>Text</from_trouble>
  <user_id>Text</user_id>
</ReceiptDtl>
</Receipt>
</ReceiptDesc>
```