



## **GC3**

Release Notes

Release 5.0: SR-#3

Part No. B31024-01

July 2005

GC3 Release Notes, Release 5.0: SR-#3

Part No. B31024-01

Copyright © 2005-2006 Global Logistics Technologies, Inc. All Rights Reserved.

GC3, Global Command and Control Center, G-Log, and the G-Log logo are trademarks and "Delivering Intelligent e-Logistics Solutions Worldwide" is a service mark (together, "Marks") of Global Logistics Technologies, Inc. ("G-Log"). Use of the marks are prohibited unless expressly authorized in writing by an authorized officer of G-Log. All other trademarks and service marks, which may be registered in certain jurisdictions, belong to the holder or holders of such marks.

The materials and services are protected by copyright and/or other intellectual property laws, and by international treaty provisions. Any unauthorized use of the Materials or Services may violate such laws and shall constitute infringement or misappropriation of G-Log's intellectual property rights. Except as expressly provided herein, no right or license is granted to any patents, copyrights, Marks, or trade secrets by implication or otherwise.

While reasonable efforts have been made to ensure the accuracy of this document, G-Log assumes no liability resulting from any omission or inaccuracies in this document or from use of the information obtained herein. G-Log reserves the right to make changes to any products described herein to improve reliability, function, or design, and reserves the right to revise this document and to make changes from time to time in content hereof with no obligation to notify any person of revisions or changes. G-Log does not assume any liability arising out of the application or use of any product described herein; neither does it convey license under its patent rights or the rights of others.

Please send your comments about GC3 to:

Global Logistics Technologies, Inc

1016 West Ninth Avenue  
King of Prussia, PA 19406  
Telephone: (610) 491-9881  
FAX: (610) 491-9897  
<http://www.g-log.com>

Computer Software Copyrights: The G-Log software described in this document may not be copied, reproduced, modified, or distributed in any manner without G-Log's express written permission.

Use and Disclosure Restrictions: The software described in this document is the property of G-Log. It is furnished under a license agreement and may be used and/or disclosed only in accordance with the terms of the agreement.

US Government Rights: Use, duplication, or disclosure by the US Government is subject to restrictions set forth in the G-Log license agreement and as provided in DFARS 227.7202-1(a) and 227.7202-3(a) (1995), DFARS 252.227-7013(c)(1)(ii) (OCT 1988), FAR 12.212(a) (1995), FAR 52.227-19, or FAR 52.227-14 (ALT III), as applicable.

# Contents

<b>CONTENTS.....</b>	<b>III</b>
<b>PREFACE .....</b>	<b>V</b>
<b>STRUCTURE .....</b>	<b>V</b>
<b>1. SERVICE RELEASE-SPECIFIC INSTALLATION INSTRUCTIONS .....</b>	<b>1-1</b>
<b>2. DATABASE CHANGES.....</b>	<b>2-1</b>
<b>NEW TABLES.....</b>	<b>2-1</b>
DOCUMENT_DEF_DQT.....	2-1
JOB_INV_PARTY_ADDRESS .....	2-1
LG_ADDRESS .....	2-2
LG_EXCHANGE_RATE_JOIN .....	2-2
LOGISTICS_GUIDE.....	2-3
LOGISTICS_GUIDE_AGGREGATE_DATA .....	2-3
LOGISTICS_GUIDE_DETAIL.....	2-4
LOGISTICS_GUIDE_GEOGRAPHY.....	2-6
LOGISTICS_GUIDE_ORDER_TEMPLATE .....	2-6
LOGISTICS_GUIDE_TEMPLATE .....	2-7
<b>NEW COLUMNS.....</b>	<b>2-7</b>
<b>MODIFIED COLUMNS .....</b>	<b>2-9</b>
<b>OBSOLETE COLUMNS.....</b>	<b>2-10</b>
<b>3. INTEGRATION CHANGES .....</b>	<b>3-1</b>
<b>4. CORRECTIONS.....</b>	<b>4-1</b>
<b>5. ENHANCEMENTS.....</b>	<b>5-1</b>
<b>6. UPDATED FILES.....</b>	<b>6-1</b>
<b>7. NEXT SCHEDULED RELEASE.....</b>	<b>7-1</b>

<b>8. TECHNICAL SUPPORT.....</b>	<b>8-1</b>
----------------------------------	------------

## Structure

This document describes the content of this Service Release and contains the following sections:

- **Service Release-Specific Installation Instructions** describes additional installation instructions (supplementing the standard service release installation instructions) that are specific to this service release.
- **Database Changes** describes any structural changes that were made to the GC3 database and migration notes, if applicable.
- **Integration Changes** summarizes changes to the standard GC3 XML interfaces.
- **Corrections** describes defects that were reported and fixed in the release.
- **Enhancements** lists all the enhancements in this release (excluding those that were customer-specific and not included in the core product).
- **Updated Files** lists all files that have changed.
- **Next Service Release** shows the date of the next scheduled service release.
- **Technical Support** provides contact information if you need assistance with this service release.

**Note:** Service Releases are cumulative in their content and any corrections/enhancements from previous service releases are also included. You should also review previous release notes for release-specific installation instructions as well.



# **1. Service Release-Specific Installation Instructions**

There are no service release-specific installation instructions for this release. Refer to the standard service release installation instructions in the online help for more details.





## 2. Database Changes

### New Tables

#### **document\_def\_dqt**

<b>Column</b>	<b>Data Type</b>	<b>Nullable</b>
document_def_gid	VARCHAR2(101)	NOT NULL
data_query_type_gid	VARCHAR2(101)	NOT NULL
is_driving_parties	VARCHAR2(1) DEFAULT ' Y'	NOT NULL
is_driving_text	VARCHAR2(1) DEFAULT ' Y'	NOT NULL
domain_name	VARCHAR2(50)	NOT NULL
insert_user	VARCHAR2(128)	NOT NULL
insert_date	DATE	NOT NULL
update_user	VARCHAR2(128)	
update_date	DATE	

#### **JOB\_INV\_PARTY\_ADDRESS**

<b>Column</b>	<b>Data Type</b>	<b>Nullable</b>
job_gid	VARCHAR2(101)	NOT NULL
involved_party_qual_gid	VARCHAR2(101)	NOT NULL
involved_party_contact_gid	VARCHAR2(101)	NOT NULL
com_method_gid	VARCHAR2(101)	NOT NULL
line_sequence	NUMBER(10)	NOT NULL
override_address_line	VARCHAR2(55)	
domain_name	VARCHAR2(50)	NOT NULL
insert_user	VARCHAR2(128)	NOT NULL
insert_date	DATE	NOT NULL
update_user	VARCHAR2(128)	
update_date	DATE	

**LG\_ADDRESS**

Column	Data Type	Nullable
location_gid	VARCHAR2(101)	NOT NULL
location_name	VARCHAR2(120)	NOT NULL
city	VARCHAR2(40)	NOT NULL
province	VARCHAR2(50)	NOT NULL
province_code	VARCHAR2(5)	NOT NULL
postal_code	VARCHAR2(15)	NOT NULL
country_code3_gid	VARCHAR2(101)	NOT NULL
zone1	VARCHAR2(30)	NOT NULL
zone2	VARCHAR2(30)	NOT NULL
zone3	VARCHAR2(30)	NOT NULL
zone4	VARCHAR2(30)	NOT NULL
domain_name	VARCHAR2(50)	NOT NULL
insert_user	VARCHAR2(128)	NOT NULL
insert_date	DATE	NOT NULL
update_user	VARCHAR2(128)	
update_date	DATE	

**LG\_EXCHANGE\_RATE\_JOIN**

Column	Data Type	Nullable
logistics_guide_gid	VARCHAR2(101)	NOT NULL
exchange_rate_gid	VARCHAR2(101)	NOT NULL
effective_date	DATE	NOT NULL
from_currency_gid	VARCHAR2(101)	NOT NULL
to_currency_gid	VARCHAR2(101)	NOT NULL
exchange_rate	NUMBER	

Column	Data Type	Nullable
domain_name	VARCHAR2(50)	NOT NULL
insert_user	VARCHAR2(128)	NOT NULL
insert_date	DATE	NOT NULL
update_user	VARCHAR2(128)	
update_date	DATE	

## LOGISTICS\_GUIDE

Column	Data Type	Nullable
logistics_guide_gid	VARCHAR2(101)	NOT NULL
logistics_guide_xid	VARCHAR2(50)	NOT NULL
logistics_guide_template_gid	VARCHAR2(101)	
logistics_guide_start_time	DATE	NOT NULL
logistics_guide_end_time	DATE	
perspective	VARCHAR2(1) DEFAULT ' B'	NOT NULL
domain_name	VARCHAR2(50)	NOT NULL
insert_user	VARCHAR2(128)	NOT NULL
insert_date	DATE	NOT NULL
update_user	VARCHAR2(128)	
update_date	DATE	

## LOGISTICS\_GUIDE\_AGGREGATE\_DATA

Column	Data Type	Nullable
logistics_guide_gid	VARCHAR2(101)	NOT NULL
source_address_gid	VARCHAR2(101)	NOT NULL
dest_address_gid	VARCHAR2(101)	NOT NULL
aggregation_type_gid	VARCHAR2(101)	NOT NULL

Column	Data Type	Nullable
aggregate_key	VARCHAR2(101)	NOT NULL
transport_mode_gid	VARCHAR2(101)	NOT NULL
equipment_group_profile_gid	VARCHAR2(101)	
itinerary_profile_gid	VARCHAR2(101)	
best_cost_per	NUMBER	NOT NULL
best_cost_per_currency_gid	VARCHAR2(101)	NOT NULL
best_cost_per_base	NUMBER	NOT NULL
best_cost_transit_time	NUMBER	NOT NULL
best_cost_transit_tim_uom_code	VARCHAR2(64)	NOT NULL
best_cost_transit_tim_base	NUMBER	NOT NULL
best_cost_servprov_gid	VARCHAR2(101)	NOT NULL
average_cost_per	NUMBER	NOT NULL
average_cost_per_currency_gid	VARCHAR2(101)	NOT NULL
average_cost_per_base	NUMBER	NOT NULL
average_transit_time	NUMBER	NOT NULL
average_transit_time_uom_code	VARCHAR2(64)	NOT NULL
average_transit_time_base	NUMBER	NOT NULL
IS_MULTI_MODE	VARCHAR2(1) DEFAULT ' N'	
domain_name	VARCHAR2(50)	NOT NULL
insert_user	VARCHAR2(128)	NOT NULL
insert_date	DATE	NOT NULL
update_user	VARCHAR2(128)	
update_date	DATE	

## LOGISTICS\_GUIDE\_DETAIL

Column	Data Type	Nullable
--------	-----------	----------

Column	Data Type	Nullable
logistics_guide_gid	VARCHAR2(101)	NOT NULL
lg_detail_seq_no	NUMBER(9)	NOT NULL
source_address_gid	VARCHAR2(101)	NOT NULL
dest_address_gid	VARCHAR2(101)	NOT NULL
order_template_gid	VARCHAR2(101)	NOT NULL
itinerary_profile_gid	VARCHAR2(101)	
servprov_gid	VARCHAR2(101)	NOT NULL
rate_geo_gid	VARCHAR2(101)	NOT NULL
total_cost	NUMBER	NOT NULL
total_cost_currency_gid	VARCHAR2(101)	NOT NULL
total_cost_base	NUMBER	NOT NULL
rate_offering_gid	VARCHAR2(101)	
transport_mode_gid	VARCHAR2(101)	NOT NULL
equipment_group_gid	VARCHAR2(101)	NOT NULL
equipment_group_profile_gid	VARCHAR2(101)	NOT NULL
transit_time	NUMBER	NOT NULL
transit_time_uom_code	VARCHAR2(64)	NOT NULL
transit_time_base	VARCHAR2(1)	NOT NULL
order_weight	NUMBER	NOT NULL
order_weight_uom_code	VARCHAR2(64)	NOT NULL
order_weight_base	NUMBER	NOT NULL
cost_per	NUMBER	NOT NULL
cost_per_currency_gid	VARCHAR2(101)	NOT NULL
cost_per_base	NUMBER	NOT NULL
IS_MULTI_MODE	VARCHAR2(1) DEFAULT ' N'	
ITINERARY_GID	VARCHAR2(101)	

Column	Data Type	Nullable
domain_name	VARCHAR2(50)	NOT NULL
insert_user	VARCHAR2(128)	NOT NULL
insert_date	DATE	NOT NULL
update_user	VARCHAR2(128)	
update_date	DATE	

### **LOGISTICS\_GUIDE\_GEOGRAPHY**

Column	Data Type	Nullable
logistics_guide_template_gid	VARCHAR2(101)	NOT NULL
source_location_gid	VARCHAR2(101)	NOT NULL
destination_location_gid	VARCHAR2(101)	NOT NULL
domain_name	VARCHAR2(50)	NOT NULL
insert_user	VARCHAR2(128)	NOT NULL
insert_date	DATE	NOT NULL
update_user	VARCHAR2(128)	
update_date	DATE	

### **LOGISTICS\_GUIDE\_ORDER\_TEMPLATE**

Column	Data Type	Nullable
logistics_guide_template_gid	VARCHAR2(101)	NOT NULL
order_template_gid	VARCHAR2(101)	NOT NULL
domain_name	VARCHAR2(50)	NOT NULL
insert_user	VARCHAR2(128)	NOT NULL
insert_date	DATE	NOT NULL
update_user	VARCHAR2(128)	
update_date	DATE	

## LOGISTICS\_GUIDE\_TEMPLATE

Column	Data Type	Nullable
logistics_guide_template_gid	VARCHAR2(101)	NOT NULL
logistics_guide_template_xid	VARCHAR2(50)	NOT NULL
num_options_to_aggregate	NUMBER(5) DEFAULT 5	NOT NULL
is_save_detail_records	VARCHAR2(1) DEFAULT ' Y'	NOT NULL
output_currency_gid	VARCHAR2(101)	NOT NULL
domain_name	VARCHAR2(50)	NOT NULL
insert_user	VARCHAR2(128)	NOT NULL
insert_date	DATE	NOT NULL
update_user	VARCHAR2(128)	
update_date	DATE	

## New Columns

Table	Column	Data Type
GENERAL_LEDGER_CODE	BUY_ORDER_GL_LOOKUP_KEY_GID	VARCHAR2(101)
	SELL_ORDER_GL_LOOKUP_KEY_GID	VARCHAR2(101)
	BUY_SHIP_GL_LOOKUP_KEY_GID	VARCHAR2(101)
	SELL_SHIP_GL_LOOKUP_KEY_GID	VARCHAR2(101)
AGENT_TEXT	DOCUMENT_DEF_GID	ARCHAR2(101) DEFAULT ' ALL' NOT NULL
	TEXT_OVERRIDE	VARCHAR2(4000)
INVOICE_TEXT	DOCUMENT_DEF_GID	VARCHAR2(101) DEFAULT 'ALL' NOT NULL
	TEXT_OVERRIDE	VARCHAR2(4000)
ITEM_TEXT	DOCUMENT_DEF_GID	VARCHAR2(101) DEFAULT 'ALL' NOT NULL
	TEXT_OVERRIDE	VARCHAR2(4000)

Table	Column	DataType
JOB_TEXT	DOCUMENT_DEF_GID	VARCHAR2(101) DEFAULT 'ALL' NOT NULL
	TEXT_OVERRIDE	VARCHAR2(4000)
OB_TEXT	DOCUMENT_DEF_GID	VARCHAR2(101) DEFAULT 'ALL' NOT NULL
	TEXT_OVERRIDE	VARCHAR2(4000)
ORDER_RELEASE_LINE_TEXT	DOCUMENT_DEF_GID	ARCHAR2(101) DEFAULT 'ALL' NOT NULL
	TEXT_OVERRIDE	VARCHAR2(4000)
ORDER_RELEASE_TEXT	DOCUMENT_DEF_GID	VARCHAR2(101) DEFAULT 'ALL' NOT NULL
	TEXT_OVERRIDE	VARCHAR2(4000)
QUOTE_TEXT	DOCUMENT_DEF_GID	VARCHAR2(101) DEFAULT 'ALL' NOT NULL
	TEXT_OVERRIDE	VARCHAR2(4000)
SHIPMENT_TEXT	DOCUMENT_DEF_GID	VARCHAR2(101) DEFAULT 'ALL' NOT NULL
	TEXT_OVERRIDE	VARCHAR2(4000)
SHIPPING_AGENT_CONTACT_TEXT	DOCUMENT_DEF_GID	VARCHAR2(101) DEFAULT 'ALL' NOT NULL
	TEXT_OVERRIDE	VARCHAR2(4000)
SHIPPING_AGENT_TEXT	DOCUMENT_DEF_GID	VARCHAR2(101) DEFAULT 'ALL' NOT NULL
	TEXT_OVERRIDE	VARCHAR2(4000)
SHIP_UNIT_TEXT	DOCUMENT_DEF_GID	VARCHAR2(101) DEFAULT 'ALL' NOT NULL
	TEXT_OVERRIDE	VARCHAR2(4000)



Table	Column	DataType
ORDER_RELEASE	BUY_ITINERARY_PROFILE_GID	VARCHAR2(101)
	SELL_ITINERARY_PROFILE_GID	VARCHAR2(101)
JOB_INVOLVED_PARTY	OVERRIDE_LOCATION_NAME	VARCHAR2(120)
	OVERRIDE_CITY	VARCHAR2(40)
	OVERRIDE_PROVINCE	VARCHAR2(50)
	OVERRIDE_PROVINCE_CODE	VARCHAR2(5)
	OVERRIDE_COUNTRY_CODE3_GID	VARCHAR2(101)
	OVERRIDE_POSTAL_CODE	VARCHAR2(15)
APP_ACTION	IS_POST_CHECK	VARCHAR2(1) DEFAULT ' N' NOT NULL
	IS_SUPPORT_POST	VARCHAR2(1) DEFAULT ' N' NOT NULL
APP_ACTION_CHECK_ACCESS	IS_POST_CHECK	VARCHAR2(1) DEFAULT ' N' NOT NULL
LANE_SUMMARY_STAT	IS_FIXED	VARCHAR2(1) DEFAULT ' N' NOT NULL
LOGISTICS_GUIDE_DETAIL	IS_MULTI_MODE	VARCHAR2(1) DEFAULT ' N' NULL
	ITINERARY_GID	VARCHAR2(101) NULL
LOGISTICS_GUIDE_AGGREGATE_DATA	IS_MULTI_MODE	VARCHAR2(1) DEFAULT ' N' NULL

## Modified Columns

Table	Column	Change
LANE_SUMMARY_STAT	IS_FIXED	DEFAULT ' N'
REPORT_PARAMETER	FIXED_VALUES	VARCHAR2(3000)
DOCUMENT_DEF_PARAM	FIXED_VALUES	VARCHAR2(3000)

## Obsolete Columns

Table	Column
GENERAL_LEDGER_CODE	GL_LOOKUP_KEY_GID

### 3. Integration Changes

Changes to the integration processing logic can be found below in their respected correction or enhancement description. Changes to the XML schema are as follows:

- Added ItineraryProfileGid element to ReleaseHeader element (Re: 45169)
- Added SellItineraryProfileGid element to ReleaseHeader element (Re: 45169)
- Added TextDocumentDefinition element to Text element
- Added InvolvedPartyLocationRef element to ShippingAgentContact element (Re: 52040)
- Added Location element to Job element (Re: 52040)
- Modified logic to output the Contact or ContactGroup for the ShippingAgentContact/ContactRef (Re: 52040)
- Changed Job.Release element from required to optional (Re: 53228)
- Removed VoyageStowageModeGid element from ReleaseHeader element (Re: 53228)
  - This element was replaced by StowageModeGid element in May SR
  - Client indicated there was no need to preserve element for backward compatibility
- Removed VoyageStowageModeGid element from CharterVoyageStowage element (Re: 53228)
  - This element was replaced by StowageModeGid element in May SR
  - Client indicated there was no need to preserve element for backward compatibility
- Removed VoyageStowageModeGid element from BookLineAmendDetail element (Re: 53228)
  - This element was replaced by StowageModeGid element in May SR
  - Client indicated there was no need to preserve element for backward compatibility



## 4. Corrections

SalesLogix Ticket	G-Log Issue	Component	Issue Summary and Resolution
	39064.5.0	User Preferences	Problem was user preferences were not shown if the user level changed for that user. Now if a users role is changed and a user access component (menu, finderset, ...) has been assigned at the user level, the component must be reassigned to that user.
	40474.5.0	Manager-Agents	When user tries to delete (take of) a 'saved query' from a 'saved condition' , he gets the message "you cannot delete a record while another record being edited." Resolution: User will not get an error message when they try to delete a 'Saved Query ID' from the Saved Condition Manager. The record is successfully deleted when clicking the delete button.
	41260.5.0	Manager-Shipments	Problem: Slow response times from Buy Shipment Actuals Finder. Resolution: We created a new fast_shipment_actuals finder set
	45481.5.0	User Configuration	Updating the LOCATION screen set finder and/or results column with the psuedo field "Address Line 1" does not function. Resolution: you can use pseudo fields on the favorites screen.
	45648.5.0	User Configuration	Report Triggers are only opening the report for one report when multiple are chosen for the trigger to run against. Fixed so that Report execution logic knows how the selection of Objects on UI were so knows when multiple values are selected from UI.
	47085.5.0	Infrastructure	Allowing multiple previews in an LOT document triggers unlimited document creation. This is now prevented by added validation checks to ensure that a child document cannot allow multiple previews.
	47762.5.0	Labels/Internationalization	Pop-up calendars were broken for French Translation. They now work correctly.
	48293.5.0	User Configuration	There are 2 "Event Visibility" links that can be added to a screen set. The one we added appears to have some bugs. Fix: Added the transaction id to the XML so that a valid URL link can display the Event Group and Event Comment.

<b>SalesLogix Ticket</b>	<b>G-Log Issue</b>	<b>Component</b>	<b>Issue Summary and Resolution</b>
	50084.5.0	User Configuration	Problem: ORDER_RELEASE default Smartlinks not available. Resolution: All of the public order release smart links will be available to the user when working with screen sets.
	50180.5.0	SCEM	Problem: Update Expiration Date on time based event is not working. Resolution: The modified Expiration Date & Time had not been considered for reactivating Lifetime Topics created for each Milestone. Modified UI to restrict users not to change Time based Event flag on Milestone Monitor.
	50421.5.0	Manager-Material	Cache issue with the NMFC Class on the item screen. Resolution: Changing NMFC classes on the item will now be reflected immediately when building shipments.
	50562.5.0	Infrastructure UI	When creating new VPD profiles, we need a bounce for them to show on the user role screen. Fix: If you create a new VPD profile these new records will be available on screens that have VPD profile drop down lists. Previously the list of available profiles was cached on the webserver and was never being updated until the server was bounced. This has been changed so these new records are now available after you create them.
	50847.5.0	Execution business logic	When sending a date modification to an order on a crossdock shipment - the process fails with the error: Error creating Stop Order Bundle for Shipment Stop EP.01426 1. More than one Stop Order Bundle created. Fix: Check order time window compatibility in CheckEditableShipment class. If the new order time window is not compatible with other orders on a specific shipment stop, CheckEditableShipment returns false, which means it cannot perform Edit Shipment, Full Impact is needed.
	50964.5.0	Execution business logic	Issue: Missing Accessorial Code in NFRC Shipment. Fix: Accessorial code specified in NFRC rule will be correctly copied to the NFRC shipments created by the rule.
	51047.5.0	Planning UI	Capacity Manager not working with Split Order Releases

<b>SalesLogix Ticket</b>	<b>G-Log Issue</b>	<b>Component</b>	<b>Issue Summary and Resolution</b>
	51149.5.0	Planning business logic	Issue: Error booking with int NVOCC when using Show Options. Fix: When AUTO_CREATE_ORDER_MOVEMENTS is true, create order movements for each leg in 'Show Routing Options'. Also fixed an additional issue in shipment build logic that caused order movement logic to be skipped.
	51230.5.0	Planning business logic	Issue: Can't merge shipments created from Order Movements. Fix: Removed check for itinerary in merge shipments action. Instead, for each given shipment, find the shipments that share SEquipments with the given shipments. Combine all related shipments according to their relative position to the given shipments.
	51263.5.0	Execution UI	Allocations showing in wrong order on: View Order Release. Fix: Allocation records now sort correctly.
	51341.5.0	Infrastructure UI	Can we retain the current tab position when editing? Fix: The current tab will now always remain visible.
	51344.5.0	Integration	REDO Transmission processing will not re-process an ERROR TransOrder changed to REDO. Fix: enhanced the Redo Transmission Processing logic in the Process Manager.
	51360.5.0	Planning UI	Null pointer entering Location Capacity. Fix: Fixed the NullPointerException by checking where Equipment Reference Units were found in the database.
	51373.5.0	Planning business logic	declined notification showing incorrect service provider using March 2005 SR
	51424.5.0	Infrastructure UI	Class Cast Exception querying on default criteria UOM field. Fix: The error was coming while overriding the existing default criteria on the finder screen. This happens for any UOM type like length, volume, weight etc., The logic is updated to take care of this issue.
	51482.5.0	Execution business logic	A search of custom fields based on remarks does not return the correct number of records when more than one field is used as part of criteria. Fix: If two grid flattened remark fields exist now both will be put into the query. Previously only one would be

SalesLogix Ticket	G-Log Issue	Component	Issue Summary and Resolution
			put into the query.
	51486.5.0	Planning business logic	Unable to add departed event on some shipments w/o generating a null pointer when going back thru planning. Fixed. The code still held an old assumption.
	51652.5.0	Reports	Fixed list parameter type restriction in reports. Database change is required. Fix: REPORT_PARAMETER.FIXED_VALUES is increased to 3000 characters.
	51664.5.0	Advanced Analytics	Missing data in f_shipment_order_release_cost table. Fix: Order release cost table is getting correct data now.
1-9939	51671.5.0	Execution business logic	Base costs need to be able to be treated as private costs , similar to functionality that exists for accessorials and special services. Fix: Order release line GIDs will be associated with base cost types in addition to accessorials. Also, allocation logic now handles costs that are private to more than one order by applying the allocation rule to those orders (see below for example). Previously, this only worked when costs were private to one order.
	51721.5.0	Infrastructure UI	Grid headers are displayed when grid is removed in customization. Fix: labelRow tags are now customizable. They can be removed or the label names can be changed. Note that the layouts will need to be recreated to see this change.
	51728.5.0	Infrastructure UI	Default results page shown when clicking the "modify another" button. Fixed. The query name and finder set id were hard coded instead of using custom screen set defined by the User.
	51741.5.0	Execution business logic	Min wt brackets do not combine null brackets at end of profile. Fix: Profile brackets will be correctly combined in all situations when necessary.
	51742.5.0	Database	Discrepancies and errors in translation and translation_d table data. Fixed. Resolved the discrepancies.
	51760.5.0	Infrastructure UI	Grid Flatten Remark Qualifiers in Freight Forwarding Manager. Fix: Added



SalesLogix Ticket	G-Log Issue	Component	Issue Summary and Resolution
			order_release_remarks as a possible field for grid flattening on the manager layout screens.
	51765.5.0	Planning UI	Missing translation when viewing more information for a Buy Shipment. Fix: Updated translation resource for repetition schedule ID.
	51768.5.0	Collaboration UI	Change toolkit to allow drop list fields to be limited to a static set of records. Fix: Allow users to make fixed lists out of regular drop list fields in the manager layout toolkit.
	51851.5.0	Infrastructure UI	Freight forwarding edit manager changes. The freight forwarding template management layout was modified to show transportation mode and change move perspective to a drop list.
	51863.5.0	Infrastructure business logic	LOT Party Modified event not triggering when a party on a child document on the letter of transmittal is modified. Fix: This was an intermediate bug caused by the addition of Text triggers.
	51892.5.0	Execution business logic	Use of Rate Cache by SMC. Fix: Rating engine now uses rate geo cache for looking up base rates when rating the master.
1-10140	51940.5.0	Collaboration UI	When saving a link between 2 milestones on a milestone template, the following error is seen - org.w3c.dom.DOMException: NOT_FOUND_ERR: An attempt is made to reference a node in a context where it does not exist. Fix: There was discrepancy in updating & displaying monitor_agent_succ XML Element.
1-10166	51980.5.0	Collaboration business logic	Issue: It is not possible to turn off two claim agents without getting a javanull error. Fix: Handled null values on Automation Agent manager screen.
	51991.5.0	Infrastructure UI	UI Performance - Exclude namespace info from transformation results. Fix: Added the exclude-result-prefix to all stylesheets that required it for better performance.
	51995.5.0	Integration	SAW with AutoGenerateRelease error. Fixed integrity constraint error from the Shipment Interface when passing in a shipment xml with a autoGenerateRelease element.

<b>SalesLogix Ticket</b>	<b>G-Log Issue</b>	<b>Component</b>	<b>Issue Summary and Resolution</b>
	52003.5.0	Infrastructure UI	UI problems when French translations are enabled due to the toolbar not being wide enough to handle the wider text of the translation. Fix: This has now been widened to account for the wider text.
	52022.5.0	Execution business logic	Null Pointer on Copy Freight Forwarding. Fix: This has been fixed for FF.
	52026.5.0	Integration	The MonetaryAmount is not matching up to the AmountBase in the AccrualXml. Fixed the miscalculation error of the Delta Cost element.
	52029.5.0	Planning UI	ROUTEOPT SR1 - The refine options needs to include reference to the Rate Geo. Fix: Displayed Rate Record (Geo) ID in UI.
	52030.5.0	Infrastructure UI	Inconsistency in certain fields while editing user preferences. Fix: Added the new logic for when user selects Finder Page Size on User Preference Page.
	52031.5.0	Collaboration business logic	Re-transmit tender agent action needs to have logic to accept a ShipmentStatusPK - Currently fails. Fix: SHIPMENT STATUS - * event has a primary key SSEventForAgentPK that was not mapped to involved party query and servprov query in notify engine. Added the mapping of SSEventForAgentPK and its associated queries.
	52140.5.0	Advanced Analytics	Create KPIs using database. Fix: A new database procedure has been created that can be used to create KPIs.
	52201.5.0	Planning business logic	Unassign OMS from same order related by sequence not working correctly. Fix: Order movements from the same order that have different sequence numbers are not unassigned separately.
	52202.5.0	Infrastructure UI	Issue: Sort arrow icon appearing on a different line. Fix: Modified alignment of column name and sort arrow icon to fit in the same line on Finder Results screen.
	52225.5.0	Infrastructure UI	Logviewer NEXT button doesn't advance when 'Search Backups'. Fix: Enhanced log viewing to support navigation between log backups. 1) The log viewer now navigates between backup files. When viewing a backup file

SalesLogix Ticket	G-Log Issue	Component	Issue Summary and Resolution
			<p>(either via a Search All Backups or an explicit backup view), clicking Next past the end of the file automatically moves to the next backup file.</p> <p>2) Searching through backups based on date is now faster. We first look at each backup to find the first backup starting before the date and ending after the date.</p> <p>3) Fixed the Return button to keep track of all log movements. If you next and prev across 20 screens, the Return button will find the previous 20th url and switch back to the input screen.</p> <p>4) Enhanced the SCA composite log view to allow navigation across multiple machine backups.</p>
	52243.5.0	Infrastructure UI	Receiving error when selecting Order Line Allocation in custom Freight Forwarder screen. Fix: The field in question no longer improperly retains the queryName value from a preceding field, thus making it link.
1-10243	52265.5.0	Database	Internal
	52271.5.0	Collaboration UI	Please have BNG to generate OMR ID and OMR detail ID when not enter. Fix: Generate OMR Detail ID in the backend if not entered by the user.
	52300.5.0	Execution business logic	<p>Issue: Secondary Charge not honoring Transport Mode. Fix: The RULE transport mode is copied to secondary charge shipment first.</p> <p>Then, ServiceProviderAssigner.assignLeastCostServiceProvider finds the rateEngineResults by fixedRateGeoGid, fixedRateOfferingGid, serviceProviderGid, or secondaryChargeShipment (in this order). Finally, it will apply rateEngineResults to the secondary charge shipment (rate geo's transport mode is copied to the secondary charge shipment). In SecondaryChargeShipmentBuilder, assign secondary charge rule's transport mode back to the secondary charge shipment.</p>
	52323.5.0	Execution business logic	ROUTEOPT - SCHED - primary leg route opt problem. Fix: Fixed logic that was attempting to set the pier locations on the shipment. It was only working for one shipment if the leg required multiple. Also added logic to set the port of load/port of

SalesLogix Ticket	G-Log Issue	Component	Issue Summary and Resolution
			discharge.
	52329.5.0	Execution business logic	Don't copy inco terms into override fields on commercial invoice. Fix: None of the inco term fields copy over when creating commercial invoices. This applies to the following fields: inco_term_gid, term_location_text, final_inco_term_gid, final_text_location, and ommercial_payment_code_gid.
1-10128	52340.5.0	Planning business logic	When looking at 'voyage summary by stowage mode', the material available time is not correctly calculated. Fix: Changed to calculate material available time as follows: Arrival Time + Material Availability time window (From Consol details ) = Material Availability Time
1-10328	52341.5.0	Integration	Cannot view the voyage XML when doing 'perform an integration command'. Fixed Integration query for VoyageLoc XML element.
	52345.5.0	Planning UI	Build Shipment on Primary leg-View log. Fixed to show the view the log button.
	52381.5.0	Infrastructure UI	<enter> key results in error when creating new objects using custscreens. Fix: Added the ability to use the enter key in CustScreens just like the original stylesheets. All manager layouts need to be recreated.
	52400.5.0	Infrastructure business logic	Too many document lifetime events are produced as a result of EventReason wrapper design. Fix: Suppressed the generation of duplicate document-related events.
	52412.5.0	Planning UI	Error editing Consol. Fix: Called checkAllowCreate() only when creating a new consol, not for saving an existing consol.
	52413.5.0	Execution business logic	Calculate VAT with allocation fails for combinable invoice lines. Fix: Planning Parameter BILL ALLOCATION SEPARATES DIFFERENT INV LINE NUM was previously added so that when set to "true," bill allocations with like cost type, acc code, gl code will not be consolidated if they were from different invoice lineitems. This previously only worked for base costs, but

SalesLogix Ticket	G-Log Issue	Component	Issue Summary and Resolution
			now has been extended to work for private costs, as well.
	52416.5.0	Infrastructure UI	Security connection pool issue. Fix: Synchronized initial loading of security groups to avoid contention and timeout issues.
	52421.5.0	Execution business logic	Credit Note Action does not copy VAT. Fix: The invoice action Create Credit Note now copies and negates the Invoice Lineitem VAT and Invoice Lineitem VAT Cost Ref data. This also causes a negative VAT Analysis to be generated.
	52422.5.0	Infrastructure business logic	Adding a document to an LOT that already exists is problematic. Fix: Enhanced the Add Document action. If the document already exists on the LOT, the specified party is added to the document without disabling existing parties. If the document is not already on the LOT, the standard parties are disabled.
	52424.5.0	Infrastructure UI	Marking text as fixed when user edits text in the document. Fix: Party and text grids now default to Fixed when edited by the user.
	52426.5.0	Infrastructure UI	Document, text and party that are disabled should not show up in drop downs or lists. Fix: For the various document actions, the user can select only: <ul style="list-style-type: none"> <li>1) documents which have at least one enabled party</li> <li>2) document types represented by at least one document matching rule #1</li> <li>3) enabled parties</li> <li>4) enabled text, on documents which have at least one enabled party</li> </ul>
	52429.5.0	Planning UI	Unable to create a consol shipment. Fix: Give an error message whenever such a situation occurs indicating that the stowage mode of the consol does not match the stowage mode of the charter voyage.
	52460.5.0	Infrastructure UI	LOT action Remove Document does not mark text as disabled. Fix: Filtered the By Text view to only show templates which are on enabled documents (i.e. at least one party is enabled). Also filtered the documents underneath a template to show only

<b>SalesLogix Ticket</b>	<b>G-Log Issue</b>	<b>Component</b>	<b>Issue Summary and Resolution</b>
			enabled documents.
	52463.5.0	Collaboration UI	Please make a drop list for remark qualifier in OM screen. Fix: Resolved the inconsistency between OM and OMR edit screen per request.
	52466.5.0	Infrastructure UI	Document action Send Document alters document attachment type. Fix: Modified the transactionality of Send Document to rollback changes in case of error.
	52480.5.0	Infrastructure UI	Java applet error and other issues in FF Custscreen. Fix: Modified the template freight forwarding manager layout file to include the applet code for the pages that need it.
	52603.5.0	Planning business logic	gc3 not calculating accurate stop times on infeasible shipments
	52660.5.0	Reports	HTTP Status 404 error received when trying to view the names of the reports one after another. Fixed. There was an error in the corresponding XSL.
	52722.5.0	Execution UI	SCA running causing errors. Fix: Modify Scalability code to handle map safely in multi-thread environment.
	52900.5.0	Execution business logic	Net Amount Due and Amount Due w/VAT in different currencies. Fix: Fixed issue where invoices with no VAT were used to create a consolidated invoice, and the consol had a Net Amount Due With Tax (for which no VAT matches Net Amount Due) in the db default currency. It now uses the currency of Net Amount Due.
	52960.5.0	Integration	Need to change Voyage, Consol, OR interface to point to Stowage_Mode. Fix: Removed the VoyageStowageModeGid element from the ReleaseHeader, CharterVoyageStowage, and BookLineAmendDetail elements in Integration. The element had been replaced by the StowageModeGid element in the last SR.
	52981.5.0	Execution business logic	Get an FK error when trying to delete orders with accrual records. Fix: Order release accruals are now deleted when the order release is deleted.

<b>SalesLogix Ticket</b>	<b>G-Log Issue</b>	<b>Component</b>	<b>Issue Summary and Resolution</b>
	52984.5.0	Integration	packageitemspec gid is null on planned shipment XML. Fixed the error that Planned Shipment XML is not conforming to the GLOG schema.
	53020.5.0	Planning UI	Modifying an OMR detail line results in a NOT NULL database error. Fix: Modified OMR stylesheets to properly save detail records.
	53101.5.0	Database	Problems importing clob columns. Fix: We have fixed a problem related to exporting CLOB (character large object) columns. The csv import process requires that if a CLOB column is present in a csv file, it must be the rightmost column. (export process was failing to export clob columns in the rightmost position)
	53104.5.0	Execution UI	Order Release Line cannot be selected on the NFRC Shipment Cost page. Fix: Can now select an Order Release Line from the Shipment Cost page.
	53111.5.0	Execution business logic	On the Forwarder screen - it is not possible to sort order by VIN or Transport ID - error seen: java.sql.SQLException: ORA-00907: missing right parenthesis. Fix: Reworked low-level query infrastructure to restore grid-flattening behavior while still supporting extended queries for optimization.
	53121.5.0	Planning UI	Help link on Create Job window is incorrect. Fix: Link Corrected.
	53123.5.0	Infrastructure UI	Issue: csv load error. Fix: Translations have been fixed.
	53143.5.0	Execution business logic	NMFC substitution broken in COST regression bulkplan. Fix: Fixed a rating problem where the re-mapping of NMFC classes was being skipped.
	53182.5.0	Collaboration business logic	The exclusion of Status Groups, Reason Groups and Status Codes is not working. Fix: Enabled exclusion definitions for Status Groups, Status Codes and Reason Codes.
	53203.5.0	Collaboration business logic	The ORDER ON SHIPMENT - TENDER DECLINE event isn't getting raised. Fix: When tender is declined but not marked as re tender, order on shipment - tender declined topic is not published. This error is

SalesLogix Ticket	G-Log Issue	Component	Issue Summary and Resolution
			fixed.
	53228.5.0	Integration	Change Release element in Job element to optional. Fix: Changed the Job.Release element from required to optional in Integration to support the inbound updates to the Job interface without requiring an update to the Release.
	53232.5.0	Planning UI	Missing translations - consol related. Fix: Added translation resource for error message "cause.CreateConsol.0001" to TRANSLATION_D_ERR_en.csv
	53244.5.0	Planning business logic	We should not allow to increase that exceed consol max capacity. Fix: Modified the code so that it throws an exception if the total capacity exceeds either the total of equipment capacities or the console capacity itself.
	53248.5.0	Infrastructure UI	Ship Unit Text Template filtered list does not show text templates for type ship unit. Fix: Added SHIP UNIT data query type to stylesheet template filter
	53256.5.0	Planning business logic	Move to Consol action UI issues. Fix: Change to show error message "The selected shipment has no equipment." when there is no equipment.
	53260.5.0	Execution business logic	translation for cause.NO_VAT_OR_LINE_ALLOCATION. Added translated error message to display when there are missing or incomplete allocation records during VAT Calculation logic.
	53320.5.0	Integration	Missing Release info in Shipment for NFRC Charges. Fixed the error that not output the Release element under an NFRC shipment
	53387.5.0	Execution business logic	NullPointerException w/ SCA environment enabled. Fixed a NullPointerException that could occur when SCA was enabled and an order line was created.
	53423.5.0	Execution UI	Cannot disband Continuous Move (CM) shipments. Fixed.

**Note:** Contact Technical Support if you want the details on the issues with a description of **Internal**.







## 5. Enhancements

SalesLogix Ticket	G-Log Issue	Component	Issue Summary and Resolution
	45169.5.0	Manager-Settlement	General Logistics Guide. This enhancement is to create a routing guide containing the best options for orders across many source/destination pairs. The guide produced is a quick reference to the best-cost shipping options for particular lanes.
	51951.5.0	Execution UI	Multiple Lookup Codes for G/L Codes. G/L codes can now reference more than one G/L lookup key. The G/L lookup keys are set with a perspective (buy/sell) and a type (order/shipment). Now a single code can reference multiple keys so the same code can be used on both the buy and sell side and both an order and shipment G/L code.
	50895.5.0	Integration	<p>Need Ability to Restart App Server Listener for OAQ without restarting the app server. Made the following improvements for OAQ functionality:</p> <ol style="list-style-type: none"> <li>1) Added support to toggle the glog.integration.oaq property via the properties servlet to start/stop the app and database listeners</li> <li>2) Added new property "glog.integration.oaq.controlDbListener" to indicate whether the glog.integration.oaq property should also start/stop the database server listener. A client may desire to start/stop the database listener independently of the app server listener.</li> <li>3) Modified the database listener functionality to not stop the inbound queue when the listener is stopped. This will enable clients to still send data into the inbound queue even when the app server listener is not active. As a result of this change, there will be up to a 2 minute delay from a request to stop the database listener, to when the listener is actually stopped.</li> </ol>
	52464.5.0	Infrastructure UI	Increased the scalability of SQL Backdoor to allow for 64K records to be exported to Excel.
	52483.5.0	Planning UI	An Order Movement(s) needs to allow editing of it's S_Ship_Units. Previously, there was no way to edit an Order Movement's S_Ship_Unit(s). It was view only. An edit button has been added. You can now

SalesLogix Ticket	G-Log Issue	Component	Issue Summary and Resolution
			manually update S_Ship_Unit count. Note that changing SSU quantities will impact other legs.
	52220.5.0	Planning business logic	OMD Order Dates & Quantity Propagation Add functionality to OMD to allow order dates changes without invoking a full impact. Also add functionality to allow order quantity changes to be propagated to console shipments.
	52740.5.0	Execution business logic	Involved Party Checks For Templates. Two new webserver properties were added to determine which key fields will be used to check duplicates and then apply the merge rule accordingly.
	51308.5.0	Planning business logic	New Alternate Voyage Selection Action added to the Order Movement Manager so users can choose an order-movement from the order movement manager screen. This provides an action that will allow the users to get all of the applicable voyage/stowage modes for the selected order movement. It also provides the voyage/stowage mode the order movement currently is in. The users can choose a voyage/stowage mode to move the selected order movement to. The underlying action performs all the necessary steps to remove the order movement from the current booked voyage and add the booking on to the newly chosen voyage / stowage mode.
	52040.5.0	Integration	Missing Location Details for Shipping Agent Location in Job Interface Made the following modifications to the Integration logic:  - Added InvolvedPartyLocationRef element to ShippingAgentContact element  - Added Location element to Job element. This element will contain the  Location details for the Contacts listed in the JobInvolvedParty and  ShippingAgentContact  - Modified logic to output the Contact or ContactGroup for the  ShippingAgentContact/ContactRef. The logic

<b>SalesLogix Ticket</b>	<b>G-Log Issue</b>	<b>Component</b>	<b>Issue Summary and Resolution</b>
			was originally outputting just the ContactGid.
	52621.5.0	Execution business logic	Post persist action check. See issue 52766 below.
	52620.5.0	Execution UI	Database changes for IP override on Job. See issue 51948 below.
	49334.5.0	Rating Engine	Enhance SMC Rating When Using NMFC Codes. There is a new rate attribute " SMC RATE SHIP UNITS". If set up, you can use the ship unitweight instead of line item weights whenever there is an NMFC code supplied directly on the ship unit. If the ship unit does not have an NMFC code, the lines for that ship unit will be used.
	52766.5.0	Infrastructure business logic	A Post Action Check has been added to validate actions. In Manage User Access, in Action checks, you can select an action for validation. If Post Action Check is selected, a validation will be done for "Edit" actions. If the check box is not selected it will indicate that the action has a pre-check only.
	51947.5.0	Execution UI	Turn Off Auto Create Of the BM Reference Qualifiers on Order Releases and Shipments. There is a new property you can set so the BM reference number is not created. The property is glog.shipment.createBMRefnum.
	52481.5.0	Planning business logic	Job-consol functionality was enhanced such that two types of job (OR and OM) can be selected by the user.
	52007.5.0	Execution UI	Add County Code to the Milemaker Interface. Since Milemaker does not use zipcodes and a town or city name can occur more than once in state, you use a county code now to differentiate. The county code is entered in Zone 4 on the Location Manager.
	52602.5.0	Infrastructure UI	Document functionality has been modified. Previously, when retrieving parties interested in a particular document, GC3 only looked at the business object owning the document. Now you can include transactional events from a set of related business objects. This allows transactional interest from an order releases to be copied into job or shipment documents.

<b>SalesLogix Ticket</b>	<b>G-Log Issue</b>	<b>Component</b>	<b>Issue Summary and Resolution</b>
	51949.5.0	Execution UI	Display Shipment Cost Remarks on NFRC Shipments. The Non Freight Related Charge Manager now allows for shipment cost remarks to be viewed and edited. This is in a popup screen, so you need to drill into the shipment cost.
	51948.5.0	Execution UI	Override Involved Parties for Jobs. You can override the involved party contact and location information on jobs (as is possible on order releases and shipments). A new button has been added on job details; "Create override".

## 6. Updated Files

- glogserver.jar
- glog\gc3webapp\WEB-INF\web.xml
- glog\config\maps\ui\\*
- glog\oracle\insert\_security\_roles.sql
- weblogic\config\gc3domain\applications\GC3App.ear
- apache\htdocs\html\help\webhelp\en\\*
- glog\gc3webapp\WEB-INF\jsp\gc3-taglib.tld
- glog\gc3webapp\WEB-INF\tags\Remarks.tagx
- glog\gc3webapp\WEB-INF\tags\tabs.tagx
- glog\gc3webapp\WEB-INF\tags\TextTemplate.tagx
- apache\htdocs\css\themes\themesotm.css
- apache\htdocs\css\themes\themesmetalblue.css
- apache\htdocs\css\themes\themesmetalgreen.css
- apache\htdocs\css\themes\themesmetalpurple.css
- apache\htdocs\css\themes\themesmetalred.css
- apache\htdocs\css\themes\themesred.css
- apache\htdocs\css\themes\themessilver.css
- apache\htdocs\css\themes\themestechnoblue.css
- apache\htdocs\css\themes\themestechnogreen.css
- apache\htdocs\css\themes\themestechnorange.css
- apache\htdocs\js\comm\gparse.js
- apache\htdocs\js\comm\grids.js
- apache\htdocs\js\comm\text.js
- apache\htdocs\js\preference\preference.js
- apache\htdocs\js\uic\ShowRoutingOptions.js
- apache\htdocs\js\uic\SplitShipUnit.js
- apache\htdocs\js\uic\SplitShipmentByOrderMovementInput.js
- apache\htdocs\js\uic\SplitShipmentByOrdersInput.js
- apache\htdocs\js\uic\tableUtil.js
- apache\htdocs\js\validation\validation.js
- apache\htdocs\xsl\accessorialcost\AccessorialCostBase.xsl
- apache\htdocs\xsl\accessorialcost\AccessorialCostUnitBreaks.xsl
- apache\htdocs\xsl\accessorialcost\AccessorialCostViewBase.xsl
- apache\htdocs\xsl\advancedanalytics\domain\AllowAAManageDomainSelected.xsl
- apache\htdocs\xsl\advancedanalytics\powerdata\AdvancedAnalyticsPowerIndex.xsl
- apache\htdocs\xsl\advancedanalytics\user\AllowAAManageUserSelected.xsl
- apache\htdocs\xsl\advancedanalytics\user\ManageUserResults.xsl
- apache\htdocs\xsl\agent\ActionParameters.xsl
- apache\htdocs\xsl\agent\AdvancedSavedQueryDef.xsl
- apache\htdocs\xsl\agent\AgentAction.xsl
- apache\htdocs\xsl\agent\AgentActionSelection.xsl

- apache\htdocs\xsl\agent\AgentActionView.xsl
- apache\htdocs\xsl\agent\AgentErrorSelection.xsl
- apache\htdocs\xsl\agent\AgentNav.xsl
- apache\htdocs\xsl\agent\EventParameters.xsl
- apache\htdocs\xsl\agent\SavedConditionHeader.xsl
- apache\htdocs\xsl\agent\SavedConditionNav.xsl
- apache\htdocs\xsl\agent\SavedConditionView.xsl
- apache\htdocs\xsl\agent\SavedQueryDef.xsl
- apache\htdocs\xsl\agent\SavedQueryHeader.xsl
- apache\htdocs\xsl\agent\SavedQueryNav.xsl
- apache\htdocs\xsl\agent\SavedQueryNavAdv.xsl
- apache\htdocs\xsl\agent\SavedQueryView.xsl
- apache\htdocs\xsl\agent\ViewAgent.xsl
- apache\htdocs\xsl\agent\WorkflowActions.xsl
- apache\htdocs\xsl\agent\WorkflowAgentHeader.xsl
- apache\htdocs\xsl\agent\WorkflowErrors.xsl
- apache\htdocs\xsl\air\Air.xsl
- apache\htdocs\xsl\air\AirView.xsl
- apache\htdocs\xsl\air\InterimFlight.xsl
- apache\htdocs\xsl\air\_schedules\AirSchedulesInput.xsl
- apache\htdocs\xsl\air\_schedules\AirSchedulesResults.xsl
- apache\htdocs\xsl\apiadapt\GenericView.xsl
- apache\htdocs\xsl\appserver\AppMachine.xsl
- apache\htdocs\xsl\appserver\AppMachineView.xsl
- apache\htdocs\xsl\appserver\AppServer.xsl
- apache\htdocs\xsl\appserver\AppServerView.xsl
- apache\htdocs\xsl\assign\AssignFields.xsl
- apache\htdocs\xsl\assign\AssignGrid.xsl
- apache\htdocs\xsl\assign\AutoAssignRule.xsl
- apache\htdocs\xsl\assign\AutoAssignRuleCriteria.xsl
- apache\htdocs\xsl\assign\AutoAssignRuleDefinition.xsl
- apache\htdocs\xsl\assign\AutoAssignRuleNav.xsl
- apache\htdocs\xsl\assign\ViewAutoAssignRule.xsl
- apache\htdocs\xsl\audittrail\AuditEventReason.xsl
- apache\htdocs\xsl\audittrail\AuditTrailView.xsl
- apache\htdocs\xsl\autograntee\AutoGranteeEntry.xsl
- apache\htdocs\xsl\autograntee\AutoGranteeResults.xsl
- apache\htdocs\xsl\autograntee\AutoGranteeSelect.xsl
- apache\htdocs\xsl\autograntor\AutoGrantorEntry.xsl
- apache\htdocs\xsl\autograntor\AutoGrantorResults.xsl
- apache\htdocs\xsl\autograntor\AutoGrantorSelect.xsl
- apache\htdocs\xsl\batch\AcceptScheduleResults.xsl
- apache\htdocs\xsl\batch\ActionResults.xsl



- apache\htdocs\xsl\batch\BatchDetail.xsl
- apache\htdocs\xsl\batch\BatchGrid.xsl
- apache\htdocs\xsl\batch\BuildMultistopConfirm.xsl
- apache\htdocs\xsl\batch\ClearConfirm.xsl
- apache\htdocs\xsl\batch\ConfirmSchedule.xsl
- apache\htdocs\xsl\batch\DisbandMultistopConfirm.xsl
- apache\htdocs\xsl\batch\DisbandScheduleResults.xsl
- apache\htdocs\xsl\batch\JustDoItActionResult.xsl
- apache\htdocs\xsl\batch\LaunchBalancerResults.xsl
- apache\htdocs\xsl\batch\LocationMap.xsl
- apache\htdocs\xsl\batch\LocationOrderSummaryMap.xsl
- apache\htdocs\xsl\batch\LocationTotalMap.xsl
- apache\htdocs\xsl\batch\MoveConfirm.xsl
- apache\htdocs\xsl\batch\MoveMultistopConfirm.xsl
- apache\htdocs\xsl\batch\RepostScheduleResults.xsl
- apache\htdocs\xsl\batch\RevertConfirm.xsl
- apache\htdocs\xsl\batch\RevertProcessingResults.xsl
- apache\htdocs\xsl\batch\SaveNamesResult.xsl
- apache\htdocs\xsl\batch\ScheduleHeader.xsl
- apache\htdocs\xsl\batch\ScheduleView.xsl
- apache\htdocs\xsl\batch\SetBatchNames.xsl
- apache\htdocs\xsl\batch\ShipmentMap.xsl
- apache\htdocs\xsl\batch\ShipmentOrderSummaryMap.xsl
- apache\htdocs\xsl\batch\ShipmentTotalMap.xsl
- apache\htdocs\xsl\batch\SplitConfirm.xsl
- apache\htdocs\xsl\batch\ViewBatchGrid.xsl
- apache\htdocs\xsl\bean\invoke.xsl
- apache\htdocs\xsl\bean\main.xsl
- apache\htdocs\xsl\bean\methods.xsl
- apache\htdocs\xsl\bean\methodspec.xsl
- apache\htdocs\xsl\beancache\beans.xsl
- apache\htdocs\xsl\beancache\details.xsl
- apache\htdocs\xsl\beancache\locks.xsl
- apache\htdocs\xsl\beancache\transactions.xsl
- apache\htdocs\xsl\bngenerator\BnNamedRange.xsl
- apache\htdocs\xsl\bngenerator\BnNamedRangeNav.xsl
- apache\htdocs\xsl\bngenerator\BnNamedRangeView.xsl
- apache\htdocs\xsl\bngenerator\BnType.xsl
- apache\htdocs\xsl\bngenerator\BnTypeView.xsl
- apache\htdocs\xsl\body.xsl
- apache\htdocs\xsl\bulkcm\BulkCmResult.xsl
- apache\htdocs\xsl\bulkcm\ViewBulkCm.xsl
- apache\htdocs\xsl\bulkplan\BulkPlanManager.xsl

- apache\htdocs\xsl\bulkplan\BulkPlanNav.xsl
- apache\htdocs\xsl\bulkplan\BulkPlanResult.xsl
- apache\htdocs\xsl\bulkplan\PartitionProfileEdit.xsl
- apache\htdocs\xsl\bulkplan\PartitionProfileView.xsl
- apache\htdocs\xsl\bulkplan\ViewBulkPlan.xsl
- apache\htdocs\xsl\bulkrating\BulkRatingManager.xsl
- apache\htdocs\xsl\bulkrating\BulkRatingResult.xsl
- apache\htdocs\xsl\bulkrating\BulkRatingSpec.xsl
- apache\htdocs\xsl\bulkrating\ViewBulkRating.xsl
- apache\htdocs\xsl\businessmonitor\BusinessMonitor.xsl
- apache\htdocs\xsl\businessmonitor\BusinessMonitorView.xsl
- apache\htdocs\xsl\businessmonitor\ViewBusinessMonitor.xsl
- apache\htdocs\xsl\buttons\buttons.xsl
- apache\htdocs\xsl\cache\clear\CacheClear.xsl
- apache\htdocs\xsl\calendar\AnnualCycle.xsl
- apache\htdocs\xsl\calendar\Calendar.xsl
- apache\htdocs\xsl\calendar\CreateCalendar.xsl
- apache\htdocs\xsl\calendar\Override.xsl
- apache\htdocs\xsl\calendar\ViewCalendar.xsl
- apache\htdocs\xsl\capacity\ActualCapacityCommitment.xsl
- apache\htdocs\xsl\capacity\ActualCapacityCommitmentAlloc.xsl
- apache\htdocs\xsl\capacity\CapacityCommitment.xsl
- apache\htdocs\xsl\capacity\CapacityCommitmentAllocNav.xsl
- apache\htdocs\xsl\capacity\CapacityCommitmentNav.xsl
- apache\htdocs\xsl\capacity\CapacityGroup.xsl
- apache\htdocs\xsl\capacity\CapacityGroupNav.xsl
- apache\htdocs\xsl\capacity\CapacityLimit.xsl
- apache\htdocs\xsl\capacity\CapacityLimitDelete.xsl
- apache\htdocs\xsl\capacity\CapacityLimitNav.xsl
- apache\htdocs\xsl\capacity\CapacityUsage.xsl
- apache\htdocs\xsl\capacity\CapacityUsageNav.xsl
- apache\htdocs\xsl\capacity\ManuallyExpireInput.xsl
- apache\htdocs\xsl\capacity\ManuallyExpireResults.xsl
- apache\htdocs\xsl\capacity\ModifyCapacityLimitInput.xsl
- apache\htdocs\xsl\capacity\ModifyCapacityLimitResults.xsl
- apache\htdocs\xsl\capacity\OverrideCapacityUsageChange.xsl
- apache\htdocs\xsl\capacity\OverrideCapacityUsageInput.xsl
- apache\htdocs\xsl\capacity\OverrideCapacityUsageResults.xsl
- apache\htdocs\xsl\capacity\PlannedCapacityCommitment.xsl
- apache\htdocs\xsl\capacity\PlannedCapacityCommitmentAlloc.xsl
- apache\htdocs\xsl\capacity\ViewActualCapacityCommitment.xsl
- apache\htdocs\xsl\capacity\ViewActualCapacityCommitmentAlloc.xsl
- apache\htdocs\xsl\capacity\ViewCapacityCommitment.xsl

- apache\htdocs\xsl\capacity\ViewCapacityGroup.xsl
- apache\htdocs\xsl\capacity\ViewCapacityLimit.xsl
- apache\htdocs\xsl\capacity\ViewCapacityUsage.xsl
- apache\htdocs\xsl\capacity\ViewPlannedCapacityCommitment.xsl
- apache\htdocs\xsl\capacity\ViewPlannedCapacityCommitmentAlloc.xsl
- apache\htdocs\xsl\carrier\CustHeader.xsl
- apache\htdocs\xsl\carrier\CustLoadUnloadPoints.xsl
- apache\htdocs\xsl\carrier\CustResourceTypeData.xsl
- apache\htdocs\xsl\carrier\CustRoles.xsl
- apache\htdocs\xsl\carrier\CustRolesDetail.xsl
- apache\htdocs\xsl\carrier\CustRouting.xsl
- apache\htdocs\xsl\carrier\CustViewCommMethods.xsl
- apache\htdocs\xsl\carrier>EditCommMethods.xsl
- apache\htdocs\xsl\carrier\Header.xsl
- apache\htdocs\xsl\carrier\LocationCapacityCommon.xsl
- apache\htdocs\xsl\carrier\LocationCapacityDEdit.xsl
- apache\htdocs\xsl\carrier\LocationCapacityDView.xsl
- apache\htdocs\xsl\carrier\LocationCapacityEdit.xsl
- apache\htdocs\xsl\carrier\LocationCapacityGroupEdit.xsl
- apache\htdocs\xsl\carrier\LocationCapacityGroupView.xsl
- apache\htdocs\xsl\carrier\LocationCapacityView.xsl
- apache\htdocs\xsl\carrier\LocationComm.xsl
- apache\htdocs\xsl\carrier\LocationNav.xsl
- apache\htdocs\xsl\carrier\LocationResource.xsl
- apache\htdocs\xsl\carrier\LocationResourceType.xsl
- apache\htdocs\xsl\carrier\NewCustOrLocation.xsl
- apache\htdocs\xsl\carrier\NewSPOrLocation.xsl
- apache\htdocs\xsl\carrier\OperationalLocationDetail.xsl
- apache\htdocs\xsl\carrier\ServProvHeader.xsl
- apache\htdocs\xsl\carrier\ServProvViewCommMethods.xsl
- apache\htdocs\xsl\carrier\ServprovPolicy.xsl
- apache\htdocs\xsl\carrier\ShippingAgentHeader.xsl
- apache\htdocs\xsl\carrier\ViewCommMethods.xsl
- apache\htdocs\xsl\carrier\ViewLocation.xsl
- apache\htdocs\xsl\carrier\ViewLocationComm.xsl
- apache\htdocs\xsl\carrier\ViewLocationMinimum.xsl
- apache\htdocs\xsl\carrier\ViewLocationReadOnly.xsl
- apache\htdocs\xsl\carrier\ViewServProv.xsl
- apache\htdocs\xsl\carrier\ViewServProvReadOnly.xsl
- apache\htdocs\xsl\carrier\ViewShippingAgent.xsl
- apache\htdocs\xsl\carrier\override\LocationOverride.xsl
- apache\htdocs\xsl\carrier\override\LocationOverrideView.xsl
- apache\htdocs\xsl\chartervoyage\CharterVoyage.xsl

- apache\htdocs\xsl\chartervoyage\CharterVoyageNav.xml
- apache\htdocs\xsl\chartervoyage\CharterVoyageStowage.xml
- apache\htdocs\xsl\chartervoyage\CharterVoyageStowageData.xml
- apache\htdocs\xsl\chartervoyage\CharterVoyageView.xml
- apache\htdocs\xsl\chartervoyage\StowageModePrefRule.xml
- apache\htdocs\xsl\chartervoyage\StowageModePrefRuleView.xml
- apache\htdocs\xsl\claim\Claim.xml
- apache\htdocs\xsl\claim\ClaimCustomGetData.xml
- apache\htdocs\xsl\claim\ClaimCustomSelectPackages.xml
- apache\htdocs\xsl\claim\ClaimGetOrderReleaseLines.xml
- apache\htdocs\xsl\claim\ClaimLineItem.xml
- apache\htdocs\xsl\claim\ClaimLineItemData.xml
- apache\htdocs\xsl\claim\ClaimNav.xml
- apache\htdocs\xsl\claim\ClaimView.xml
- apache\htdocs\xsl\claim\GeneralInformation.xml
- apache\htdocs\xsl\cms\BeforeCMSLink.xml
- apache\htdocs\xsl\cms\ConfirmCMSLink.xml
- apache\htdocs\xsl\cms\ViewCMSEligible.xml
- apache\htdocs\xsl\comm\ActionMenu.xml
- apache\htdocs\xsl\comm\ActionResult.xml
- apache\htdocs\xsl\comm\AdjustTracking.xml
- apache\htdocs\xsl\comm\DoubleDropdownControl.xml
- apache\htdocs\xsl\comm\EntityActionPage.xml
- apache\htdocs\xsl\comm\EntityEditPage.xml
- apache\htdocs\xsl\comm\EntityViewPage.xml
- apache\htdocs\xsl\comm\EventReason.xml
- apache\htdocs\xsl\comm\EventReasonPrompt.xml
- apache\htdocs\xsl\comm\ExtendedHostInfo.xml
- apache\htdocs\xsl\comm\FieldRemarkText.xml
- apache\htdocs\xsl\comm\Fields.xml
- apache\htdocs\xsl\comm\FieldsPseudo.xml
- apache\htdocs\xsl\comm\GLogErrorPage.xml
- apache\htdocs\xsl\comm\GLogExplanationPage.xml
- apache\htdocs\xsl\comm\GLogResultsPage.xml
- apache\htdocs\xsl\comm\GlogConfirmationPage.xml
- apache\htdocs\xsl\comm\Header.xml
- apache\htdocs\xsl\comm\HostInfo.xml
- apache\htdocs\xsl\comm\InvolvedParty.xml
- apache\htdocs\xsl\comm\NoAccess.xml
- apache\htdocs\xsl\comm\NonStandardSavedQueries.xml
- apache\htdocs\xsl\comm\PickListSelection.xml
- apache\htdocs\xsl\comm\RelatedLinks.xml
- apache\htdocs\xsl\comm\Remarks.xml

- apache\htdocs\xsl\comm\SavedQuery.xsl
- apache\htdocs\xsl\comm\StdWidgets.xsl
- apache\htdocs\xsl\comm\Style.xsl
- apache\htdocs\xsl\comm\TextTemplates.xsl
- apache\htdocs\xsl\comm\ViewStatus.xsl
- apache\htdocs\xsl\comm\XslProcessor.xsl
- apache\htdocs\xsl\comm\calendar.xsl
- apache\htdocs\xsl\comm\comm.xsl
- apache\htdocs\xsl\comm\fieldSpec.xsl
- apache\htdocs\xsl\comm\navigation.xsl
- apache\htdocs\xsl\comm\navigation\_blue.xsl
- apache\htdocs\xsl\comm\uom.xsl
- apache\htdocs\xsl\comm\uomAsEntered.xsl
- apache\htdocs\xsl\conopt\AllSolutionsChart.xsl
- apache\htdocs\xsl\conopt\AllSolutionsTable.xsl
- apache\htdocs\xsl\conopt\BulkInput.xsl
- apache\htdocs\xsl\conopt\ContainerTable.xsl
- apache\htdocs\xsl\conopt\Input.xsl
- apache\htdocs\xsl\conopt\PackagedInput.xsl
- apache\htdocs\xsl\conopt\SolutionChart.xsl
- apache\htdocs\xsl\conopt\SolutionTable.xsl
- apache\htdocs\xsl\consol\Consol.xsl
- apache\htdocs\xsl\consol\ConsolView.xsl
- apache\htdocs\xsl\contact\CommonContact.xsl
- apache\htdocs\xsl\contact>ContactManager.xsl
- apache\htdocs\xsl\contact>ContactNav.xsl
- apache\htdocs\xsl\contact>ContactNotification.xsl
- apache\htdocs\xsl\contact\ExternalSystemManager.xsl
- apache\htdocs\xsl\contact\ExternalSystemNav.xsl
- apache\htdocs\xsl\contact\GroupContactManager.xsl
- apache\htdocs\xsl\contact\GroupContactNav.xsl
- apache\htdocs\xsl\contact\GroupContactNotification.xsl
- apache\htdocs\xsl\contact\NotifyEventParameters.xsl
- apache\htdocs\xsl\contact\NotifyEventSelection.xsl
- apache\htdocs\xsl\contact\NotifySubjectManager.xsl
- apache\htdocs\xsl\contact\NotifySubjectNav.xsl
- apache\htdocs\xsl\contact\PersonContactManager.xsl
- apache\htdocs\xsl\contact\PersonContactNav.xsl
- apache\htdocs\xsl\contact\TransactionalEvent.xsl
- apache\htdocs\xsl\contact\TransactionalEventView.xsl
- apache\htdocs\xsl\contact\ViewCommonContact.xsl
- apache\htdocs\xsl\contact\ViewContact.xsl
- apache\htdocs\xsl\contact\ViewExternalSystem.xsl

- apache\htdocs\xsl\contact\ViewGroupContact.xsl
- apache\htdocs\xsl\contact\ViewNotifySubject.xsl
- apache\htdocs\xsl\contact\ViewPersonContact.xsl
- apache\htdocs\xsl\currency\error.xsl
- apache\htdocs\xsl\currency\input.xsl
- apache\htdocs\xsl\currency\result.xsl
- apache\htdocs\xsl\custmanagement\BuyerHeader.xsl
- apache\htdocs\xsl\custmanagement\BuyerNav.xsl
- apache\htdocs\xsl\custmanagement\BuyerTemplates.xsl
- apache\htdocs\xsl\custmanagement\BuyerView.xsl
- apache\htdocs\xsl\custmanagement\BuyerViewCommMethods.xsl
- apache\htdocs\xsl\custmanagement\Customer.xsl
- apache\htdocs\xsl\custmanagement\CustomerView.xsl
- apache\htdocs\xsl\custmanagement\LocationComm.xsl
- apache\htdocs\xsl\custmanagement\ViewCommMethods.xsl
- apache\htdocs\xsl\custmanagement\ViewLocationComm.xsl
- apache\htdocs\xsl\customer\ordertemplate\CreateLocation.xsl
- apache\htdocs\xsl\customer\ordertemplate\CustomerOrderEntry.xsl
- apache\htdocs\xsl\customer\ordertemplate\OrderRateQuote.xsl
- apache\htdocs\xsl\customer\ordertemplate\OrderRateQuoteDetail.xsl
- apache\htdocs\xsl\customer\ordertemplate\OrderTemplateInput.xsl
- apache\htdocs\xsl\customer\ordertemplate\ThankYou.xsl
- apache\htdocs\xsl\customer\ordertemplate\addlocation.xsl
- apache\htdocs\xsl\customer\ordreltemplate\CustomerOrdRelEntry.xsl
- apache\htdocs\xsl\customer\ordreltemplate\OrdRelRateQuote.xsl
- apache\htdocs\xsl\customer\ordreltemplate\OrdRelRateQuoteDetail.xsl
- apache\htdocs\xsl\customer\ordreltemplate\OrdRelTemplateInput.xsl
- apache\htdocs\xsl\customer\ordreltemplate\ThankYou.xsl
- apache\htdocs\xsl\dataquery\DataQuerySelect.xsl
- apache\htdocs\xsl\datasource\CPDiag.xsl
- apache\htdocs\xsl\datasource\ConnectionPool.xsl
- apache\htdocs\xsl\datasource\DataSource.xsl
- apache\htdocs\xsl\datasource\DataSourceNav.xsl
- apache\htdocs\xsl\datasource\DataSourceProfile.xsl
- apache\htdocs\xsl\datasource\DataSourceProfileView.xsl
- apache\htdocs\xsl\datasource\DataSourceView.xsl
- apache\htdocs\xsl\demoui\ResultBody.xsl
- apache\htdocs\xsl\demoui\ResultButtons.xsl
- apache\htdocs\xsl\demoui\ResultHeader.xsl
- apache\htdocs\xsl\demoui\SetContactNotification.xsl
- apache\htdocs\xsl\demoui\SetContactNotificationResult.xsl
- apache\htdocs\xsl\demoui\SimpleTrackingInput.xsl
- apache\htdocs\xsl\detail\AccessorialDefault.xsl

- apache\htdocs\xsl\detail\AccessorialDefaultView.xsl
- apache\htdocs\xsl\detail\AppAction.xsl
- apache\htdocs\xsl\detail\AppActionView.xsl
- apache\htdocs\xsl\detail\AuditControl.xsl
- apache\htdocs\xsl\detail\AuditControlView.xsl
- apache\htdocs\xsl\detail\AuditTrailView.xsl
- apache\htdocs\xsl\detail\BsEventGroup.xsl
- apache\htdocs\xsl\detail\BsEventGroupView.xsl
- apache\htdocs\xsl\detail\BsQuickCode.xsl
- apache\htdocs\xsl\detail\BsQuickCodeView.xsl
- apache\htdocs\xsl\detail\BsReasonCodeProfile.xsl
- apache\htdocs\xsl\detail\BsReasonCodeProfileView.xsl
- apache\htdocs\xsl\detail\BsReasonGroup.xsl
- apache\htdocs\xsl\detail\BsReasonGroupProfile.xsl
- apache\htdocs\xsl\detail\BsReasonGroupProfileView.xsl
- apache\htdocs\xsl\detail\BsReasonGroupView.xsl
- apache\htdocs\xsl\detail\BsRespPartyProfile.xsl
- apache\htdocs\xsl\detail\BsRespPartyProfileView.xsl
- apache\htdocs\xsl\detail\BsResponsibleParty.xsl
- apache\htdocs\xsl\detail\BsResponsiblePartyView.xsl
- apache\htdocs\xsl\detail\BsStatusCodeProfile.xsl
- apache\htdocs\xsl\detail\BsStatusCodeProfileView.xsl
- apache\htdocs\xsl\detail\BsStatusGroup.xsl
- apache\htdocs\xsl\detail\BsStatusGroupProfile.xsl
- apache\htdocs\xsl\detail\BsStatusGroupProfileView.xsl
- apache\htdocs\xsl\detail\BsStatusGroupView.xsl
- apache\htdocs\xsl\detail\ContainerOptConfig.xsl
- apache\htdocs\xsl\detail\ContainerOptConfigView.xsl
- apache\htdocs\xsl\detail\Corporation.xsl
- apache\htdocs\xsl\detail\CorporationProfile.xsl
- apache\htdocs\xsl\detail\CorporationProfileView.xsl
- apache\htdocs\xsl\detail\CorporationView.xsl
- apache\htdocs\xsl\detail\Curve.xsl
- apache\htdocs\xsl\detail\CurveView.xsl
- apache\htdocs\xsl\detail\CutoffRecoveryTime.xsl
- apache\htdocs\xsl\detail\CutoffRecoveryTimeView.xsl
- apache\htdocs\xsl\detail\DepotProfile.xsl
- apache\htdocs\xsl\detail\DepotProfileView.xsl
- apache\htdocs\xsl\detail\EquipmentGroup.xsl
- apache\htdocs\xsl\detail\EquipmentGroupCompartment.xsl
- apache\htdocs\xsl\detail\EquipmentGroupProfile.xsl
- apache\htdocs\xsl\detail\EquipmentGroupProfileView.xsl
- apache\htdocs\xsl\detail\EquipmentGroupView.xsl

- apache\htdocs\xsl\detail\EquipmentReferenceUnit.xsl
- apache\htdocs\xsl\detail\EquipmentReferenceUnitView.xsl
- apache\htdocs\xsl\detail\ExternalDistance.xsl
- apache\htdocs\xsl\detail\ExternalDistanceView.xsl
- apache\htdocs\xsl\detail\FfTextProfile.xsl
- apache\htdocs\xsl\detail\FfTextProfileView.xsl
- apache\htdocs\xsl\detail\GeneralLedgerCode.xsl
- apache\htdocs\xsl\detail\GeneralLedgerCodeNav.xsl
- apache\htdocs\xsl\detail\GeneralLedgerCodeView.xsl
- apache\htdocs\xsl\detail\GeneralLedgerMaps.xsl
- apache\htdocs\xsl\detail\GeneralLedgerMapsBuyOrder.xsl
- apache\htdocs\xsl\detail\GeneralLedgerMapsBuyShipment.xsl
- apache\htdocs\xsl\detail\GeneralLedgerMapsSellOrder.xsl
- apache\htdocs\xsl\detail\GeneralLedgerMapsSellShipment.xsl
- apache\htdocs\xsl\detail\GeoHierarchy.xsl
- apache\htdocs\xsl\detail\GeoHierarchyView.xsl
- apache\htdocs\xsl\detail\HazClassProfile.xsl
- apache\htdocs\xsl\detail\HazClassProfileView.xsl
- apache\htdocs\xsl\detail\Hts.xsl
- apache\htdocs\xsl\detail\HtsView.xsl
- apache\htdocs\xsl\detail\IncoTermProfile.xsl
- apache\htdocs\xsl\detail\IncoTermProfileView.xsl
- apache\htdocs\xsl\detail\ItlProfile.xsl
- apache\htdocs\xsl\detail\ItlProfileView.xsl
- apache\htdocs\xsl\detail\LoadConfigProfile.xsl
- apache\htdocs\xsl\detail\LoadConfigProfileView.xsl
- apache\htdocs\xsl\detail>LoadingPattern.xsl
- apache\htdocs\xsl\detail>LoadingPatternView.xsl
- apache\htdocs\xsl\detail\LocationProfile.xsl
- apache\htdocs\xsl\detail\LocationProfileView.xsl
- apache\htdocs\xsl\detail\Logfile.xsl
- apache\htdocs\xsl\detail\LogfileView.xsl
- apache\htdocs\xsl\detail\ModeProfile.xsl
- apache\htdocs\xsl\detail\ModeProfileView.xsl
- apache\htdocs\xsl\detail\NmfcArticle.xsl
- apache\htdocs\xsl\detail\NmfcArticleView.xsl
- apache\htdocs\xsl\detail\NotifyPartyProfile.xsl
- apache\htdocs\xsl\detail\NotifyPartyProfileView.xsl
- apache\htdocs\xsl\detail\OutXmlProfile.xsl
- apache\htdocs\xsl\detail\OutXmlProfileView.xsl
- apache\htdocs\xsl\detail\PackagingFormCode.xsl
- apache\htdocs\xsl\detail\PackagingFormCodeView.xsl
- apache\htdocs\xsl\detail\PackagingReferenceUnit.xsl



- apache\htdocs\xsl\detail\PackagingReferenceUnitView.xsl
- apache\htdocs\xsl\detail\PlanningParameter.xsl
- apache\htdocs\xsl\detail\PlanningParameterCustomFields.xsl
- apache\htdocs\xsl\detail\PlanningParameterSet.xsl
- apache\htdocs\xsl\detail\PlanningParameterSetView.xsl
- apache\htdocs\xsl\detail\PlanningParameterView.xsl
- apache\htdocs\xsl\detail\ProvinceCodeProfile.xsl
- apache\htdocs\xsl\detail\ProvinceCodeProfileView.xsl
- apache\htdocs\xsl\detail\RateGeoProfile.xsl
- apache\htdocs\xsl\detail\RateGeoProfileView.xsl
- apache\htdocs\xsl\detail\RateOfferingType.xsl
- apache\htdocs\xsl\detail\RateOfferingTypeView.xsl
- apache\htdocs\xsl\detail\RateServiceProfile.xsl
- apache\htdocs\xsl\detail\RateServiceProfileView.xsl
- apache\htdocs\xsl\detail\RateZoneProfile.xsl
- apache\htdocs\xsl\detail\RateZoneProfileView.xsl
- apache\htdocs\xsl\detail\Region.xsl
- apache\htdocs\xsl\detail\RegionView.xsl
- apache\htdocs\xsl\detail\ReleaseMethod.xsl
- apache\htdocs\xsl\detail\ReleaseMethodView.xsl
- apache\htdocs\xsl\detail\Report.xsl
- apache\htdocs\xsl\detail\ReportView.xsl
- apache\htdocs\xsl\detail\RouteCode.xsl
- apache\htdocs\xsl\detail\RouteCodeCombination.xsl
- apache\htdocs\xsl\detail\RouteCodeCombinationView.xsl
- apache\htdocs\xsl\detail\RouteCodeProfile.xsl
- apache\htdocs\xsl\detail\RouteCodeProfileView.xsl
- apache\htdocs\xsl\detail\RouteCodeView.xsl
- apache\htdocs\xsl\detail\ServiceExternalEngine.xsl
- apache\htdocs\xsl\detail\ServiceExternalEngineView.xsl
- apache\htdocs\xsl\detail\ServiceProviderProfile.xsl
- apache\htdocs\xsl\detail\ServiceProviderProfileView.xsl
- apache\htdocs\xsl\detail\ShipUnitSpec.xsl
- apache\htdocs\xsl\detail\ShipUnitSpecView.xsl
- apache\htdocs\xsl\detail\ThresholdProfile.xsl
- apache\htdocs\xsl\detail\ThresholdProfileView.xsl
- apache\htdocs\xsl\detail\UdcClassificationList.xsl
- apache\htdocs\xsl\detail\UdcClassificationListView.xsl
- apache\htdocs\xsl\detail\UnitizationRule.xsl
- apache\htdocs\xsl\detail\UnitizationRuleView.xsl
- apache\htdocs\xsl\detail\VPDContext.xsl
- apache\htdocs\xsl\detail\VPDContextView.xsl
- apache\htdocs\xsl\detail\VatCode.xsl

- apache\htdocs\xsl\detail\VatCodeOrderedSet.xsl
- apache\htdocs\xsl\detail\VatCodeOrderedSetView.xsl
- apache\htdocs\xsl\detail\VatCodeView.xsl
- apache\htdocs\xsl\detail\VatConfiguration.xsl
- apache\htdocs\xsl\detail\VatConfigurationPerspective.xsl
- apache\htdocs\xsl\detail\VatConfigurationView.xsl
- apache\htdocs\xsl\detail\VatProvincialCnfgPersp.xsl
- apache\htdocs\xsl\detail\VehicleType.xsl
- apache\htdocs\xsl\detail\VehicleTypeView.xsl
- apache\htdocs\xsl\detail\ViewCorporationProfile.xsl
- apache\htdocs\xsl\detail\ViewLocationProfile.xsl
- apache\htdocs\xsl\detail\ViewNotifyPartyProfile.xsl
- apache\htdocs\xsl\detail\WeightBreakProfile.xsl
- apache\htdocs\xsl\detail\WeightBreakProfileView.xsl
- apache\htdocs\xsl\distance\_time\DistanceTimeInput.xsl
- apache\htdocs\xsl\distance\_time\DistanceTimeResults.xsl
- apache\htdocs\xsl\document\DocumentAttach.xsl
- apache\htdocs\xsl\document\DocumentDef.xsl
- apache\htdocs\xsl\document\DocumentDefView.xsl
- apache\htdocs\xsl\document\DocumentEdit.xsl
- apache\htdocs\xsl\document\DocumentNew.xsl
- apache\htdocs\xsl\document\DocumentPartyEdit.xsl
- apache\htdocs\xsl\document\DocumentPartyView.xsl
- apache\htdocs\xsl\document\DocumentTextEdit.xsl
- apache\htdocs\xsl\document\DocumentUpload.xsl
- apache\htdocs\xsl\document\DocumentView.xsl
- apache\htdocs\xsl\document\DocumentsAttached.xsl
- apache\htdocs\xsl\document\GetObjectDocuments.xsl
- apache\htdocs\xsl\document\OverrideDocumentText.xsl
- apache\htdocs\xsl\document\PrepareDocumentDef.xsl
- apache\htdocs\xsl\document\PrepareDocumentParams.xsl
- apache\htdocs\xsl\document\RemoveChildDocument.xsl
- apache\htdocs\xsl\document\RemoveDocumentParty.xsl
- apache\htdocs\xsl\document\SendChildDocument.xsl
- apache\htdocs\xsl\document\SendDocument.xsl
- apache\htdocs\xsl\domain\ChangeDomainInput.xsl
- apache\htdocs\xsl\domain\ChangeDomainResults.xsl
- apache\htdocs\xsl\domain\DomainInput.xsl
- apache\htdocs\xsl\domain\DomainResults.xsl
- apache\htdocs\xsl\domain\ManageDomainResults.xsl
- apache\htdocs\xsl\domain\ManageDomainSelected.xsl
- apache\htdocs\xsl\event\EventDiag.xsl
- apache\htdocs\xsl\event\TopicQueueAssignments.xsl

- apache\htdocs\xsl\exchange\ExchangeRate.xsl
- apache\htdocs\xsl\exchange\ExchangeRateByDate.xsl
- apache\htdocs\xsl\exchange\ExchangeRateView.xsl
- apache\htdocs\xsl\finder\ActionResults.xsl
- apache\htdocs\xsl\finder>EditFinderResults.xsl
- apache\htdocs\xsl\finder\FinderBody.xsl
- apache\htdocs\xsl\finder\FinderButtons.xsl
- apache\htdocs\xsl\finder\FinderFrameSet.xsl
- apache\htdocs\xsl\finder\FinderHeader.xsl
- apache\htdocs\xsl\finder\FinderResults.xsl
- apache\htdocs\xsl\finder\FinderSort.xsl
- apache\htdocs\xsl\finder\FinderTabs.xsl
- apache\htdocs\xsl\finder\LinkDisplay.xsl
- apache\htdocs\xsl\finder>ListRetriever.xsl
- apache\htdocs\xsl\finder>Loading.xsl
- apache\htdocs\xsl\finder\OneOf.xsl
- apache\htdocs\xsl\finder\ResultBody.xsl
- apache\htdocs\xsl\finder\ResultButtons.xsl
- apache\htdocs\xsl\finder\ResultFrameSet.xsl
- apache\htdocs\xsl\finder\ResultHeader.xsl
- apache\htdocs\xsl\finder\SavedQueries.xsl
- apache\htdocs\xsl\finder\WindowOpenButtons.xsl
- apache\htdocs\xsl\finder\WindowOpenFrameset.xsl
- apache\htdocs\xsl\finderset\ActionHeader.xsl
- apache\htdocs\xsl\finderset\FinderSetActions.xsl
- apache\htdocs\xsl\finderset\FinderSetColumn.xsl
- apache\htdocs\xsl\finderset\FinderSetCriteria.xsl
- apache\htdocs\xsl\finderset\FinderSetDefaultCriteria.xsl
- apache\htdocs\xsl\finderset\FinderSetFields.xsl
- apache\htdocs\xsl\finderset\FinderSetGeneral.xsl
- apache\htdocs\xsl\finderset\FinderSetHeader.xsl
- apache\htdocs\xsl\finderset\FinderSetNav.xsl
- apache\htdocs\xsl\finderset\FinderSetResults.xsl
- apache\htdocs\xsl\finderset\FinderSetSmartLinks.xsl
- apache\htdocs\xsl\finderset\FinderSetTree.xsl
- apache\htdocs\xsl\finderset\FinderSetTreeNode.xsl
- apache\htdocs\xsl\finderset\GetDefaultValues.xsl
- apache\htdocs\xsl\finderset\GetResultDefaultValues.xsl
- apache\htdocs\xsl\finderset\RunAgentActionArgs.xsl
- apache\htdocs\xsl\finderset\SelectAction.xsl
- apache\htdocs\xsl\finderset\SelectSmartLink.xsl
- apache\htdocs\xsl\finderset\ViewAction.xsl
- apache\htdocs\xsl\finderset\ViewFinderSet.xsl

- apache\htdocs\xsl\footer.xsl
- apache\htdocs\xsl\fp rule\AllocationRule.xsl
- apache\htdocs\xsl\fp rule\AllocationRuleProfile.xsl
- apache\htdocs\xsl\fp rule\AllocationRuleProfileView.xsl
- apache\htdocs\xsl\fp rule\AllocationRuleView.xsl
- apache\htdocs\xsl\fp rule\AutoApproveRule.xsl
- apache\htdocs\xsl\fp rule\AutoApproveRuleProfile.xsl
- apache\htdocs\xsl\fp rule\AutoApproveRuleProfileView.xsl
- apache\htdocs\xsl\fp rule\AutoApproveRuleView.xsl
- apache\htdocs\xsl\framegc3.xsl
- apache\htdocs\xsl\giiv\BLContainerInput.xsl
- apache\htdocs\xsl\giiv\BSRResults.xsl
- apache\htdocs\xsl\giiv\ContainerInput.xsl
- apache\htdocs\xsl\giiv\ContainerResults.xsl
- apache\htdocs\xsl\giiv\GiivButtons.xsl
- apache\htdocs\xsl\giiv\GiivHeader.xsl
- apache\htdocs\xsl\giiv\OrderVisibilityInput.xsl
- apache\htdocs\xsl\giiv\RedirectOrderToShipment.xsl
- apache\htdocs\xsl\giiv\ResultFrameSet\_order.xsl
- apache\htdocs\xsl\giiv\ResultFrameSet\_shipment.xsl
- apache\htdocs\xsl\giiv\ResultHeader\_shipment2.xsl
- apache\htdocs\xsl\giiv\ShipGroupTrackAndTraceResults.xsl
- apache\htdocs\xsl\giiv\ShipmentAttributeInput.xsl
- apache\htdocs\xsl\giiv\ShipmentWarehouseInput.xsl
- apache\htdocs\xsl\giiv\TrackAndTraceResults.xsl
- apache\htdocs\xsl\giiv\TrackStops.xsl
- apache\htdocs\xsl\giiv\WarehouseInput.xsl
- apache\htdocs\xsl\giv\status.xsl
- apache\htdocs\xsl\gluser\GIAccountPolicy.xsl
- apache\htdocs\xsl\gluser\PwChangeConfirmation.xsl
- apache\htdocs\xsl\gluser\ViewGIAccountPolicy.xsl
- apache\htdocs\xsl\groupstatus\GLogResultsPage.xsl
- apache\htdocs\xsl\groupstatus\PreferredLocation.xsl
- apache\htdocs\xsl\groupstatus\ShipmentGroupDetail.xsl
- apache\htdocs\xsl\groupstatus\events.xsl
- apache\htdocs\xsl\hazmat\GenericConditionals.xsl
- apache\htdocs\xsl\hazmat\Hazmat.xsl
- apache\htdocs\xsl\hazmat\HazmatGeneric.xsl
- apache\htdocs\xsl\hazmat\HazmatGenericNav.xsl
- apache\htdocs\xsl\hazmat\HazmatNav.xsl
- apache\htdocs\xsl\hazmat\ViewHazmat.xsl
- apache\htdocs\xsl\hazmat\ViewHazmatGeneric.xsl
- apache\htdocs\xsl\icon\Icon.xsl

- apache\htdocs\xsl\icon\IconView.xsl
- apache\htdocs\xsl\integration\Integration.xsl
- apache\htdocs\xsl\integration\TransmissionReceiverTracking.xsl
- apache\htdocs\xsl\integration\UploadTransmission.xsl
- apache\htdocs\xsl\integration\csvexport.xsl
- apache\htdocs\xsl\integration\csvimport.xsl
- apache\htdocs\xsl\integration\csvutil.xsl
- apache\htdocs\xsl\integration\perform\_command.xsl
- apache\htdocs\xsl\integration\upload.xsl
- apache\htdocs\xsl\integration\xmlexport.xsl
- apache\htdocs\xsl\integration\xmlimport.xsl
- apache\htdocs\xsl\invoice\CommercialInvoice.xsl
- apache\htdocs\xsl\invoice\CommercialInvoiceIP.xsl
- apache\htdocs\xsl\invoice\CommercialInvoiceNav.xsl
- apache\htdocs\xsl\invoice\CommercialInvoiceORL.xsl
- apache\htdocs\xsl\invoice\CommercialInvoiceView.xsl
- apache\htdocs\xsl\invoice\ConfirmNew.xsl
- apache\htdocs\xsl\invoice\ConsolidatedInvoiceHeader.xsl
- apache\htdocs\xsl\invoice\ConsolidatedInvoiceNav.xsl
- apache\htdocs\xsl\invoice\GIKeyComponent.xsl
- apache\htdocs\xsl\invoice\GILookupKey.xsl
- apache\htdocs\xsl\invoice\InvoiceEquipment.xsl
- apache\htdocs\xsl\invoice\InvoiceEquipmentData.xsl
- apache\htdocs\xsl\invoice\InvoiceHeader.xsl
- apache\htdocs\xsl\invoice\InvoiceLineItem.xsl
- apache\htdocs\xsl\invoice\InvoiceLineItemData.xsl
- apache\htdocs\xsl\invoice\InvoiceLineitemVat.xsl
- apache\htdocs\xsl\invoice\InvoiceNav.xsl
- apache\htdocs\xsl\invoice\InvoiceRefnumRemark.xsl
- apache\htdocs\xsl\invoice\InvoiceRoutesPorts.xsl
- apache\htdocs\xsl\invoice\InvoiceStop.xsl
- apache\htdocs\xsl\invoice\InvoiceStopData.xsl
- apache\htdocs\xsl\invoice\InvoiceSumDetailData.xsl
- apache\htdocs\xsl\invoice\InvoiceSummary.xsl
- apache\htdocs\xsl\invoice\InvoiceSummaryDetail.xsl
- apache\htdocs\xsl\invoice\InvoiceText.xsl
- apache\htdocs\xsl\invoice\ViewGIKeyComponent.xsl
- apache\htdocs\xsl\invoice\ViewGILookupKey.xsl
- apache\htdocs\xsl\invoice\ViewInvoice.xsl
- apache\htdocs\xsl\invoice\ViewVoucher.xsl
- apache\htdocs\xsl\invoice\Voucher.xsl
- apache\htdocs\xsl\invoice\VoucherNav.xsl
- apache\htdocs\xsl\invoice\bolback\BOLBackEquipment.xsl

- apache\htdocs\xsl\invoice\bolback\BOLBackHeader.xsl
- apache\htdocs\xsl\invoice\bolback\BOLBackLineItem.xsl
- apache\htdocs\xsl\invoice\bolback\BOLBackLineItemData.xsl
- apache\htdocs\xsl\invoice\bolback\BOLBackNav.xsl
- apache\htdocs\xsl\invoice\bolback\BOLBackRefnumRemark.xsl
- apache\htdocs\xsl\invoice\bolback\BOLBackStop.xsl
- apache\htdocs\xsl\invoice\bolback\BOLBackText.xsl
- apache\htdocs\xsl\invoice\viewAllocations.xsl
- apache\htdocs\xsl\invoice\viewInvoiceComm.xsl
- apache\htdocs\xsl\invoice\viewInvoiceEquipment.xsl
- apache\htdocs\xsl\invoice\viewInvoiceHeader.xsl
- apache\htdocs\xsl\invoice\viewInvoiceLineItem.xsl
- apache\htdocs\xsl\invoice\viewInvoiceRoutesPorts.xsl
- apache\htdocs\xsl\invoice\viewInvoiceStop.xsl
- apache\htdocs\xsl\invoice\viewInvoiceSummary.xsl
- apache\htdocs\xsl\invoice\viewInvoiceSummaryDetail.xsl
- apache\htdocs\xsl\invoice\viewInvoiceVoucher.xsl
- apache\htdocs\xsl\invoice\viewVoucherInvoiceLineitemJoin.xsl
- apache\htdocs\xsl\itinerary\CapacityOverride.xsl
- apache\htdocs\xsl\itinerary\CapacityOverrideLine.xsl
- apache\htdocs\xsl\itinerary\CapacityOverrideNav.xsl
- apache\htdocs\xsl\itinerary\ItinView.xsl
- apache\htdocs\xsl\itinerary\ItineraryDetail.xsl
- apache\htdocs\xsl\itinerary\ItineraryLegs.xsl
- apache\htdocs\xsl\itinerary\ItineraryNav.xsl
- apache\htdocs\xsl\itinerary\ItineraryProfile.xsl
- apache\htdocs\xsl\itinerary\ItineraryXLane.xsl
- apache\htdocs\xsl\itinerary\LegClassification.xsl
- apache\htdocs\xsl\itinerary\LegClassificationNav.xsl
- apache\htdocs\xsl\itinerary\LegDetail.xsl
- apache\htdocs\xsl\itinerary\ViewCapacityOverride.xsl
- apache\htdocs\xsl\itinerary\ViewItinerary.xsl
- apache\htdocs\xsl\itinerary\ViewItineraryProfile.xsl
- apache\htdocs\xsl\itinerary\ViewLegClassification.xsl
- apache\htdocs\xsl\itinerary\view\_ItineraryXLane.xsl
- apache\htdocs\xsl\job\ConsolAgent.xsl
- apache\htdocs\xsl\job\ConsolidationTypeProfile.xsl
- apache\htdocs\xsl\job\ConsolidationTypeProfileView.xsl
- apache\htdocs\xsl\job\Job.xsl
- apache\htdocs\xsl\job\JobFinancial.xsl
- apache\htdocs\xsl\job\JobNav.xsl
- apache\htdocs\xsl\job\JobView.xsl
- apache\htdocs\xsl\job\Job\_InvPartyOverride.xsl

- apache\htdocs\xsl\job\NfrcRule.xsl
- apache\htdocs\xsl\job\NfrcRuleView.xsl
- apache\htdocs\xsl\job\ProfitSplit.xsl
- apache\htdocs\xsl\job\ShippingAgentContact.xsl
- apache\htdocs\xsl\job\ShippingAgentContactNav.xsl
- apache\htdocs\xsl\job\ShippingAgentContactView.xsl
- apache\htdocs\xsl\lane\LaneAttributeDef.xsl
- apache\htdocs\xsl\lane\LaneAttributeDefNav.xsl
- apache\htdocs\xsl\lane\LaneAttributes.xsl
- apache\htdocs\xsl\lane\ViewLaneAttributeDef.xsl
- apache\htdocs\xsl\lane\XLane2.xsl
- apache\htdocs\xsl\lane\XLane3.xsl
- apache\htdocs\xsl\lane\XLaneHeader.xsl
- apache\htdocs\xsl\lane\XLaneNav.xsl
- apache\htdocs\xsl\lane\XLaneView.xsl
- apache\htdocs\xsl\leak\ConnectionLeaks.xsl
- apache\htdocs\xsl\level\AssignRoleToLevelChange.xsl
- apache\htdocs\xsl\level\AssignRoleToLevelInput.xsl
- apache\htdocs\xsl\level\LevelInput.xsl
- apache\htdocs\xsl\list\AllLists.xsl
- apache\htdocs\xsl\list\EditList.xsl
- apache\htdocs\xsl\list\Lists.xsl
- apache\htdocs\xsl\list\ManageList.xsl
- apache\htdocs\xsl\list>SelectList.xsl
- apache\htdocs\xsl\log\logdisplay.xsl
- apache\htdocs\xsl\log\logprops.xsl
- apache\htdocs\xsl\logisticsguide\LogisticsGuideDetailResult.xsl
- apache\htdocs\xsl\logisticsguide\LogisticsGuideInput.xsl
- apache\htdocs\xsl\logisticsguide\LogisticsGuideResult.xsl
- apache\htdocs\xsl\logisticsguide\LogisticsGuideResultDetails.xsl
- apache\htdocs\xsl\logisticsguide\LogisticsGuideTemplate.xsl
- apache\htdocs\xsl\logisticsguide\LogisticsGuideTemplateView.xsl
- apache\htdocs\xsl\logview\IntegrationLog.xsl
- apache\htdocs\xsl\logview\IntegrationLogQuery.xsl
- apache\htdocs\xsl\logview\SystemLog.xsl
- apache\htdocs\xsl\logview\SystemLogQuery.xsl
- apache\htdocs\xsl\logview\WorkflowLog.xsl
- apache\htdocs\xsl\logview\WorkflowLogQuery.xsl
- apache\htdocs\xsl\logview\job\job.xsl
- apache\htdocs\xsl\mail\FailedShipment.xsl
- apache\htdocs\xsl\mail\LateOrder.xsl
- apache\htdocs\xsl\mail\LateShipment.xsl
- apache\htdocs\xsl\managerlayout\AddField.xsl

- apache\htdocs\xsl\managerlayout\EditField.xsl
- apache\htdocs\xsl\managerlayout\EditViewField.xsl
- apache\htdocs\xsl\managerlayout\ManagerLayoutEdit.xsl
- apache\htdocs\xsl\managerlayout\ManagerLayoutFields.xsl
- apache\htdocs\xsl\managerlayout\ManagerLayoutHeader.xsl
- apache\htdocs\xsl\managerlayout\ManagerLayoutNav.xsl
- apache\htdocs\xsl\managerlayout\ManagerLayoutView.xsl
- apache\htdocs\xsl\managerlayout\SecondPageGridEdit.xsl
- apache\htdocs\xsl\managerlayout\Validation.xsl
- apache\htdocs\xsl\managerlayout\ViewManagerLayout.xsl
- apache\htdocs\xsl\matchrule\MatchRule.xsl
- apache\htdocs\xsl\matchrule\MatchRuleProfile.xsl
- apache\htdocs\xsl\matchrule\ViewMatchRule.xsl
- apache\htdocs\xsl\matchrule\ViewMatchRuleProfile.xsl
- apache\htdocs\xsl\matchvalidationrule\MatchValidRuleProfile.xsl
- apache\htdocs\xsl\matchvalidationrule\MatchValidationRule.xsl
- apache\htdocs\xsl\matchvalidationrule\ViewMatchValidRuleProfile.xsl
- apache\htdocs\xsl\matchvalidationrule\ViewMatchValidationRule.xsl
- apache\htdocs\xsl\material\CommodityManager.xsl
- apache\htdocs\xsl\material\CommodityNav.xsl
- apache\htdocs\xsl\material\FlexibleCommodityManager.xsl
- apache\htdocs\xsl\material\FlexibleCommodityNav.xsl
- apache\htdocs\xsl\material\ItemAccessorial.xsl
- apache\htdocs\xsl\material\ItemFeatures.xsl
- apache\htdocs\xsl\material\ItemHeader.xsl
- apache\htdocs\xsl\material\ItemLicense.xsl
- apache\htdocs\xsl\material\ItemNav.xsl
- apache\htdocs\xsl\material\ItemPackaging.xsl
- apache\htdocs\xsl\material\ItemRemarks.xsl
- apache\htdocs\xsl\material\PackagedItem.xsl
- apache\htdocs\xsl\material\ViewCommodity.xsl
- apache\htdocs\xsl\material\ViewFlexCommodity.xsl
- apache\htdocs\xsl\material\ViewItem.xsl
- apache\htdocs\xsl\material\ViewPackagedItem.xsl
- apache\htdocs\xsl\mediator\MediatorDiag.xsl
- apache\htdocs\xsl\message\MessageDiag.xsl
- apache\htdocs\xsl\omr\CommOmrView.xsl
- apache\htdocs\xsl\omr\Omr.xsl
- apache\htdocs\xsl\omr\OmrD.xsl
- apache\htdocs\xsl\omr\OmrDLine.xsl
- apache\htdocs\xsl\omr\OmrDetail.xsl
- apache\htdocs\xsl\omr\ProcessOmrResultsPage.xsl
- apache\htdocs\xsl\omr\ViewOmr.xsl



- apache\htdocs\xsl\omr\ViewOmrDLine.xsl
- apache\htdocs\xsl\omr\viewOmrHeader.xsl
- apache\htdocs\xsl\order\BulkOrderMovementResult.xsl
- apache\htdocs\xsl\order\CheckExportLicense.xsl
- apache\htdocs\xsl\order\CheckGlobalClassification.xsl
- apache\htdocs\xsl\order\CountryValidations.xsl
- apache\htdocs\xsl\order\ORLoadUnloadPoints.xsl
- apache\htdocs\xsl\order\ORLocationOverrides.xsl
- apache\htdocs\xsl\order\OrLineIntlClass.xsl
- apache\htdocs\xsl\order\OrLineIntlClassFromSUL.xsl
- apache\htdocs\xsl\order\OrLineLicense.xsl
- apache\htdocs\xsl\order\OrLineLicenseFromSUL.xsl
- apache\htdocs\xsl\order\OrderMovementHeader.xsl
- apache\htdocs\xsl\order\OrderMovementNav.xsl
- apache\htdocs\xsl\order\OrderReleaseAccrual.xsl
- apache\htdocs\xsl\order\OrderReleaseAdditionalServices.xsl
- apache\htdocs\xsl\order\OrderReleaseAllocation.xsl
- apache\htdocs\xsl\order\OrderReleaseConstraints.xsl
- apache\htdocs\xsl\order\OrderReleaseHeader.xsl
- apache\htdocs\xsl\order\OrderReleaseInvPartyOverride.xsl
- apache\htdocs\xsl\order\OrderReleaseInvolvedParties.xsl
- apache\htdocs\xsl\order\OrderReleaseLegConstraintsDetails.xsl
- apache\htdocs\xsl\order\OrderReleaseLineItem.xsl
- apache\htdocs\xsl\order\OrderReleaseLineItemData.xsl
- apache\htdocs\xsl\order\OrderReleaseLineItemDataComm.xsl
- apache\htdocs\xsl\order\OrderReleaseNav.xsl
- apache\htdocs\xsl\order\OrderReleaseNew.xsl
- apache\htdocs\xsl\order\OrderReleaseOtherAttributes.xsl
- apache\htdocs\xsl\order\OrderReleaseRemarks.xsl
- apache\htdocs\xsl\order\OrderReleaseShipUnit.xsl
- apache\htdocs\xsl\order\OrderReleaseShipUnitData.xsl
- apache\htdocs\xsl\order\OrderReleaseShipUnitLine.xsl
- apache\htdocs\xsl\order\OrderReleaseShipUnitLineFromLIData.xsl
- apache\htdocs\xsl\order\OrderReleaseShipUnitLineFromSUDData.xsl
- apache\htdocs\xsl\order\SimpleOrdRelHeader.xsl
- apache\htdocs\xsl\order\SimpleOrdRelLineItem.xsl
- apache\htdocs\xsl\order\SimpleOrdRelLineItemData.xsl
- apache\htdocs\xsl\order\SimpleOrdRelNav.xsl
- apache\htdocs\xsl\order\SimpleOrdRelShipUnit.xsl
- apache\htdocs\xsl\order\SimpleOrdRelShipUnitData.xsl
- apache\htdocs\xsl\order\SimpleOrderHeader.xsl
- apache\htdocs\xsl\order\SimpleOrderLineItem.xsl
- apache\htdocs\xsl\order\SimpleOrderLineItemData.xsl

- apache\htdocs\xsl\order\SimpleOrderNav.xsl
- apache\htdocs\xsl\order\SimpleOrderShipUnit.xsl
- apache\htdocs\xsl\order\SimpleOrderShipUnitData.xsl
- apache\htdocs\xsl\order\ViewOrderMovement.xsl
- apache\htdocs\xsl\order\ViewOrderRelease.xsl
- apache\htdocs\xsl\order\ViewSimpleOrder.xsl
- apache\htdocs\xsl\order\appointments\OrderReleaseApp.xsl
- apache\htdocs\xsl\order\appointments\OrderReleaseAppView.xsl
- apache\htdocs\xsl\order\fford\FFordAdditionalServices.xsl
- apache\htdocs\xsl\order\fford\FFordCheckExportLicense.xsl
- apache\htdocs\xsl\order\fford\FFordCheckExportLicenseFromSUL.xsl
- apache\htdocs\xsl\order\fford\FFordCheckGlobalClassification.xsl
- apache\htdocs\xsl\order\fford\FFordCheckGlobalClassificationFromSUL.xsl
- apache\htdocs\xsl\order\fford\FFordConstraints.xsl
- apache\htdocs\xsl\order\fford\FFordCountryValidations.xsl
- apache\htdocs\xsl\order\fford\FFordEquipmentDetails.xsl
- apache\htdocs\xsl\order\fford\FFordHeader.xsl
- apache\htdocs\xsl\order\fford\FFordInvPartyOverride.xsl
- apache\htdocs\xsl\order\fford\FFordInvolvedParties.xsl
- apache\htdocs\xsl\order\fford\FFordLegConstraintsDetails.xsl
- apache\htdocs\xsl\order\fford\FFordLineIntlClass.xsl
- apache\htdocs\xsl\order\fford\FFordLineIntlClassFromSUL.xsl
- apache\htdocs\xsl\order\fford\FFordLineItem.xsl
- apache\htdocs\xsl\order\fford\FFordLineItemData.xsl
- apache\htdocs\xsl\order\fford\FFordLineItemDataComm.xsl
- apache\htdocs\xsl\order\fford\FFordLineLicense.xsl
- apache\htdocs\xsl\order\fford\FFordLineLicenseFromSUL.xsl
- apache\htdocs\xsl\order\fford\FFordLoadUnloadPoints.xsl
- apache\htdocs\xsl\order\fford\FFordLocationOverrides.xsl
- apache\htdocs\xsl\order\fford\FFordLocationOverrides2.xsl
- apache\htdocs\xsl\order\fford\FFordNav.xsl
- apache\htdocs\xsl\order\fford\FFordNew.xsl
- apache\htdocs\xsl\order\fford\FFordOtherAttributes.xsl
- apache\htdocs\xsl\order\fford\FFordRemarks.xsl
- apache\htdocs\xsl\order\fford\FFordShipUnit.xsl
- apache\htdocs\xsl\order\fford\FFordShipUnitData.xsl
- apache\htdocs\xsl\order\fford\FFordShipUnitLine.xsl
- apache\htdocs\xsl\order\fford\FFordShipUnitLineFromLIData.xsl
- apache\htdocs\xsl\order\fford\FFordShipUnitLineFromSUDData.xsl
- apache\htdocs\xsl\order\fford\ShowPrimarySellLegInfo.xsl
- apache\htdocs\xsl\order\fford\ViewFFord.xsl
- apache\htdocs\xsl\order\view\_OrderReleaseHeader.xsl
- apache\htdocs\xsl\order\view\_OrderReleaseLineItemData.xsl

- apache\htdocs\xsl\order\view\_OrderReleaseShipUnitData.xsl
- apache\htdocs\xsl\orderbase\CommObLine.xsl
- apache\htdocs\xsl\orderbase\CommObShipUnit.xsl
- apache\htdocs\xsl\orderbase\LineLoadUnloadPoints.xsl
- apache\htdocs\xsl\orderbase\OBLLoadUnloadPoints.xsl
- apache\htdocs\xsl\orderbase\OBSULoadUnloadPoints.xsl
- apache\htdocs\xsl\orderbase\ObLineHeader.xsl
- apache\htdocs\xsl\orderbase\ObLineNav.xsl
- apache\htdocs\xsl\orderbase\ObLineReleaseInstruction.xsl
- apache\htdocs\xsl\orderbase\ObLineUICReleaseInstruction.xsl
- apache\htdocs\xsl\orderbase\ObShipUnitHeader.xsl
- apache\htdocs\xsl\orderbase\ObShipUnitNav.xsl
- apache\htdocs\xsl\orderbase\ObSuMReleaseInstruction.xsl
- apache\htdocs\xsl\orderbase\ObSuMShipUnitLine.xsl
- apache\htdocs\xsl\orderbase\ObSuUICReleaseInstruction.xsl
- apache\htdocs\xsl\orderbase\OrderBaseConstraints.xsl
- apache\htdocs\xsl\orderbase\OrderBaseHeader.xsl
- apache\htdocs\xsl\orderbase\OrderBaseInvolvedParties.xsl
- apache\htdocs\xsl\orderbase\OrderBaseLineItem.xsl
- apache\htdocs\xsl\orderbase\OrderBaseLineItemData.xsl
- apache\htdocs\xsl\orderbase\OrderBaseLinks.xsl
- apache\htdocs\xsl\orderbase\OrderBaseNav.xsl
- apache\htdocs\xsl\orderbase\OrderBaseOther.xsl
- apache\htdocs\xsl\orderbase\OrderBaseReleaseInstruction.xsl
- apache\htdocs\xsl\orderbase\OrderBaseRemarks.xsl
- apache\htdocs\xsl\orderbase\OrderBaseShipUnit.xsl
- apache\htdocs\xsl\orderbase\OrderBaseShipUnitData.xsl
- apache\htdocs\xsl\orderbase\OrderBaseShipUnitLine.xsl
- apache\htdocs\xsl\orderbase\OrderBaseSuReleaseInstruction.xsl
- apache\htdocs\xsl\orderbase\SULoadUnloadPoints.xsl
- apache\htdocs\xsl\orderbase\ViewObLine.xsl
- apache\htdocs\xsl\orderbase\ViewObShipUnit.xsl
- apache\htdocs\xsl\orderbase\ViewOrderBase.xsl
- apache\htdocs\xsl\orderbase\ViewOrderBaseLite.xsl
- apache\htdocs\xsl\orderbase\ViewOrderBaseReadOnly.xsl
- apache\htdocs\xsl\orderbase\appointments\ObLineAppointments.xsl
- apache\htdocs\xsl\orderbase\appointments\ObShipUnitAppointments.xsl
- apache\htdocs\xsl\orderbase\appointments\OrderBaseApp.xsl
- apache\htdocs\xsl\orderbase\appointments\OrderBaseAppView.xsl
- apache\htdocs\xsl\orderbase\appointments\ViewObLineApp.xsl
- apache\htdocs\xsl\orderbase\appointments\ViewObShipUnitApp.xsl
- apache\htdocs\xsl\orderbase\uic\EditSuReleaseInstruction.xsl
- apache\htdocs\xsl\orderbase\uic\OrderBaseShipUnit.xsl

- apache\htdocs\xsl\orderbase\uic\OrderBaseShipUnitData.xsl
- apache\htdocs\xsl\orderbase\view\_CommObShipUnit.xsl
- apache\htdocs\xsl\orderbase\view\_OrderBaseHeader.xsl
- apache\htdocs\xsl\orderbase\view\_OrderBaseHeaderLite.xsl
- apache\htdocs\xsl\orderbase\view\_OrderBaseLineItemData.xsl
- apache\htdocs\xsl\orderbase\view\_OrderBaseLinks.xsl
- apache\htdocs\xsl\orderbase\view\_OrderBaseRemarks.xsl
- apache\htdocs\xsl\orderbase\view\_OrderBaseShipUnitData.xsl
- apache\htdocs\xsl\orderbase\view\_OrderBaseShipUnitLineData.xsl
- apache\htdocs\xsl\plot\PlotRelatedShipments.xsl
- apache\htdocs\xsl\plot\SumDestLocation.xsl
- apache\htdocs\xsl\plot\SumServProv.xsl
- apache\htdocs\xsl\plot\SumShipmentByID.xsl
- apache\htdocs\xsl\plot\SumSrcLocation.xsl
- apache\htdocs\xsl\port\airport\_contact.xsl
- apache\htdocs\xsl\port\airport\_directcall.xsl
- apache\htdocs\xsl\port\airport\_profile.xsl
- apache\htdocs\xsl\port\airport\_result.xsl
- apache\htdocs\xsl\port\airport\_search.xsl
- apache\htdocs\xsl\port\port\_contact.xsl
- apache\htdocs\xsl\port\port\_directcall.xsl
- apache\htdocs\xsl\port\port\_profile.xsl
- apache\htdocs\xsl\port\port\_result.xsl
- apache\htdocs\xsl\port\port\_search.xsl
- apache\htdocs\xsl\powerdata\CoreProcurementPowerIndex.xsl
- apache\htdocs\xsl\powerdata>EditFinderResults.xsl
- apache\htdocs\xsl\powerdata\Finder.xsl
- apache\htdocs\xsl\powerdata\FinderResults.xsl
- apache\htdocs\xsl\powerdata\FinderSort.xsl
- apache\htdocs\xsl\powerdata\GenericEdit.xsl
- apache\htdocs\xsl\powerdata\GenericView.xsl
- apache\htdocs\xsl\powerdata>ListRetriever.xsl
- apache\htdocs\xsl\powerdata\PowerIndex.xsl
- apache\htdocs\xsl\powerdata\PowerIndexAsset.xsl
- apache\htdocs\xsl\powerdata\PowerIndexBrokerage.xsl
- apache\htdocs\xsl\powerdata\PowerIndexBusiness.xsl
- apache\htdocs\xsl\powerdata\PowerIndexConfig.xsl
- apache\htdocs\xsl\powerdata\PowerIndexContract.xsl
- apache\htdocs\xsl\powerdata\PowerIndexFinancials.xsl
- apache\htdocs\xsl\powerdata\PowerIndexInventory.xsl
- apache\htdocs\xsl\powerdata\PowerIndexOrder.xsl
- apache\htdocs\xsl\powerdata\PowerIndexTrans.xsl
- apache\htdocs\xsl\powerdata\PowerIndexWarehouse.xsl

- apache\htdocs\xsl\powerdata\SavedQueries.xsl
- apache\htdocs\xsl\preference\AddUserFavoriteTable.xsl
- apache\htdocs\xsl\preference\AddUserFinderTable.xsl
- apache\htdocs\xsl\preference\GetDefaultValues.xsl
- apache\htdocs\xsl\preference\favorites.xsl
- apache\htdocs\xsl\preference\findercolumns.xsl
- apache\htdocs\xsl\preference\preference.xsl
- apache\htdocs\xsl\preference\selector.xsl
- apache\htdocs\xsl\printshipdoc\PrintShipDoc.xsl
- apache\htdocs\xsl\printshipdoc\PrintShipDocInput.xsl
- apache\htdocs\xsl\problem\ChangeUserRole.xsl
- apache\htdocs\xsl\problem\Problem.xsl
- apache\htdocs\xsl\problem\ProblemCount.xsl
- apache\htdocs\xsl\problem\ProblemList.xsl
- apache\htdocs\xsl\processcontrol\Entry.xsl
- apache\htdocs\xsl\processcontrol\ProcessHierarchy.xsl
- apache\htdocs\xsl\processcontrol\PublishSuccess.xsl
- apache\htdocs\xsl\processcontrol\SavedQueryFinderButtons.xsl
- apache\htdocs\xsl\processcontrol\TopicSpec.xsl
- apache\htdocs\xsl\processcontrol\TopicSpecFinder.xsl
- apache\htdocs\xsl\processcontrol\qfield.xsl
- apache\htdocs\xsl\procurement\bid\EditBid.xsl
- apache\htdocs\xsl\procurement\bid\InvitationEmailFormat.xsl
- apache\htdocs\xsl\procurement\bid\InvitationEmailFormatWithoutLaneDescription.xsl
- apache\htdocs\xsl\procurement\bid\ViewBid.xsl
- apache\htdocs\xsl\procurement\geohierarchyprofile\GeoHierarchyProfile.xsl
- apache\htdocs\xsl\procurement\geohierarchyprofile\GeoHierarchyProfileNav.xsl
- apache\htdocs\xsl\procurement\geohierarchyprofile\ViewGeoHierarchyProfile.xsl
- apache\htdocs\xsl\procurement\lanesummary\LaneSummary.xsl
- apache\htdocs\xsl\procurement\lanesummary\LaneSummaryCellData.xsl
- apache\htdocs\xsl\procurement\lanesummary\LaneSummaryCustom.xsl
- apache\htdocs\xsl\procurement\lanesummary\LaneSummaryNav.xsl
- apache\htdocs\xsl\procurement\lanesummary\LaneSummaryStat.xsl
- apache\htdocs\xsl\procurement\lanesummary\LaneSummaryStatEdit.xsl
- apache\htdocs\xsl\procurement\lanesummary\LaneSummaryStatNav.xsl
- apache\htdocs\xsl\procurement\lanesummary\LaneSummaryStatNew.xsl
- apache\htdocs\xsl\procurement\lanesummary\ViewLaneSummary.xsl
- apache\htdocs\xsl\procurement\lanesummary\ViewLaneSummaryStat.xsl
- apache\htdocs\xsl\procurement\powerdata\ProcurementPowerIndex.xsl
- apache\htdocs\xsl\procurement\pproject\PPProject.xsl
- apache\htdocs\xsl\procurement\pproject\PPProjectNav.xsl
- apache\htdocs\xsl\procurement\pproject\ViewPPProject.xsl
- apache\htdocs\xsl\procurement\procurement.xsl

- apache\htdocs\xsl\procurement\shipment\PShipment.xml
- apache\htdocs\xsl\procurement\shipment\PShipmentNav.xml
- apache\htdocs\xsl\procurement\shipment\PShipmentSet.xml
- apache\htdocs\xsl\procurement\shipment\PShipmentSetDDData.xml
- apache\htdocs\xsl\procurement\shipment\PShipmentSetNav.xml
- apache\htdocs\xsl\procurement\shipment\ViewPShipment.xml
- apache\htdocs\xsl\procurement\shipment\ViewPShipmentSet.xml
- apache\htdocs\xsl\procurement\uic\BidCommitmentResults.xml
- apache\htdocs\xsl\procurement\uic\ViewLowestBids.xml
- apache\htdocs\xsl\procurement\uic\bid\BidRoundStatusResults.xml
- apache\htdocs\xsl\procurement\uic\bid\CreateBidPackageResult.xml
- apache\htdocs\xsl\procurement\uic\bid\CreateBidRoundPackage.xml
- apache\htdocs\xsl\procurement\uic\bid\FormattedCarrierResponseAnalysis.xml
- apache\htdocs\xsl\procurement\uic\comm\DBSource.xml
- apache\htdocs\xsl\procurement\uic\comm\GenericActionDialog.xml
- apache\htdocs\xsl\procurement\uic\comm\GenericActionDialogForMultiplePKs.xml
- apache\htdocs\xsl\procurement\uic\comm\User.xml
- apache\htdocs\xsl\procurement\uic\lanesummary\BuildLaneSummaryDialog.xml
- apache\htdocs\xsl\procurement\uic\project\ProjectStatusChangeResults.xml
- apache\htdocs\xsl\procurement\uic\shipment\PullShipmentsDialog.xml
- apache\htdocs\xsl\procurement\uic\solution\FormattedPublishRates.xml
- apache\htdocs\xsl\procurement\uic\solution\FormattedSolutionSummary.xml
- apache\htdocs\xsl\procureworkflow\DefaultBidEventHtml.xml
- apache\htdocs\xsl\procureworkflow\DefaultBidEventText.xml
- apache\htdocs\xsl\procureworkflow\DefaultBidRoundEventHtml.xml
- apache\htdocs\xsl\procureworkflow\DefaultBidRoundEventText.xml
- apache\htdocs\xsl\procureworkflow\DefaultProcurementSolverEventHtml.xml
- apache\htdocs\xsl\procureworkflow\DefaultProcurementSolverEventText.xml
- apache\htdocs\xsl\procureworkflow\DefaultProjectEventHtml.xml
- apache\htdocs\xsl\procureworkflow\DefaultProjectEventText.xml
- apache\htdocs\xsl\profile\AddFile.xml
- apache\htdocs\xsl\profile\Profile.xml
- apache\htdocs\xsl\properties\histories.xml
- apache\htdocs\xsl\properties\list.xml
- apache\htdocs\xsl\properties\modify.xml
- apache\htdocs\xsl\properties\properties.xml
- apache\htdocs\xsl\purge\PurgeSelect.xml
- apache\htdocs\xsl\queue\entry.xml
- apache\htdocs\xsl\queue\main.xml
- apache\htdocs\xsl\queue\process.xml
- apache\htdocs\xsl\quote\ChangeShipment.xml
- apache\htdocs\xsl\quote\CostOption.xml
- apache\htdocs\xsl\quote\CostOptionList.xml

- apache\htdocs\xsl\quote\CostOptions.xsl
- apache\htdocs\xsl\quote\QuoteHeader.xsl
- apache\htdocs\xsl\quote\QuoteInvolvedParties.xsl
- apache\htdocs\xsl\quote\QuoteNav.xsl
- apache\htdocs\xsl\quote\QuoteRequest.xsl
- apache\htdocs\xsl\quote\RouteAndRates.xsl
- apache\htdocs\xsl\quote\ShippingDetails.xsl
- apache\htdocs\xsl\quote\ShippingOptions.xsl
- apache\htdocs\xsl\quote\ViewCostDetail.xsl
- apache\htdocs\xsl\quote\ViewQuote.xsl
- apache\htdocs\xsl\rate\LaneRule.xsl
- apache\htdocs\xsl\rate\RateAccessorialComm.xsl
- apache\htdocs\xsl\rate\RateAccessorialsEdit.xsl
- apache\htdocs\xsl\rate\RateAccessorialsView.xsl
- apache\htdocs\xsl\rate\RateAttributes.xsl
- apache\htdocs\xsl\rate\RateCMS.xsl
- apache\htdocs\xsl\rate\RateClassUsage.xsl
- apache\htdocs\xsl\rate\RateComments.xsl
- apache\htdocs\xsl\rate\RateGeoAccessorialsEdit.xsl
- apache\htdocs\xsl\rate\RateGeoAccessorialsView.xsl
- apache\htdocs\xsl\rate\RateGeoAttributes.xsl
- apache\htdocs\xsl\rate\RateGeoCostBase.xsl
- apache\htdocs\xsl\rate\RateGeoCostBase2.xsl
- apache\htdocs\xsl\rate\RateGeoCostUnitBreaks.xsl
- apache\htdocs\xsl\rate\RateGeoLookup.xsl
- apache\htdocs\xsl\rate\RateGeoMain.xsl
- apache\htdocs\xsl\rate\RateGeoMisc.xsl
- apache\htdocs\xsl\rate\RateGeoNav.xsl
- apache\htdocs\xsl\rate\RateGeoSpecServAccEdit.xsl
- apache\htdocs\xsl\rate\RateGeoSpecServEdit.xsl
- apache\htdocs\xsl\rate\RateGeoSpecServView.xsl
- apache\htdocs\xsl\rate\RateGeoStep2.xsl
- apache\htdocs\xsl\rate\RateGeoStops.xsl
- apache\htdocs\xsl\rate\RateHeader.xsl
- apache\htdocs\xsl\rate\RateInvolvedParties.xsl
- apache\htdocs\xsl\rate\RateMinimumCharge.xsl
- apache\htdocs\xsl\rate\RateMisc.xsl
- apache\htdocs\xsl\rate\RateOfferingNav.xsl
- apache\htdocs\xsl\rate\RateRules.xsl
- apache\htdocs\xsl\rate\RateSpecServAccEdit.xsl
- apache\htdocs\xsl\rate\RateSpecServEdit.xsl
- apache\htdocs\xsl\rate\RateSpecServView.xsl
- apache\htdocs\xsl\rate\RateStops.xsl

- apache\htdocs\xsl\rate\RateUnitBreakProfile.xsl
- apache\htdocs\xsl\rate\RateUnitBreakProfileView.xsl
- apache\htdocs\xsl\rate\RateVersion.xsl
- apache\htdocs\xsl\rate\RateVersionView.xsl
- apache\htdocs\xsl\rate\RateVolCommitments.xsl
- apache\htdocs\xsl\rate\RegionGroup.xsl
- apache\htdocs\xsl\rate\RegionGroupView.xsl
- apache\htdocs\xsl\rate\RoNmfcCodeSubst.xsl
- apache\htdocs\xsl\rate\RoundingFields.xsl
- apache\htdocs\xsl\rate\ShowUnitBreaks.xsl
- apache\htdocs\xsl\rate\ShowWeightBreaks.xsl
- apache\htdocs\xsl\rate\SmcDiscount.xsl
- apache\htdocs\xsl\rate\SmcDiscountData.xsl
- apache\htdocs\xsl\rate\ViewRateGeo.xsl
- apache\htdocs\xsl\rate\ViewRateOffering.xsl
- apache\htdocs\xsl\rate\view\_RateAttributes.xsl
- apache\htdocs\xsl\rate\view\_RateCMS.xsl
- apache\htdocs\xsl\rate\view\_RateClassUsage.xsl
- apache\htdocs\xsl\rate\view\_RateCommodities.xsl
- apache\htdocs\xsl\rate\view\_RateGeoAttributes.xsl
- apache\htdocs\xsl\rate\view\_RateGeoCostBase.xsl
- apache\htdocs\xsl\rate\view\_RateGeoMisc.xsl
- apache\htdocs\xsl\rate\view\_RateGeoStops.xsl
- apache\htdocs\xsl\rate\view\_RateGeoXLane.xsl
- apache\htdocs\xsl\rate\view\_RateMinimumCharge.xsl
- apache\htdocs\xsl\rate\view\_RateMisc.xsl
- apache\htdocs\xsl\rate\view\_RateStops.xsl
- apache\htdocs\xsl\rate\view\_RateVolCommitments.xsl
- apache\htdocs\xsl\ratefactor\ChooseRateFactorRule.xsl
- apache\htdocs\xsl\ratefactor\RateFactor.xsl
- apache\htdocs\xsl\ratefactor\RateFactorRule.xsl
- apache\htdocs\xsl\ratefactor\RateFactorRuleDetail.xsl
- apache\htdocs\xsl\ratefactor\RateFactorSource.xsl
- apache\htdocs\xsl\ratefactor\ViewRateFactorRule.xsl
- apache\htdocs\xsl\ratefactor\ViewRateFactorSource.xsl
- apache\htdocs\xsl\ratepreference\RatePreference.xsl
- apache\htdocs\xsl\ratepreference\RatePreferenceView.xsl
- apache\htdocs\xsl\rateroute\RouteAndRates.xsl
- apache\htdocs\xsl\rateroute\RouteAndRatesCostDetail.xsl
- apache\htdocs\xsl\rateroute\input.xsl
- apache\htdocs\xsl\rateroute\result.xsl
- apache\htdocs\xsl\rateroute\riqResult.xsl
- apache\htdocs\xsl\rateservice\RateServiceHeader.xsl



- apache\htdocs\xsl\rateservice\RateServiceNav.xsl
- apache\htdocs\xsl\rateservice\RateServiceStep2.xsl
- apache\htdocs\xsl\rateservice\RateServiceView.xsl
- apache\htdocs\xsl\rateservice\RoLaneSpecialService.xsl
- apache\htdocs\xsl\rateservice\RoLaneSpecialServiceNav.xsl
- apache\htdocs\xsl\rateservice\RoLaneSpecialServiceRegion.xsl
- apache\htdocs\xsl\rateservice\ViewRoLaneSpecialService.xsl
- apache\htdocs\xsl\repetitionschedule\RepetitionSchedule.xsl
- apache\htdocs\xsl\repetitionschedule\RepetitionScheduleStop.xsl
- apache\htdocs\xsl\repetitionschedule\RepetitionScheduleView.xsl
- apache\htdocs\xsl\repetitionschedule\TransportNetwork.xsl
- apache\htdocs\xsl\repetitionschedule\TransportNetworkNav.xsl
- apache\htdocs\xsl\repetitionschedule\TransportNetworkView.xsl
- apache\htdocs\xsl\repetitionschedule\result.xsl
- apache\htdocs\xsl\repetitionschedule\search.xsl
- apache\htdocs\xsl\report\Discoverer.xsl
- apache\htdocs\xsl\report\ReportEmail.xsl
- apache\htdocs\xsl\report\ReportList.xsl
- apache\htdocs\xsl\report\ReportParameters.xsl
- apache\htdocs\xsl\report\ReportSchedule.xsl
- apache\htdocs\xsl\report\ReportSet.xsl
- apache\htdocs\xsl\report\ReportSetView.xsl
- apache\htdocs\xsl\report\ReportWorkspace.xsl
- apache\htdocs\xsl\riq\RIQSpecialField.xsl
- apache\htdocs\xsl\riq\RouteAndRates.xsl
- apache\htdocs\xsl\riq\RouteAndRatesCostDetail.xsl
- apache\htdocs\xsl\riq\input.xsl
- apache\htdocs\xsl\riq\result.xsl
- apache\htdocs\xsl\riq\resultcostdetail.xsl
- apache\htdocs\xsl\riq\riqapi.xsl
- apache\htdocs\xsl\roe\OrderEdit.xsl
- apache\htdocs\xsl\roe\OrderEditFrameSet.xsl
- apache\htdocs\xsl\roe\RapidOrderBuildShipments.xsl
- apache\htdocs\xsl\roe\RapidOrderEntry.xsl
- apache\htdocs\xsl\roe\RapidOrderLineItem.xsl
- apache\htdocs\xsl\roe\RapidOrderNav.xsl
- apache\htdocs\xsl\roe\RapidOrderShipUnit.xsl
- apache\htdocs\xsl\roe\RapidOrderTemplate.xsl
- apache\htdocs\xsl\roe\ViewFinancialSelect.xsl
- apache\htdocs\xsl\roe\ViewFinancials.xsl
- apache\htdocs\xsl\roe\roe\_style.xsl
- apache\htdocs\xsl\sca\RouteTracking.xsl
- apache\htdocs\xsl\schem\ActivateProfile.xsl

- apache\htdocs\xsl\scem\AddPlannedMilestoneLink.xsl
- apache\htdocs\xsl\scem\AssProfToShip.xsl
- apache\htdocs\xsl\scem\CopyOptions.xsl
- apache\htdocs\xsl\scem\EventHistory.xsl
- apache\htdocs\xsl\scem\EventHistoryFrameSet.xsl
- apache\htdocs\xsl\scem\MActionParameters.xsl
- apache\htdocs\xsl\scem\MAgentActionSelection.xsl
- apache\htdocs\xsl\scem\MPMilestoneComm.xsl
- apache\htdocs\xsl\scem\MPPMilestone.xsl
- apache\htdocs\xsl\scem\MPTAMilestone.xsl
- apache\htdocs\xsl\scem\MPTMilestoneComm.xsl
- apache\htdocs\xsl\scem\MPTPMilestone.xsl
- apache\htdocs\xsl\scem\Milestone\_Exceptions.xsl
- apache\htdocs\xsl\scem\Milestone\_Exceptions\_Search.xsl
- apache\htdocs\xsl\scem\MonitorAgent.xsl
- apache\htdocs\xsl\scem\MonitorAgentComm.xsl
- apache\htdocs\xsl\scem\MonitorAgentSetupComm.xsl
- apache\htdocs\xsl\scem\MonitorAgentTolerance.xsl
- apache\htdocs\xsl\scem\MonitorProfile.xsl
- apache\htdocs\xsl\scem\MonitorProfileTemplate.xsl
- apache\htdocs\xsl\scem\MonitorToleranceRule.xsl
- apache\htdocs\xsl\scem\ScemNav.xsl
- apache\htdocs\xsl\scem\ScemResultsPage.xsl
- apache\htdocs\xsl\scem\TestWhereFrom.xsl
- apache\htdocs\xsl\scem\ViewLinkedProfiles.xsl
- apache\htdocs\xsl\scem\ViewMilestoneDetails.xsl
- apache\htdocs\xsl\scem\ViewMonitorAgent.xsl
- apache\htdocs\xsl\scem\ViewMonitorProfile.xsl
- apache\htdocs\xsl\scem\ViewMonitorProfileTemplate.xsl
- apache\htdocs\xsl\scem\ViewMonitorToleranceRule.xsl
- apache\htdocs\xsl\scem\ViewScemShipmentEventHistory.xsl
- apache\htdocs\xsl\scem\ViewShipLinkResults.xsl
- apache\htdocs\xsl\scem\ViewSimpleResults.xsl
- apache\htdocs\xsl\scem\ViewWhereFrom.xsl
- apache\htdocs\xsl\scem\WhereAndFrom.xsl
- apache\htdocs\xsl\screenlayout\userVariables.xsl
- apache\htdocs\xsl\security\fixup\fixup.xsl
- apache\htdocs\xsl\sendintegration\SendIntegrationSelect.xsl
- apache\htdocs\xsl\session\ViewSession.xsl
- apache\htdocs\xsl\session\ViewSessionData.xsl
- apache\htdocs\xsl\shipgroupgrid\CostFacts.xsl
- apache\htdocs\xsl\shipgroupgrid\GraphGroupSecCharge.xsl
- apache\htdocs\xsl\shipgroupgrid\GraphGroupShipCost.xsl

- apache\htdocs\xsl\shipgroupgrid\GraphGroupShipSecCharge.xsl
- apache\htdocs\xsl\shipgroupgrid\GraphGroupTotalCost.xsl
- apache\htdocs\xsl\shipgroupgrid\GraphServProvActualCost.xsl
- apache\htdocs\xsl\shipgroupgrid\GraphServProvNumShip.xsl
- apache\htdocs\xsl\shipgroupgrid\LocationMap.xsl
- apache\htdocs\xsl\shipgroupgrid\ServProvFacts.xsl
- apache\htdocs\xsl\shipgroupgrid\ShipGroupGrid.xsl
- apache\htdocs\xsl\shipgroupgrid\ShipmentMap.xsl
- apache\htdocs\xsl\shipgroupgrid\SrcLocationMap.xsl
- apache\htdocs\xsl\shipment\CommGroupsCharges.xsl
- apache\htdocs\xsl\shipment\CommLineItem.xsl
- apache\htdocs\xsl\shipment\CommShipUnit.xsl
- apache\htdocs\xsl\shipment\CommShipment.xsl
- apache\htdocs\xsl\shipment\CommShipmentNav.xsl
- apache\htdocs\xsl\shipment\CommShipmentRef.xsl
- apache\htdocs\xsl\shipment\CommStop.xsl
- apache\htdocs\xsl\shipment\CommViewShipment.xsl
- apache\htdocs\xsl\shipment\ExternalURL.xsl
- apache\htdocs\xsl\shipment\LoadUnloadPoints.xsl
- apache\htdocs\xsl\shipment\PublicTrackingServerDetail.xsl
- apache\htdocs\xsl\shipment\PublicTrackingServerNoResults.xsl
- apache\htdocs\xsl\shipment\PublicTrackingServerResultBody.xsl
- apache\htdocs\xsl\shipment\PublicTrackingServerResultFrame.xsl
- apache\htdocs\xsl\shipment\QuickEvent.xsl
- apache\htdocs\xsl\shipment\QuickEventView.xsl
- apache\htdocs\xsl\shipment\SEquipment.xsl
- apache\htdocs\xsl\shipment\SEquipmentCommon.xsl
- apache\htdocs\xsl\shipment\ShipmentAccessorial.xsl
- apache\htdocs\xsl\shipment\ShipmentAllocation.xsl
- apache\htdocs\xsl\shipment\ShipmentCost.xsl
- apache\htdocs\xsl\shipment\ShipmentDetail.xsl
- apache\htdocs\xsl\shipment\ShipmentEquipment.xsl
- apache\htdocs\xsl\shipment\ShipmentGroupCharges.xsl
- apache\htdocs\xsl\shipment\ShipmentHeader1.xsl
- apache\htdocs\xsl\shipment\ShipmentHeader2.xsl
- apache\htdocs\xsl\shipment\ShipmentInfCost.xsl
- apache\htdocs\xsl\shipment\ShipmentInfCostD.xsl
- apache\htdocs\xsl\shipment\ShipmentLineItem.xsl
- apache\htdocs\xsl\shipment\ShipmentLocationOverrides.xsl
- apache\htdocs\xsl\shipment\ShipmentNav.xsl
- apache\htdocs\xsl\shipment\ShipmentShipUnit.xsl
- apache\htdocs\xsl\shipment\ShipmentSpecialService.xsl
- apache\htdocs\xsl\shipment\ShipmentStatus.xsl

- apache\htdocs\xsl\shipment\ShipmentStop.xsl
- apache\htdocs\xsl\shipment\ShipmentStopData.xsl
- apache\htdocs\xsl\shipment\ShipmentStopOverride.xsl
- apache\htdocs\xsl\shipment\ShipmentText.xsl
- apache\htdocs\xsl\shipment\ShipmentViewLite.xsl
- apache\htdocs\xsl\shipment\ShipmentVisibilityResultBody.xsl
- apache\htdocs\xsl\shipment\Shipment\_Financials.xsl
- apache\htdocs\xsl\shipment\Shipment\_InvParties.xsl
- apache\htdocs\xsl\shipment\Shipment\_InvPartyOverride.xsl
- apache\htdocs\xsl\shipment\Shipment\_Mode.xsl
- apache\htdocs\xsl\shipment\TrackingServerDetail.xsl
- apache\htdocs\xsl\shipment\TrackingServerFinderFrame.xsl
- apache\htdocs\xsl\shipment\TrackingServerInput.xsl
- apache\htdocs\xsl\shipment\TrackingServerNoResults.xsl
- apache\htdocs\xsl\shipment\TrackingServerNotifyContact.xsl
- apache\htdocs\xsl\shipment\TrackingServerResultBody.xsl
- apache\htdocs\xsl\shipment\TrackingServerResultFrame.xsl
- apache\htdocs\xsl\shipment\ViewGroupCharges.xsl
- apache\htdocs\xsl\shipment\ViewResults.xsl
- apache\htdocs\xsl\shipment\ViewSEquipment.xsl
- apache\htdocs\xsl\shipment\ViewShipment.xsl
- apache\htdocs\xsl\shipment\ViewShipmentReadOnly.xsl
- apache\htdocs\xsl\shipment\ViewShipmentSEquipment.xsl
- apache\htdocs\xsl\shipment\forwarder\ShipmentForwarder\_ResultBody.xsl
- apache\htdocs\xsl\shipment\forwarder\ShipmentForwarder\_ResultButtons.xsl
- apache\htdocs\xsl\shipment\forwarder\ShipmentForwarder\_ResultFrameSet.xsl
- apache\htdocs\xsl\shipment\forwarder\ShipmentForwarder\_ResultHeader.xsl
- apache\htdocs\xsl\shipment\gatehouse\ConfirmEvent.xsl
- apache\htdocs\xsl\shipment\gatehouse\EventResults.xsl
- apache\htdocs\xsl\shipment\gatehouse\ShipmentGatehouse\_ResultBody.xsl
- apache\htdocs\xsl\shipment\gatehouse\ShipmentGatehouse\_ResultFrameSet.xsl
- apache\htdocs\xsl\shipment\gatehouse\ShipmentGatehouse\_ResultHeader.xsl
- apache\htdocs\xsl\shipment\Itl\DeliveryLineItem.xsl
- apache\htdocs\xsl\shipment\Itl\DeliveryShipUnit.xsl
- apache\htdocs\xsl\shipment\Itl\DeliveryStop.xsl
- apache\htdocs\xsl\shipment\Itl\Equipment.xsl
- apache\htdocs\xsl\shipment\Itl\Financials.xsl
- apache\htdocs\xsl\shipment\Itl\Header.xsl
- apache\htdocs\xsl\shipment\Itl\InvParties.xsl
- apache\htdocs\xsl\shipment\Itl\LineItem.xsl
- apache\htdocs\xsl\shipment\Itl\Nav.xsl
- apache\htdocs\xsl\shipment\Itl\PickupStop.xsl
- apache\htdocs\xsl\shipment\Itl\Remarks.xsl

- apache\htdocs\xsl\shipment\ltl\ShipUnit.xml
- apache\htdocs\xsl\shipment\ltl\Stops.xml
- apache\htdocs\xsl\shipment\ltl\ViewShipment.xml
- apache\htdocs\xsl\shipment\nfrc\Header.xml
- apache\htdocs\xsl\shipment\nfrc\Nav.xml
- apache\htdocs\xsl\shipment\nfrc\NfrcCost.xml
- apache\htdocs\xsl\shipment\nfrc\Remarks.xml
- apache\htdocs\xsl\shipment\nfrc\ViewShipment.xml
- apache\htdocs\xsl\shipment\rail\Equipment.xml
- apache\htdocs\xsl\shipment\rail\Financials.xml
- apache\htdocs\xsl\shipment\rail\GroupsCharges.xml
- apache\htdocs\xsl\shipment\rail\Header.xml
- apache\htdocs\xsl\shipment\rail\InvParties.xml
- apache\htdocs\xsl\shipment\rail\LineItem.xml
- apache\htdocs\xsl\shipment\rail\Nav.xml
- apache\htdocs\xsl\shipment\rail\ShipUnit.xml
- apache\htdocs\xsl\shipment\rail\StopDetail.xml
- apache\htdocs\xsl\shipment\rail\Stops.xml
- apache\htdocs\xsl\shipment\rail\ViewShipment.xml
- apache\htdocs\xsl\shipment\stop\ShipmentDebrief.xml
- apache\htdocs\xsl\shipment\stop\ShipmentDebriefView.xml
- apache\htdocs\xsl\shipment\stop\ShipmentStop.xml
- apache\htdocs\xsl\shipment\stop\ShipmentStopApp.xml
- apache\htdocs\xsl\shipment\stop\ShipmentStopAppView.xml
- apache\htdocs\xsl\shipment\stop\ShipmentStopDebrief.xml
- apache\htdocs\xsl\shipment\stop\ShipmentStopView.xml
- apache\htdocs\xsl\shipment\trl\Equipment.xml
- apache\htdocs\xsl\shipment\trl\Financials.xml
- apache\htdocs\xsl\shipment\trl\GroupsCharges.xml
- apache\htdocs\xsl\shipment\trl\Header.xml
- apache\htdocs\xsl\shipment\trl\InvParties.xml
- apache\htdocs\xsl\shipment\trl\LineItem.xml
- apache\htdocs\xsl\shipment\trl\Mode.xml
- apache\htdocs\xsl\shipment\trl\Nav.xml
- apache\htdocs\xsl\shipment\trl\Remarks.xml
- apache\htdocs\xsl\shipment\trl\ShipUnit.xml
- apache\htdocs\xsl\shipment\trl\StopDetail.xml
- apache\htdocs\xsl\shipment\trl\Stops.xml
- apache\htdocs\xsl\shipment\trl\ViewShipment.xml
- apache\htdocs\xsl\shipment\vessel\Equipment.xml
- apache\htdocs\xsl\shipment\vessel\Financials.xml
- apache\htdocs\xsl\shipment\vessel\GroupsCharges.xml
- apache\htdocs\xsl\shipment\vessel\Header.xml

- apache\htdocs\xsl\shipment\vessel\InvParties.xml
- apache\htdocs\xsl\shipment\vessel\LineItem.xml
- apache\htdocs\xsl\shipment\vessel\Nav.xml
- apache\htdocs\xsl\shipment\vessel\Remarks.xml
- apache\htdocs\xsl\shipment\vessel\ShipUnit.xml
- apache\htdocs\xsl\shipment\vessel\StopDetail.xml
- apache\htdocs\xsl\shipment\vessel\Stops.xml
- apache\htdocs\xsl\shipment\vessel\ViewShipment.xml
- apache\htdocs\xsl\shipment\vessel\Voyage.xml
- apache\htdocs\xsl\shipment\viewCMSRules.xml
- apache\htdocs\xsl\shipment\viewShipmentHeader.xml
- apache\htdocs\xsl\shipment\viewShipmentHeaderLite.xml
- apache\htdocs\xsl\shipmentgroup\CreateSecondaryCharge.xml
- apache\htdocs\xsl\shipmentgroup\DeleteSecondaryChargeInput.xml
- apache\htdocs\xsl\shipmentgroup\NewShipmentGroup.xml
- apache\htdocs\xsl\shipmentgroup\SecondaryChargeRule.xml
- apache\htdocs\xsl\shipmentgroup\ShipmentGroup.xml
- apache\htdocs\xsl\shipmentgroup\ShipmentGroupRuleDetail.xml
- apache\htdocs\xsl\shipmentgroup\ShipmentGroupRuleHeader.xml
- apache\htdocs\xsl\shipmentgroup\ShipmentGroupRuleNav.xml
- apache\htdocs\xsl\shipmentgroup\ViewSecondaryChargeRule.xml
- apache\htdocs\xsl\shipmentgroup\ViewShipmentGroup.xml
- apache\htdocs\xsl\shipmentgroup\ViewShipmentGroupRule.xml
- apache\htdocs\xsl\sku\ExcelShipmentLineItemCount.xml
- apache\htdocs\xsl\sku\GIT.xml
- apache\htdocs\xsl\sku\GITFrameSet.xml
- apache\htdocs\xsl\sku\GetDataTypeAssociation.xml
- apache\htdocs\xsl\sku\IndividualCounts.xml
- apache\htdocs\xsl\sku\MovementCounts.xml
- apache\htdocs\xsl\sku\ShipmentLineItemCount.xml
- apache\htdocs\xsl\sku\Sku.xml
- apache\htdocs\xsl\sku\SkuInventory.xml
- apache\htdocs\xsl\sku\SkuLinks.xml
- apache\htdocs\xsl\sku\SkuNav.xml
- apache\htdocs\xsl\sku\ViewSku.xml
- apache\htdocs\xsl\sku\ViewSkuTransaction.xml
- apache\htdocs\xsl\sql\bounce.xml
- apache\htdocs\xsl\sql\call.xml
- apache\htdocs\xsl\sql\commitRollback.xml
- apache\htdocs\xsl\sql\entry.xml
- apache\htdocs\xsl\sql\execute.xml
- apache\htdocs\xsl\sql\main.xml
- apache\htdocs\xsl\sql\select.xml

- apache\htdocs\xsl\status\AddShipmentEventByQualifierResult.xsl
- apache\htdocs\xsl\status\DisplayShipUnit.xsl
- apache\htdocs\xsl\status\DisplayShipUnitLine.xsl
- apache\htdocs\xsl\status\GLogResultsPage.xsl
- apache\htdocs\xsl\status\MultiShipmentDetail.xsl
- apache\htdocs\xsl\status\NewShipmentEventByQualifier.xsl
- apache\htdocs\xsl\status\NewShipmentForwarderEvent.xsl
- apache\htdocs\xsl\status\ObLifeTimeFrame.xsl
- apache\htdocs\xsl\status\ObLifeTimeVisibility.xsl
- apache\htdocs\xsl\status\OrderBaseDetail.xsl
- apache\htdocs\xsl\status\OrderBaseEvents.xsl
- apache\htdocs\xsl\status\OrderReleaseDetail.xsl
- apache\htdocs\xsl\status\OrderReleaseEvents.xsl
- apache\htdocs\xsl\status\PreferredLocation.xsl
- apache\htdocs\xsl\status\ShipUnitLineDetail.xsl
- apache\htdocs\xsl\status\ShipmentDetail.xsl
- apache\htdocs\xsl\status\ShipmentEvents.xsl
- apache\htdocs\xsl\status\SkuDetail.xsl
- apache\htdocs\xsl\status\SkuEvents.xsl
- apache\htdocs\xsl\status\StatusType.xsl
- apache\htdocs\xsl\status\StatusTypeView.xsl
- apache\htdocs\xsl\status\events.xsl
- apache\htdocs\xsl\svg\MapControls.xsl
- apache\htdocs\xsl\svg\MapFrame.xsl
- apache\htdocs\xsl\svg\MapFrameSet.xsl
- apache\htdocs\xsl\tableset\TableSetDelete.xsl
- apache\htdocs\xsl\tableset\TableSetEntry.xsl
- apache\htdocs\xsl\tableset\TableSetNew.xsl
- apache\htdocs\xsl\tableset\TableSetSelect.xsl
- apache\htdocs\xsl\tasks\TaskView.xsl
- apache\htdocs\xsl\tender\ConditionalBookingProfile.xsl
- apache\htdocs\xsl\tender\ConditionalBookingProfileDelete.xsl
- apache\htdocs\xsl\tender\ConditionalBookingProfileView.xsl
- apache\htdocs\xsl\tenderresp\ExecTendAccept.xsl
- apache\htdocs\xsl\tenderresp\ExecTendAcceptBySSUs.xsl
- apache\htdocs\xsl\tenderresp\ExecTendConditionalBooking.xsl
- apache\htdocs\xsl\tenderresp\ExecTendDecline.xsl
- apache\htdocs\xsl\tenderresp\ExecTendMain.xsl
- apache\htdocs\xsl\tenderresp\ExecTendMore.xsl
- apache\htdocs\xsl\tenderresp\ExecTendOpen.xsl
- apache\htdocs\xsl\tenderresp\ExecTendOrders.xsl
- apache\htdocs\xsl\tenderresp\ExecTendViewPreFix.xsl
- apache\htdocs\xsl\tenderresp\ExecTendViewPriFix.xsl

- apache\htdocs\xsl\tenderresp\ServprovEquipment.xsl
- apache\htdocs\xsl\text\TextTemplate.xsl
- apache\htdocs\xsl\text\ViewTextTemplate.xsl
- apache\htdocs\xsl\themes\themes.xsl
- apache\htdocs\xsl\themes\themesgc3.xsl
- apache\htdocs\xsl\themes\themesmetalblue.xsl
- apache\htdocs\xsl\themes\themesmetalgreen.xsl
- apache\htdocs\xsl\themes\themesmetalpurple.xsl
- apache\htdocs\xsl\themes\themesmetalred.xsl
- apache\htdocs\xsl\themes\themesred.xsl
- apache\htdocs\xsl\themes\themessilver.xsl
- apache\htdocs\xsl\themes\themestechnoblue.xsl
- apache\htdocs\xsl\themes\themestechnogreen.xsl
- apache\htdocs\xsl\themes\themestechnorange.xsl
- apache\htdocs\xsl\threshold\Threshold.xsl
- apache\htdocs\xsl\threshold\ThresholdDetails.xsl
- apache\htdocs\xsl\threshold\ThresholdNav.xsl
- apache\htdocs\xsl\threshold\ThresholdProfile.xsl
- apache\htdocs\xsl\threshold\ThresholdProfileView.xsl
- apache\htdocs\xsl\threshold\ThresholdView.xsl
- apache\htdocs\xsl\time\input.xsl
- apache\htdocs\xsl\time\result.xsl
- apache\htdocs\xsl\translation\Translation.xsl
- apache\htdocs\xsl\translation\TranslationView.xsl
- apache\htdocs\xsl\transmission\ITransactionDetails.xsl
- apache\htdocs\xsl\transmission\ITransmissionDetails.xsl
- apache\htdocs\xsl\transmission\ViewITransmission.xsl
- apache\htdocs\xsl\uic\AddQuickEvent.xsl
- apache\htdocs\xsl\uic\AgentCopyInput.xsl
- apache\htdocs\xsl\uic\AppDeniedPartyRes.xsl
- apache\htdocs\xsl\uic\AssignOrderToShipmentInput.xsl
- apache\htdocs\xsl\uic\AutoAssignSeqInput.xsl
- apache\htdocs\xsl\uic\BulkPlanResult.xsl
- apache\htdocs\xsl\uic\CMSCriteria.xsl
- apache\htdocs\xsl\uic\CalculateDirectCostResult.xsl
- apache\htdocs\xsl\uic\ChangeExternalStatusInput.xsl
- apache\htdocs\xsl\uic\ChangeModeInput.xsl
- apache\htdocs\xsl\uic\ChangeStowageMode.xsl
- apache\htdocs\xsl\uic\ChangeStuffingLocations.xsl
- apache\htdocs\xsl\uic\ChooseShipmentRelations.xsl
- apache\htdocs\xsl\uic\ConsolCreateJobInput.xsl
- apache\htdocs\xsl\uic\ConsolValues.xsl
- apache\htdocs\xsl\uic\ConvertToDropoffInput.xsl



- apache\htdocs\xsl\uic\CreateBillResults.xsl
- apache\htdocs\xsl\uic\CreateConsolShipmentInput.xsl
- apache\htdocs\xsl\uic\CreateFlightConsolInput.xsl
- apache\htdocs\xsl\uic\CreateRelayShipmentInput.xsl
- apache\htdocs\xsl\uic\DataValidation.xsl
- apache\htdocs\xsl\uic\DeniedPartyInput.xsl
- apache\htdocs\xsl\uic>EditReleaseInstruction.xsl
- apache\htdocs\xsl\uic\EventReasonPrompt.xsl
- apache\htdocs\xsl\uic\ExchangeRateView.xsl
- apache\htdocs\xsl\uic\GenerateConsolScheduleInput.xsl
- apache\htdocs\xsl\uic\GenerateInvoiceResults.xsl
- apache\htdocs\xsl\uic\GetAdjustPayment.xsl
- apache\htdocs\xsl\uic\GetAllocationData.xsl
- apache\htdocs\xsl\uic\GetBNRange.xsl
- apache\htdocs\xsl\uic\GetConsolidateFlag.xsl
- apache\htdocs\xsl\uic\GetConsolidatedBill.xsl
- apache\htdocs\xsl\uic\GetConsolidatedInvoice.xsl
- apache\htdocs\xsl\uic\GetEquipmentGroup.xsl
- apache\htdocs\xsl\uic\GetEquipmentGroupAndProfile.xsl
- apache\htdocs\xsl\uic\GetExchangeRate.xsl
- apache\htdocs\xsl\uic\GetFirstActivityDate.xsl
- apache\htdocs\xsl\uic\GetFlightList.xsl
- apache\htdocs\xsl\uic\GetImage.xsl
- apache\htdocs\xsl\uic\GetIndicator.xsl
- apache\htdocs\xsl\uic\GetInterfaceTransmission.xsl
- apache\htdocs\xsl\uic\GetInterimFlightList.xsl
- apache\htdocs\xsl\uic\GetItineraries.xsl
- apache\htdocs\xsl\uic\GetItineraryOptions.xsl
- apache\htdocs\xsl\uic\GetJobAutoAgent.xsl
- apache\htdocs\xsl\uic\GetJobSpecificAgent.xsl
- apache\htdocs\xsl\uic\GetLocation.xsl
- apache\htdocs\xsl\uic\GetNewStopSequence.xsl
- apache\htdocs\xsl\uic\GetNote.xsl
- apache\htdocs\xsl\uic\GetOrderReleaseLines.xsl
- apache\htdocs\xsl\uic\GetOrderReleaseTimes.xsl
- apache\htdocs\xsl\uic\GetPaymentAmount.xsl
- apache\htdocs\xsl\uic\GetPaymentByLine.xsl
- apache\htdocs\xsl\uic\GetPaymentByLineEnterLineItem.xsl
- apache\htdocs\xsl\uic\GetPaymentNote.xsl
- apache\htdocs\xsl\uic\GetPercentage.xsl
- apache\htdocs\xsl\uic\GetPlanningParameterQualifier.xsl
- apache\htdocs\xsl\uic\GetQuantityType.xsl
- apache\htdocs\xsl\uic\GetRepetitionList.xsl

- apache\htdocs\xsl\uic\GetRetenderFlag.xsl
- apache\htdocs\xsl\uic\GetRoutingConstraints.xsl
- apache\htdocs\xsl\uic\GetSEquipmentForOM.xsl
- apache\htdocs\xsl\uic\GetSEquipments.xsl
- apache\htdocs\xsl\uic\GetSEquipmentsByOrder.xsl
- apache\htdocs\xsl\uic\GetSEquipmentsByOrderMovement.xsl
- apache\htdocs\xsl\uic\GetServiceProvider.xsl
- apache\htdocs\xsl\uic\GetServiceProviderList.xsl
- apache\htdocs\xsl\uic\GetShipUnits.xsl
- apache\htdocs\xsl\uic\GetShipment.xsl
- apache\htdocs\xsl\uic\GetShipmentNote.xsl
- apache\htdocs\xsl\uic\GetSplitBookingType.xsl
- apache\htdocs\xsl\uic\GetSplitBookingTypeSell.xsl
- apache\htdocs\xsl\uic\GetSplitShipmentType.xsl
- apache\htdocs\xsl\uic\GetSplitTypeForMultiBL.xsl
- apache\htdocs\xsl\uic\GetStartTime.xsl
- apache\htdocs\xsl\uic\GetTenderInfo.xsl
- apache\htdocs\xsl\uic\GetVisibilityValues.xsl
- apache\htdocs\xsl\uic\GetVoyageList.xsl
- apache\htdocs\xsl\uic\IgnoreConstraints.xsl
- apache\htdocs\xsl\uic\IgnoreOnly.xsl
- apache\htdocs\xsl\uic\InvoiceResults.xsl
- apache\htdocs\xsl\uic\InvoiceVatResults.xsl
- apache\htdocs\xsl\uic\JobApplyRuleMessage.xsl
- apache\htdocs\xsl\uic\JobAssignResults.xsl
- apache\htdocs\xsl\uic\JobBillResults.xsl
- apache\htdocs\xsl\uic\JobGetOrders.xsl
- apache\htdocs\xsl\uic\JobGetOrdersToAdd.xsl
- apache\htdocs\xsl\uic\JobManuallyApplyRuleInput.xsl
- apache\htdocs\xsl\uic\JobManuallyApplyRuleResults.xsl
- apache\htdocs\xsl\uic\ManageByCurrencyTypeGetInput.xsl
- apache\htdocs\xsl\uic\ManuallyCreateShipmentInput.xsl
- apache\htdocs\xsl\uic\MapLocationInput.xsl
- apache\htdocs\xsl\uic\ModifyAcknowledge.xsl
- apache\htdocs\xsl\uic\MoveContainerGroup.xsl
- apache\htdocs\xsl\uic\MoveContainerGroupShipment.xsl
- apache\htdocs\xsl\uic\MoveOrderToShipmentInput.xsl
- apache\htdocs\xsl\uic\NewConsolidatedBill.xsl
- apache\htdocs\xsl\uic\NewConsolidatedInvoice.xsl
- apache\htdocs\xsl\uic\OMGetItineraries.xsl
- apache\htdocs\xsl\uic\OrderActionResult.xsl
- apache\htdocs\xsl\uic\OrderBaseLineItem2.xsl
- apache\htdocs\xsl\uic\OrderBaseLineItemData2.xsl

- apache\htdocs\xsl\uic\OrderBaseReleaseInstruction2.xsl
- apache\htdocs\xsl\uic\OrderBaseShipUnitData2.xsl
- apache\htdocs\xsl\uic\OrderInsertionInput.xsl
- apache\htdocs\xsl\uic\OrderMovementResults.xsl
- apache\htdocs\xsl\uic\OrderMovementToShipment.xsl
- apache\htdocs\xsl\uic\Quote2OrderGetData.xsl
- apache\htdocs\xsl\uic\Quote2OrderVerify.xsl
- apache\htdocs\xsl\uic\ReadyToShip.xsl
- apache\htdocs\xsl\uic\Refnums.xsl
- apache\htdocs\xsl\uic\RelatedShipFrameSet.xsl
- apache\htdocs\xsl\uic\ReleaseOrderResults.xsl
- apache\htdocs\xsl\uic\Remarks.xsl
- apache\htdocs\xsl\uic\ResetUserAccountsResult.xsl
- apache\htdocs\xsl\uic\ScheduleServerActionResult.xsl
- apache\htdocs\xsl\uic\ScheduleShowMessage.xsl
- apache\htdocs\xsl\uic>SelectTenderContact.xsl
- apache\htdocs\xsl\uic\SendAESTrans.xsl
- apache\htdocs\xsl\uic\ServerActionResult.xsl
- apache\htdocs\xsl\uic\SetExchangeRate.xsl
- apache\htdocs\xsl\uic\SetExpireDateInput.xsl
- apache\htdocs\xsl\uic\SetExpireInput.xsl
- apache\htdocs\xsl\uic\ShipGroupCommon.xsl
- apache\htdocs\xsl\uic\ShipmentCommon.xsl
- apache\htdocs\xsl\uic\ShipmentRefnums.xsl
- apache\htdocs\xsl\uic\ShipmentRemarks.xsl
- apache\htdocs\xsl\uic\ShipmentResults.xsl
- apache\htdocs\xsl\uic\ShipmentStatusInfo.xsl
- apache\htdocs\xsl\uic\ShipmentViewBOL.xsl
- apache\htdocs\xsl\uic\ShowImageMessage.xsl
- apache\htdocs\xsl\uic\ShowIndicatorMessage.xsl
- apache\htdocs\xsl\uic\ShowJobMessage.xsl
- apache\htdocs\xsl\uic\ShowMessage.xsl
- apache\htdocs\xsl\uic\ShowReTransmitOpenTenderServProvs.xsl
- apache\htdocs\xsl\uic\ShowServProvs.xsl
- apache\htdocs\xsl\uic\SimulateServerActionResult.xsl
- apache\htdocs\xsl\uic\SplitBookingByEquipmentGroupInput.xsl
- apache\htdocs\xsl\uic\SplitBookingByEquipmentGroupInputSell.xsl
- apache\htdocs\xsl\uic\SplitBookingByEquipmentInput.xsl
- apache\htdocs\xsl\uic\SplitBookingByEquipmentInputSell.xsl
- apache\htdocs\xsl\uic\SplitBookingByShipUnitsInput.xsl
- apache\htdocs\xsl\uic\SplitBookingByShipUnitsInputSell.xsl
- apache\htdocs\xsl\uic\SplitForMultiBLByEquipmentGroupInput.xsl
- apache\htdocs\xsl\uic\SplitForMultiBLByEquipmentInput.xsl

- apache\htdocs\xsl\uic\SplitForMultiBLByShipUnitsInput.xsl
- apache\htdocs\xsl\uic\SplitShipmentByEquipmentInput.xsl
- apache\htdocs\xsl\uic\SplitShipmentByOrderMovementsInput.xsl
- apache\htdocs\xsl\uic\SplitShipmentByOrdersInput.xsl
- apache\htdocs\xsl\uic\TenderActionResult.xsl
- apache\htdocs\xsl\uic\TrailerBuildPickupActionResult.xsl
- apache\htdocs\xsl\uic\ValidMatches.xsl
- apache\htdocs\xsl\uic\ValidateShipmentMatchMessage.xsl
- apache\htdocs\xsl\uic\ViewCMSEligible.xsl
- apache\htdocs\xsl\uic\ViewCMSTour.xsl
- apache\htdocs\xsl\uic\ViewCharterVoyageResults.xsl
- apache\htdocs\xsl\uic\ViewDeniedParty.xsl
- apache\htdocs\xsl\uic\ViewLocationCapacityUsageAction.xsl
- apache\htdocs\xsl\uic\ViewObLines.xsl
- apache\htdocs\xsl\uic\ViewShipmentRelations.xsl
- apache\htdocs\xsl\uic\ViewVoyageByStowageModeAction.xsl
- apache\htdocs\xsl\uic\ViewVoyageByStowageModeActionFields.xsl
- apache\htdocs\xsl\uic\comm\UICResultBody.xsl
- apache\htdocs\xsl\uic\location\AppointmentInfo.xsl
- apache\htdocs\xsl\uic\location\AppointmentManager.xsl
- apache\htdocs\xsl\uic\misc\ChooseSEquipmentComm.xsl
- apache\htdocs\xsl\uic\misc\ConsolShipmentResult.xsl
- apache\htdocs\xsl\uic\order\ApplyBuyerTemplateInput.xsl
- apache\htdocs\xsl\uic\order\ApplyBuyerTemplateResult.xsl
- apache\htdocs\xsl\uic\order\BuildShipmentOnPrimaryLegWithConsolInput.xsl
- apache\htdocs\xsl\uic\order\MoveOrderMovementToConsolShipmentInput.xsl
- apache\htdocs\xsl\uic\order\ORCreateOrderMovements.xsl
- apache\htdocs\xsl\uic\order\ORGetNumOrderMovements.xsl
- apache\htdocs\xsl\uic\order\ORGetOrderMovements.xsl
- apache\htdocs\xsl\uic\order\ShowRoutingOptions.xsl
- apache\htdocs\xsl\uic\order\ShowRoutingOptionsComm.xsl
- apache\htdocs\xsl\uic\shipment\ApplyPaymentTermsInput.xsl
- apache\htdocs\xsl\uic\shipment\ApplyPaymentTermsResult.xsl
- apache\htdocs\xsl\uic\shipment\BuildSellChargesFromBuyCharges.xsl
- apache\htdocs\xsl\uic\shipment\ChangeShipmentOPLocationsResult.xsl
- apache\htdocs\xsl\uic\shipment\ChangeShipmentStopTimesResult.xsl
- apache\htdocs\xsl\uic\shipment\ChooseConsolSEquipment.xsl
- apache\htdocs\xsl\uic\shipment\ForceSplitMergeByOrdersInput.xsl
- apache\htdocs\xsl\uic\shipment\ForceSplitMergeBySShipUnitsInput.xsl
- apache\htdocs\xsl\uic\shipment\GetOPLocations.xsl
- apache\htdocs\xsl\uic\shipment\GetShipmentStopTimes.xsl
- apache\htdocs\xsl\uic\shipment\PickLocationForAppt.xsl
- apache\htdocs\xsl\uic\shipment\SplitShipmentToConsolInput.xsl

- apache\htdocs\xsl\uic\shipment\SpotCosts.xsl
- apache\htdocs\xsl\uic\shipment\ViewRelatedCapacityCommitments.xsl
- apache\htdocs\xsl\uit\cus\NoConsignee.xsl
- apache\htdocs\xsl\uit\cus\NoLogistics.xsl
- apache\htdocs\xsl\uit\cus\OrderTemplateInput.xsl
- apache\htdocs\xsl\uit\cus\ShipUnitGrid.xsl
- apache\htdocs\xsl\uit\cus\ShipUnitMsg.xsl
- apache\htdocs\xsl\uit\cus\SimpleOrderInput.xsl
- apache\htdocs\xsl\uit\cus\TemplateNotFound.xsl
- apache\htdocs\xsl\uit\cus\ThankYou.xsl
- apache\htdocs\xsl\uit\frame\dynamicBody.xsl
- apache\htdocs\xsl\uit\shipmentActuals\ActualsEntry.xsl
- apache\htdocs\xsl\uit\shipmentActuals\ActualsMultiEntry.xsl
- apache\htdocs\xsl\uit\shipmentActuals\MultiEquipment.xsl
- apache\htdocs\xsl\uit\shipmentActuals>SelectShipment.xsl
- apache\htdocs\xsl\uit\shipmentActuals\ThankYou.xsl
- apache\htdocs\xsl\uit\shipmentActuals\common.xsl
- apache\htdocs\xsl\uit\shipmentActuals\sell\ActualsEntry.xsl
- apache\htdocs\xsl\uit\shipmentActuals\sell\ThankYou.xsl
- apache\htdocs\xsl\uit\shipmentActuals\sell\ViewRelated.xsl
- apache\htdocs\xsl\uit\uitErrorMsg.xsl
- apache\htdocs\xsl\uit\uitErrorPage.xsl
- apache\htdocs\xsl\uit\uitFields.xsl
- apache\htdocs\xsl\uit\uitPage.xsl
- apache\htdocs\xsl\umt\adduser.xsl
- apache\htdocs\xsl\umt\finduser.xsl
- apache\htdocs\xsl\umt\listuser.xsl
- apache\htdocs\xsl\umt\login.xsl
- apache\htdocs\xsl\umt\logout.xsl
- apache\htdocs\xsl\umt\manageassoc.xsl
- apache\htdocs\xsl\umt\managedomain.xsl
- apache\htdocs\xsl\umt\managegroup.xsl
- apache\htdocs\xsl\umt\manageuser.xsl
- apache\htdocs\xsl\umt\password.xsl
- apache\htdocs\xsl\umt\showmsg.xsl
- apache\htdocs\xsl\unitization\ContainerGroupCommon.xsl
- apache\htdocs\xsl\unitization\ContainerGroupEdit.xsl
- apache\htdocs\xsl\unitization\ContainerGroupView.xsl
- apache\htdocs\xsl\useraccess\AppActionCheckAccessNav.xsl
- apache\htdocs\xsl\useraccess\AppActionChecks.xsl
- apache\htdocs\xsl\useraccess\AppActionMorgAccessNav.xsl
- apache\htdocs\xsl\useraccess\AppActionMorgs.xsl
- apache\htdocs\xsl\useraccess\AppActionReasonAccessNav.xsl

- apache\htdocs\xsl\useraccess\AppActionReasons.xsl
- apache\htdocs\xsl\useraccess\DefaultFinderSetAccessNav.xsl
- apache\htdocs\xsl\useraccess\DefaultFinderSets.xsl
- apache\htdocs\xsl\useraccess\FinderSetAccess.xsl
- apache\htdocs\xsl\useraccess\FinderSetAccessNav.xsl
- apache\htdocs\xsl\useraccess\SavedQueryAccess.xsl
- apache\htdocs\xsl\useraccess\SavedQueryAccessNav.xsl
- apache\htdocs\xsl\useraccess>SelectSecurityLevel.xsl
- apache\htdocs\xsl\useraccess\UserAccessNav.xsl
- apache\htdocs\xsl\useraccess\UserAccessPreference.xsl
- apache\htdocs\xsl\useraccess\UserMenuAccess.xsl
- apache\htdocs\xsl\useraccess\UserMenuAccessNav.xsl
- apache\htdocs\xsl\useraccess\UserPreferenceAccess.xsl
- apache\htdocs\xsl\useraccess\UserPreferenceAccessNav.xsl
- apache\htdocs\xsl\useraccess\UserWsReport.xsl
- apache\htdocs\xsl\useraccess\UserWsReportNav.xsl
- apache\htdocs\xsl\useraccess\ViewUserAccess.xsl
- apache\htdocs\xsl\usermenu\EditUserMenu.xsl
- apache\htdocs\xsl\usermenu\GetCreateType.xsl
- apache\htdocs\xsl\usermenu\NewMenuGroup.xsl
- apache\htdocs\xsl\usermenu>SelectLevel.xsl
- apache\htdocs\xsl\usermenu\ViewUserMenu.xsl
- apache\htdocs\xsl\usermenu\footer.xsl
- apache\htdocs\xsl\usermenu\menuchoice.xsl
- apache\htdocs\xsl\usermenu\sidebar.xsl
- apache\htdocs\xsl\usermenu\usermenu.xsl
- apache\htdocs\xsl\userpreference\UserPreference.xsl
- apache\htdocs\xsl\userpreference\UserPreferenceView.xsl
- apache\htdocs\xsl\userrole\UserRole.xsl
- apache\htdocs\xsl\userrole\UserRoleView.xsl
- apache\htdocs\xsl\vessel\Vessel.xsl
- apache\htdocs\xsl\vessel\VesselView.xsl
- apache\htdocs\xsl\vessel\result.xsl
- apache\htdocs\xsl\vessel\search.xsl
- apache\htdocs\xsl\vessel\voyage.xsl
- apache\htdocs\xsl\voyage\ViewVoyage.xsl
- apache\htdocs\xsl\voyage\VoyageManager.xsl
- apache\htdocs\xsl\voyage\VoyageNav.xsl
- apache\htdocs\xsl\vpd\VPDEntry.xsl
- apache\htdocs\xsl\vpd\VPDResults.xsl
- apache\htdocs\xsl\vpd\VPDSelect.xsl
- apache\htdocs\xsl\webservice\CallServiceParameters.xsl
- apache\htdocs\xsl\webservice\CallServiceSelection.xsl

- apache\htdocs\xsl\webservice\WebServiceEdit.xml
- apache\htdocs\xsl\webservice\WebServiceNew.xml
- apache\htdocs\xsl\webservice\WebServiceOperationEdit.xml
- apache\htdocs\xsl\webservice\WebServiceView.xml
- apache\htdocs\xsl\webstart\client.xml
- apache\htdocs\xsl\webstart\download.xml
- apache\htdocs\xsl\webstart\jre.xml
- apache\htdocs\xsl\webstart\launch.xml
- apache\htdocs\xsl\webstart\uic.xml
- apache\htdocs\xsl\workflow\CompleteCancelTenderHtml.xml
- apache\htdocs\xsl\workflow\CompleteModifyPickupHtml.xml
- apache\htdocs\xsl\workflow\CompleteModifyTenderHtml.xml
- apache\htdocs\xsl\workflow\CompletePickupNotifyHtml.xml
- apache\htdocs\xsl\workflow\CompleteReTransmitTenderHtml.xml
- apache\htdocs\xsl\workflow\CompleteShipmentTenderEventHtml.xml
- apache\htdocs\xsl\workflow\CompleteTenderBaseHtml.xml
- apache\htdocs\xsl\workflow\CompleteTenderHtml.xml
- apache\htdocs\xsl\workflow\DefaultAcceptBroadcastTenderBidHtml.xml
- apache\htdocs\xsl\workflow\DefaultBTAReportText.xml
- apache\htdocs\xsl\workflow\DefaultBTAReportText\_de.xml
- apache\htdocs\xsl\workflow\DefaultBTAReportText\_es\_MX.xml
- apache\htdocs\xsl\workflow\DefaultBTAReportText\_fr\_CA.xml
- apache\htdocs\xsl\workflow\DefaultBillEventHtml.xml
- apache\htdocs\xsl\workflow\DefaultBillEventText.xml
- apache\htdocs\xsl\workflow\DefaultBillEventText\_de.xml
- apache\htdocs\xsl\workflow\DefaultBillEventText\_es\_MX.xml
- apache\htdocs\xsl\workflow\DefaultBillEventText\_fr\_CA.xml
- apache\htdocs\xsl\workflow\DefaultBillReportEventHtml.xml
- apache\htdocs\xsl\workflow\DefaultBillReportEventText.xml
- apache\htdocs\xsl\workflow\DefaultBroadcastTenderCancelHtml.xml
- apache\htdocs\xsl\workflow\DefaultBroadcastTenderCancelText.xml
- apache\htdocs\xsl\workflow\DefaultBroadcastTenderHtml.xml
- apache\htdocs\xsl\workflow\DefaultBroadcastTenderModifyHtml.xml
- apache\htdocs\xsl\workflow\DefaultBroadcastTenderModifyText.xml
- apache\htdocs\xsl\workflow\DefaultBroadcastTenderRetransmitHtml.xml
- apache\htdocs\xsl\workflow\DefaultBroadcastTenderRetransmitText.xml
- apache\htdocs\xsl\workflow\DefaultBroadcastTenderText.xml
- apache\htdocs\xsl\workflow\DefaultBulkCmEventHtml.xml
- apache\htdocs\xsl\workflow\DefaultBulkCmEventText.xml
- apache\htdocs\xsl\workflow\DefaultBulkPlanEventHtml.xml
- apache\htdocs\xsl\workflow\DefaultBulkPlanEventText.xml
- apache\htdocs\xsl\workflow\DefaultBulkPlanEventText\_de.xml
- apache\htdocs\xsl\workflow\DefaultBulkPlanEventText\_es\_MX.xml

- apache\htdocs\xsl\workflow\DefaultBulkPlanEventText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultBulkRatingEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultBulkRatingEventText.xsl
- apache\htdocs\xsl\workflow\DefaultBulkRatingEventText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultBulkTrailerBuildEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultBulkTrailerBuildEventText.xsl
- apache\htdocs\xsl\workflow\DefaultCancelTenderHtml.xsl
- apache\htdocs\xsl\workflow\DefaultCancelTenderText.xsl
- apache\htdocs\xsl\workflow\DefaultCancelTenderText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultCancelTenderText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultCancelTenderText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultCapacityLimitEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultCapacityLimitEventText.xsl
- apache\htdocs\xsl\workflow\DefaultCapacityLimitEventText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultCapacityLimitEventText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultCapacityLimitEventText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultCapacityLimitReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultCapacityLimitReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultCharterVoyageEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultCharterVoyageEventText.xsl
- apache\htdocs\xsl\workflow\DefaultCharterVoyageReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultCharterVoyageReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultClaimEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultClaimEventText.xsl
- apache\htdocs\xsl\workflow\DefaultClaimLineItemEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultClaimLineItemEventText.xsl
- apache\htdocs\xsl\workflow\DefaultClaimReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultClaimReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultConditionalBookingApprovedHtml.xsl
- apache\htdocs\xsl\workflow\DefaultConditionalBookingApprovedText.xsl
- apache\htdocs\xsl\workflow\DefaultConsolEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultConsolEventText.xsl
- apache\htdocs\xsl\workflow\DefaultConsolReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultConsolReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultContactEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultContactEventText.xsl
- apache\htdocs\xsl\workflow\DefaultDataQueryHtml.xsl
- apache\htdocs\xsl\workflow\DefaultDataQueryText.xsl
- apache\htdocs\xsl\workflow\DefaultDataQueryText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultDataQueryText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultDataQueryText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultDocumentEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultDocumentEventText.xsl



- apache\htdocs\xsl\workflow\DefaultGC3AlertHtml.xsl
- apache\htdocs\xsl\workflow\DefaultGC3AlertText.xsl
- apache\htdocs\xsl\workflow\DefaultGC3AlertText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultGC3AlertText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultGC3AlertText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultGC3BroadcastHtml.xsl
- apache\htdocs\xsl\workflow\DefaultGuaranteedDeliveryNotifyHtml.xsl
- apache\htdocs\xsl\workflow\DefaultGuaranteedDeliveryNotifyText.xsl
- apache\htdocs\xsl\workflow\DefaultGuaranteedDeliveryNotifyText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultGuaranteedDeliveryNotifyText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultGuaranteedDeliveryNotifyText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultInvoiceEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultInvoiceEventText.xsl
- apache\htdocs\xsl\workflow\DefaultInvoiceEventText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultInvoiceEventText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultInvoiceEventText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultInvoiceReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultInvoiceReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultItlDeniedPartyEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultItlDeniedPartyEventText.xsl
- apache\htdocs\xsl\workflow\DefaultJobEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultJobEventText.xsl
- apache\htdocs\xsl\workflow\DefaultJobReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultJobReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultLocationEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultLocationEventText.xsl
- apache\htdocs\xsl\workflow\DefaultLocationEventText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultLocationEventText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultLocationEventText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultLocationReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultLocationReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultModifyPickupHtml.xsl
- apache\htdocs\xsl\workflow\DefaultModifyPickupText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultModifyPickupText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultModifyTenderHtml.xsl
- apache\htdocs\xsl\workflow\DefaultModifyTenderText.xsl
- apache\htdocs\xsl\workflow\DefaultModifyTenderText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultModifyTenderText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultModifyTenderText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultMonitoredShipmentEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultMonitoredShipmentEventText.xsl
- apache\htdocs\xsl\workflow\DefaultMonitoredShipmentEventText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultMonitoredShipmentEventText\_es\_MX.xsl

- apache\htdocs\xsl\workflow\DefaultMonitoredShipmentEventText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultNumRangeEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultNumRangeEventText.xsl
- apache\htdocs\xsl\workflow\DefaultObLineEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultObLineEventText.xsl
- apache\htdocs\xsl\workflow\DefaultObLineEventText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultObLineEventText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultObLineEventText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultObLineReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultObLineReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultObShipUnitEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultObShipUnitEventText.xsl
- apache\htdocs\xsl\workflow\DefaultObShipUnitEventText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultObShipUnitEventText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultObShipUnitEventText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultObShipUnitReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultObShipUnitReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultOmrEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultOmrEventText.xsl
- apache\htdocs\xsl\workflow\DefaultOrLineEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultOrLineEventText.xsl
- apache\htdocs\xsl\workflow\DefaultOrderBaseEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultOrderBaseEventText.xsl
- apache\htdocs\xsl\workflow\DefaultOrderBaseEventText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultOrderBaseEventText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultOrderBaseEventText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultOrderBaseReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultOrderBaseReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultOrderBaseStatusHtml.xsl
- apache\htdocs\xsl\workflow\DefaultOrderBaseStatusText.xsl
- apache\htdocs\xsl\workflow\DefaultOrderBaseStatusText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultOrderBaseStatusText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultOrderBaseStatusText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultOrderEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultOrderEventText.xsl
- apache\htdocs\xsl\workflow\DefaultOrderEventText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultOrderEventText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultOrderEventText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultOrderManagementHtml.xsl
- apache\htdocs\xsl\workflow\DefaultOrderManagementText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultOrderManagementText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultOrderManagementText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultOrderMovementEventHtml.xsl

- apache\htdocs\xsl\workflow\DefaultOrderMovementEventText.xsl
- apache\htdocs\xsl\workflow\DefaultOrderMovementTimeWindowEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultOrderMovementTimeWindowEventText.xsl
- apache\htdocs\xsl\workflow\DefaultOrderReleaseStatusHtml.xsl
- apache\htdocs\xsl\workflow\DefaultOrderReleaseStatusText.xsl
- apache\htdocs\xsl\workflow\DefaultOrderReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultOrderReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultOrderShipUnitOffTargetEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultOrderShipUnitOffTargetEventText.xsl
- apache\htdocs\xsl\workflow\DefaultOrderShipmentEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultOrderShipmentEventText.xsl
- apache\htdocs\xsl\workflow\DefaultOrderShipmentEventText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultOrderShipmentEventText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultOrderShipmentEventText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultOrderStatusHtml.xsl
- apache\htdocs\xsl\workflow\DefaultOrderStatusText.xsl
- apache\htdocs\xsl\workflow\DefaultOrderStatusText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultOrderStatusText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultOrderStatusText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultPickupNotifyHtml.xsl
- apache\htdocs\xsl\workflow\DefaultPickupNotifyText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultQuoteEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultQuoteEventText.xsl
- apache\htdocs\xsl\workflow\DefaultQuoteReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultQuoteReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultRateEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultRateEventText.xsl
- apache\htdocs\xsl\workflow\DefaultRateEventText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultRateEventText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultRateEventText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultRateOfferingEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultRateOfferingEventText.xsl
- apache\htdocs\xsl\workflow\DefaultRateOfferingEventText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultRateOfferingEventText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultRateOfferingEventText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultRateOfferingReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultRateOfferingReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultRateReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultRateReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultReTransmitTenderHtml.xsl
- apache\htdocs\xsl\workflow\DefaultReTransmitTenderText.xsl
- apache\htdocs\xsl\workflow\DefaultReTransmitTenderText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultReTransmitTenderText\_es\_MX.xsl

- apache\htdocs\xsl\workflow\DefaultReTransmitTenderText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultRejectBroadcastTenderBidHtml.xsl
- apache\htdocs\xsl\workflow\DefaultReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultReportEventText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultReportEventText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultReportEventText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultScheduleEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultScheduleEventText.xsl
- apache\htdocs\xsl\workflow\DefaultScheduleEventText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultScheduleReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultScheduleReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultServprovEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultServprovEventText.xsl
- apache\htdocs\xsl\workflow\DefaultServprovEventText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultServprovEventText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultServprovEventText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultServprovReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultServprovReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultShipGroupPickupCancelHtml.xsl
- apache\htdocs\xsl\workflow\DefaultShipGroupPickupCancelText.xsl
- apache\htdocs\xsl\workflow\DefaultShipGroupPickupEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultShipGroupPickupEventText.xsl
- apache\htdocs\xsl\workflow\DefaultShipGroupPickupModifyHtml.xsl
- apache\htdocs\xsl\workflow\DefaultShipGroupPickupNotifyHtml.xsl
- apache\htdocs\xsl\workflow\DefaultShipGroupPickupResendHtml.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentEventText.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentEventText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentEventText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentEventText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentGroupEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentGroupEventText.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentGroupEventText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentGroupEventText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentGroupEventText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentGroupReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentGroupReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentGroupStatusHtml.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentGroupStatusText.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentGroupStatusText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentGroupStatusText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentGroupStatusText\_fr\_CA.xsl

- apache\htdocs\xsl\workflow\DefaultShipmentOpenTenderEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentOpenTenderEventText.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentReviewHtml.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentReviewTest.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentReviewTest\_de.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentReviewTest\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentReviewTest\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentStatusHtml.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentStatusText.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentStatusText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentStatusText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentStatusText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentTenderEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentTenderEventText.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentTenderEventText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentTenderEventText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultShipmentTenderEventText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultSimplifiedCancelTenderHtml.xsl
- apache\htdocs\xsl\workflow\DefaultSimplifiedModifyPickupHtml.xsl
- apache\htdocs\xsl\workflow\DefaultSimplifiedPickupNotifyHtml.xsl
- apache\htdocs\xsl\workflow\DefaultSimplifiedReTransmitTenderHtml.xsl
- apache\htdocs\xsl\workflow\DefaultSimplifiedShipmentTenderEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultSimplifiedTenderHtml.xsl
- apache\htdocs\xsl\workflow\DefaultSkuEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultSkuEventStatusHtml.xsl
- apache\htdocs\xsl\workflow\DefaultSkuEventStatusText.xsl
- apache\htdocs\xsl\workflow\DefaultSkuEventText.xsl
- apache\htdocs\xsl\workflow\DefaultSkuEventText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultSkuEventText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultSkuEventText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultSkuReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultSkuReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultSpotBidAcknowledgeHtml.xsl
- apache\htdocs\xsl\workflow\DefaultSpotBidAcknowledgeText.xsl
- apache\htdocs\xsl\workflow\DefaultSpotBidCancelHtml.xsl
- apache\htdocs\xsl\workflow\DefaultSpotBidCancelText.xsl
- apache\htdocs\xsl\workflow\DefaultSpotBidModifyHtml.xsl
- apache\htdocs\xsl\workflow\DefaultSpotBidModifyText.xsl
- apache\htdocs\xsl\workflow\DefaultSpotBidRetransmitHtml.xsl
- apache\htdocs\xsl\workflow\DefaultSpotBidRetransmitText.xsl
- apache\htdocs\xsl\workflow\DefaultSpotBidTenderHtml.xsl

- apache\htdocs\xsl\workflow\DefaultSpotBidTenderText.xsl
- apache\htdocs\xsl\workflow\DefaultSystemProcessHtml.xsl
- apache\htdocs\xsl\workflow\DefaultTenderAcceptedHtml.xsl
- apache\htdocs\xsl\workflow\DefaultTenderAcceptedText.xsl
- apache\htdocs\xsl\workflow\DefaultTenderBidAcceptedHtml.xsl
- apache\htdocs\xsl\workflow\DefaultTenderBidAcceptedText.xsl
- apache\htdocs\xsl\workflow\DefaultTenderBidReceivedHtml.xsl
- apache\htdocs\xsl\workflow\DefaultTenderBidReceivedText.xsl
- apache\htdocs\xsl\workflow\DefaultTenderBidRejectedHtml.xsl
- apache\htdocs\xsl\workflow\DefaultTenderBidRejectedText.xsl
- apache\htdocs\xsl\workflow\DefaultTenderHtml.xsl
- apache\htdocs\xsl\workflow\DefaultTenderPartialAcceptFailedHtml.xsl
- apache\htdocs\xsl\workflow\DefaultTenderPartialAcceptFailedText.xsl
- apache\htdocs\xsl\workflow\DefaultTenderText.xsl
- apache\htdocs\xsl\workflow\DefaultTenderText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultTenderText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultTenderText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultVoucherEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultVoucherEventText.xsl
- apache\htdocs\xsl\workflow\DefaultVoucherEventText\_de.xsl
- apache\htdocs\xsl\workflow\DefaultVoucherEventText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\DefaultVoucherEventText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\DefaultVoucherReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultVoucherReportEventText.xsl
- apache\htdocs\xsl\workflow\DefaultVoyageEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultVoyageEventText.xsl
- apache\htdocs\xsl\workflow\DefaultVoyageReportEventHtml.xsl
- apache\htdocs\xsl\workflow\DefaultVoyageReportEventText.xsl
- apache\htdocs\xsl\workflow\DocumentUtil.xsl
- apache\htdocs\xsl\workflow\EventReasonNotify.xsl
- apache\htdocs\xsl\workflow\GuestTenderHtml.xsl
- apache\htdocs\xsl\workflow\LifeTimeReportEventHtml.xsl
- apache\htdocs\xsl\workflow\LifeTimeReportEventText.xsl
- apache\htdocs\xsl\workflow\LifetimeEventTemplates.xsl
- apache\htdocs\xsl\workflow\LifetimeEventTemplates\_de.xsl
- apache\htdocs\xsl\workflow\LifetimeEventTemplates\_es\_MX.xsl
- apache\htdocs\xsl\workflow\LifetimeEventTemplates\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\OpenTenderBaseHtml.xsl
- apache\htdocs\xsl\workflow\ShipGroupPickupHeaderHtml.xsl
- apache\htdocs\xsl\workflow\ShipGroupPickupTemplateText.xsl
- apache\htdocs\xsl\workflow\SimplifiedShipGroupPickupBaseHtml.xsl
- apache\htdocs\xsl\workflow\SimplifiedTenderBaseHtml.xsl
- apache\htdocs\xsl\workflow\TenderContactInfoHtml.xsl

- apache\htdocs\xsl\workflow\TenderHeaderHtml.xsl
- apache\htdocs\xsl\workflow\TenderOrderInfoHtml.xsl
- apache\htdocs\xsl\workflow\TenderShipmentInfoHtml.xsl
- apache\htdocs\xsl\workflow\TenderShipmentStopHtml.xsl
- apache\htdocs\xsl\workflow\TenderTemplateText.xsl
- apache\htdocs\xsl\workflow\TenderTemplateText\_de.xsl
- apache\htdocs\xsl\workflow\TenderTemplateText\_es\_MX.xsl
- apache\htdocs\xsl\workflow\TenderTemplateText\_fr\_CA.xsl
- apache\htdocs\xsl\workflow\TenderUtilHtml.xsl
- apache\htdocs\xsl\workspace\ListType.xsl
- apache\htdocs\xsl\workspace\ViewWorkspace.xsl
- apache\htdocs\xsl\workspace\WorkspaceDefinition.xsl
- apache\htdocs\xsl\workspace\WorkspaceHeader.xsl
- apache\htdocs\xsl\workspace\WorkspaceNav.xsl
- apache\htdocs\xsl\xslcompiler\XSLCompilerInput.xsl
- apache\htdocs\xsl\xslcompiler\XSLCompilerResults.xsl
- glog\config\glog.appserver.properties
- glog\config\glog.base.properties
- glog\config\glog.webserver.properties
- glog\config\maps\integration\InvoiceMap.xml
- glog\config\GLogXML.xsd
- glog\glog\_resources\action\_help\_links.properties
- glog\glog\_resources\glog.ejb-metadata.properties
- glog\glog\_resources\glog.gen-metadata.properties
- glog\glog\_resources\glog.security.properties
- glog\glog\_resources\glog.uom-metadata.properties
- glog\glog\_resources\glog\comm\query\QueryResources.xml.properties
- glog\oracle\script8\advanced\_analytics\aa\_dbpatch\_50b.sql
- glog\oracle\script8\advanced\_analytics\create\_aa\_create\_custom\_kpi\_pkg.sql
- glog\oracle\script8\advanced\_analytics\create\_aa\_create\_kpi\_pkg.sql
- glog\oracle\script8\advanced\_analytics\create\_aa\_load\_hd.SQL
- glog\oracle\script8\advanced\_analytics\create\_cmmowner\_packages.sql
- glog\oracle\script8\advanced\_analytics\create\_hdowner\_objects.sql
- glog\oracle\script8\advanced\_analytics\create\_hdowner\_tables.sql
- glog\oracle\script8\content\_glogowner\ACTION.csv
- glog\oracle\script8\content\_glogowner\ACTION\_ARG.csv
- glog\oracle\script8\content\_glogowner\ACTION\_DEF.csv
- glog\oracle\script8\content\_glogowner\ACTION\_DEF\_STATE.csv
- glog\oracle\script8\content\_glogowner\AGENT\_EVENT.csv
- glog\oracle\script8\content\_glogowner\APP\_ACTION.csv
- glog\oracle\script8\content\_glogowner\BN\_CONTEXT.csv
- glog\oracle\script8\content\_glogowner\BN\_RULE.csv
- glog\oracle\script8\content\_glogowner\BN\_TYPE.csv

- glog\oracle\script8\content\_glogowner\DATA\_TYPE\_ASSOCIATION.csv
- glog\oracle\script8\content\_glogowner\DOCUMENT\_DEF.csv
- glog\oracle\script8\content\_glogowner\FINDER\_SET.csv
- glog\oracle\script8\content\_glogowner\LOGFILE\_DETAIL.csv
- glog\oracle\script8\content\_glogowner\NOTIFY\_SUBJECT.csv
- glog\oracle\script8\content\_glogowner\NOTIFY\_SUBJECT\_STYLESHEET.csv
- glog\oracle\script8\content\_glogowner\QUERY\_TABLE.csv
- glog\oracle\script8\content\_glogowner\RATE\_ATTRIBUTE.csv
- glog\oracle\script8\content\_glogowner\RULE.csv
- glog\oracle\script8\content\_glogowner\RULE\_SET\_JOIN.csv
- glog\oracle\script8\content\_glogowner\STYLESHEET\_PROFILE.csv
- glog\oracle\script8\content\_glogowner\TRANSLATION.csv
- glog\oracle\script8\content\_glogowner\TRANSLATION\_D\_ERR\_en.csv
- glog\oracle\script8\content\_glogowner\TRANSLATION\_D\_EXPL\_en.csv
- glog\oracle\script8\content\_glogowner\TRANSLATION\_D\_QUERY\_en.csv
- glog\oracle\script8\content\_glogowner\TRANSLATION\_D\_en.csv
- glog\oracle\script8\content\_glogowner\TRANSLATION\_ERR.csv
- glog\oracle\script8\content\_glogowner\TRANSLATION\_QUERY.csv
- glog\oracle\script8\content\_glogowner\TRANSPORT\_MODE.csv
- glog\oracle\script8\content\_glogowner\V50BP\_ACTION.csv
- glog\oracle\script8\content\_glogowner\V50BP\_ACTION\_ARG.csv
- glog\oracle\script8\content\_glogowner\V50BP\_ACTION\_DEF.csv
- glog\oracle\script8\content\_glogowner\V50BP\_ACTION\_DEF\_STATE.csv
- glog\oracle\script8\content\_glogowner\V50BP\_AGENT\_EVENT.csv
- glog\oracle\script8\content\_glogowner\V50BP\_APP\_ACTION.csv
- glog\oracle\script8\content\_glogowner\V50BP\_BN\_CONTEXT.csv
- glog\oracle\script8\content\_glogowner\V50BP\_BN\_RULE.csv
- glog\oracle\script8\content\_glogowner\V50BP\_BN\_TYPE.csv
- glog\oracle\script8\content\_glogowner\V50BP\_DATA\_TYPE\_ASSOCIATION.csv
- glog\oracle\script8\content\_glogowner\V50BP\_LOGFILE\_DETAIL.csv
- glog\oracle\script8\content\_glogowner\V50BP\_NOTIFY\_SUBJECT.csv
- glog\oracle\script8\content\_glogowner\V50BP\_NOTIFY\_SUBJECT\_STYLESHEET.csv
- glog\oracle\script8\content\_glogowner\V50BP\_QUERY\_TABLE.csv
- glog\oracle\script8\content\_glogowner\V50BP\_RATE\_ATTRIBUTE.csv
- glog\oracle\script8\content\_glogowner\V50BP\_RULE.csv
- glog\oracle\script8\content\_glogowner\V50BP\_RULE\_SET\_JOIN.csv
- glog\oracle\script8\content\_glogowner\V50BP\_STYLESHEET\_PROFILE.csv
- glog\oracle\script8\content\_glogowner\V50BP\_TRANSLATION.csv
- glog\oracle\script8\content\_glogowner\V50BP\_TRANSLATION\_D\_ERR\_en.csv
- glog\oracle\script8\content\_glogowner\V50BP\_TRANSLATION\_D\_EXPL\_en.csv
- glog\oracle\script8\content\_glogowner\V50BP\_TRANSLATION\_D\_QUERY\_en.csv
- glog\oracle\script8\content\_glogowner\V50BP\_TRANSLATION\_D\_en.csv
- glog\oracle\script8\content\_glogowner\V50BP\_TRANSLATION\_ERR.csv



- glog\oracle\script8\content\_glogowner\V50BP\_TRANSLATION\_QUERY.csv
- glog\oracle\script8\content\_glogowner\V50BP\_TRANSPORT\_MODE.csv
- glog\oracle\script8\content\_glogowner\V50BP\_XML\_BUILDER.csv
- glog\oracle\script8\content\_glogowner\V50BP\_insert\_glogowner\_data.txt
- glog\oracle\script8\content\_glogowner\V50BP\_update\_glogowner\_data.txt
- glog\oracle\script8\content\_glogowner\V50B\_FINDER\_SET.csv
- glog\oracle\script8\content\_glogowner\XML\_BUILDER.csv
- glog\oracle\script8\content\_glogowner\csv\_glogowner\_tables.txt
- glog\oracle\script8\content\_glogowner\xml\finder\_set\document.xml
- glog\oracle\script8\content\_glogowner\xml\finder\_set\document\_def.xml
- glog\oracle\script8\content\_glogowner\xml\finder\_set\general\_ledger\_code.xml
- glog\oracle\script8\content\_glogowner\xml\finder\_set\logistics\_guide.xml
- glog\oracle\script8\content\_glogowner\xml\finder\_set\logistics\_guide\_template.xml
- glog\oracle\script8\content\_glogowner\xml\finder\_set\order\_movement.xml
- glog\oracle\script8\content\_glogowner\xml\finder\_set\order\_release.xml
- glog\oracle\script8\content\_glogowner\xml\manager\_layout\freight\_forwarding.xml
- glog\oracle\script8\content\_glogowner\xml\manager\_layout\freight\_forwarding\_view.xml
- glog\oracle\script8\content\_glogowner\xml\manager\_layout\invoice.xml
- glog\oracle\script8\content\_glogowner\xml\manager\_layout\invoice\_view.xml
- glog\oracle\script8\content\_glogowner\xml\manager\_layout\location.xml
- glog\oracle\script8\content\_glogowner\xml\manager\_layout\location\_view.xml
- glog\oracle\script8\content\_glogowner\xml\manager\_layout\shipment.xml
- glog\oracle\script8\content\_glogowner\xml\manager\_layout\shipment\_view.xml
- glog\oracle\script8\content\_glogowner\xml\user\_menu\_layout\adminmenu.xml
- glog\oracle\script8\content\_glogowner\xml\user\_menu\_layout\dbaadmin.xml
- glog\oracle\script8\content\_glogowner\xml\user\_menu\_layout\defaultmenu.xml
- glog\oracle\script8\content\_procure\ACTION.csv
- glog\oracle\script8\content\_procure\ACTION\_ARG.csv
- glog\oracle\script8\content\_procure\ACTION\_DEF.csv
- glog\oracle\script8\content\_procure\ACTION\_DEF\_STATE.csv
- glog\oracle\script8\content\_procure\TRANSLATION.csv
- glog\oracle\script8\content\_procure\TRANSLATION\_D\_QUERY\_en.csv
- glog\oracle\script8\content\_procure\TRANSLATION\_D\_en.csv
- glog\oracle\script8\content\_procure\TRANSLATION\_QUERY.csv
- glog\oracle\script8\content\_procure\V50BP\_ACTION.csv
- glog\oracle\script8\content\_procure\V50BP\_ACTION\_ARG.csv
- glog\oracle\script8\content\_procure\V50BP\_ACTION\_DEF.csv
- glog\oracle\script8\content\_procure\V50BP\_ACTION\_DEF\_STATE.csv
- glog\oracle\script8\content\_procure\V50BP\_TRANSLATION.csv
- glog\oracle\script8\content\_procure\V50BP\_TRANSLATION\_D\_QUERY\_en.csv
- glog\oracle\script8\content\_procure\V50BP\_TRANSLATION\_D\_en.csv
- glog\oracle\script8\content\_procure\V50BP\_TRANSLATION\_QUERY.csv
- glog\oracle\script8\content\_procure\xml\finder\_set\lane\_summary.xml

- glog\oracle\script8\content\_procure\xml\finder\_set\p\_shipment.xml
- glog\oracle\script8\content\_report\REPORT.csv
- glog\oracle\script8\content\_report\REPORT\_PARAMETER.csv
- glog\oracle\script8\create\_dbpatch\_50b.sql
- glog\oracle\script8\create\_dbupdate\_50b.sql
- glog\oracle\script8\create\_glogowner\_comments.sql
- glog\oracle\script8\create\_public\_synonyms.sql
- glog\oracle\script8\create\_stops\_info\_bov.sql
- glog\oracle\script8\create\_triggers.sql
- glog\oracle\script8\dbupdate\_50b.sql
- glog\oracle\script8\glogowner\_grants.sql
- glog\oracle\script8\mark\_all\_ga\_structure\_applied.sql
- glog\oracle\script8\pkg\checkc.pkb
- glog\oracle\script8\pkg\checkc.pks
- glog\oracle\script8\pkg\create\_index.pkb
- glog\oracle\script8\pkg\create\_index.pks
- glog\oracle\script8\pkg\create\_table.pkb
- glog\oracle\script8\pkg\create\_table.pks
- glog\oracle\script8\pkg\domainman.pkb
- glog\oracle\script8\pkg\foreign\_key.pkb
- glog\oracle\script8\pkg\foreign\_key.pks
- glog\oracle\script8\pkg\pkg\_queue\_management.pkb
- glog\oracle\script8\pkg\primary\_key.pkb
- glog\oracle\script8\pkg\primary\_key.pks
- glog\oracle\script8\pkg\rri.pkb
- glog\oracle\script8\pkg\rri.pks
- glog\oracle\script8\procure\create\_views.sql
- glog\oracle\script8\procure\procure\_table.pkb
- glog\oracle\script8\procure\procurement.pkb
- glog\oracle\script8\procure\procurement.pks
- glog\oracle\script8\procure\transform.pkb
- glog\oracle\script8\procure\transform.pks
- glog\reports\logistics\_guide.rdf

## **7. Next Scheduled Release**

The next Service Release is scheduled for August 2005.



## 8. Technical Support

Contact Oracle support if you need assistance with this service release:

Internet:

<https://metalink.oracle.com/>

Phone support is provided based on the country you are located in. To find the support number for your region please go to the following link. <http://www.oracle.com/support/contact.html>

You should also have the following logs available before you call Customer Support:

- **dbpatch\_\_<version>\_<dbsid>\_<date>.log** (adds/updates data due to minor enhancements or fixes)
- **update\_content.log** (inserts/updates PUBLIC data included in the service release)

