



Oracle[®]

WebCenter

Interaction

Upgrade Guide for Windows

Version 10g Release 3 (10.3.0.0.1)
Revised: January 2009

Contents

Copyright...5

1. About This Guide

Audience.....	7
Oracle Documentation and Resources.....	8

2. Installation Prerequisites

Software Requirements.....	11
Oracle Environment Variables.....	13
Preparing WebLogic for Oracle WebCenter Interaction.....	13
Preparing Tomcat for Oracle WebCenter Interaction.....	15

3. Upgrading from AquaLogic Interaction 6.5 MP1 to Oracle WebCenter Interaction 10.3

Oracle WebCenter Interaction 10.3 Installer Wizard Pages on Windows.....	18
Running the 6.5 MP1 to 10.3 SQL Database Upgrade Script.....	23
Description of Changes to Configuration Files.....	23
Description of Changes in Adaptive Layout Files.....	24
Description of Changes to basepagelayout.html.....	25
Description of Changes to communityselectionlayout.html.....	26
Description of Changes to errorpagelayout.html.....	27
Description of Changes to loginpagelayout.html.....	27
Description of Changes to myaccountpagelayout.html.....	28
Description of Changes to portletdefaultlayout.html.....	28
Description of Changes to portletselectionlayout.html.....	29
Description of Changes to profilepagelayout.html.....	29

Copyright

Oracle WebCenter Interaction Upgrade Guide for Windows, 10g Release 3 (10.3)

Copyright © 2007, 2008, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the

additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

About This Guide

This documentation describes how to upgrade to Oracle WebCenter Interaction 10.3 from AquaLogic Interaction 6.5 MP1 on Windows platforms. It is designed to be a quick reference for users with installation experience, while also providing detailed instructions for users installing for the first time.

This guide is organized as follows:

- This section provides information on the intended audience of this documentation, typographical conventions used in this guide, and a list of other Oracle documentation and resources related to this product.
- *[Installation Prerequisites](#)* on page 11 describes software requirements and other prerequisites to installation.
- *[Upgrading from AquaLogic Interaction 6.5 MP1 to Oracle WebCenter Interaction 10.3](#)* on page 17 describes how to upgrade Oracle WebCenter Interaction components.

Audience

This documentation is written for the user responsible for installing or upgrading this product. This user must have strong knowledge of the platform operating system, database, web and application servers, and any other third-party software required for installation

Oracle Documentation and Resources

The following documentation and resources are available from Oracle.

Table 1: Documentation

Resource	Description
Installation Guide for Windows	<p>This guide describes the prerequisites (such as required software) and procedures for installing Oracle WebCenter Interaction 10.3 on Windows machines.</p> <p>It is available on the Oracle Technology Network at http://download.oracle.com/docs/cd/E13158_01/ahui/wci/docs103/index.html.</p>
Installation Guide for Unix and Linux	<p>This guide describes the prerequisites (such as required software) and procedures for installing Oracle WebCenter Interaction 10.3 on Unix and Linux machines.</p> <p>It is available on the Oracle Technology Network at http://download.oracle.com/docs/cd/E13158_01/ahui/wci/docs103/index.html.</p>
Upgrade Guide for Windows	<p>This guide describes the prerequisites (such as required software) and procedures for upgrading from AquaLogic Interaction 6.5 MP1 to Oracle WebCenter Interaction 10.3 on Windows machines.</p> <p>It is available on the Oracle Technology Network at http://download.oracle.com/docs/cd/E13158_01/ahui/wci/docs103/index.html.</p>
Upgrade Guide for Unix and Linux	<p>This guide describes the prerequisites (such as required software) and procedures for upgrading from AquaLogic Interaction 6.5 MP1 to Oracle WebCenter Interaction 10.3 on Unix and Linux machines.</p> <p>It is available on the Oracle Technology Network at http://download.oracle.com/docs/cd/E13158_01/ahui/wci/docs103/index.html.</p>
Release Notes	<p>The release notes provide information about new features, issues addressed, and known issues in the release.</p> <p>They are available on the Oracle Technology Network at http://download.oracle.com/docs/cd/E13158_01/ahui/wci/docs103/index.html.</p>

Resource	Description
Administrator Guide	<p>This guide describes how to manage, maintain, and troubleshoot Oracle WebCenter Interaction.</p> <p>It is available on the Oracle Technology Network at http://download.oracle.com/docs/cd/E13158_01/ahui/wci/docs103/index.html.</p>
User Guide	<p>This guide describes how end-users browse and interact with Oracle WebCenter Interaction.</p> <p>It is available on the Oracle Technology Network at http://download.oracle.com/docs/cd/E13158_01/ahui/wci/docs103/index.html.</p>
Online Help	<p>The online help is written for all levels of Oracle WebCenter Interaction users. It describes the user interface for Oracle WebCenter Interaction and gives detailed instructions for completing tasks in Oracle WebCenter Interaction.</p> <p>To access online help, click the help icon.</p>

Table 2: Other Resources

Resource	Description
Oracle Technology Network (OTN)	<p>The Oracle Technology Network is the world's largest community of developers, DBAs, and architects using Oracle products and industry-standard technologies. Every day, members collaborate via OTN to share real-world insight, expertise, and best practices on how to build, deploy, manage, and optimize applications.</p> <p>As a member of the Oracle Technology Network you will enjoy access to software downloads, discussion forums, documentation, wikis, podcasts, blogs, plus much more.</p> <p>Access the Oracle Technology Network at http://www.oracle.com/technology/index.html.</p>

Resource	Description
Oracle Support	<p>The Oracle Support site provides access to all Oracle support resources including online support, software and patches, technical articles, and contact numbers.</p> <p>Access the Oracle Support site at http://www.oracle.com/support/index.html.</p>

Installation Prerequisites

This chapter describes the prerequisites that must be met before you install Oracle WebCenter Interaction.

Software Requirements

This topic describes the software prerequisites for Oracle WebCenter Interaction 10.3 on Windows platforms.

The following table summarizes operating system, database, and other software requirements of Oracle WebCenter Interaction. For the most current platform support information, see the Interoperability Matrix in the Product Center at one.bea.com/support.

Component	Requirement
Oracle WebCenter Interaction Host Machine	<ul style="list-style-type: none"> Microsoft Windows Server 2003 SP2, on x86 <p>Note: If you are running Oracle WebCenter Interaction on .NET, you must configure the portal host machine to run using 3GB of virtual memory. For details, see the documentation for your version of Microsoft Windows.</p>

Component	Requirement
Database Server Host Machine	<ul style="list-style-type: none"> • Microsoft SQL Server 2005 or 2005 SP2 (with SQL Server 2000 compatibility level) 32 and 64-bit in default or failover cluster configuration • Oracle 9i (9.2.0.7) in default or Oracle RAC configuration • Oracle 10g (10.1.0.3) or Oracle 10g R2 (10.2.0.x and above) in default or Oracle RAC configuration • Oracle 11g (11.1.0.6 and above) in default or Oracle RAC configuration
Web Application Server	<ul style="list-style-type: none"> • Apache Tomcat 6.0.14 with Sun JDK 1.5.0.1 or Oracle jRockit 1.5.0.12 • Oracle-BEA WebLogic 9.2 MP1 with Sun JRE 1.5.0.1 or Oracle jRockit 1.5.0.12 • Oracle-BEA WebLogic 10.0 MP1, MP2, or MP3 with Sun JRE 1.5.0.1 or Oracle jRockit 1.5.0.12 • Oracle WebLogic 10gR3 (10.3.0) with Oracle jRockit • Microsoft IIS 6.0 with .NET Framework 2.0, 32-bit
Virtualization System	<ul style="list-style-type: none"> • VMWare ESX 3 and above • Microsoft Virtual Server 2005
Browser	<ul style="list-style-type: none"> • Microsoft Internet Explorer 6.0, 6.0 SP1, 6.0 SP2 (on XP), 7.0 (on Vista), or 7.0 SP2 (on XP SP2) • Firefox 2.0 or 3.0 • Safari 2.0

Oracle Environment Variables

This table describes the Oracle Environment variables that must be set when installing Oracle WebCenter products to UNIX or Windows instances of Oracle 9i or 10g.

Environment Variable	Description	Example Values
ORACLE_BASE	Must be set to the root directory of your Oracle installation.	<ul style="list-style-type: none">• (UNIX) /opt/oracle• (Windows) C:\oracle
ORACLE_HOME	Must be set to the home directory of your Oracle installation.	<ul style="list-style-type: none">• (UNIX) /opt/oracle/ora92• (Windows) C:\oracle\ora92
ORACLE_SID	Must be set to the system ID (SID) of the portal database instance.	<ul style="list-style-type: none">• (Oracle 9i) PLUM• (Oracle 10g) PLUM10 <p>Note: PLUM or PLUM10 are expected by the SQL scripts. If you set your SID to a value other than these example values, you must edit the SQL scripts to reflect this change.</p>

Preparing WebLogic for Oracle WebCenter Interaction

This topic describes how to configure WebLogic Server for use with the Oracle WebCenter Interaction portal application.

WebLogic Basic Authentication must be disabled for the Oracle WebCenter Interaction portal application on WebLogic Server. To do this, in the WebLogic `config.xml` for the Oracle

WebCenter Interaction portal, set `<enforce-valid-basic-auth-credentials>` to false.

1. Disable WebLogic Basic Authentication for the Oracle WebCenter Interaction portal application.

To do this, in the WebLogic `config.xml` for the Oracle WebCenter Interaction portal, set `<enforce-valid-basic-auth-credentials>` to false.

```
<security-configuration>
...
<enforce-valid-basic-auth-credentials>
  false
</enforce-valid-basic-auth-credentials>
</security-configuration>
```

2. On AIX, HP-UX, and Solaris, verify that your WebLogic domain is configured to use a valid 64-bit Java SDK.
3. On AIX, HP-UX, and Solaris, add `-d64` to your domain's `JAVA_OPTIONS`.

To do this, edit the `setDomainEnv.sh` script for your domain. Find where `JAVA_OPTIONS` is set, near the end of the file, and add the `-d64` flag.

For example:

```
#JAVA_OPTIONS="${JAVA_OPTIONS}"
JAVA_OPTIONS="-d64 ${JAVA_OPTIONS}"
export JAVA_OPTIONS
```

4. Increase the JVM's `MaxPermSize`.

A `MaxPermSize` of 256m is recommended. If `MaxPermSize` is set too low, you will see `java.lang.OutOfMemoryError: PermGen space` when attempting to start the portal.

To increase `MaxPermSize`, edit the `setDomainEnv.sh` script for your domain. Find where `MaxPermSize` is being set for your `JAVA_VENDOR`, and set it to 256m.

For example:

```
if [ "${JAVA_VENDOR}" = "HP" ] ; then
    #MEM_ARGS="${MEM_ARGS} -XX:MaxPermSize=128m"
    MEM_ARGS="${MEM_ARGS} -XX:MaxPermSize=256m"
    export MEM_ARGS
fi
```

Preparing Tomcat for Oracle WebCenter Interaction

This topic describes configuration of Tomcat required prior to the installation and deployment of Oracle WebCenter Interaction.

1. Create the directory `tomcat_home/conf/Catalina/localhost`, if necessary.
On a fresh install of Tomcat 6.0, this directory might not exist. If the directory does not exist, you must create it.
2. On AIX, HP-UX, and Solaris, verify that Tomcat is configured to use a valid 64-bit Java SDK.
3. On AIX, HP-UX, and Solaris, add `-d64` to Tomcat's Java options.

To do this, edit your Tomcat `catalina.sh` script. Add `-d64` to the `JAVA_OPTS` environment variable.

For example:

```
JAVA_OPTS="-d64 ${JAVA_OPTS}"  
Export $JAVA_OPTS
```


Upgrading from AquaLogic Interaction 6.5 MP1 to Oracle WebCenter Interaction 10.3

This section provides an outline of the tasks required to upgrade your AquaLogic Interaction 6.5 MP1 installation to Oracle WebCenter Interaction 10.3 on Windows platforms.

1. If you have multiple search nodes in a search cluster, purge the contents of your search cluster.
For details, see [Purging the Search Cluster](#) This topic describes how to use the *cadmin* tool to purge the search cluster contents. .

2. Shut down your search node(s).

From the **Services** control panel, stop the **BEA ALI Search *host_name*** service.

Note: This needs to be done on each machine that hosts a search node.

3. If you have previously installed AquaLogic Pathways as part of your AquaLogic User Interaction deployment, you must uninstall Pathways.

Pathways is not supported by Oracle WebCenter Interaction 10.3.

For information on uninstalling Pathways, refer to the *Installation Guide for AquaLogic Pathways*.

4. Upgrade your portal servers, automation servers, and search server components using the Oracle WebCenter Interaction 10.3 installer.

For details, see [Oracle WebCenter Interaction 10.3 Installer Wizard Pages on Windows](#) on page 18.

5. Upgrade the Oracle WebCenter Interaction database.

For details, see [Running the 6.5 MP1 to 10.3 SQL Database Upgrade Script](#) on page 23

6. If you added or changed and custom styles or tag libraries, migrate your changes to the new configuration files.
For details, see [Description of Changes to Configuration Files](#) on page 23.
7. If you customized the adaptive layout files, migrate your changes to the new layout files.
For details, see [Description of Changes in Adaptive Layout Files](#) on page 24.
8. Restart portal and start your search node(s).
Do not start the automation servers.
9. Rebuild your portal search index.
For details, see [Rebuilding the Search Index](#)*This topic describes the proper procedure for rebuilding your Search index.*
10. Upgrade any other Oracle WebCenter products you have installed using the associated 10.3 installers.
For example, if you use identity services, content services, Oracle WebCenter Collaboration, Oracle WebCenter Analytics, or any other Oracle WebCenter products, you must also upgrade those products.
For details, see the upgrade guides for the associated products.
11. If you are using Oracle WebCenter Collaboration or Oracle-BEA AquaLogic Interaction Publisher, rebuild the associated indexes.
To do this, access the administration utility for each product via your portal. For details, see the following administrator guides:
 - *Administrator Guide for Oracle WebCenter Collaboration*
 - *Administrator Guide for AquaLogic Interaction Publisher*
12. Start your automation servers.
13. Import the Search Cluster Manager migration package.
For details, see [Importing the Search Cluster Manager Migration Package](#)*This topic describes how to import the Search Cluster Manager migration package.*

Oracle WebCenter Interaction 10.3 Installer Wizard Pages on Windows

This topic describes the Oracle WebCenter Interaction Windows installer wizard pages.

Wizard Page	Description
Introduction	This installer wizard page provides a brief description of the installer and describes how to run the installer in silent mode.
Installation Folder	Accept the default installation folder or select a different folder in which to install Oracle WebCenter Interaction. Default: C:\bea\alui
Upgrade Information	Indicates previously installed versions of portal products.
Choose Install Set	Select either Complete or Custom . If you select Complete , a full set of Oracle WebCenter Interaction components is installed. If you select Custom , you can select individual portal components to install according to your deployment plan.
Configuration Manager - Port and Password	Enter the port and password for the Configuration Manager web tool. The Configuration Manager will be used to complete the installation of Oracle WebCenter Interaction.
Web Application Environment: .NET or Java	Select .NET (IIS) or Java .
Auto-Deployment to a Java Web Application Server	Select a web application server to which you want to auto-deploy the Portal. Select Manual to manually deploy the portal to a web application server.
Tomcat Deployment Information	Enter the directory where the web application configuration files for the Tomcat web application server reside. Example: C:\jakarta-tomcat-5.0.28\conf\Catalina\localhost

Wizard Page	Description
Specify WebLogic Deployment Information	<p>Enter the WebLogic home directory, domain home, host name, port, domain, server, administrator user and administrator user password.</p> <p>Note: WebLogic domain and server names are case-sensitive. If the letter casing you enter does not match the running WebLogic domain and server, auto-deployment fails.</p> <p>Click Help for further details on this installer wizard page.</p>
Specify WebSphere Deployment Information	<p>Enter the WebSphere home directory, host name, SOAP port and application server name.</p> <p>Note: If you change the default host or application server, the host and application server you enter must already exist.</p>
Image Service: Auto-Deployment to Apache	<p>Select Apache to have the Image Service automatically deployed to Apache.</p> <p>Select Manual if you prefer to use a Web server other than Apache.</p>
Apache Deployment Information	<p>Enter the Apache configuration directory.</p> <p>Example directory: C:\Program Files\Apache Group\Apache2\conf\</p> <p>Enter the Apache Windows service name.</p> <p>Example name: Apache2</p>
Select IIS Web Site	<p>Select Use Default Web Site if you want the component or components being installed deployed to port 80, the default HTTP port.</p> <p>Select Use another Web site if other applications are using port 80 and you do not want to share the port.”</p>

Wizard Page	Description
Specify IIS Web Site Information	<p>If you choose to deploy the portal to a Web site other than the default Web site, enter the IIS Web site name and HTTP and HTTPS ports you want to use for accessing the portal.</p> <p>Example Web site name: WCI</p> <p>Example HTTP port: 8082</p> <p>Example HTTPS port: 9092</p> <p>Note: If the name you enter is not the name of an existing IIS Web site, a new Web site is created. If the Web site already exists, the secure and non-secure ports will be changed to the entries made in the installer.</p>
Image Service Compression on IIS	<p>The Enable Image Service HTTP Compression checkbox is selected by default. Clear the checkbox if you do not want to use HTTP compression.</p>
Stand-alone or Cluster	<p>Select whether you would like to install a Single Stand-alone Search Node or add or replace a Search Cluster Node. Selecting to install the stand-alone search node installs a single node on the local machine. If you want to support failover, add or replace search cluster nodes.</p>
Search Nodes	<p>Select to add a new search node or replace an existing node.</p> <p>Note: Selecting to replace an existing node removes all information about the node that you are replacing from the system.</p>
Adding New Search Node	<p>Enter the name and port number of the new search node.</p> <p>The search node is installed into C:\bea\alui\ptsearchserver\10.3.0.</p>

Wizard Page	Description
Search Cluster Files	<p>Select the location of the search cluster files. You must have permission to access and write to the location where you want to install these files. Search cluster files are only installed if they do not already exist in the location that you select.</p> <p>Example: C:\bea\alui\ptsearchserver\10.3.0\cluster</p>
Pre-Installation Summary	<p>Review the list of components to be installed.</p> <p>Click Install.</p>
Launch Configuration Manager	<p>Launch the Configuration Manager.</p> <p>The Configuration Manager is located at:</p> <p><code>https://host:port</code></p> <p>Where <i>host</i> is the host you are installing on and <i>port</i> is the port you specified.</p> <p>Log in to the Configuration Manager using the user name <code>administrator</code> and the password you specified on the Configuration Manager – Port and Password page.</p> <p>The Configuration Manager displays a list of all recently installed components. Clicking the link next to each component leads you through the settings you need to configure to complete the installation. For information on the settings in the Configuration Manager, refer to the Configuration Manager online help or to the <i>Administrator Guide for Oracle WebCenter Interaction</i>.</p> <p>When you have completed all Configuration Manager tasks, return to the installer and click Done.</p>

Running the 6.5 MP1 to 10.3 SQL Database Upgrade Script

1. Backup the portal database.
2. Run the SQL script that is appropriate for your database.

The following table lists the scripts and their locations:

Database	Location	Script
Microsoft SQL Server	<i>install_dir\portal\10.3.0\sql\mssql</i>	<i>upgrade6.5to10.3.0_mssql.sql</i>
Oracle 9i, Unix	<i>install_dir\portal\10.3.0\sql\oracle_unix92</i>	<i>upgrade6.5to10.3.0_oracle.sql</i>
Oracle 10g, Unix	<i>install_dir\portal\10.3.0\sql\oracle_unix10</i>	<i>upgrade6.5to10.3.0_oracle.sql</i>
Oracle 9i, Windows	<i>install_dir\portal\10.3.0\sql\oracle_unix92</i>	<i>upgrade6.5to10.3.0_oracle.sql</i>
Oracle 10g, Windows	<i>install_dir\portal\10.3.0\sql\oracle10</i>	<i>upgrade6.5to10.3.0_oracle.sql</i>

Description of Changes to Configuration Files

When you upgrade your installation, the installer installs updated configuration files and backs up the previous versions of those files. This topic describes the difference between the updated configuration files and the previous versions of the files.

If you changed or added custom styles or tag libraries in your previous installation, you need to merge your changes to the updated configuration files.

The following configuration files have been updated:

- PT_HOME/settings/config/CustomStyles.xml
- PT_HOME/settings/config/FriendlyURLs.xml
- PT_HOME/settings/config/Tags.xml
- PT_HOME/settings/config/dynamicloads/Plugins/InterpreterFilters.xml
- PT_HOME/settings/config/dynamicloads/Utilities/DisplayDiagnosticPages.xml

During an upgrade, the previous versions of your configuration files are backed up to the same directory with a .bak extension.

CustomStyles.xml

CustomStyles.xml enables you to use alternate stylesheets that can be substituted based on language. You can only override the language stylesheets when your portal uses adaptive layouts.

In 10.3, the process for specifying custom stylesheets has changed:

- By default, `PT_HOME/ptimages/imageserver/plumtree/common/public/css/mainstyle.css` will be used for adaptive layouts. There will be no mappings defined in `CustomStyles.xml`. To override `mainstyle.css` and use an alternate stylesheet for a specified language, add a new mapping into `CustomStyles.css`.
- The `pt:standard.stylesheets` transformer tag will always return the legacy stylesheet link located in `PORTAL_HOME/i18n` whether or not adaptive layout mode is enabled.
- The `pt://styles` transformer tag performs differently depending on whether or not adaptive layout mode is enabled.
 - In adaptive layout mode, the `pt://styles` transformer tag will return `PT_HOME/ptimages/imageserver/plumtree/common/public/css/mainstyle.css` if there are no overrides in `CustomStyles.css`. If there are overrides, it will return the path to the custom stylesheet for the language specified.
 - In legacy mode, the `pt://styles` transformer tag will always return the path to the legacy stylesheets located in `PORTAL_HOME/i18n`.
- The legacy stylesheets located in `PORTAL_HOME/i18n` will always be used for non-hosted gatewayed pages whether or not adaptive layout mode is enabled.

Refer to the TagDocs for more information about the `pt:standard.stylesheets` and `pt://styles` tags.

Description of Changes in Adaptive Layout Files

This topic describes the difference between the 10.3 and 6.5 versions of the adaptive layout files.

If you changed the adaptive layout files in your previous installation, you need to merge your changes to the updated adaptive layout files.

The following adaptive layout files have been updated:

- `basepagelayout.html`

For details, refer to [Description of Changes to basepagelayout.html](#) on page 25.

- `portletdefaultlayout.html`

For details, refer to [Description of Changes to portletdefaultlayout.html](#) on page 28.

- `portletselectionlayout.html`

For details, refer to [Description of Changes to portletselectionlayout.html](#) on page 29.

- `profilepagelayout.html`

For details, refer to [Description of Changes to profilepagelayout.html](#) on page 29.

The following adaptive layout files have been added:

- `communityselectionlayout.html`

For details, refer to [Description of Changes to communityselectionlayout.html](#) on page 26.

- `errorpagelayout.html`

For details, refer to [Description of Changes to errorpagelayout.html](#) on page 27.

- `loginpagelayout.html`

For details, refer to [Description of Changes to loginpagelayout.html](#) on page 27.

- `myaccountpagelayout.html`

For details, refer to [Description of Changes to myaccountpagelayout.html](#) on page 28.

Description of Changes to basepagelayout.html

You can find complete list of differences for basepagelayout.html at

http://download.oracle.com/docs/cd/E13158_01/alui/wci/docs103/layoutdiffs/basepagelayout-diff.html.

Summary of changes:

- Updated link to CSS stylesheet used for adaptive layouts by using `pt://styles` tag. For more information, refer to [Description of Changes to Configuration Files](#) on page 23.
- Added Javascript function for enabling and disabling an anchor link. This is used to support disabling of certain action links when the Join Community Flyout is activated.
- Added rules debug link.

- Moved `FlyoutJSTagdeclaration` from `portletdefaultlayout.html` to support displaying of Join Community Flyout on any portal page.
- Changed flyout onclick call to pass in the flyout URL. The flyout will display in the `selectionEditordiv` defined in `portletdefaultlayout.html` when on a My Page or community page and display in the `basenavSelectionEditor` div on all other pages.
- Added "basenavSelectionEditor" div.
- Added "Edit My Communities" link in the Community drop-down menu when in adaptive layout mode.
- Removed the old "Join Communities" and "Unsubscribe Communities" links from the Community drop-down menu.
- Added new Error Page Tags for displaying and customization of errors.

Description of Changes to `communityselectionlayout.html`

The `communityselectionlayout.html` is a new layout.

Summary of layout:

- The Join Communities Flyout provides a way to join and leave communities from any page.
- There is an **Edit My Communities** link in the **My Communities** drop-down menu located on the base layout page that activates the flyout. This link and the flyout are available from any portal page.
- The Join Communities Flyout expands out from below the top banner using XHTML (no page refresh).
- This layout provides the equivalent functionality that is provided in the Join Communities and Unsubscribe Communities Editor:
 - Join a community
 - Unsubscribe from a community
 - Preview community
 - Send invitations
 - Search for communities
 - Pagination
 - Browse for communities
 - Provide breadcrumbs when browsing for communities
 - Join a community from the preview community dialog box
 - When in legacy UI mode, users still join or unsubscribe communities via the Join Communities Editor or Unsubscribe Communities Editor

- This layout utilizes a new Join Communities Tag Library (joincommunitypageeditor) for displaying community data in the UI.
- Joining and leaving a community utilizes JSON RESTful APIs to perform the requests; `joincommunities.js` located on the Image Server (`pt://images/plumtree/portal/private/joincommunities/joincommunities.js`) provides the supporting Javascript methods for calling these APIs.
- All the specific CSS that are used in the layout are defined in `joincommunities.css` located on the Image Server (`pt://images/plumtree/portal/private/joincommunities/joincommunities.css`).

Refer to the individual tag docs for additional details on specific tags.

Description of Changes to `errorpagelayout.html`

The `errorpagelayout.html` is a new layout.

Summary of layout:

- In Adaptive Layout Mode, this layout replaces the Error Page previously served directly from the portal code.
- This layout leverages error tags to render various components of the Error Page; this enables you to easily customize the error pag.
- All the tags used (for example, `ptui.errortext` and `ptui.errorextendedmessage`) should be contained in an `ptui.error` tag.

Refer to the individual tag docs for additional details on specific tags.

Description of Changes to `loginpagelayout.html`

The `loginlayout.html` is a new layout.

Summary of layout:

- In Adaptive Layout Mode, this layout replaces the Login Page previously served directly from the portal code.
- This layout leverages display tags to render various components of the Login Page. The Portal Login portlet complements this layout.
- You can use this layout to create a custom login page with no other portlets on it, but you can also continue to use the Portal Login portlet if you want users to peruse the portal as guests before logging in.

- All the tags used (for example, `ptui.loginusername`, `ptui.loginpassword`, `ptui.loginauthsource`, `ptui.loginrememberme`, `ptui.loginbutton`, and `ptui.createaccount`) should be contained in a `ptui.loginform` tag.
- All the tags used in this page can be used on any other portal page.

Refer to the individual tag docs for additional details on specific tags.

Description of Changes to `myaccountpagelayout.html`

The `myaccountpagelayout.html` is a new layout.

Summary of layout:

- In Adaptive Layout Mode, this layout in Adaptive Layout Mode replaces My Account page previously served directly from the portal code.
- This layout uses the `ptdata.myaccountdata` tag and displays links on the My Account page.
- The `ptdata.myaccountdata` tag contains a list of elements and each element holds Name of the Setting, URL, and Description.
- The `ptdata.myaccountdata` tag used on this page can be used anywhere in the portal to display My Account links such as **Edit User Profile** for editing the current user profile, **Display Options** to modify current users display options, and so on.

Refer to the individual tag docs for additional details on specific tags.

Description of Changes to `portletdefaultlayout.html`

You can find complete list of differences for `portletdefaultlayout.html` at

http://download.oracle.com/docs/cd/E13158_01/alui/wci/docs103/layoutdiffs/portletdefaultlayout-diff.html.

Summary of changes:

- Moved one-click Join/Unsubscribe this Community link to the left after breadcrumbs.
- Removed flyoutJS declaration. This was moved to the `basepagelayout.html` and `profilepagelayout.html` to support displaying the Join Community Flyout Editor from any page.
- Changed flyout onclick call to pass in the flyoutURL. The flyout displays in the `selectionEditordiv` defined in `portletdefaultlayout.html` when on a My Page or community page and displays in the `basenavSelectionEditordiv` on all other pages. Also switched the **Edit Page** link text when opening and closing the Portlet Selection Flyout.

- Renamed flyout div id from `portletSelection` to `selectionEditor` to generalize the name of the ID as this is shared between the Join Community Flyout and Portlet Selection Flyout Editors.

Description of Changes to `portletselectionlayout.html`

You can find complete list of differences for `portletselectionlayout.html` at http://download.oracle.com/docs/cd/E13158_01/ahui/wci/docs103/layoutdiffs/portletselectionlayout-diff.html.

Summary of changes:

- Renamed flyoutID from `portletSelection` to `selectionEditor` to generalize the name of the ID as this is shared between the Join Community Flyout and Portlet Selection Flyout Editors.

Description of Changes to `profilepagelayout.html`

You can find complete list of differences for `profilepagelayout.html` at http://download.oracle.com/docs/cd/E13158_01/ahui/wci/docs103/layoutdiffs/profilepagelayout-diff.html.

Summary of changes:

- Moved `FlyoutJSTagdeclaration` from `portletdefaultlayout.html` to support displaying of Join Community Flyout on any portal page.
- Changed flyout onclick call to pass in the flyout URL. The flyout will display in the `selectionEditordiv` defined in `portletdefaultlayout.html` when on a My Page or community page and display in the `basenavSelectionEditor` div on all other pages.
- Added "`basenavSelectionEditor`" div.
- Added **Edit My Communities** link in the **Community** drop-down menu when in adaptive layout mode.
- Removed the old **Join Communities** and **Unsubscribe Communities** links from the **Community** drop-down menu.

