

Oracle Insurance

**Insbridge Rating and
Underwriting**

**SoftRater for WebSphere
Installation Guide**

Release 3.13

December 2009

Copyright © 2005, 2009, Oracle and/or its affiliates. All rights reserved.

Oracle Insurance Insbridge Rating and Underwriting SoftRater for WebSphere Installation Guide

Release 3.13

Part # E16310-01

Library # E16330-01

December 2009

Primary Authors: Mary Elizabeth Wiger

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS

Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Where an Oracle offering includes third party content or software, we may be required to include related notices. For information on third party notices and the software and related documentation in connection with which they need to be included, please contact the attorney from the Development and Strategic Initiatives Legal Group that supports the development team for the Oracle offering. Contact information can be found on the Attorney Contact Chart.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your beta trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Software License and Service Agreement, which has been executed and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

CONTENTS

	UPGRADE NOTICE FOR RELEASE 03.13.00	V
	PREFACE	VI
	Audience	vi
	Related Documents	vi
	Conventions	vi
	System Requirements.....	vii
	E-Delivery.....	vii
	Manual History	vii
CHAPTER 1		
	SYSTEM REQUIREMENTS	9
	IBM WebSphere 6.1.....	9
	Locating the Configuration Files	9
CHAPTER 2		
	INSTALLATION PROCEDURES	10
	Create INSBRIDGE_APP_DIR in Name Space Bindings	10
	Create an Insbridge Shared Library for DB2	12
	Installing the EAR File.....	13
	On the WebSphere Application Server.....	16
	Assigning the Shared Insbridge Libraries	16
CHAPTER 3		
	CREATING A SOFTRATER DATABASE	18
	Microsoft SQL Server.....	18
	ORACLE	18
	IBM DB2.....	19
CHAPTER 4		
	SETTING UP INSBRIDGE.NET.SOFTRATER.XML CONFIG FILE	20
CHAPTER 5		
	MANAGING SOFTRATER FOR WEBSPPHERE	21
	SoftRater Server Web.....	21
	Update SOAP Services Configuration	22
CHAPTER 6		
	ACCESSING THE APPLICATION.....	24

CHAPTER 7

UPGRADING THE APPLICATION	25
UPGRADE NOTICE for Release 03.13.00	25
Upgrading from a Previous Release	26

SUPPORT

CONTACTING SUPPORT	27
TTY Access to Oracle Support Services	27

INDEX

INDEX	28
-------------	----

LIST OF FIGURES

FIGURE 1 CHANGING SCOPE TO SERVER.....	10
FIGURE 2 CREATING A NEW NAME SPACE	11
FIGURE 3 CREATE NAME SPACE BINDING	11
FIGURE 4 CREATING A SHARED LIBRARY	12
FIGURE 5 CREATING DB2 LIBRARY	12
FIGURE 6 INSTALLING THE EAR FILE	13
FIGURE 7 PROVIDING OPTIONS	14
FIGURE 8 MAPPING TO APPLICATION SERVERS.....	15
FIGURE 9 SUMMARY	15
FIGURE 10 SHARED LIBRARY REFERENCES	16
FIGURE 11 ASSIGNING LIBRARY	17
FIGURE 12 SOFTRATER SERVER WEB.....	21
FIGURE 13 UPDATING SOAP SERVICES.....	22
FIGURE 14 UPDATING SOAP ENDPOINT	23
FIGURE 15 SOFTRATER FOR WEBSPHERE HOME PAGE	24

UPGRADE NOTICE FOR RELEASE 03.13.00

This notice is for customers currently running a SoftRater for Java engine Release 3.12 or lower. This includes:

- **SoftRater for WebLogic**
- **SoftRater for WebSphere**
- **SoftRater for JBoss**

Necessary updates have been made to the SoftRater for Java engines. This includes:

- **SoftRater for WebSphere has been updated to SOAP version 1.1.**
- **SoftRater for WebLogic has been updated to SOAP version 1.2.**
- **SoftRater for JBoss has been updated to SOAP version 1.2.**

These changes mean that the WSDLs for the SoftRater for Java engines have been modified. Updated WSDL documents will need to be incorporated into any client calling application that communicates with SoftRater. If upgrades are done to the SoftRater for Java engines without updating the calling applications, the calling application will fail.

Please update a test environment prior to deploying to production. Install the .EAR file in a test environment to obtain the WSDL. Update your calling application and then test. When testing is complete, you can upgrade your other environments.

NOTE: *Customers running a Windows only environment, without a Java component, will not be affected.*

These updates are for the 3.13 release of SoftRater for Java engines only.

PREFACE

Welcome to the *Oracle Insurance Insbridge Rating and Underwriting SoftRater for WebSphere Installation Guide*. SoftRater for WebSphere is an EJB application that can be installed on an IBM WebSphere Application Server. SoftRater is the multi-platform rating engine component within the Insbridge Rating and Underwriting System (IBRU) that executes the rating and underwriting instructions as defined by the user in RateManager.

The Insbridge SoftRater Server (IBSS) is the container for all Insbridge web components including the SoftRater Engine. All independent Insbridge components will be contained in the SoftRater Server.

AUDIENCE

This guide is intended for technical personal, such as installers, system administrators and others tasked with configuring SoftRater that would be involved in the maintenance and operation of SoftRater or RateManager. The audience for this guide should have a thorough knowledge of WebSphere.

RELATED DOCUMENTS

For more information, refer to the following Oracle resources:

The Oracle Insurance Insbridge Rating and Underwriting Framework Administrator.

The Oracle Insurance Insbridge Rating and Underwriting SoftRater Server Guide.

You can view these guides in-line at this address:

<http://www.oracle.com/technology/documentation/insurance.html>

CONVENTIONS

The following text conventions are used in this document:

Convention	Description
bold	Boldface type indicates graphical user interface elements associated with an action.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

SYSTEM REQUIREMENTS

For minimum operating system and hardware requirements, please see the Hardware Software requirements guide.

E-DELIVERY

The Insbridge Rating and Underwriting (IBRU) System is available as a download from the Oracle E-Delivery system. Downloaded files are zipped. Prior to installation, please make sure the source machine(s) where SoftRater for WebSphere will be loaded has an unzip utility.

An unzip utility for most platforms is available on the E-Delivery download page.

Documentation from E-Delivery is in PDF format. Prior to installation, please make sure the source machine(s) where SoftRater for WebSphere documentation will be loaded has a PDF reader.

Files are downloaded with part numbers as file names. Please make note of the part numbers you have downloaded and the corresponding file name. You may be asked to provide the part numbers or the filename if you contact Oracle Insurance Support.

The SoftRater for WebSphere version 3.13.0 zip file will contain:

- The 3.13.0-insbridge-was-eng Folder, which contains:
 - IBSS_WS.ear file
 - Insbridge.net.softmaterconfig.xml

License files are no longer required.

If you are using Insbridge Framework Administrator and RateManager, SoftRater can be installed any time after the Insbridge Framework Administrator and RateManager have been installed. SoftRater must be installed prior to any users creating packages.

Manual History

New editions incorporate any updates issued since the previous edition.

Edition	Publication Number	Product Version	Publication Date	Comment
1 st Edition	P01-706-01			
2 nd Edition	P01-706-02	V 3.5		
3 rd Edition	P01-706-03	V 3.6	03/14/2006	Update 3.6
4 th Edition	P01-706-04	V 3.6	08/09/2006	Update logo
5 th Edition	P01-706-05	V 3.7	10/05/2006	Update to 3.7
6 th Edition	P01-706-06	V 3.8	7/19/2007	Update to 3.8
7 th Edition	P01-706-07	V 3.8.3	10/19/2007	Update to 3.8.3
8 th Edition	P01-706-08	V 3.8.5	November 2007	Update to 3.8.5
9 th Edition	P01-706-09	V 3.8.7	January 2008	Update to 3.8.7
10 th Edition	P01-706-10	V 3.8.8	March 2008	Update to 3.8.8

11 th Edition	P01-706-11	V 3.9	May 2008	Update to 3.9
12 th Edition	P01-706-12	V 3.10.0	September 2008	Update to 3.10
13 th Edition	P01-706-13	V 3.11	December 2008	Update to 3.11
14 th Edition	P01-706-14	V 3.12	July 2009	Update to 3.12
15 th Edition	P01-706-15	V 3.13	November 2009	Update to 3.13

SYSTEM REQUIREMENTS

IBM WEBSPHERE 6.1

SoftRater for WebSphere has been installed and tested on IBM WebSphere Advanced Server version 6.1 and up.

LOCATING THE CONFIGURATION FILES

We suggest creating a C:\Insbridge\config folder but you may use any folder name you want and you can place the folder anywhere you want. This folder will hold the necessary files for the SoftRater for WebSphere installation. Take note of the location and make sure you have created this folder prior to running the installation.

NOTE: *For the purposes of this guide, the location will be referred to as C:\Insbridge\config.*

The SoftRater for WebSphere zip file contains an XML file and an .EAR file inside.

- **IBSS_WS.ear**
- **Insbridge.net.softraterconfig.xml**

Place these files in the C:\Insbridge\config folder. Once you have these files in place, do not move them.

INSTALLATION PROCEDURES

CREATE INSBRIDGE_APP_DIR IN NAME SPACE BINDINGS

SoftRater uses an XML configuration (insbridge.net.softraterconfig.xml) file to store information in the configured rating environments. This file needs to be accessible to the Insbridge Rating and Underwriting SoftRater Server (IBSS) in order to operate. The location to define where the config file is located is stored using a Name Space Binding string in the WebSphere server configuration.

1. To create the INSBRIDGE_APP_DIR string, from the WebSphere Admin console, browse to the following location:

Environment → Naming → Name Space Bindings

2. Change the scope to the **Server** level by selecting it and click **Apply**.





Figure 1 Changing Scope to Server

3. Once you have changed to the server level, click **New**.



New Name Space Binding

Use this wizard to configure a new name space binding.

→ **Step 1: Specify binding type**

Step 2: Specify basic properties

Step 3: Summary

Specify binding type

Binding type

☒ String

☐ EJB


☐ CORBA

☐ Indirect

Next **Cancel**

Figure 2 Creating a New Name Space

4. Select String and then click **Next**.



New Name Space Binding

Use this wizard to configure a new name space binding.

Step 1: Specify binding type

→ **Step 2: Specify basic properties**

Step 3: Summary

Specify basic properties

Binding type

String

* **Binding identifier**

* **Name in name space**

* **String value**

Previous **Next** **Cancel**

Figure 3 Create Name Space Binding

5. Create a Name Space Binding and Binding Identifier at the server level called INSBRIDGE_APP_DIR. The actual string value is the directory path location where the insbridge config file will be located relative to the WebSphere server.
6. Then select **Next** and **Finish**. Save to the master configuration.

CREATE AN INSBRIDGE SHARED LIBRARY FOR DB2

If you are utilizing a DB2 database, you must create an Insbridge shared library. If you are not using DB2, you can proceed to Installing the EAR file (IBSS_WS.ear).

The Insbridge SoftRater for WebSphere uses a shared library to contain the DB2 information. The JAR file must be copied to the WebSphere Application Server. The DB2 JAR file should be in your DB2 installation folder java directory. You may also download this file from IBM directly.

To create the shared library from the WebSphere Admin console, browse to the following location:

Environment → Shared Libraries

By default, it should be at the Node scope. Change the scope to Node = node, Server = server1 by selecting it and then click **Apply** so that the screen looks similar to:

Shared Libraries

Use this page to define a container-wide shared library that can be used by deployed applications.

☐ Scope: Cell=**cell**, Node=**node**, Server=**server1**

Scope specifies the level at which the resource definition is visible. For detailed information on what scope is and how it works, [see the scope settings help](#)

Node=node, Server=server1

Figure 4 Creating a Shared Library

Click **New** and fill out the information as shown below.

General Properties		
Name	<input type="text" value="DB2_JAR_FILE"/>	<i>i</i> The name of the shared library
Description	<input type="text" value="DB2 Jar file."/>	<i>i</i> An optional description for this shared library.
Classpath	<input type="text" value="P:\insbridge\DB2\vb2jcc.jar"/>	<i>i</i> A classpath containing this library's jar(s). Classpath entries are separated by using the ENTER key and must not contain path separator characters (such as '/' or '.'). Classpaths may contain variable (symbolic) names which can be substituted using a variable map.
Native Library Path	<input type="text"/>	<i>i</i> An optional path to any native libraries (.dll's, .so's) required by this shared library.

Apply OK Reset Cancel

Figure 5 Creating DB2 Library

Click on **OK** and then **Save** to apply the changes to the master configuration.

NOTE: The classpath is the location of the Insbridge\DB2\vb2jcc.jar file on the WebSphere server. The share directory has to be wherever the drive is located.

INSTALLING THE EAR FILE

1. Log on to the Administrative Console ex: `http://WAS_SERVER:9080/admin/`.
2. Select Application → Install New Application.
3. Select the location from where to upload the EAR file (IBSS_WS.ear) and select **Next**.

Preparing for the application installation

Specify the EAR, WAR, JAR, or SAR module to upload and install.

Path to the new application

☒ Local file system

Full path
C:\Documents and Settings Browse...

☐ Remote file system

Full path
Browse...

Context root
Used only for standalone Web modules (.war files) and SIP modules (.sar files)

How do you want to install the application?

☐ Prompt me only when additional information is required.

☒ Show me all installation options and parameters.

Next Cancel

Figure 6 Installing the EAR File

4. Provide Options to suit your environment. We suggest selecting Pre-compile JSP for improved performance.

Install New Application ?

Specify options for installing enterprise applications and modules.

→ **Step 1: Select installation options**
[Step 2: Map modules to servers](#)
[Step 3: Summary](#)

Select installation options

Specify the various options that are available to prepare and install your application.

☒ Precompile JavaServer Pages files

Directory to install application

☒ Distribute application

☐ Use Binary Configuration

☐ Deploy enterprise beans

Application name

☒ Create MBeans for resources

☐ Enable class reloading

Reload interval in seconds

☐ Deploy Web services

Validate Input off/warn/fail

☒ Process embedded configuration

File Permission

Allow all files to be read but not written to
 Allow executables to execute
 Allow HTML and image files to be read by everyone

Application Build ID

☐ Allow dispatching includes to remote resources

☐ Allow servicing includes from remote resources

Figure 7 Providing Options

5. Click **Next** to continue.

NOTE: This screen will only be displayed if you selected “Show all installation options and parameters” on the first screen.

6. Map modules to application servers.

Map modules to servers

Specify targets such as application servers or clusters of application servers where you want to install the modules that are contained in your application. Modules can be installed on the same application server or dispersed among several application servers. Also, specify the Web servers as targets that serve as routers for requests to this application. The plug-in configuration file (plugin-cfg.xml) for each Web server is generated, based on the applications that are routed through.

Clusters and Servers:

WebSphere:cell=emasisNode03Cell,node=emasisNode03,server=server1

Select	Module	URI	Server
<input type="checkbox"/>	InsBridgeEJB	InsBridgeEJB.jar,META-INF/ejb-jar.xml	WebSphere:cell=emasisNode03Cell,node=emasisNode03,server=server1
<input type="checkbox"/>	InsBridge.Fwk.WEB	InsBridge.Fwk.WEB.war,WEB-INF/web.xml	WebSphere:cell=emasisNode03Cell,node=emasisNode03,server=server1

Figure 8 Mapping to Application Servers

7. Map Virtual Hosts.

8. Verify your selections on the Summary screen.

Specify options for installing enterprise applications and modules.

Summary

Summary of installation options

Options	Values
Precompile JavaServer Pages files	Yes
Directory to install application	
Distribute application	Yes
Use Binary Configuration	No
Deploy enterprise beans	No
Application name	InsBridge.Fwk.APP
Create MBeans for resources	Yes
Enable class reloading	No
Reload interval in seconds	
Deploy Web services	No
Validate Input off/warn/fail	warn
Process embedded configuration	Yes
File Permission	.*\.*.dll=755#.*\.*.so=755#.*\.*.a=755#.*\.*.sl=755
Application Build ID	Unknown
Allow dispatching includes to remote resources	No
Allow servicing includes from remote resources	No
Cell/Node/Server	Click here
Application Scoped Resources	Yes

Figure 9 Summary

9. Select **Finish**. After installation, save to the master configuration.

On the WebSphere Application Server

The location of the SoftRater config file is retrieved from the name space binding string created on page 10. This is the directory location where the SoftRater retrieves the insbridge.net.softmaterconfig.xml configuration file.

A default blank insbridge SoftRater config file is located under

`$WAS_HOME/installedApps/NODENAME/IBSS_WS.ear/config.`

Copy the insbridge.net.softmaterconfig.xml file to the INSBRIDGE_APP_DIR folder.

There is also an insbridge.net.softmaterconfigcache.xml file in this location. You can copy this file as well; however, it is not required.

Assigning the Shared Insbridge Libraries

1. From the WebSphere Admin console, browse to Applications → Enterprise Applications and select Insbridge.Fwk.APP to modify the extended properties.
2. At the bottom of the screen select the Shared Library references link to assign the libraries. Select Insbridge.Fwk.App and click Reference shared libraries

Enterprise Applications ?

[Enterprise Applications](#) > [InsBridge.Fwk.APP](#) > **Shared library references**

Shared Library Mapping for Modules

Specify shared libraries that the application or individual modules reference. These libraries must be defined in the configuration at the appropriate scope.

Reference shared libraries			
Select	Application	URI	Shared Libraries
<input checked="" type="checkbox"/>	InsBridge.Fwk.APP	META-INF/application.xml	
Select	Module	URI	Shared Libraries
<input type="checkbox"/>	InsBridge.Fwk.WEB	InsBridge.Fwk.WEB.war,WEB-INF/web.xml	

OK Cancel

Figure 10 Shared Library References

3. Select **JWLLib** and, if you are running DB2, the **DB2_JAR_FILE**, and add both to right hand side.
4. Click **OK**.




Figure 11 Assigning Library

5. Click **OK** and then save to the master configuration.

NOTE: The **DB2_JAR_FILE** will be displayed if you are using a DB2 database. If you are not using a DB2 database, this option will not be available.

The Insbridge SoftRater Server EAR may now be started from the WSAS Administrative Console.

CREATING A SOFTRATER DATABASE

The Insbridge Framework Application container for the SoftRater J2EE EJB contains the JDBC connection drivers that support operational connectivity to the DBMS system listed before. It also contains vendor specific DDLs for the SoftRater operations database schema creation which can be altered by DBA's for setup compliance for varying corporate environments, i.e. TABLESPACE and SCHEMA target definitions.

To obtain Database Definition Language (DDL) scripts for a target DBMS type view the "SoftRater\DDL" subdirectory in the Insbridge IBFA installation directory.

i.e. C:\Program Files\Oracle\IGBU\Insbridge\SoftRater\DDL

Please allow the DBA to review the scripts before attempting to create a SoftRater database schema.

The SoftRater EJB data access system contains all the required JDBC drivers for connectivity to the support DBMS's. TCP/IP connection visibility to the DB Platform is required along with the database server system configured connection PORT for operational use of the SoftRater system. No other supplemental drivers or libraries are needed to establish a connection.

IMPORTANT: *It is strongly recommended that any database modification be performed by a qualified database administrator (DBA). The database setup procedures and tasks require the skill set of a database administrator. If you are not a database administrator, please stop. Improper setup may result in unwelcome changes to the database. Please consult with a qualified database administrator before proceeding.*

Microsoft SQL Server

JDBC Driver Class

"com.microsoft.jdbc.sqlserver.SQLServerDriver"

Supported Version - 2005 SP2

User Account Requirements

Create Table
Create Index
Execute on the SoftRater User Defined Stored Procedures

ORACLE

SoftRater database schema is support by all available ORACLE database platforms.

JDBC Driver Class

"oracle.jdbc.driver.OracleDriver"
Using prefix jdbc:oracle:thin:

Supported Version – 9, 10

User Account Requirements

Create Table
Create Index
Query access to “SYS.OBJ\$”

IBM DB2

SoftRater database schema is supported on all available DB2 database platforms.

JDBC Driver Class

“com.ibm.db2.jcc.DB2Driver”
For Native AS400 – “com.ibm.as400.access.AS400JDBCDriver”

Supported Version – 8

User Account Requirements

Create Table
Create Index
Query access to “SYSIBM.SYSTABLES”

Configuration Settings

- **Required**
The query dynamics of the SoftRater system requires some modification to Configuration settings. The following Performance Configurations parameters required to the target SoftRater database.
Instance Level – ASLHEAPSZ >= 1024
Instance Level – QUERY_HEAP_SZ => 10240
Database Level – APPLHEAPSZ >= 1024
- **Recommended**
The query dynamics of the SoftRater system will benefit from the following modification to Configuration settings.

Instance Level – INTRA_PARRALLEL (Yes) – For Symmetrical Processing Machines (CPU >=2)

Database Level – DFT_DEGREE (-1) – For Symmetrical Processing Machines (CPU >=2). Allow the optimizer to determine the degree of intra-partition parallelism based on the number of processors and the type of query.

Native z/OS

Support for IBM DB2 for native z/OS requires a specific set of the DDL scripts. They are labeled in the ddl\db2 directory with the ZOS DB2.ZOS prefix. DBA's should review these scripts, starting with the DB2.ZOS.SETUP.sql file that contains create templates for default; STORAGE GROUP, DATABASE, default TABLESPACE. All other table create scripts can be reviewed, altered and executed in any other to be consistent with chosen database standards.

SETTING UP INSBRIDGE.NET.SOFRATER.XML CONFIG FILE

SoftRater requires a single configuration file “insbridge.net.sofraterconfig.xml”. After the EAR installation, a default setup copy of this file is in the “Insbridge.Fwk.APP” installation subdirectory. Before starting the configuration setup process, copy this default file to the following WebSphere setup folder to the INSBRIDGE_APP_DIR. All administrative setup options are saved in this file.

NOTE: *If the location is either not defined or not configured, then the SoftRater will default to the old legacy location of \$WSAS_HOME\etc\insbridge folder to look for the configuration file.*

The location where the config file resides is defined by the INSBRIDGE_APP_DIR as created on page 10. This location can be anywhere on the server as long as the identity of the process running the WebSphere AppServer has access rights to the defined folder.

For added security, after all the SoftRater environments have been configured and tested, the config file can be made read-only. Thereby no modifications can be made from the IBSS interface until the server administrator makes the file writable.

MANAGING SOFTRATER FOR WEBSPHERE

- All management functions should be performed by the IBSS admin interface available at: http://WAS_SERVER:PORT/IBSS/
- On a default WebSphere installation, this location will be http://WAS_SERVER:9080/IBSS/

NOTE: *You may have to update the SOAP Services and Application End Point before being able to administer the SoftRater server. Please check with your local WebSphere Administrator to find the correct values required.*

- Most of the management functions are self-explanatory but further explanations can be found in the Oracle Insurance Insbridge Rating and Underwriting SoftRater Services (IBSS) guide.

SoftRater Server Web

At the first screen of the Insbridge SoftRater Server the following will be displayed:



Figure 12 SoftRater Server Web

At this page, you can see the SoftRater Server web version, and be able to connect to the SoftRater, Update SOAP Services Configuration, or Update Application End Point. All of these options are discussed below in the Oracle Insurance Insbridge Rating and Underwriting SoftRater Server User Guide (IBSS).

Update SOAP Services Configuration

The following settings will not have to be changed unless under the direction of an experienced WebSphere administrator. These settings should only be changed if using either WebSphere ND or the standard WebSphere install configuration has been modified from the default to suit your environment.

ORACLE Insurance Insbridge SoftRater Server - WebSphere

Edit SOAP Deployment Configuration Settings

Status: Select the Web Services fields to update.

SoftRater EJB

JNDIName	ejb/com/insbridge/sofrater/SoftRaterHome
ContextProviderURL	iiop://localhost:28090
FullHomeInterfaceName	com.insbridge.softater.SoftRaterHome
FullContextFactoryName	com.ibm.websphere.naming.WsnInitialContextFactory

SoftData EJB

JNDIName	ejb/com/insbridge/softdata/SoftDataHome
ContextProviderURL	iiop://localhost:28090
FullHomeInterfaceName	com.insbridge.softdata.SoftDataHome
FullContextFactoryName	com.ibm.websphere.naming.WsnInitialContextFactory

SoftServices Gateway EJB

JNDIName	
ContextProviderURL	
FullHomeInterfaceName	
FullContextFactoryName	

Save

Exit

Figure 13 Updating SOAP Services

IMPORTANT: Oracle Insurance currently supports WebSphere 6.1 ND. However, SoftRater is able to run on a WebSphere 7.x ND environment. The JNDIName on each cluster node will need to be modified to:


`clusters/CLUSTERNAME/ejb/insbridge/....`

A useful tool for discovering the JNDI Namespaces is available in the \$WSAS_HOME\bin folder called dumpNameSpace.sh or dumpNameSpace.bat. The utility can be run without any command line arguments to retrieve all the available JNDI name spaces.

WARNING: If these settings are different from the default WebSphere installation, then you must contact your WebSphere support personnel to provide these settings to you.

Update Application End Point

Configuration location for changing from the default SOAP endpoint to a custom setting as dictated by the WebSphere configuration. No changes are required unless specified by a WebSphere administrator.



Edit SOAP Endpoint Configuration Setting

Status: Update the SOAP Endpoint.

SOAP Endpoint

Save Exit

Figure 14 Updating SOAP Endpoint

NOTE: If this setting is different from the default WebSphere installation, then you must contact your WebSphere support personnel to provide this setting for you.

ACCESSING THE APPLICATION

You may be able to access the application by typing <http://<ServerName or IP Address>:9080/IBSS>




Figure 15 SoftRater for WebSphere Home Page

NOTE: Notice that if you changed the WebSphere default port (9080) during the Server Domain creation, you should change the default application port on the “[Update Application End Point](#)” option located in the IBSS main page before accessing the application WebServices and methods.

NOTE: The IBSS parameter in the application URL must be capitalized.

UPGRADING THE APPLICATION

Oracle Insurance Insbridge Rating and Underwriting Release 3.13 will be certified on WebSphere 6.1.

UPGRADE NOTICE for Release 03.13.00

This notice is for customers currently running a SoftRater for Java engine release 3.12 or lower. This includes:

- **SoftRater for WebLogic**
- **SoftRater for WebSphere**
- **SoftRater for JBoss**

Necessary updates have been made to the SoftRater for Java engines:

- **SoftRater for WebSphere has been updated to SOAP version 1.1.**
- **SoftRater for WebLogic has been updated to SOAP version 1.2.**
- **SoftRater for JBoss has been updated to SOAP version 1.2.**

These changes mean that the WSDLs for the SoftRater for Java engines have been modified. Updated WSDL documents will need to be incorporated into any client calling application that communicates with SoftRater. If upgrades are done to the SoftRater for Java engines without updating the calling applications, the calling application will fail.

Please update a test environment prior to deploying to production. Install the .EAR file in a test environment to obtain the WSDL. Update your calling application and then test again. When testing is complete, you can upgrade your other environments.

NOTE: *Customers running a Windows only environment, without a Java component, will not be affected.*

These updates are for the SoftRater for Java engines 3.13 release only.

UPGRADING FROM A PREVIOUS RELEASE

Upgrading from any previous release to 3.13 will require the previous .EAR and config files to be removed. The new .EAR file can then be deployed and the new config file must be implemented.

WSDLs have been updated in this release. Any application making a call to SoftRater will need to be updated with the new WSDL. If upgrades are done to SoftRater for WebSphere without updating the calling application, the calling application will fail.

NOTE: UPGRADE YOUR TEST ENVIRONMENT PRIOR TO PRODUCTION.

1. Make a back-up copy of the current config file. The configuration information will need to be re-entered in IBSS. The updated config file will not contain this information. This information cannot be directly imported but a copy of the original file may be helpful when re-entering.
2. Stop the WebSphere Service.
3. Uninstall the old .EAR file.
4. Install the new .EAR file. Please see Installing the EAR File
5. Remove the old config file.
6. Install the new config file. Please see Setting up Insbridge.net.softrater.xml Config File.
7. Start the WebSphere Service.
8. Enter IBSS. You will need to re-enter the config information. Please see the Insbridge Rating and Underwriting SoftRater Server Guide.
9. If necessary, obtain any WSDL information from IBSS and update any calling application.
10. Test your configuration and updated calling applications before deploying to production.

CONTACTING SUPPORT

If you need assistance with an Oracle Insurance Insbridge Rating and Underwriting System product, please log a Service Request using My Oracle Support at <https://support.oracle.com/>.

Address any additional inquiries to:

Oracle Corporation
World Headquarters
500 Oracle Parkway
Redwood Shores, CA 94065
U.S.A.

Worldwide Inquiries:
Phone: +1.650.506.7000
Fax: +1.650.506.7200
oracle.com

TTY ACCESS TO ORACLE SUPPORT SERVICES

Oracle provides dedicated Text Telephone (TTY) access to Oracle Support Services within the United States of America 24 hours a day, seven days a week. For TTY support, call 800.446.2398.

INDEX

\$

\$WSAS_HOME\etc\insbridge, 20

A

Application Servers
Mapping, 15

B

Bindings
Creating, 10

C

Classpath
Insbridge\DB2\db2jcc.jar File, 12
Config File
Locating, 9
config/ddl subdirectory, 18
Configuration File
insbridge.net.softaterconfig.xml, 16
Configuration Settings
DB2, 19
DB2 Modifications, 19
Creating
Name Space Binding, 11

D

Database
IBM DB2 Support, 19
MS SQL Support, 18
ORACLE Support, 18
SoftRater, 18
Database Definition Language Scripts, 18
DB2
zOS, 19
DB2 Database
Configuration Settings, 19
JDBC Driver Class, 19
Recommendations, 19
SoftRater Database Schema, 19
Supported Version, 19
User Account Requirements, 19
DBA, 18
DBMS, 18
DDL, 18
DDL scripts
zOS on DB2, 19
ddls\db2 Directory, 19
Directory
ddls\db2, 19

dumpNameSpace.bat, 23
dumpNameSpace.sh, 23

E

EAR
Started from WSAS Admin Console, 17
EAR File, 13
Edition Notice, 2
Endpoint
Different from WebSphere, 23
SOAP, Changing, 23
Extended Properties
Modifying, 16

F

File
Configuration *insbridge.net.softaterconfig.xml*, 16
EAR, 13
Insbridge\DB2\db2jcc.jar File, 12
Security on Config, 20
SoftRater Config, 16

I

IBRU, vii
IBSS, vi
Installing EAR File, 13
Options, 13
Insbridge SoftRater Server, vi
Insbridge.Fwk.APP, 16
InsBridge.Fwk.APP, 20
insbridge.net.softaterconfig.xml
Configuration File, 20
Configuring, 16
INSBRIDGE_APP_DIR, 10, 11, 20
Folder, 16
Insbridge\DB2\db2jcc.jar File
Classpath, 12
Installing
IBSS EAR, 13
InsBridge.Fwk.APP, 20

J

JAR File
WebSphere Application Server, 12
JDBC Connection Drivers, 18

L

Library
Assigning Shared Libraries, 16
Shared, 12

M

- Mapping
 - Modules, 15
 - Virtual Hosts, 15
- Modules
 - Mapping, 15

N

- Name Space Binding
 - Creating, 11
- Name Space Binding String, 10
- Node Scope
 - Shared Library, 12

O

- Options
 - IBSS EAR, 13
- ORACLE
 - SoftRater Database Schema, 18
- ORACLE Database
 - JDBC Driver Class, 18
 - Supported Version, 19
 - User Account Requirements, 18

P

- Performance Configurations Parameters
 - SoftRater Database, 19
- Pre-compile JSP
 - Options', 13

R

- Requirements, 9
 - DB2 Database, 19
 - ORACLE Database, 18
 - SoftRater EJB Data Access System, 18
 - SQL Server, 18
 - TCP/IP Connection, 18

S

- Scripts
 - Database Definition Language, 18
- Server Web Version
 - SoftRater, 21
- Shared Library
 - Creating, 12
- SOAP
 - Endpoint, Changing, 23
 - Endpoint, Default, 23
 - Services and Admin Endpoint*, 21
- SoftRater
 - Default Config File*, 20
 - Security on Config File, 20

- Server Web Version, 21
- Supported Databases, 18, 19
- System Requirements, 9
 - Updating SOAP Endpoint*, 21
- SoftRater Database, 18
- SQL Server
 - JDBC Driver Class, 18
 - SoftRater Database Schema, 18
 - Supported Version, 18
 - User Account Requirements, 18
- String
 - Name Space Binding, 10
 - WebSphere, 10
- Subdirectory
 - Installation, 20
- Summary Screen, 15
- System Requirements
 - WebSphere, 9

T

- TCP/IP Connection
 - To DB Platform, 18

U

- Updating
 - SOAP Services, 22

V

- Virtual Hosts
 - Mapping, 15

W

- WebSphere
 - Creating String, 10
 - Different Endpoint*, 23
 - Managing SoftRater, 21
 - System Requirements, 9
 - Updating SOAP, 22
 - Viewing in Installation Directory, 18
- WebSphere Application Server
 - JAR File, 12
- WebSphere Port*
 - 9080, 24
- WSAS Administrative Console, 17

X

- XML Configuration, 10

Z

- z/OS
 - BD2, 19
- ZOS DB2.ZOS, 19