



# **Agile Product Lifecycle Management**

## **Service Pack Installation Guide**

9.3.1.1

Part No. E21568-02

May 2011

# Oracle Copyright

*Copyright © 1995, 2011, Oracle and/or its affiliates. All rights reserved.*

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

## U.S. GOVERNMENT RIGHTS

Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle and Java are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third party content, products and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third party content, products or services. The RMW product includes software developed by the Visigoth Software Society.

# CONTENTS

---

Oracle Copyright .....	ii
<b>Chapter 1 Installing an Oracle Agile PLM Service Pack .....</b>	<b>7</b>
Install and Test Notice.....	7
Installation Requirements .....	7
Downloading the Software.....	8
Installing Oracle Agile PLM 9.3.1.1 .....	8
Oracle Application Server .....	8
Oracle WebLogic Server .....	10
Post-Installation Verification .....	11

# Preface

Oracle's Agile PLM documentation set includes Adobe® Acrobat PDF files. The [Oracle Technology Network \(OTN\) Web site](http://www.oracle.com/technetwork/documentation/agile-085940.html) <http://www.oracle.com/technetwork/documentation/agile-085940.html> contains the latest versions of the Agile PLM PDF files. You can view or download these manuals from the Web site, or you can ask your Agile administrator if there is an Agile PLM Documentation folder available on your network from which you can access the Agile PLM documentation (PDF) files.

---

**Note** To read the PDF files, you must use the free Adobe Acrobat Reader version 9.0 or later. This program can be downloaded from the [Adobe Web site](http://www.adobe.com) <http://www.adobe.com>.

---

The [Oracle Technology Network \(OTN\) Web site](http://www.oracle.com/technetwork/documentation/agile-085940.html) <http://www.oracle.com/technetwork/documentation/agile-085940.html> can be accessed through **Help > Manuals** in both Agile Web Client and Agile Java Client. If you need additional assistance or information, please contact My Oracle Support (<https://support.oracle.com>) for assistance.

---

**Note** Before calling Oracle Support about a problem with an Agile PLM manual, please have the full part number, which is located on the title page.

---

## TTY Access to Oracle Support Services

Oracle provides dedicated Text Telephone (TTY) access to Oracle Support Services within the United States of America 24 hours a day, 7 days a week. For TTY support, call 800.446.2398. Outside the United States, call +1.407.458.2479.

## Readme

Any last-minute information about Agile PLM can be found in the Readme file on the [Oracle Technology Network \(OTN\) Web site](http://www.oracle.com/technetwork/documentation/agile-085940.html) <http://www.oracle.com/technetwork/documentation/agile-085940.html>.

## Agile Training Aids

Go to the [Oracle University Web page](http://www.oracle.com/education/chooser/selectcountry_new.html) [http://www.oracle.com/education/chooser/selectcountry\\_new.html](http://www.oracle.com/education/chooser/selectcountry_new.html) for more information on Agile Training offerings.

## Accessibility of Code Examples in Documentation

Screen readers may not always correctly read the code examples in this document. The conventions for writing code require that closing braces should appear on an otherwise empty line; however, some screen readers may not always read a line of text that consists solely of a bracket or brace.

This documentation may contain links to Web sites of other companies or organizations that Oracle does not own or control. Oracle neither evaluates nor makes any representations regarding the accessibility of these Web sites.





# Installing an Oracle Agile PLM Service Pack

This chapter includes the following:

▪ Install and Test Notice.....	7
▪ Installation Requirements.....	7
▪ Downloading the Software .....	8
▪ Installing Oracle Agile PLM 9.3.1.1 .....	8
▪ Post-Installation Verification .....	11

## Install and Test Notice

**Important** Install and test this Service Pack on a designated Development server before installing it in your Production environment. To provide accurate testing results, your Development environment should mirror your Production environment, as closely as possible. It is important to validate the installation of this Service Pack, and confirm your integrations are working correctly. Any problems or questions noted during your Development system testing should be resolved before installing this Service Pack in your Production environment.

## Installation Requirements

Before installing Agile PLM 9.3.1.1, make sure your system meets the following requirements:

### Application Server Version

- Agile PLM 9.3.1

### Database

- Database Schema version: 9.3.220
- Data Schema version: 9.3.220.0

### Client

- Microsoft Internet Explorer 7.0 or higher
- Mozilla Fire Fox 2.0 or higher

### Java Home

Set the environment variable, JAVA\_HOME, to the JDK that was installed with Agile PLM 9.3.1. By default, the JDK was installed under the Agile PLM 9.3.1 home directory.

## Downloading the Software

On the system where the Agile Application is installed, download the Agile PLM 9.3.1.1 distribution file, AgilePLM9.3.1.1.zip, to a temporary directory. Verify the contents of the distribution file from the following table:

Filename	Description
Agile9311_Source	File folder containing changed files for Agile PLM 9.3.1.1.
Agile9.3.1.1_Installer.properties	Installer property file used by the Oracle Agile PLM 9.3.1.1 Installer.
Install_Agile9.3.1.1.bat	Batch file needed to install Oracle Agile PLM 9.3.1.1 on Windows.
Install_Agile9.3.1.1.sh	Script file needed to install Oracle Agile PLM 9.3.1.1 on UNIX (AIX/Linux x86/Solaris SPARC/Solaris x86/ HP-UX).
installer	Contains installer related files.

## Installing Oracle Agile PLM 9.3.1.1

**Important** Make sure your database has been upgraded to Agile PLM 9.3.1.1 before installing this service pack. See the *Agile PLM Database Upgrade Guide* for more information.

**Windows:** Verify that the file named agileHome in the C:\Program Files\Agile folder contains the Agile PLM 9.3.1.home.

**UNIX:** Verify that the file named agileHome in the User home location /Agile directory contains the Agile PLM 9.3.1 home directory. The User home locatoin is the home location where you installed Agile PLM 9.3.1. By default, the Agile PLM 9.3.1 home directory is /opt/Agile/Agile931.

Be sure to set the environment variable JAVA\_HOME to the JDK that was installed with Agile PLM 9.3.1. By default, the JDK was installed under the Agile PLM 9.3.1 home directory.

**Note** If your application server is running in a clustered environment, you need to install Agile PLM 9.3.1.1 on the Primary Server only if on Oracle Application Server or only the Admin Server if on Oracle WebLogic Server.

## Oracle Application Server

**To install Agile PLM 9.3.1.1 in a standalone environment:**

1. Log on as a user with local Administrator permissions on the computer where the Agile



Application Server is located.

2. Make sure the OPMN processes are running on the application server.
3. Undeploy the Agile application. Follow the instructions in *Installing Agile PLM on Oracle Application Server, Version 9.3.1*.
4. Stop the OPMN processes from the Oracle Home directory.
5. Run the install script.

**Windows:**

- Open a Command Prompt window and navigate to the temporary directory where you downloaded the service pack files.
- From the temporary directory, run the Install\_Agile9.3.1.1.bat file. The installation begins.

**UNIX:**

- Open a shell prompt and navigate to the temporary directory where you downloaded the service pack files.
  - From the temporary directory, run the Install\_Agile9.3.1.1.sh file. The installation begins.
6. When the installation completes, the Installation Successful message appears.
  7. Press the Return key to complete the installation and the Build Successful message appears.
  8. Start the OPMN processes from the Oracle Home directory.
  9. Deploy the Agile application.

**To install Agile PLM 9.3.1.1 in a clustered environment:**

1. Log on as a user with local Administrator permissions on the computer where the Agile Application Server (Primary Server) is located.
2. Make sure the OPMN processes are running on the Primary and Secondary servers of the Oracle Application Server cluster.
3. Undeploy the Agile application on the Primary Server. Follow the instructions in *Installing Agile PLM on Oracle Application Server, Version 9.3.1*.
4. Stop the OPMN processes from the Oracle Home directory on all cluster nodes, starting with the Secondary Servers to the Primary Server..

5. Run the install script.

**Windows:**

- Open a Command Prompt window and navigate to the temporary directory where you downloaded the service pack files.
- From the temporary directory, run the Install\_Agile9.3.1.1.bat file. The installation begins.

**UNIX:**

- Open a shell prompt and navigate to the temporary directory where you downloaded the service pack files.
  - From the temporary directory, run the Install\_Agile9.3.1.1.sh file. The installation begins.
6. When the installation completes, the Installation Successful message appears.

7. Press the Return key to complete the installation and the Build Successful message appears.
8. Start the OPMN processes from the Oracle Home directory on all cluster nodes, starting with the Primary Server to all Secondary Servers.
9. Deploy the Agile application on the Primary Server only. This step automatically deploys the Agile application on all Primary and Secondary Server hosts.

## Oracle WebLogic Server

### To install Agile PLM 9.3.1.1 on a standalone environment:

1. Log on as a user with local Administrator permissions on the computer where the Agile Application Server is located.
2. Stop the Agile Application Server. Follow the instructions in *Installing Agile PLM on BEA WebLogic Server, Version 9.3.1*.
3. Run the install script.  
**Windows:**
  - Open a Command Prompt window and navigate to the temporary directory where you downloaded the service pack files.
  - From the temporary directory, run the Install\_Agile9.3.1.1.bat file. The installation begins.**UNIX:**
  - Open a shell prompt and navigate to the temporary directory where you downloaded the service pack files.
  - From the temporary directory, run the Install\_Agile9.3.1.1.sh file. The installation begins.
4. When the installation completes, the Installation Successful message appears.
5. Press the Return key to complete the installation and the Build Successful message appears.
6. Start the Agile Application Server.

### To install Agile PLM 9.3.1.1 in a clustered environment:

1. Log on as a user with local Administrator permissions on the computer where the Agile Application Server is located.
2. Stop the Agile Application Server. Follow the instructions in *Installing Agile PLM on BEA WebLogic Server, Version 9.3.1* to stop the Agile Application Server in a cluster.
3. Run the install script.  
**Windows:**
  - Open a Command Prompt window and navigate to the temporary directory where you downloaded the service pack files.
  - From the temporary directory, run the Install\_Agile9.3.1.1.bat file. The installation begins.**UNIX:**
  - Open a shell prompt and navigate to the temporary directory where you downloaded the service pack files.

- From the temporary directory, run the Install\_Agile9.3.1.1.sh file. The installation begins.
4. When the installation completes, the Installation Successful message appears.
  5. Press the Return key to complete the installation and the Build Successful message appears.
  6. Start the Agile application on all cluster nodes starting with the Admin Server to all Managed Servers.

## Post-Installation Verification

From the Web or Java Client, connect to the updated application server. Choose **Help > About Agile** to verify the Update Version is 9.3.1.1.

