



300 GB, 3.5 inch, 15,000 rpm SCSI Disk Drive Interface (320MB SCSI-3)

Disk Drive Installation

For information on how to install your disk drive, refer to your system or drive enclosure documentation.

See "Accessing Sun Documentation" on the back page if you need to order any documentation.

The Disk Drive Bracket Assembly consists of the disk drive assembled within the bracket assembly.

The Disk Drive Bracket Assembly should not be disassembled for any reason by the user.

Power Requirements

Activity	+5 VDC (± 5%)	+12 VDC (± 7%)
Motor start max	0.76 A	1.94 A
Typical Operating (Random IOs)	0.69 A	1.18 A

Physical Characteristics (Drive only, excluding bracket)

Height	Width	Depth	Weight
1.028 in. max	4.01 in. max	5.787 in. max	1.85 lb max
26.1 mm max	101.85 mm max	147.0 mm max	0.839 kg max

Usage Information

Usage	Description
Shelf Life	Drive must be powered on at least once every six months
Useful Life	Minimum five years
Expected AFR (Annualized Failure Rate)	0.63% for normal, 24x7 operating conditions

Performance

Attribute	Value
Capacity, formatted	300,000,000,000 bytes minimum (512 bytes per sector)
Rotational latency	
Average	2.0 msec
Seek times (read/write)	
Single track seek	0.45 msec
Average seek	3.5 msec / 4.0 msec
Maximum seek	7.9 msec
Random 2KB Reads Per Sec	(Typical)
Queue=1, 100% Volume	170 IOPs
Queue=32, 100% Volume	350 IOPs
HDA data transfer rate	
Disk to read buffer	960 MB/sec (at ID) to 1,607 MB/sec (at OD)
Interface data transfer rate	
Maximum instantaneous	320 Mbytes per sec
Start/stop	
Power up to ready	30 sec typical
Spin down	30 sec maximum

Accessing Sun Documentation

You can view, print, or purchase a broad selection of Sun documentation, including localized versions, at:

<http://www.sun.com/documentation>

Third-Party Web Sites

Sun is not responsible for the availability of third-party web sites mentioned in this document. Sun does not endorse and is not responsible or liable for any content, advertising, products, or other materials that are available on or through such sites or resources. Sun will not be responsible or liable for any actual or alleged damage or loss caused by or in connection with the use of or reliance on any such content, goods, or services that are available on or through such sites or resources.

Contacting Sun Technical Support

If you have technical questions about this product that are not answered in this document, go to:

<http://www.sun.com/service/contacting>

Sun Welcomes Your Comments

Sun is interested in improving its documentation and welcomes your comments and suggestions. You can submit your comments by going to:

<http://www.sun.com/hwdocs/feedback>

Please include the title and part number of your document with your feedback:

300 GByte, 3.5", 15,000 rpm Disk Drive Specification - 320MB SCSI-3 Interface, part number 820-1007-10.

Copyright 2008 Sun Microsystems, Inc. All rights reserved. Use is subject to license terms. Third-party software, including font technology, is copyrighted and licensed from Sun suppliers. Portions may be derived from Berkeley BSD systems, licensed from U. of CA. Sun, Sun Microsystems, the Sun logo, Java, and Solaris are trademarks or registered trademarks of Sun Microsystems, Inc., or its subsidiaries, in the U.S. and in other countries. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and in other countries. U.S. Government Rights—Commercial use. Government users are subject to the Sun Microsystems, Inc. standard license agreement and applicable provisions of the FAR and its supplements.

Copyright 2008 Sun Microsystems, Inc. Tous droits réservés. Distribué par des licences qui en restreignent l'utilisation. Tout logiciel tiers, sa technologie relative aux polices de caractères comprise, est protégé par un copyright et licencié par des fournisseurs de Sun. Des parties de ce produit peuvent dériver des systèmes Berkeley BSD licenciés par l'Université de Californie. Sun, Sun Microsystems, le logo Sun, Java, et Solaris sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc., ou ses filiales, aux États-Unis et dans d'autres pays. Toutes les marques SPARC sont utilisées sous licence et sont des marques de fabrique ou des marques déposées de SPARC International, Inc. aux États-Unis et dans d'autres pays.



Sun Microsystems, Inc.
www.sun.com