

# Oracle® Configuration Manager

Prerequisites

Release 10.3.6

E24180-01

October 2011

---

Before installing Oracle Configuration Manager (OCM), ensure that all the prerequisites are met:

**1. Appropriate Internet connection information is available (to the Internet or to a Support Hub), if using OCM in connected mode.**

If you configure OCM in connected mode, you will need to know how OCM will connect to Oracle in order to upload the collected data. The default option is to have OCM connect directly to the Internet. OCM supports three connection methods:

- Direct connection (using port 443)
- Connection using a proxy server (either with or without user authentication). If a proxy server is being used, you must supply the host name (or IP address) and port number of the proxy server. If the proxy server requires authentication, you will also need the connection credentials for the proxy (user name and password).
- Connection using a Support Hub. Using this method, the server on which OCM is installed does not need a connection to the Internet, but rather only the ability to reach the internal server on which the Support Hub is deployed. If a Support Hub is being used, you must supply the URL and port of the Support Hub. You will also need the proxy server information if a proxy server is required to access the Support Hub.

Note that if you configure OCM in disconnected mode, connection information is not required.

**2. A supported JDK or JRE has been installed.**

OCM requires JDK or JRE 1.2.2 or greater on UNIX platforms (including Linux), and JDK or JRE 1.3.1 or greater on Windows. However, if using OCM with an Oracle Support Hub, you must use JDK or JRE 1.4 or greater.

If a supported JDK or JRE is not present in the ORACLE\_HOME, but a valid JDK or JRE is present in another directory, you must define the JAVA\_HOME environment variable to point to that directory.

**3. If installing OCM 10.3 or later: You have your My Oracle Support ID and either (a) the associated password for that My Oracle Support ID, or (b) a Customer Support Identifier (CSI) registered for that My Oracle Support account.**

When configuring Oracle Configuration Manager 10.3 or later, the default setup method requires your My Oracle Support ID (formerly known as MetaLink ID) and password for the configuration data collected to be accessible or usable by you in My Oracle Support.

Optionally (recommended for My Oracle Support accounts with more than one CSI in their profile), you can specify a My Oracle Support ID, CSI, and the country code associated with that CSI (the country in which the CSI was issued).

If you have any problems with registration or are uncertain about your country code, log into My Oracle Support for assistance.

For more information on installing or configuring OCM, see:

<http://www.oracle.com/technetwork/documentation/ocm-092152.html>

Alternatively, there is a dedicated page for the latest OCM documentation located in the My Oracle Support - Collector home page.

4. Ensure that you are using OCM on a supported platform and supported software product.

Oracle Configuration Manager supports installation on the following platforms and collecting configuration data for the following software product versions:

**Platforms:**

- Sun Solaris on SPARC (32-bit and 64-bit)
- Sun Solaris on x86 (32-bit and 64-bit)
- Linux x86 (32-bit and 64-bit)
- Linux Itanium
- Linux on PowerPC
- IBM zSeries Based Linux
- HP-UX PA-RISC (32-bit and 64-bit)
- HP-UX Itanium
- IBM AIX5L Based Systems (32-bit and 64-bit)
- Microsoft Windows: 2000, XP, Server 2003 (32-bit and 64-bit), 2008, Vista, NT, other Win 32 platforms

**Software Product Versions:**

- Database
  - Oracle Database releases 8.1.7 and later
  - Oracle Real Application Clusters releases 9.0.1 and later
  - Oracle Exadata 11.2.0.1
  - ASM 10.2 and later
- Middleware
  - Oracle Application Server releases 9.0.3 and later (note that 1.0.2.2 is only supported in an E-Business Suite configuration)
  - Oracle WebLogic Server 10.3.2 and later
  - Oracle Business Intelligence Enterprise Edition/Siebel Analytics versions 7.8.4/10.1.3.2
  - Oracle Hyperion Enterprise Performance Management System 11.1.2 and later
  - Oracle Fusion Middleware release 11.1.1.1 and later

- Applications
  - Oracle Enterprise Manager versions 9i, 10g, 11g, and 12c
  - Oracle E-Business Suite 11.5.4 and later, R12 and later
  - Peoplesoft People Tools version 8.4.8 and later, 8.5 and later
  - Siebel CRM versions 7.7, 7.8, 8.0, 8.1.1
  - JD Edwards Enterprise One 8.97 and later
  - Oracle Retail version 13.0 and later
  - Primavera P6 7.0
  - Primavera CM 13.0
  - Oracle Collaboration Suite version 10.1.0.2 and later
  - Oracle Beehive 2.0

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

## Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

---

Oracle Configuration Manager Prerequisites, Release 10.3.6  
E24180-01

Copyright © 2008, 2011, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle America, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

