



iConnect for Siebel Contact Center Integration Guide

Using iConnect to Integrate Siebel and InQuira Applications

InQuira Version 8.1.3

Document Number CA80-IG-00

September 23, 2009

InQuira

851 Traeger Ave.

Suite 125

San Bruno, CA 94066

Copyright Information

© 2009 InQuira, Inc. All rights reserved. InQuira is a trademark of InQuira, Inc. All other trademarks mentioned in this document are the property of their respective owners.
Product Documentation Copyright © 2003 - 2009 InQuira, Inc.

Restricted Rights

This software and documentation is subject to and made available only pursuant to the terms of the license agreement between your organization and InQuira, Inc. and may be used or copied only in accordance with the terms of that agreement. It is against the law to copy the software and documentation except as specifically allowed in the agreement and InQuira will take all necessary steps to protect its interests in the software and documentation.

This document may not, in whole or in part, be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine readable form without written prior consent from InQuira, Inc., which may be withheld in its sole and absolute discretion.

The information in this document is subject to change without notice and does not represent a commitment on the part of InQuira, Inc. The software and documentation are provided "AS IS" without warranty of any kind including without limitation, any warranty of merchantability or fitness for a particular purpose. Further, InQuira, Inc. does not warrant, guarantee, or make any representations regarding the use, or the results thereof. Although reasonable measures have been taken to ensure validity, the information in this document is not guaranteed to be accurate or error free.

Trademarks and Service Marks

Siebel 7, Siebel Call Center 7, and all other Siebel products are the property of Siebel Systems, Inc.

Sentry Spelling-Checker Engine Copyright © 2000 Wintertree Software, Inc.

Contents

Preface	About This Guide	1
	In This Guide	1
	Contacting InQuira	2
	InQuira Product Documentation	2
	Intelligent Search Documentation	3
	InQuira Analytics Documentation	4
	Information Manager Documentation	4
	iConnect Documentation	5
	Screen and Text Representations	5
	References to World Wide Web Resources	5
Chapter 1	InQuira iConnect for Siebel Contact Center	6
	Integration Requirements and Supported Applications	6
	Terminology	7
	iConnect for Siebel Contact Center Installation	7
	iConnect for Siebel Contact Center Installation Directories	8
	iConnect for Siebel Contact Center Components	10
	The Integration Process	10
Chapter 2	Configuration Scenarios	12
	Search in Context	13
	Siebel Implementation	13
	iConnect Application Configuration	13
	Single Sign-on	13
	Siebel Implementation	14
	iConnect Application Configuration	14
	Localizing InQuira and Multi-Lingual Content	14
	Siebel Implementation	15
	iConnect Application Configuration	15

Linking a Document to a Case	15
Siebel Implementation	15
InQuira Search Configuration	16
Unlinking a Document	16
Siebel Implementation	16
InQuira Search Configuration	16
Creating New Content and Providing Feedback	16
Siebel Implementation	17
Supporting Multiple CRM Systems	17
Siebel Implementation	17
InQuira iConnect Configuration (Search instances)	17
Chapter 3 Deploying iConnect in a Siebel Environment	18
Preparing for the Import Process	19
Accessing the Siebel Tools Application	19
Selecting the Project for the Import Process	20
Importing iConnect for Siebel Contact Center Integration Files	21
Specifying the Conflict Resolution Method for the Import Process	22
Reviewing Conflicts	24
Confirming the Import	25
Viewing the Import Summary	26
Importing the Crawler Integration Files	26
Deploying the InQuira Search Applet Template	27
Activating the Table in Siebel	27
Compiling the Siebel Repository	29
Ascertaining Siebel Applications Type	31
Deploying the Updated Repository in the Siebel Environment	32
Chapter 4 Configuring Content Integration	33
Defining the External Host	34
Defining the Web Application	35
Defining a Symbolic URL	36
Configuring iConnect Parameters	38
Edit Call Center Advisor Settings	38
Add a Call Center Advisor	39
Add a cca-handler-impl	40
Possible Configurations	41
Primary CCA Configuration	41
Secondary CCA Configuration	41
Additional Third-party CCA Configuration	41
Creating the InQuira User Responsibility	42
Defining Application Views	43
Enabling Single Sign-on	44
InQuira InfoCenter Password	45

Chapter 5 Configuring Data Integration	46
Importing the Data Map	46
Importing the Web Services	48
Configuring the Service Request	49
Configuring Service Request Screen	49
Configuring Service Request Business Object	52
Chapter 6 Configuring the iConnect Integrated User Interface	54
Interacting with the InQuira Application	54
Adjusting the iFrame Height	55
Appendix A Deploying Intelligent Search for Siebel	56
Deploying the Content Converter Style Sheet	56
Modifying the Siebel Content Converter	57
Importing the Runtime Event	59
Appendix B Configuring InQuira Content Processing	60
Siebel Content Acquisition and Presentation	60
Supported Business Objects	61
Configuring a Siebel Crawler	61
Specifying Siebel Crawler Parameters	62
Specifying the URL for Displaying Siebel Answers within InQuira	65
Updating the InQuira Content Store	65
Updating the Dictionary (optional)	65

About This Guide

This guide provides detailed instructions and supporting information for installing and configuring InQuira iConnect for Siebel Contact Center for use with an InQuira 8.1.3 application. This guide is intended for application developers and systems administrators who need to plan for and perform integration of iConnect for Siebel Contact Center with an InQuira 8.1.3 application and a supported Siebel CRM application.

This preface includes information on:

- The general organization of this guide
- The InQuira contact information
- The available product documentation

In This Guide

The *InQuira iConnect for Siebel Contact Center Integration Guide* is divided into the following sections:

Chapter 1, InQuira iConnect for Siebel Contact Center

This chapter describes InQuira iConnect for Siebel Contact Center installation, installed directories and files, product components, and the integration process.

Chapter 2, Configuration Scenarios

This chapter provides an overview of the different ways iConnect can be configured to interoperate with Siebel CRM applications.

Chapter 3, Deploying iConnect in a Siebel Environment

This chapter describes how to import and deploy the iConnect components into the Siebel environment using Siebel Tools.

Chapter 4, Configuring Content Integration

This chapter describes how to configure the iConnect components that make InQuira 8.1.3 application available to the Siebel application.

Chapter 5, Configuring Data Integration

This chapter describes how to configure the data transfer between the InQuira 8.1.3 application and the Siebel application.

Chapter 6, Configuring the iConnect Integrated User Interface

This chapter describes how to adjust the height of the search results frame within the Siebel application.

Appendix A, Deploying Intelligent Search for Siebel

This appendix discusses the Content Converter Style Sheet, the Runtime Event, and the Web Services.

Appendix B, Configuring InQuira Content Processing

This appendix discusses the Siebel Content Acquisition and Presentation and provides information on configuring a Siebel crawler.

Contacting InQuira

You can contact InQuira by mail, telephone, fax, and email.

Address:	851 Traeger Ave. Suite 125 San Bruno, CA 94066
Telephone:	(650) 246-5000
Fax:	(650) 246-5036
Email:	For sales information, send email to sales@inquira.com . For product support, send email to support@inquira.com .
World Wide Web:	Learn more about InQuira products, solutions, services, and support on the world wide web at: www.inquiracom.com .

InQuira Product Documentation

InQuira documentation is available only to licensed users of our software products and may not be redistributed in any form without express permission from InQuira, Inc.

The InQuira documentation is available in PDF format. Customers can download the PDF files from:

<http://documentation.inquiracom.com/>

Note: You need a PDF reader application installed on each processor on which you plan to view the InQuira product documentation. The Adobe Acrobat reader is available from Adobe Systems at: <http://www.adobe.com>.

If you encounter a problem, need help using the documentation, or want to report an error in the content, please contact InQuira Customer Support.

If you need help obtaining InQuira product documentation, or want to obtain permission to redistribute a portion of the contents, please contact your InQuira account representative.

Detailed information about each product document set is available in:

- “Intelligent Search Documentation” on page 3
- “InQuira Analytics Documentation” on page 4
- “Information Manager Documentation” on page 4
- “iConnect Documentation” on page 5

Intelligent Search Documentation

Intelligent Search is distributed with the following documentation.

Document	Number	Description
Intelligent Search Installation Guide	IS80-IG-00	This guide is intended for technical staff who are responsible for installing InQuira 8.1. It provides detailed information on installing InQuira 8.1 and configuring the application on a single processor using the Installation Configuration Environment facility.
Intelligent Search Administration Guide	IS80-CA-00	This guide is intended for system and application administrators who need to configure an InQuira 8.1 application in an enterprise environment. It describes InQuira 8.1 integration, development, configuration, and maintenance processes and tasks.
Document	Number	Description
Intelligent Search Language Administration Guide	IS80-LA-00	This guide is intended for business users and subject matter experts who need to create and maintain the language processing elements of a InQuira 8.1 application using the System Manager. This book provides usage information about the System Manager, conceptual information about the InQuira 8.1 language objects, and task information about the process of managing the user experience provided by the InQuira 8.1 application.
Intelligent Search Language Tuning Guide	IS80-LD-00	This guide is intended for application developers who need to create and maintain advanced InQuira 8.1 language-processing elements using the Dictionary and other InQuira Language Workbench applications.
Intelligent Search Optimization Guide	IS80-AG-00	This guide is intended for application developers who need to implement InQuira 8.1 advanced features, including Personalized Navigation and Process Wizards.
Intelligent Search Application Development Guide	IS80-API-00	This guide provides information about integrating and customizing the InQuira 8.1 Personalized Response User Interface.

Intelligent Search Language Reference	IS80-LRG-00	This guide is for language developers implementing InQuira 8.1 applications that utilize the intent libraries and advanced language processing functions. These guides are published as separate documents that provide reference information for each industry-specific intent library. Each reference also contains complete descriptions of InQuira Match Language and Variable Instantiation Language.
Intelligent Search User Interface Guide	IS80-UI-00	This guide is intended for application developers who need to customize the InQuira 8.1 Personalized Response User Interface, and integrate it with a production web application. It contains information about the elements and features of the User Interface, and provides guidelines for integrating it into an enterprise web architecture, customizing its appearance and functionality, and implementing various special features.

InQuira Analytics Documentation

InQuira Analytics is distributed with the following documentation.

Document	Number	Description
InQuira Analytics Installation Guide	IA80-IG-00	This guide is intended for technical staff who are responsible for installing InQuira Analytics. It provides detailed information on installing and configuring the InQuira Analytics product for use with an InQuira 8.1 application.
Analytics User Guide	IA80-CA-00	This guide is intended for systems and application administrators who need to configure the Intelligent Search and Information Manager Analytics components to report on InQuira 8.1 application performance.

Information Manager Documentation

InQuira Information Manager is distributed with the following documentation.

Document	Number	Description
Information Manager Installation Guide	IM80-IG-00	This guide is intended for technical staff who are responsible for installing InQuira Information Manager. It provides detailed information on installing and configuring the Information Manager product.

Information Manager Administration Guide	IM80-CA-00	This guide is intended for systems and application administrators who need to configure and administer an InQuira Information Manager application, and integrate it with an InQuira 8.1 application. It also contains information for general business users who need to use the Information Manager to create and manage content.
Information Manager Content Authoring Guide	IM80-AG-00	This guide is intended for technical staff who are responsible for authoring content in InQuira Information Manager. It provides detailed information on creating content and managing workflow tasks in the Information Manager console.
Information Manager Developer's Guide	IM80-WSR-00	This guide is intended for application developers who need to integrate Information Manager content, content category, and user and security functions with external applications. It contains reference information and examples for all packages, classes, methods, and interfaces of the Information Manager Web Services API.

iConnect Documentation

The InQuira 8.1.3 iConnect products are distributed with the following documentation.

Document	Number	Description
iConnect for Siebel Contact Center Integration Guide	CA80-IG-00	This guide is intended for application developers and systems administrators who need to plan for and integrate the InQuira Contact Center Advisor with an InQuira application and a supported CRM application.

Screen and Text Representations

The product screens, screen text, and file contents depicted in the documentation are examples. We attempt to convey the product's appearance and functionality as accurately as possible; however, the actual product contents and displays may differ from the published examples.

References to World Wide Web Resources

For your convenience, we refer to Uniform Resource Locators (URLs) for resources published on the World Wide Web when appropriate. We attempt to provide accurate information; however, these resources are controlled by their respective owners and are therefore subject to change at any time.

InQuira iConnect for Siebel Contact Center

iConnect for Siebel Contact Center for InQuira 8.1.3 provides a complete intelligent search interface that enables contact center agents to quickly and easily find accurate answers to customer inquiries from within their Siebel dashboard.

iConnect for Siebel Contact Center leverages InQuira's patented Intelligent Search technology to find exact answers to inquiries based on their meaning, and to search unstructured content, structured data sources and transactional business applications in parallel. The InQuira technology can automatically incorporate customer context, call context, and CRM contextual information in the search for answers to customer inquiries.

iConnect for Siebel Contact Center user interface is embedded within the CRM desktop, designed to maximize agent productivity and minimize keystrokes, improving call resolution rates. The answers are more than just mere links to source content; they also include relevant excerpts that have a high probability of answering the inquiry based on their intent.

iConnect for Siebel Contact Center significantly streamlines the call wrap-up process by automatically providing embedded links to associate the right enterprise knowledge with each service request resolution task.

Integration Requirements and Supported Applications

The following table lists the requirements and supported applications for the iConnect for Siebel Contact Center for InQuira 8.1.3 integration:

InQuira Requirements	Supported Siebel Products
The following InQuira products are required: <ul style="list-style-type: none">• Complete and configured InQuira 8.1.3 installation• iConnect for Siebel Contact Center 8.1.3	One of the following supported Siebel products: <ul style="list-style-type: none">• Siebel Call Center 7.8• Siebel Call Center 8.0• Siebel Call Center 8.1

Siebel integration with InQuira requires a complete and configured InQuira installation, as well as the installed and deployed iConnect for Siebel Contact Center software components.

You must access Siebel Tools to import the Siebel Import Files (.sif) containing the InQuira-supplied Siebel components, including the Project and Workflow for content access integration, as well as integration Applets and associated Business Components used for application user interface integration.

Important! Version and Database Certification: iConnect for Siebel Contact Center 8.1.3 is certified on the Siebel 8.0 CRM environment employing an Oracle 10g database.

iConnect for Siebel Contact Center 8.1.3 works on both Siebel 7.8 and Siebel 8.x CRM environments employing an Oracle 10g and 11g databases. There are additional implementation steps to deploy iConnect for Siebel Contact Center on Siebel 7.8.

Terminology

Throughout this guide, the following terms are used:

Term	Description
Siebel Import File (SIF)	This refers specifically to the files imported into the Siebel application to activate an integration with another application and have the .sif file extension.
Siebel Repository File (SRF)	This refers specifically to the files used by the Siebel repository and have the .srf file extension.
integration files	This term refers collectively to all of the necessary files to implement the iConnect for Siebel application in the Siebel CRM environment.

iConnect for Siebel Contact Center Installation

To install the iConnect for Siebel Contact Center, access the InQuira release download site. Under the **Platform: All** heading, click [Siebel Files](#).

Download the following files for your platform and Siebel version:

Platform	Siebel File
Windows	Siebel-7.8.zip
	Siebel-8.0.zip
	Siebel-8.1.zip
UNIX/LINUX	Siebel-7.8.tar.gz
	Siebel-8.0.tar.gz
	Siebel-8.1.tar.gz

Open the Siebel-X.x.zip file and extract the contents to:

```
<InQuira_home>\archive\siebel
```

* You may need to create the `siebel` directory when extracting the files.

The iConnect for Siebel Contact Center file extraction creates the following directory structure in Windows:

```
\CCA
  \DataMaps
  \SIF
  \WebService
  \WebTemplate
  \Workflows (Siebel-7.8.zip and Siebel-7.8.tar.gz only)
  \Wsd1 (Siebel-7.8.zip and Siebel-7.8.tar.gz only)
\CRAWLER
  \DataMaps
  \RunTimeEvents
  \SIF
  \WebService
  \Workflows (Siebel-7.8.zip and Siebel-7.8.tar.gz only)
  \Wsd1 (Siebel-7.8.zip and Siebel-7.8.tar.gz only)
\xsl
```

iConnect for Siebel Contact Center Installation Directories

The following tables describe the installation directories and files for iConnect for Siebel Contact Center.

The Siebel directory contains the following sub-directories and files:

Directory	Description
CCA	This directory contains the iConnect for Siebel Contact Center components.
CRAWLER	This directory contains the iConnect for Siebel Contact Center components. See Appendix B, “Configuring InQuira Content Processing.” for more information on the Siebel crawler.
xsl	This directory contains the standard content converter stylesheets which you copy to the InQuira 8.1.3 application and the web server. main.xsl sr_transformation.xsl

The CCA directory contains the following iConnect for Siebel Contact Center directories and files:

Directory	Description
DataMaps	This directory contains two files which are used in the data integration process. InQuiraLinkUnlinkSRDM.XML InQuiraSRLinkedAnswersDM.XML
SIF	This directory contains the Siebel Import File for the iConnect for Siebel Contact Center. InQuiraProject.sif You import this file into the Siebel environment during the deployment process.
WebService	This directory contains the webservices file: InQuiraSRLinkedAnswers.XML
WebTemplate	This directory contains the InQuira 8.1.3 search applet, InQuiraSearchApplet.swt, for deployment in the Siebel environment.
Workflows	The directory contains the workflows which must be imported into Siebel 7.8: InQuiraGetSRLinkedAnswers InQuiraLinkUnlinkAdapter Note: This directory appears only in the siebel-7.8.zip or siebel-7.8.tar.gz files.
WSDL	This directory contains the WSDL (Web Services Description Language) files which must be imported into Siebel 7.8 to link answers. InQuiraSR_Linked_Answers.WSDL InQuiraSRLinkedAnswers_InQuira SR Linked Answers.WSDL.xml Note: This directory appears only in the siebel-7.8.zip or siebel-7.8.tar.gz files.

The CRAWLER directory contains the following iConnect for Siebel Contact Center files:

File	Description
DataMaps	This directory contains the datamap file: InQuiraSRDetails.XML
RunTimeEvents	This directory contains the runtime event file: RTE.xml
SIF	This directory contains the Siebel Integration File, which is imported into the Siebel environment during the deployment process: InQuiraCrawlerProject.sif
WebService	This directory contains the webservices file: InQuiraCrawler.XML

Workflow	<p>This directory contains the packaged workflow processes that you deploy within the Siebel environment that locate the Integration Objects and write the associated data to XML files for access by the configured InQuira 8.1.3 Siebel crawlers.</p> <p>The following workflow processes are for Siebel 7.8:</p> <pre>InQuiraCleanUpTransCrawlRecord InQuiraCrawlerFullGet InQuiraCrawlerGetSRDetails InQuiraCrawlerPartialGe InQuiraInsertTransCrawlRecord InQuiraMainTransCrawlRecord</pre> <p>Note: This directory appears only in the siebel-7.8.zip or siebel-7.8.tar.gz files.</p>
WSDL	<p>This directory contains the WSDL (Web Services Description Language) files that must be imported into Siebel 7.8 to use the crawler.</p> <pre>SiebelInQuira_Crawler.WSDL SiebelInQuira_InQuiraCrawler.WSDL.xml</pre> <p>Note: This directory appears only in the siebel-7.8.zip or siebel-7.8.tar.gz files.</p>

iConnect for Siebel Contact Center Components

iConnect for Siebel Contact Center consists of the following components that you deploy within the Siebel CRM environment:

- Custom Siebel Projects packaged as Siebel Import Files (.sif) that you import and deploy as described in [Chapter 3, Deploying iConnect in a Siebel Environment](#)
- Custom user interface templates (InQuiraSearchApplet.swt) as described in “Deploying the InQuira Search Applet Template” on page 27

The Integration Process

iConnect for Siebel Contact Center integration requires a complete and configured InQuira 8.1.3 installation, as well as a supported Siebel CRM application installation.

You need access to Siebel Tools to import the Siebel Import files (.sif) containing the InQuira-supplied Siebel components.

The iConnect for Siebel Contact Center deployment process consists of the following steps:

- Deploy the iConnect for Siebel Contact Center components in the Siebel environment as described in [Chapter 3, Deploying iConnect in a Siebel Environment](#)

- Configure content integration as described in [Chapter 4, Configuring Content Integration](#)
- Configure data integration as described in [Chapter 5, Configuring Data Integration](#)
- Edit the Siebel user interface as described in [Chapter 6, Configuring the iConnect Integrated User Interface](#)

Configuration Scenarios

This chapter describes the configuration options to integrate Siebel and InQuira iConnect for each of the following scenarios:

- **Search in Context**
- **Single Sign-on**
- **Localizing InQuira and Multi-Lingual Content**
- **Linking a Document to a Case**
- **Unlinking a Document**
- **Creating New Content and Providing Feedback**
- **Supporting Multiple CRM Systems**

The function provided for individual documents from Information Manager are available when viewing search results from the web pages. These functions include document editing, recommending changes to documents, viewing change recommendations, rating, subscribing, and other useful functions for users.

Search in Context

Search in context is the ability to allow a user to find an answer based upon the content of the case that they are currently working. With the click of a button, information is pulled from the case and presented to InQuira to identify the best answer. The user can then interact with InQuira to further refine their search, click to view content, provide feedback, or perform one of other many functions provided through the InQuira UI.

Siebel Implementation

Configure the Symbolic URL to point to the InQuira instance.

Configure Single Sign-on for Siebel (either through Siebel SSO mapping or some other third party SSO solution).

Configure application views.

Configure data integration.

iConnect Application Configuration

Configure to point to InQuira search runtime.

Single Sign-on

InQuira accepts the user credentials (user id and password) that are passed and automatically logon the user when the user initiates the first search request for a case. If the user is unknown, then the user appears as an anonymous user. If the user is known, the user is automatically logged into InQuira.

The user is mapped to a user Role, which dictates the privileges for that user that are displayed within the InQuira application.

This password encryption/decryption only affects the autologin for system integration. It does not affect the normal login process, being native InQuira implementation, LDAP, or any custom made implementation through IAuthenticate.

Using HTTPS communication between Siebel and InfoCenter/iConnect further improves the security for sensitive data.

If using Single Sign-on products, such as Site Minder, a customized SSO can replace the AUTOLOGIN delivered.

Siebel Implementation

Define InQuira User Name and Password in Siebel SSO configuration. The password should be encrypted (entered in encrypted format). The default password is encrypted as it is in Information Manager when a user/password is created.

iConnect Application Configuration

Configure the encryption algorithm for entry CRYPTO_CLASS_NAME in config.properties for each iConnect application. This can be done through IM console, System Config Expert mode. By default, it is preconfigured as com.inquirafoundation.utilities.CVEncryption.

The encryption algorithm can be custom implemented and plugin to the iConnect system as long as it implements the following interface.

```
package com.inquirafoundation.utilities;
public interface ICVCrypto {
    public String encryptPassword(String str)throws CVSecurityException ;
    public String decryptPassword(String str)throws CVSecurityException ;
}
```

The encryption algorithm should apply on both Siebel and on iConnect.

Localizing InQuira and Multi-Lingual Content

The InQuira iConnect Application accepts the user locale to dynamically determine the localized version of iConnect to display for the user. The locale for the user is also used to determine the locale of the answers returned. In addition, the user can select additional languages for which they would like to see results returned. InQuira provides cross-lingual search where results may be returned in all languages, while the user enters the question in the native language. Automatic spell checking occurs for their native language and concepts are identified that may match other languages and in-turn match on other content for those languages.

For example, when entering "funcionnes" in Spanish, Information Manager uses spell check to correct this as "funciones" and matches on the concept "features" in English. Often all content is not translated into all languages. Cross-lingual search allows users who can read multiple languages, but have trouble writing in another, to enter a question in the native language and see results in other languages that they can read.

Siebel Implementation

Locale is passed for the user in the Symbolic URL (param "locale") or embedded in iConnect customized implementation.

iConnect Application Configuration

Multiple Languages can be configured within InQuira to provide a checkbox to the end user for the language of results.

Linking a Document to a Case

InQuira iConnect provides the feature to link an answer to a case. When a user finds a solution, the user can link that solution to the case and Information Manager records the following details:

- | | | |
|-----------|---------------|------------------|
| • URL | • Document ID | • User Name* |
| • Excerpt | • Solution ID | • Linked Date |
| • Title | • Version | • InQuira Status |

*This is the user who linked the solution.

For the case, this is an audit trail of what was used as a solution for the case. Within InQuira, the activity of linking a document to a case results in the document reuse count and document value being incremented, identifying the author for the usefulness or value of the contribution in reports and in the author's reputation.

An optional parameter, incident value for the case, can be applied to influence the document value by passing in a value for the case when the document is linked (e.g. Severity 1 passes in 10, while Severity 4 passes in 1). The document value is the sum of all incident values for the cases to which the document was linked.

Using an incident value allows the recognition of users who author documents that are reused to solve critical cases. It also influences the user's reputation points. Often the best support people work on the fewest, but most critical cases, and write the fewest documents, but they are valuable documents to the company. Incident value helps to recognize these individuals for their contributions.

Important! A closed case cannot link any additional answers.

Siebel Implementation

Configure web services.

InQuira Search Configuration

Create a **Linked Answers** tab, as described in “Configuring Service Request Screen” on page 49.

Unlinking a Document

InQuira iConnect provides the feature to unlink an answer from a case. When a user determines that the answer linked to the case did not resolve the case, the user can unlink the answer from the case. This process will also decrement the reuse count and the document value for the document that is unlinked.

Siebel Implementation

Configure web services.

InQuira Search Configuration

The linking configuration described above also creates the ability to unlink.

Creating New Content and Providing Feedback

If the issue is not known, the user can create a document which frames the problem and the resolution to the issue. The information from the case can be used to create a new document. The draft document can be automatically linked to the case as what was used to resolve the case, and the document will be available for other users to view and possibly publish to the web site for external users.

A knowledge management platform is a content manufacturing engine as users create content to resolve new issues, systematically filling content gaps and publishing new, relevant content to the web site.

If granted the privileges to do, users may edit existing content as they use it in the case that they find a problem with a document that needs to be fixed.

Users may also recommend new content if they are not provided the privilege to create new content directly. Users may recommend changes to an existing document and see recommended changes from other users when viewing a document.

Users may provide other feedback specifically for their search experience to flag sessions that are problematic for offline analysis, as well as provided ratings and feedback on content.

Users may also post topics for discussion using InQuira forums, from which new documents can be sourced.

Siebel Implementation

Uses the Link Web Service defined for linking a document to a case.

Uses the Symbolic URL to pass information about the case and prefill draft documents or recommendations.

Supporting Multiple CRM Systems

A single instance of InQuira can be used for multiple CRM systems. Different groups within a company may use different CRM systems, but still need to find and share answers. Each CRM system can be configured and passed to iConnect for iConnect to know which CRM system is linking answers to their cases. iConnect would then invoke the corresponding set of link or unlink web services.

Siebel Implementation

The Symbolic URL passes a system parameter ("cca_system" value has to match the Call Center Advisor name of Call Center Advisor config in Advanced config).

InQuira iConnect Configuration (Search instances)

The iConnect is configured in System Manager, see Chapter 4, "Configuring Content Integration". The CC Advisor name must match the "cca_system" value in Symbolic URL defined in Siebel. A different CC Advisor with a unique name can be created for each CRM system.

Deploying iConnect in a Siebel Environment

iConnect for Siebel Contact Center contains various integration files that you import into the Siebel repository and configure within the Siebel environment. You use the Siebel Tools application to import the following integration files:

Integration File	Location
InQuiraProject.sif	<InQuira_home>\archive\siebel\CCA\SIF
InQuiraLinkUnlinkSRDM.xml	<InQuira_home>\archive\siebel\CCA\Datamaps
InQuiraSRLinkedAnswersDM.xml	<InQuira_home>\archive\siebel\CCA\Datamaps
InQuiraSearchApplet.swt	<InQuira_home>\archive\siebel\CCA\WebTemplate
InQuiraSRLinkedAnswers.xml	<InQuira_home>\archive\siebel\CCA\WebService
InQuiraGetSRLinkedAnswers	<InQuira_home>\archive\siebel\CCA\Workflows
InQuiraLinkUnlinkAdapter	<InQuira_home>\archive\siebel\CCA\Workflows

Note: To deploy in Siebel 7.8, you must first import the following workflows:

- InQuiraCleanUpTransCrawlRecord
- InQuiraCrawlerFullGet
- InQuiraCrawlerGetSRDetails
- InQuiraCrawlerPartialGe
- InQuiraInsertTransCrawlRecord
- InQuiraMainTransCrawlRecord

To import the iConnect for Siebel Contact Center integration files:

- Ensure that your environment is prepared for the import process as described in “Preparing for the Import Process” on page 19.
- Log onto the Siebel Tools application as described in “Accessing the Siebel Tools Application” on page 19.
- Set the repository into which you want to install the Siebel Repository Configuration as the current repository.

- Select a project to import the iConnect for Siebel Contact Center SIF files into, as described in “Selecting the Project for the Import Process” on page 20.
- Import the integration files as described in “Importing iConnect for Siebel Contact Center Integration Files” on page 21 and “Importing the Crawler Integration Files” on page 26.

Important! This chapter describes the import process using the integration file InQuira Project as an example. You must repeat the import process for each integration file.

Once you have imported the iConnect for Siebel Contact Center SIF files into the selected project, you complete the deployment process by:

- Deploying the InQuira Search Applet template as described in “Deploying the InQuira Search Applet Template” on page 27.
- Activate the table in Siebel as described in “Activating the Table in Siebel” on page 27.
- Compiling the Siebel repository as described in “Compiling the Siebel Repository” on page 29.
- Deploying the updated repository as described in “Deploying the Updated Repository in the Siebel Environment” on page 32.

Preparing for the Import Process

To prepare for the import process, ensure that the following prerequisites are met in your environment:


- There are no existing projects having the names of the SIF files that you will import in this process.
- The appropriate Siebel repository is set as the current repository.

Important! If a project of the same name as one of the iConnect for Siebel Contact Center integration files currently exists, you must lock it to ensure that the import process can resolve any object definition conflicts.

Accessing the Siebel Tools Application


To access the Siebel Tools application, log onto the Siebel Tools application as a user with administrator privileges, and specify the server connection, as in the following example:

Login Parameter	Value
User ID:	<siebel_admin_ID>
Password:	<siebel_password>
Connect:	Server



Selecting the Project for the Import Process

The import process prompts you to specify the project into which you will import the iConnect integration files. You can import the integration files into an existing project, or create a new project. In the examples that follow, we use an example project named InQuira CCA.



Importing iConnect for Siebel Contact Center Integration Files


This section describes how to import iConnect Siebel integration files into the Siebel environment and discusses:

- **Specifying the Conflict Resolution Method for the Import Process**
- **Reviewing Conflicts**
- **Confirming the Import**
- **Viewing the Import Summary**


You import the iConnect for Siebel Contact Center integration (.sif) files into the Siebel environment using the Siebel Tools application.

To import the InQuira project:

- 1 In the Siebel Tools application, select **Import from Archive** from the **Tools** menu:




You may see the following message:



- 2 Select **Yes** to continue.

Siebel Tools displays the **Select Archive to Import** dialog:




- 3 In the file browser, navigate to the following directory:
 <InQura_home>\archive\siebel\CCA\SIF
- 4 Select the first integration file in the list, **InQuraProject.sif**.
- 5 Click **Open**.

Siebel Tools displays the Import Wizard.

Specifying the Conflict Resolution Method for the Import Process

The Siebel Tools Import Wizard displays a preview screen that:


- Lists the objects in the selected archive
- Prompts you to specify conflict resolution method for any objects that currently exist in the repository



To specify the Conflict Resolution Method:

- 1 Select **Overwrite the object definition in the repository**.
- 2 Select **Next >** to continue.


Note: You may see a message similar to the following:



- 3 Lock any projects listed, and continue the import process.

Reviewing Conflicts


The Import Wizard lists any object definition conflicts between the project to be imported and an existing project of the same name if it exists.



Select **Next >** to continue.

Confirming the Import

The Import Wizard displays a summary message that details the updates to the repository that will occur in the import process.




Select **Yes** to continue. The Import Wizard displays the Summary screen.

Note: The figure above is an example. Repository modification results vary depending on the iConnect version and configuration specifics of a given installation.

Viewing the Import Summary

The Summary screen displays messages that detail the import process, concluding with a completion message.



Select **Finish**, and verify the import process results.

Note: If the import fails for some reason, please take a screen capture of the error and escalate the issue to InQuira.

Importing the Crawler Integration Files

Repeat the process described in “Importing iConnect for Siebel Contact Center Integration Files” on page 21 to import the InQuiraCrawlerProject.sif file, stored in the following location:

<InQuira_home>\archive\siebel\CRAWLER\SIF

Deploying the InQira Search Applet Template

You deploy the iConnect for Siebel Contact Center search applet template by copying it from the installation location into the Siebel instance web template folder.

To deploy the applet template, copy the file `InQiraSearchApplet.swt`, from:

`<InQira_home>\archive\siebel\CCA\WebTemplate`


to

`<Siebel_home>\siebsrvr\WEBTEMPL`

Activating the Table in Siebel


To activate the table in Siebel:

- 1 Access Siebel Tools - Siebel Repository - Table List
- 2 Select the CX_INQ_TRANS table from the list.




- 3 Click **Apply/DDL**.

If you receive a warning like the one below, click **Yes**.



- 4 In the Choose Option dialog box, select **Apply** and click **OK**.



The Apply Schema window displays.



- 5 Enter the Database user and Database user password in Apply Schema.

6 Click **Apply**.

Siebel Tools applies the table and provides a *Changes successfully applied* notification when complete.



7 Click **OK** in the Siebel notification.


Compiling the Siebel Repository


You must compile the Siebel Repository File (SRF or file extension .srf) to make the configuration available to the Siebel client application. We suggest that you select the option to compile all projects.

Important! Stop the Siebel server and the Siebel gateway services prior to compiling the repository.

To compile the Siebel repository:

1 Select **Compile Projects** from the **Tools** menu.



2 Select **All projects** from the **Object Compiler** project selection screen3 Select **Compile**.

Note: Compile time varies depending on the size of the repository and server characteristics. Compile may take between 5-30 minutes. After the compile is complete, you must copy the compiled SRF file to the appropriate location on the Siebel Server, as described in step 4, below.

Important! If compile errors out, please note the error, abort the configuration process, and escalate the issue to a Siebel admin/InQuira Consultant.

4 After a successful compile, copy the compiled SRF to both the server and the client application.

a Unlock the locked project on the server.

b Copy the `siebel.srf` file to the following location on the Siebel server:

`<SIEBEL_HOME>\siebsrvr\objects\enu`

Use the following location for the client:

`<SIEBEL_HOME>\client\objects\enu`

It is recommended that you rename the current `siebel.srf` in the `<SIEBEL_HOME>/siebsrvr/objects/enu` directory to `siebel.srf.old<date&time>`.

Important! For **Siebel Industry Applications**, you must also replace the `siebel_sia.srf` file in the same directory, with the compiled `siebel.srf` file. In this case, you will have two files with the same compiled SRF content but with different names. It is recommended that you rename the current `siebel_sia.srf` to `siebel_sia.srf.old<date&time>`.


Ascertaining Siebel Applications Type

You can ascertain the Siebel application type by either of the following methods:

Finding from the Siebel Application:

- 1 In the Siebel application, click on Help in the Menu bar.
- 2 Select **About SRF...** from the dropdown menu.

A pop-up window appears as shown below. Note the file name in the pop-up window. If the file name is `siebel_sia.srf`, then the application is a Siebel Industry Application and you must copy the compiled SRF over `siebel_sia.srf` as well.



Finding from the Siebel Tools Application:

- 1 In the Siebel Tools application, click on Help in the Menu bar.
- 2 Select **About SRF...** from the dropdown menu.

A pop-up window appears as shown below. Note the file name in the pop-up window. If the file name is `siebel_sia.srf`, then the application is Siebel Industry Application and you need to copy the compiled SRF over `siebel_sia.srf` as well.



Deploying the Updated Repository in the Siebel Environment

Deploy the SRF in the destination environment.

Note: This updated SRF must be present in the environment where subsequent setup changes will be made.

After you successfully copy the files in the previous step, restart the Siebel gateway server. After the gateway server has started, restart the Siebel server. The Siebel server takes 2-3 minutes to start depending on the platform characteristics and the size of the repository.

Configuring Content Integration

iConnect for Siebel Contact Center uses the Siebel Portal Framework to perform content integration for the iConnect for Siebel Contact Center. You enable the Siebel application to display InQuira 8.1.3 content by creating and configuring a Siebel Portal Agent.


To create and configure a Portal Agent:

- Define the external host as described in “Defining the External Host” on page 34.
- Define the web application as described in “Defining the Web Application” on page 35.
- Define a symbolic URL as described in “Defining a Symbolic URL” on page 36.
- Configure the InQuira iConnect properties in InQuira System Manager as described in “Configuring iConnect Parameters” on page 38.
- Create the InQuira User Responsibility as described in “Creating the InQuira User Responsibility” on page 42.
- Define application views as described in “Defining Application Views” on page 43.
- Enable single sign-on as described in “Enabling Single Sign-on” on page 44.

Defining the External Host

To define an external content host:

- 1 In the Siebel application, navigate to the **Site Map > Administration - Integration > WI Symbolic URL List > Host Administration** view



- 2 Select **New** to create a new record. The field for the new record displays:

Name	Virtual Name	Authentication Type	Authentication Value
>			

- 3 Enter the following parameters to define the new record:


Parameter	Value
Name	<hostname> The name of the host machine where InQuira is installed.
Virtual Name	InQuiraHost
Authentication Type	(blank)
Authentication Value	(blank)

Name	Virtual Name	Authentication Type	Authentication Value
> InQuira	InQuiraHost		

Defining the Web Application

To define a web application:

- 1 In the Siebel application, navigate to the **Site Map > Administration - Integration > WI Symbolic URL List > Web Application Administration** view



- 2 Select **New** to create a new record. The field for the new record displays:

A screenshot of the 'New' record form in the Siebel application. The form has a header bar with 'Web Application Administration' and buttons for 'Menu', 'New', 'Delete', and 'Query'. Below the header is a table with columns: Name, Shared, and Timeout. The 'Name' column has a text input field with a cursor, and the 'Shared' column has a checkbox. The 'Timeout' column is empty.

Name	Shared	Timeout
>		

- 3 Enter the following parameters to define the new record:

Parameter	Value
Name	InQuira
Shared	Y
Timeout	(blank)


A screenshot of the 'New' record form in the Siebel application, showing the data entered in the previous step. The 'Name' field contains 'InQuira', the 'Shared' checkbox is checked, and the 'Timeout' field is empty.

Name	Shared	Timeout
> InQuira	<input checked="" type="checkbox"/>	

Defining a Symbolic URL


To define a Symbolic URL:

- 1 In the Siebel application, navigate to the **Site Map > Administration - Integration > WI Symbolic URL List > Symbolic URL Administration** view



- 2 In the top applet, enter a new record and define the following parameters:

Parameter	Value
Name	InQuiraSRSearchPage
URL	http://inquirahost:8226/infocenter_app_name/index
Hostname	<hostname> The name of the host machine where InQuira is installed.
Fixup Name	Default
Multivalue Treatment	Comma Separated
SSO Disposition	Iframe
Web Application Name	InQuira



3 For the Symbolic URL Argument List Applet enter the following arguments records for **InQuiraSRSearchPage**:

Menu > New Record > Enter

Name	Required Argument	Argument Type	Argument Value	Append as Argument	Substitute in Text	Sequence Number
page	Y	Constant	cca	Y	N	1
sr_key	N	Field	SR Number	Y	N	2
question_box	N	Field	Abstract	Y	N	3
cca_types	N	Constant	solution_id, resolution_id	Y	N	4
solution_id	N	Field	InQuira Solution Id	Y	N	5
ext_sol	N	Field	InQuira Answers Name	Y	N	6
resolution_id	N	Field	InQuira SR Resolution Id	Y	N	7
ui_mode	N	Constant	Question	Y	N	8
cca_connected	N	Constant	TRUE	Y	N	9
IFRAME	Y	Command	IFRAME Height=400 Width=100% Frameborder=0 marginwidth=1 marginheight=1	Y	N	10
PostRequest	Y	Command	GetRequest	Y	N	11
cca_system	Y	Constant	Siebel	Y	N	12
cca_case_desc	Y	Field	Abstract	Y	N	13
IsRecordSensitive	N	Command	TRUE	Y	N	14
user	N	Command	UserLoginId	Y	N	15
pswd	Y	Command	UserLoginPassword	Y	N	16

The screenshot shows the 'Symbolic URL Arguments' applet interface. It includes a menu bar with 'Menu', 'Delete', and 'Query' options. Below the menu is a table with columns: Name, Required Argument, Argument Type, Argument Value, Append as Argument, Substitute in Text, and Sequence #. The table contains 16 records, with the first record 'page' highlighted in yellow. The 'Required Argument' column contains checkmarks for 'page', 'IFRAME', and 'PostRequest'. The 'Append as Argument' column contains checkmarks for all records. The 'Substitute in Text' column contains 'N' for all records. The 'Sequence #' column contains numbers from 1 to 16.

Name	Required Argument	Argument Type	Argument Value	Append as Argument	Substitute in Text	Sequence #
page	✓	Constant	cca	✓	N	1
sr_key		Field	SR Number	✓	N	2
question_box		Field	Abstract	✓	N	3
cca_types		Constant	solution_id, resolution_id	✓	N	4
solution_id		Field	InQuira Solution ID	✓	N	5
ext_sol		Field	InQuira Answers Name	✓	N	6
resolution_id		Field	InQuira SR Resolution	✓	N	7
ui_mode		Constant	Question	✓	N	8
cca_connected		Constant	TRUE	✓	N	9
IFRAME	✓	Command	IFRAME Height=400	✓	N	10

Configuring iConnect Parameters

When you add a web application to a repository and define it, InQuira Information Manager deploys the iConnect files and the InfoCenter files. This represents the web pages and the properties file for the web application.

Use the Contact Center Advisor setup in the Advanced Configuration Facility to set and modify the integration parameters for the iConnect and Siebel.

Edit Call Center Advisor Settings

In Advanced Configuration:

- 1 In the InQuira System Manager, navigate to **Tools > Advanced Config > System > Contact Center Advisor**.
- 2 Click **Edit**.

The **Editing: Call Center Advisor** screen displays:

Editing: Call Center Advisor

cca-default-handler : [Edit List](#)

Call Center Advisor :

Base URL :

User Name :

Password :

Call Center Advisor : [Add New Item](#)

cca-handler-impl : [Add New Item](#)

3 Enter the following parameters:

Property	Description
cca-default-handler	Refers to how InQuira communicates with Siebel installations. See “Add a Call Center Advisor” below.
Call Center Advisor	The default is Siebel. This is the “cca-handler-impl”. This must match what is defined for the “cca_system” on page 37 in the Symbolic URL Argument List.
Base URL	Refers to the URL associated with the configured Siebel system.
Username	Enter the login name associated with the Siebel server.
Password	Enter the password used to access the Siebel server.
cca-handler-impl	Defines the code used by InQuira to invoke communication with Siebel.

Add a Call Center Advisor

From the **Editing: Call Center Advisor** screen:

1 Click **Add New Item** in the Call Center Advisor section.

The **Editing: Call Center Advisor > Call Center Advisor** screen displays.

Editing: Call Center Advisor > Call Center Advisor

Item Name: ABC

Call Center Advisor: Siebel [Edit List](#)

Base URL: http://HOST:PORT/eai_enu/start.svc

User Name: username

Password: *****

Properties

Value	Item Name
some additional config value	Key

[Add New Item](#)

OK Cancel

- Review the “Possible Configurations” section and enter the following properties for your configuration:

Property	Description
Item Name	Enter a name for the CCA configuration. This used to register this CRM handler and help to locate this handleImp by the InQuira CCA framework.
Call Center Advisor	The default is Siebel. This is the “cca-handler-impl”.
Base URL	Enter to the URL associated with the configured Siebel system. This is used to access web services.
User Name	Enter to the login name associated with the Siebel server.
Password	Enter to the password associated with the above User Name.
Properties	Add any additional configurable properties, if necessary. To modify select Add New Item .

Add a cca-handler-impl

From the **Editing: Call Center Advisor** screen:

- Click **Add New Item** in the cca-handler-impl section.

The **Editing: Call Center Advisor > cca-handler-impl** screen displays.

- Review the “Possible Configurations” section and enter the following properties for your configuration:

Property	Description
Item Name	Enter a name for the cca-handler-imp. The Item Name must match what is defined for the “cca_system” on page 37 in the Symbolic URL Argument List. The default is Siebel
cca-handler-impl	For Siebel, use the delivered class name: <code>com.inquirarequest.cca.CCASiebelHandler</code> For other CRM systems, this must be the java class name and full path for the CRM system handler.

Possible Configurations

PRIMARY CCA CONFIGURATION

To configure one Siebel 7.8, 8.0, or 8.1 system, using iConnect 8.1.3:

- 1 Create a CCA configuration. See “Add a Call Center Advisor” on page 39.
- 2 Create a `cca_handler_imp`. See “Add a cca-handler-impl” on page 40.
- 3 Pass the symbolic URL with a `cca_system` matching the Item Name for the `cca_handler_imp`, as defined in “Defining a Symbolic URL” on page 36.

SECONDARY CCA CONFIGURATION

To configure an additional Siebel 7.8, 8.0, or 8.1 system, using iConnect with 8.1.3:

- 1 Create a second CCA configuration. See “Add a Call Center Advisor” on page 39.
- 2 Create a second `cca_handler_imp`. See “Add a cca-handler-impl” on page 40.
- 3 Pass the symbolic URL with a `cca_system` matching the Item Name for the second `cca_handler_imp`, as defined in “Defining a Symbolic URL” on page 36.

ADDITIONAL THIRD-PARTY CCA CONFIGURATION

To configure a third-party CRM system (e.g. Clarify or PeopleSoft), using iConnect with 8.1.3:

- 1 Create a CCA configuration. See “Add a Call Center Advisor” on page 39.
- 2 Create a `cca_handler_imp`. See “Add a cca-handler-impl” on page 40.
- 3 Pass the symbolic URL with a `cca_system` matching the Item Name for the `cca_handler_imp`.

Creating the InQira User Responsibility

To create InQira user responsibility:

- 1 In the Siebel Application, navigate to **Site Map > Administration - Application > Responsibilities** view.
- 2 Select **Menu > New Record** or click **New** on the title bar to create a new record.
The field for the new record displays:



- 3 Enter the following parameters for the new record:


Parameter	Value
Responsibility	InQira User
Organization	Default organization

- 4 Select **Menu > Save Record** to save the newly created record.

Defining Application Views

To define Application Views:

- 1 In the Siebel application, navigate to **Site Map > Administration – Application > Views**



- 2 Click **New** and enter two new records, specifying the following parameters:

Parameter	Value
View Name	InQuira Service Request Answers View
Description	(optional)
Default Local Address	Y

Parameter	Value
View Name	InQuira Service Request Search View
Description	(optional)
Default Local Address	Y


- 3 Add both Views to the InQuira User Responsibility. For more information, see “Creating the InQuira User Responsibility” on page 42.

Enabling Single Sign-on


The InQuira InfoCenter supports user single sign-on functionality. Single sign-on allows users to automatically log into the InQuira InfoCenter when the user logs into Siebel.

To enable single sign-on:

- 1 Navigate to **Site Map > Administration – Integration > SSO Systems Admin List > SSO Systems Administration**



- 2 Select **New** to create a new record. The field for the new record displays as:



- 3 Define a new record, using the following parameters:

Parameter	Value
System Name	InQuira ¹
Symbolic URL Name	InQuiraSRSearchPage
Description	(optional)

SSO System Users	
Siebel Login Name	User name to log into Siebel.
Login Name	User name to log into InQuira InfoCenter.
Password	Password corresponding to the Login Name. InQuira recommends that the password entered here is encrypted. See "InQuira InfoCenter Password" for more information about the password.

1. This is an arbitrary designation for reference. Any name can be entered here.

InQuira InfoCenter Password

The integration from Siebel user to auto login to InfoCenter/iConnect requires full InQuira authorization and the password must encrypted for the SSO mapping on the Siebel side. InfoCenter decrypts this password when the Siebel request is intercepted. If the auto login fails, InfoCenter considers the user an anonymous user into InfoCenter.

The encryption algorithm is configurable through the CRYPTO_CLASS_NAME property in config.properties for each InfoCenter/iConnect web application. You manage the encryption through the IM console. Navigate to Tools > System > Configure Go to Expert Mode. The default InQuira user password encrypt/decrypt class name configuration is:

```
CRYPTO_CLASS_NAME=com.inquirafoundation.utilities.CVEncryption
```

The InQuira user's password entered in the Siebel system has to be encrypted by the same implementation entered here so it can be properly decrypted. You can choose the encrypted password from the IM database to enter into the Siebel System.

You can customize the encryption and decryption algorithm implementation by filling the entry of "CRYPTO_CLASS_NAME". Again, the same algorithm implementation must apply to the InQuira user's password on the Siebel side for encryption and the InQuira side for decryption.

To disable this password decryption, you can choose to make the "CRYPTO_CLASS_NAME" entry empty in the configuration. In this case, InfoCenter considers the password to be sent over in clear text format with no encryption on it at all.

Important! Sending a password in clear text raises security concerns and is not recommended.

Using HTTPS communication between Siebel and InfoCenter/iConnect further improves the security for sensitive data.

Note: This password encryption/decryption only affects the autologin for system integration. It does not affect the normal login process, being native InQuira implementation, or LDAP or any custom made implementation through IAuthenticate.

Configuring Data Integration

The iConnect for Siebel Contact Center uses the Siebel EAI Framework for data integration between the InQuira 8.1.3 and Siebel applications. This HTTP request-response based integration uses Siebel as a service. The inbound EAI request invokes a workflow in Siebel to insert and update data, and uses the Siebel Data Mapping Service to transform data between the InQuira XML format and Siebel's internal format.


To configure data integration:

- Import the data map as described in “Importing the Data Map” on page 46
- Import the web services as described in “Importing the Web Services” on page 48
- Configure the Service Request as described in “Configuring the Service Request” on page 49


Importing the Data Map

To import the Data Map:

- 1 Navigate to **Site Map > Administration - Integration > Data Map Editor**
- 2 Select **Import Data Map** in the Integration Object Map applet.



The EAI Import dialog displays:



- 3 Click **Browse** and navigate to the following directory:

`<InQira_home>\archive\siebel\CCA\DataMaps\`

to locate the following iConnect data map files:

- InQiraLinkUnlinkSRDM.XML
- InQiraSRLinkedAnswersDM.XML

Note: If you receive the following error:

Cannot find entry 'InQira Link Unlink External IO'(or 'InQira SR Linked Answers IO') in the bounded picklist for the field 'Source Object Name' in integration component 'EAI Object Map'(SBL-EAI-04401)

It is likely caused by the `siebel_sia.srf` not being copied over the existing `siebel_sia.srf`. See “Compiling the Siebel Repository” step 4 for more information.


- 4 Click **Import**.
- 5 Click **Browse** and navigate to the `InQiraSRDetails.XML` file in the following directory:

`<InQira_home>\archive\siebel\CRAWLER\DataMaps\`
- 6 Click **Import**.

Importing the Web Services

To import the InQuira iConnect web services:

- 1 Navigate to **Sitemap > Administration - Web Services > Inbound Web Services**.
- 2 Select Menu > Import EAI WebService.



The EAI Web Service Import window displays.



- 3 Click **Browse** and navigate to the InQuiraSRLinkedAnswers.XML file in the following directory:
`<InQuira_home>\archive\siebel\CCA\WebService\`
- 4 Click **Import**.
Siebel Tools imports the InQuira web services files.
- 5 Select the record you just imported into the Inbound Web Services Applet.
- 6 Click on the Service Ports applet.

- 7 Modify the Address field for all the records in that applet to use the correct **host name**, **user name**, and **password**. The URL is in the following format:

```
http://<Siebel server host name>/eai_enu/  
start.swe?SWEExtSource=WebService&SWEExtCmd=Execute&UserName=  
<Siebel user name>&Password=<password>
```

- 8 Click **Browse** and navigate to the `InQuiraCrawler.XML` file in the following directory:

```
<InQuira_home>\archive\siebel\CRAWLER\WebService
```

- 9 Click **Import**.

Siebel Tools imports the InQuira web services files.

Important! Click the **Clear Cache** button when you finish importing the web services.

Configuring the Service Request


After the successful import of the Siebel SIF files and the steps covered in the earlier chapters, the following activities must be completed to complete the configuration.

- **Configuring Service Request Screen**
- **Configuring Service Request Business Object**

Configuring Service Request Screen

To configure the Service Request Screen:

- 1 In the Siebel Tools application, click **Screen** on the Object Explorer to display the Screens on the right hand side pane.
- 2 Click **New Query** on the List tool bar to start a search.



- 3 Enter "Service Request Screen" in the name column of the Screens window at the top and click Execute Query on the List tool bar.
- 4 Click the + sign in front of the Screen on the Object Explorer and in the expanded list, click on Screen View.
A bottom pane opens displaying the Screen Views that appear under the Service Request Screen.
- 5 Click anywhere on the Screen Views window > New Query. Enter "InQ*" in the Name column and click the Execute Query icon on the List tool bar. You should not see any views starting with "InQ".
- 6 Select the "Service Request Screen" on the Screens view by clicking on the record.
- 7 With the record selected, right-click to display the context sensitive menu and select **Lock Object** at the bottom.



- 8 Click anywhere on the Screen Views window and right-click to display the context sensitive menu and select **New Record** from the menu.

The field for the new record displays:



9 Enter the following parameters shown under Record1 Value for the new record:

Parameter	Record1 Value	Record2 Value
Name	InQuira Service Request Answers View ¹	InQuira Service Request Search View ^a
View	InQuira Service Request Answers View	InQuira Service Request Search View
Changed	Y	Y
Type	Detail View	Detail View
Sequence	1,000	1,001
Parent Category	Service Request List	Service Request List
Display In Page	Y	Y
Viewbar Text - String Override	Linked Answers	Find Answers
Display In Site Map	Y	Y
Menu Text - String Override	Linked Answers	Find Answers
Status Text - String Override	Linked Answers	Find Answers
Comments	created for InQuira iConnect	created for InQuira iConnect
Inactive	N	N
Upgrade Behavior	Preserve ²	Preserve ^b

1. This field populates when the View is entered.

2. This field is not editable. After the Service Request Screen is unlocked, the Upgrade Behavior value defaults to **Preserve** for both records.


10 Repeat step 8 and step 9 to create another new record with the values shown under Record2 Value.

11 After both records have been added, unlock the Service Request Screen.

Configuring Service Request Business Object


To configure Service Request Business Object:

- 1 In the Siebel Tools application, click on Business Object on the Object Explorer to display the Business Objects on the right hand side pane.
- 2 Click **New Query** on the List tool bar to start a search.



- 3 Enter "Service Request" in the Name column of the Business Objects window at the top and click Execute Query on the List tool bar.
- 4 Click on the + sign in front of the Business Object on the Object Explorer and in the expanded list, click on Business Object Component. A bottom pane opens displaying the Business Object Components under the Service Request Business Object.
- 5 Click anywhere on the Business Object Components window > New Query. Enter "InQ*" in the Bus Comp column and click Execute Query on the List tool bar. You should not see any Business Object Components starting with "InQ".
- 6 Select "Service Request" on the Business Object view by clicking on the record.
- 7 With the record selected, click the right mouse button to pop the context sensitive menu and select "Lock Object" option at the bottom.
- 8 Click anywhere on the Business Object Components window and click the right mouse button to pop the context sensitive menu and select "New Record" from the menu.

The field for the new record displays:



9 Enter the following parameters shown under Record1 Value for the new record:

Parameter	Record1 Value	Record2 Value
Bus Comp	InQuira Answers	InQuira Answers EAI
Changed	Y	Y
Inactive	N	N
Link	Service Request/InQuira Answers	Service Request/InQuira Answers EAI
Comments	Created for InQuira iConnect	Created for InQuira iConnect

10 Repeat step 8 and step 9 to create another new record with values as shown under Record2 Value.

11 After both records have been added, unlock the Service Request Screen.

Important! After completing the Service Request Screen and Business Object modifications in Siebel tools, compile all of the changes. After a successful compilation, unlock all of the locked projects on the Siebel Server.

Configuring the iConnect Integrated User Interface

This chapter describes:

- **Interacting with the InQuira Application**
- **Adjusting the iFrame Height**

Interacting with the InQuira Application

The InQuira iConnect application can be embedded into the Siebel CRM interface or be launched as a new pop-up window. The user interacts with InQuira through the iConnect application, with options to refine their search, navigate through content, provide feedback, or recommend changes to content or create or edit content. The user has a direct link into the InQuira authoring environment from iConnect.

In addition, the InQuira iConnect application has browser requirements.



To set the browser requirements:

- 1 In Internet Explorer, select Tools > Internet Options.
- 2 Select the Privacy tab.
- 3 Click the **Advanced** button.
- 4 Select **Override automatic cookie handling**.
- 5 Select **Always allow session cookies**.
- 6 Click **OK**.

Adjusting the iFrame Height

You can configure the height of the search results frame within the Siebel application.

The IFrame feature is used to display InQuira 8.1.3 content within the Siebel application. The height of IFrame determines the height of Siebel applet used to render the InQuira 8.1.3 content.

- Edit the `Height` parameter of the `IFRAME` argument as specified in “Defining a Symbolic URL” on page 36. The default iConnect value is:

```
IFRAME Height=400...
```

- Change the value of the `Height` parameter to the desired value.
- Update the Siebel application.

Deploying Intelligent Search for Siebel

You deploy iConnect for Siebel Contact Center components within both the Siebel server environment using the Siebel Tools application, and within the Siebel client application.

To deploy iConnect for Siebel Contact Center complete the following:

- **Deploying the Content Converter Style Sheet**
- **Importing the Runtime Event**

The integration process supplies and configures components, such as the InQuira Workflow, within the Siebel environment to enable InQuira to access content associated with various Siebel objects.

Important! We strongly recommend that you stop the Siebel server before deploying iConnect for Siebel Contact Center.

Deploying the Content Converter Style Sheet

The iConnect for Siebel Contact Center content converter uses a pair of style sheets `main.xml` and `sr_transformation.xml` (called by `main.xml`) to translate the Siebel XML output to the InQuira IQXML input format.

To deploy the converter style sheets:

- Copy the files `main.xml` and `sr_transformation.xml` from the installation directory:

`<InQuira_home>\archive\siebel\xsl\`

to the webserver directory; for example, if using an Apache Tomcat webserver:

`<Apache_home>\tomcat\common\classes`

and to the InQuira directory:

`<InQuira-home>\inquiraint\xsl`

Modifying the Siebel Content Converter

You can edit the `sr_transformation.xsl` file to process Siebel XML output associated with custom integration objects. The Integration Object definition specifies which fields will be included in the exported XML file. You can specify conversion for all of the fields defined in the Integration Object, or optionally restrict the fields that will be processed as content by omitting them from the translation process.

- Select all the fields you need to be included as content.

Conversion Example

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/
Transform">
<xsl:output omit-xml-declaration="yes"/>
  <xsl:template match="/ServiceRequest">
    <ixml>
      <document>
        <xsl:if test="Area/text()" >
          <facet>CRM-AREA.<xsl:value-of select="Area"/></facet>
        </xsl:if>
        <xsl:if test="CreatedByName/text()" >
          <facet>CRM-CREATE_BY_NAME.<xsl:value-of select="CreatedByName"/></facet>
        </xsl:if>
        <xsl:if test="Sub-Area/text()" >
          <facet>CRM-SUB_AREA.<xsl:value-of select="Sub-Area"/></facet>
        </xsl:if>
        <xsl:if test="Sub-Status/text()" >
          <facet>CRM-SUB_STATUS.<xsl:value-of select="Sub-Status"/></facet>
        </xsl:if>
        <xsl:if test="SRType/text()" >
          <facet>CRM-INFORMATION_TYPE.<xsl:value-of select="SRType"/></facet>
        </xsl:if>
        <xsl:if test="Priority/text()" >
          <facet>CRM-PRIORITY.<xsl:value-of select="Priority"/></facet>
        </xsl:if>
        <xsl:if test="Status/text()" >
          <facet>CRM-STATUS.<xsl:value-of select="Status"/></facet>
        </xsl:if>
        <section>
          <subsection>
            <title><xsl:value-of select="SRNumber"/></title>
            <p><xsl:value-of select="Abstract"/></p>
            <p><xsl:value-of select="AccountComment"/></p>
            <p><xsl:value-of select="Account"/></p>
            <p><xsl:value-of select="Area"/></p>
          </subsection>
        </section>
      </document>
    </ixml>
  </xsl:template>
</xsl:stylesheet>
```

```

        <p><xsl:value-of select="CreatedByName" /></p>
        <p><xsl:value-of select="Description" /></p>
        <p><xsl:value-of select="Priority" /></p>
        <p><xsl:value-of select="Reproduce" /></p>
        <p><xsl:value-of select="ResolutionCode" /></p>
        <p><xsl:value-of select="SRRootcause" /></p>
        <p><xsl:value-of select="SRType" /></p>
        <p><xsl:value-of select="ServiceRequestType" /></p>
        <p><xsl:value-of select="Severity" /></p>
        <p><xsl:value-of select="Source" /></p>
        <p><xsl:value-of select="Status" /></p>
        <p><xsl:value-of select="Sub-Area" /></p>
        <p><xsl:value-of select="Sub-Status" /></p>
        <p><xsl:value-of select="Type" /></p>
        <p><xsl:value-of select="Version" /></p>
        <xsl:apply-templates select="ListOfAction/Action" />
    </subsection>
</section>
</document>
</iqxml>
</xsl:template>


<xsl:template match="ListOfAction/Action">
    <xsl:if test="position()=1">
        <p><xsl:value-of select="Description2" /></p>
        <p><xsl:value-of select="DueDate" /></p>
        <p><xsl:value-of select="Priority" /></p>
        <p><xsl:value-of select="Status" /></p>
        <p><xsl:value-of select="Type" /></p>
    </xsl:if>
</xsl:template>
</xsl:stylesheet>

```

Importing the Runtime Event

To import the InQuira crawler runtime event:

- 1 Navigate to Sitemap > Administration - Runtime Events > Event Aliases.
- 2 Select Menu, XML Import.



The Import File window displays.



- 3 Click **Browse** and navigate to the RTE.xml file.
 <InQuira_home>\archive\siebel\CRAWLER\RunTimeEvents\
- 4 Select the RTE.xml file and click **Open**.

The Import File dialog box displays. Click **OK**.



- 5 Siebel Tools imports the InQuira runtime event files.

Configuring InQuira Content Processing

You can configure InQuira to process content from Siebel applications by configuring and scheduling one or more Siebel crawlers. Each configured crawler can access a single type of Business Object within Siebel. You can configure multiple Siebel crawlers to access multiple Business Objects.

This chapter discusses:

- **Siebel Content Acquisition and Presentation**
- **Supported Business Objects**
- **Configuring a Siebel Crawler**
- **Updating the InQuira Content Store**
- **Updating the Dictionary (optional)**

Siebel Content Acquisition and Presentation

The Siebel crawler runs as a scheduled job that you can administer using the Advanced Configuration Facility Scheduler, as described in the *“Intelligent Search Administration Guide”*.

The InQuira Siebel crawler requests content from the configured Siebel application, and accesses that content from XML files that the Siebel application writes in response to the request for content.

Note: Siebel applications store content within various types of objects. See “Supported Business Objects” on page 61 for more information.

Supported Business Objects

Siebel applications store unstructured content within various types of Business Objects. The iConnect for Siebel includes the following packaged Integration Objects that provide access to content within corresponding Business Objects:

- Accounts
- Contacts
- Service Requests
- Solutions
- Products
- Opportunities
- Employees
- Orders
- Smart-Scripts

Configuring a Siebel Crawler

You configure Siebel crawlers using the Crawler Settings page of the Advanced Configuration Facility. The *"Intelligent Search Administration Guide"* provides details on accessing and using the Advanced Configuration Facility.

Each crawler configuration defines a document collection. You specify various crawler parameters, as described in *"Specifying Siebel Crawler Parameters"*.

Note: A Siebel collection can access only one Business Object type. You must configure a unique Siebel crawler for each object type that you want to access.

You can also tailor the presentation of answers from Siebel content. "Specifying the URL for Displaying Siebel Answers within InQuira" on page 65 describes the default answer presentation.

Specifying Siebel Crawler Parameters

You configure the crawler's connection to the Siebel application on the **Crawler Settings > Siebel Crawlers** page of the Advanced Configuration Facility.

To configure the Siebel crawler:

- 1 Select **Crawler Settings** from the **Content** section of the Advanced Configuration Facility main menu, then select **Edit** on the **Crawler Settings** page

INQUIRA
Administration

Content

- > **Crawler Settings**
- > Task Setup
- > Task Status
- > Work Clients

System

- > Analytics
- > Click-through
- > Contact Deflection
- > Custom Config
- > E-mail Notification
- > PowerPoint Converter
- > Spell Checking
- > Workbench

Instances

- > General Settings
- > Communication Settings
- > Instance Groups
- > Synchronizer Defaults
- > Service Configurations

Default Configuration ▼

Editing: Crawler Settings

☐ Show Advanced Options

Acquisition Upper Limit : 0.0

Acquisition Lower Limit : 0.0

Preprocessing Upper Limit : 0.0

Preprocessing Lower Limit : 0.0

Indexing Upper Limit : 0.0

Indexing Lower Limit : 0.0

Date Format :

News Crawlers : (none)
[Add New Item](#)

File Crawlers : (none)
[Add New Item](#)

The **Crawler Settings** page lists the available crawlers.

- 2 Scroll to the **Siebel Crawlers** item and click **Add New Item**.

Siebel Crawlers : (none)
[Add New Item](#)

The **Siebel Crawlers** page displays the crawler configuration fields.

INQUIRA | advanced configuration

System

- Workclient Status
- Work Clients
- Analytics
- Click-through
- Contact Center Advisor
- Contact Definition
- Crawler Settings
- Custom Config
- E-mail Notification
- Workbench
- Information Manager
- Rules Engine
- Language Processor Settings
- Plug-in Registration
- Preprocess Config

Instances

- Communication Settings
- Gateways
- Instance Groups
- Synchronizer Defaults
- Service Configurations
- Default Configuration
- Content Storage
- Context Variables
- Default subject map
- Excerpt
- Excerpt Security
- Index
- Log
- Ontology
- Structured Data
- Authorization

Save Settings

Exit Configuration

Siebel Crawlers

Item Name: unnamed

forcedPublic: ☒ On ☐ Off

Connection URL:

siebelDataMapKey: InQiraSRDetails

Xsl location: ../archive/siebel/crawler/xsl

User:

Password:

Date Format: MM/dd/yyyy HH:mm:ss

siebelBatchCount: 1000

Available for Unstructured Search: ☒ On ☐ Off

Document Filter: (none) [Add New Item](#)

Document Attribute Selector: (none) [Add New Item](#)

Document Super0ble Selector: (none) [Add New Item](#)

Validation Condition: (none) [Add New Item](#)

Build URL

URL Builder: com.inqira.content.urlbuilder.ContentStoreURLBuilder

3 Specify the following crawler parameters:

Parameter	Description
connection URL	Specifies the URL of the Siebel application. This parameter is required. There is no default value.
siebelDataMapKey	Value must match the DataMap name specified on Siebel, delivered as InqiraSRDetails.
Xsl location	The xsl file location for the Content Converter Style sheet.
User	Specifies the user name for access to the Siebel application content. This parameter is required. There is no default value.

Parameter	Description (<i>continued</i>)
Password	Specifies the user name for access to the Siebel application content. This parameter is required. There is no default value.
Date Format	The date format for the Siebel User (depends on the locale information for the user).
siebelBatchCount	The batch count to retrieve Siebel records at one web service call.
Available for Unstructured Search	Specifies that the collection will be available to the Unstructured retrieval module. On is the default.
unstructuredAttribute	Specifies whether the documents in this collection will be available to the unstructured information retrieval module. This parameter is required. Valid values are On and Off. On is the default.
documentFilter	Specifies one or more optional filters to limit the documents that will be included in the collection. Valid values are defined document filters, as described in Configuring Document Filters in the <i>"Intelligent Search Administration Guide"</i> .
Document Attribute Selector	Specifies one or more optional document attribute selectors for the crawler. Valid values are defined document attribute selectors, as described in Configuring Document Attributes in the <i>"Intelligent Search Administration Guide"</i> .
Document Supertitle Selector	Specifies one or more optional document supertitle selectors for the crawler. Valid values are defined document supertitle selectors, as described in Configuring Document Supertitles in the <i>"Intelligent Search Administration Guide"</i> .
SiebelBuildURL	Specifies a default class name and method to use the presentation JSP to display answers from Siebel content within the InQuira User Interface. The default is class name is <code>com.inquiria.content.SampleBuildURL</code> . The default is method is <code>contentStoreURL</code> .

- 4 Select **OK** to save the specified values in your configuration.

Specifying the URL for Displaying Siebel Answers within InQuira

InQuira uses a Java server page (JSP) to create an ad hoc answer source document for presentation within the User Interface. The default Java server page is named `cs.jsp`.

InQuira uses a pre-defined class and method to create the URLs for the ad hoc answer documents derived from Siebel content for the specified collection. The Siebel Build URL parameters are specified on the Advanced Configuration Facility **Crawler Settings > Siebel Crawlers** page:

Parameter	Description
Class Name	Specifies the Build URL class. The default is <code>com.inquiria.content.SampleBuildURL</code> .
Method	Specifies the Build URL method. The default is <code>contentStoreURL</code> .
Properties	Specifies a required property to enable answer highlighting within constructed Siebel answer documents. Specify the URL of the <code>cs.jsp</code> page in your application server. The following example shows a typical Apache Tomcat implementation: <code>http://<tomcat_home>/webapps/htmlagent/cs.jsp</code>

Updating the InQuira Content Store

You must perform content processing to add the Siebel content to the InQuira application content store. You process Siebel content by scheduling tasks to execute the configured Siebel crawlers.

The *“Intelligent Search Administration Guide”* provides detailed information about scheduling and performing content processing.

Updating the Dictionary (optional)

To optimize the accuracy of the InQuira search functionality, you may want to add terminology that is specific to the content stored in your Siebel application to the Dictionary, as described in the *“Intelligent Search Administration Guide”*.