

Oracle Insurance

**Insbridge Rating and
Underwriting
RateManager
Administrators Guide**

Tools Menu

Release 4.6.1

November 2012

Copyright © 2005, 2012, Oracle and/or its affiliates. All rights reserved.

Oracle Insurance Insbridge Rating and Underwriting RateManager User Guide

Release 4.6.1

Part # E36930-01

Library # E36936-01

November 2012

Primary Author: Mary Elizabeth Wiger

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS

Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Where an Oracle offering includes third party content or software, we may be required to include related notices. For information on third party notices and the software and related documentation in connection with which they need to be included, please contact the attorney from the Development and Strategic Initiatives Legal Group that supports the development team for the Oracle offering. Contact information can be found on the Attorney Contact Chart.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your beta trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Software License and Service Agreement, which has been executed and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

CONTENTS

PREFACE

Audience.....	vii
Related Documents.....	vii
Conventions.....	vii
System Requirements.....	viii
Manual History.....	viii

CHAPTER 1

SYSTEM OVERVIEW	9
RateManager Tabs and Menus	11
Home Tab.....	13

CHAPTER 2

MANAGE LINES.....	15
Locale.....	17
Date.....	18
Number Formatting.....	19
Creating a New Line of Business.....	20
Editing a Line of Business	22
Activating and Deactivating a Line of Business.....	23
Removing All Programs from Line of Business	24
Deleting a Custom Line.....	24

CHAPTER 3

AUDIT.....	25
Functionality.....	26
Fields.....	26
Filtering.....	28
Audit Report.....	30
Creating an Audit Report.....	30
Purging Audit Logs.....	31

CHAPTER 4

MIGRATE WORK FILES.....	33
Migrating Files	33
Performing the Migration in RateManager	34

CHAPTER 5

SECURITY	39
User Management	39

Functionality.....	40
Fields.....	40
Adding a User	41
Editing a User	43
Deleting a User	45
Group Management	46
Functionality.....	47
Fields.....	47
Adding a Group.....	47
Group Rights.....	50
Editing a Group.....	53
Deleting a Group.....	54
Session Management	57
Functionality.....	57
Fields.....	58
Deactivating a Session.....	58
Unlocking Element Locks	59
Deactivating a User Session	60

CHAPTER 6

DATABASE.....	61
Backups.....	61
Functionality.....	62
Fields.....	62
Creating a Backup	62
Restoring a Backup.....	64
Deleting a Backup.....	65
Updates	67
Functionality.....	67
Fields.....	68
Executing Update Script.....	68
Required Updates	71

CHAPTER 7

CHANGING YOUR PASSWORD	73
------------------------------	----

CHAPTER 8

PREFERENCES.....	74
Admin Settings.....	74
Web Settings	75

CHAPTER 9

VIEWING VERSIONS	79
------------------------	----

SUPPORT

CONTACTING SUPPORT	80
--------------------------	----

	TTY Access to Oracle Support Services.....	80
	Deaf/Hard of Hearing Access to Oracle Support Services.....	80
APPENDIX		
	COUNTRY CODES.....	81
GLOSSARY		
	GLOSSARY TERMS.....	88
INDEX		
	INDEX	93

LIST OF FIGURES

FIGURE 1 LOGGING OUT.....	10
FIGURE 2 MANAGE LOB SCREEN.....	16
FIGURE 3 ENTERING A NEW LINE OF BUSINESS	20
FIGURE 4 SETTING SECURITY FOR NEW LINES OF BUSINESSES	21
FIGURE 5 SELECTING A LOB TO EDIT	22
FIGURE 6 EDITING AN LOB	22
FIGURE 7 SELECTING A LOB TO ACTIVATE	23
FIGURE 8 SELECTING A LOB TO DEACTIVATE	23
FIGURE 9 REMOVING ALL PROGRAMS FROM AN LOB.....	24
FIGURE 10 REMOVING ALL PROGRAMS FROM AN LOB.....	24
FIGURE 11 AUDIT TAB.....	25
FIGURE 12 AUDIT LISTING RIGHT CLICK MENU.....	27
FIGURE 13 FILTER SELECTION	28
FIGURE 14 FILTERED AUDIT LISTING RESULTS	29
FIGURE 15 AUDIT REPORT	30
FIGURE 16 AUDIT LOG PREVIEW SCREEN.....	31
FIGURE 17 PURGING AN AUDIT LIST	32
FIGURE 18 PURGING AN AUDIT LIST	32
FIGURE 19 LOCATION OF WORKFILES.....	33
FIGURE 20 MIGRATING WORK FILES	34
FIGURE 21 CONFIRMING A MIGRATION	35
FIGURE 22 SUCCESSFUL MIGRATION.....	35
FIGURE 23 VERIFYING FILE MIGRATION IN RATEMANAGER	36
FIGURE 24 VERIFYING FILE MIGRATION AT SERVER LEVEL	37
FIGURE 25 MIGRATION ALREADY PERFORMED.....	38
FIGURE 26 NO FILES TO MIGRATE	38
FIGURE 27 USER MANAGEMENT SCREEN.....	39
FIGURE 28 ADDING A NEW USER.....	42
FIGURE 29 USER MANAGEMENT FOR EDITING A USER	43
FIGURE 30 RESETTING A PASSWORD	44
FIGURE 31 USER MANAGEMENT FOR DELETING A USER	45
FIGURE 32 CONFIRMATION MESSAGE FOR DELETING A USER.....	45
FIGURE 33 GROUP MANAGEMENT	46
FIGURE 34 ADDING A GROUP.....	48
FIGURE 35 EXPANDED GROUP RIGHTS MANAGEMENT SCREEN	52
FIGURE 36 USERS DENIED ACCESS TO LINES.....	53
FIGURE 37 EDITING A GROUP	54
FIGURE 38 ERROR MESSAGE FOR DELETING A GROUP	55
FIGURE 39 DELETING GROUP CONFIRMATION MESSAGE	55
FIGURE 40 COMPLETED GROUP MANAGEMENT TAB	56
FIGURE 41 SESSION MANAGEMENT	57
FIGURE 42 CONFIRMING A DEACTIVATION	59
FIGURE 43 USER SESSION WITH EXTENDED LOCKED ELEMENT	59
FIGURE 44 ENDING A USER SESSION WITH A LOCKED ELEMENT	60
FIGURE 45 LOCKED ITEMS BY USER	60
FIGURE 46 DATABASE BACKUPS	61
FIGURE 47 CREATING A BACKUP	63
FIGURE 48 SUCCESSFUL BACKUP MESSAGE	63
FIGURE 49 RESTORE WARNING MESSAGE	64
FIGURE 50 DELETING A BACKUP	65
FIGURE 51 PERMISSIONS ERROR MESSAGE.....	66
FIGURE 52 BACKUP LOCATION ERROR MESSAGE	66
FIGURE 53 DB UPDATES.....	67
FIGURE 54 AVAILABLE UPDATES	69
FIGURE 55 UPDATING SCRIPTS IN RATEMANAGER.....	70

FIGURE 56 SCRIPT VIEWER.....	71
FIGURE 57 MENU REQUIRING DB UPDATES.....	71
FIGURE 58 PLEASE RUN UPDATE SCRIPTS.....	72
FIGURE 59 CHANGE PASSWORD SCREEN.....	73
FIGURE 60 PREFERENCES SETTINGS	75
FIGURE 61 VERSION LISTING	79

Preface

Welcome to the *Oracle Insurance Insbridge Rating and Underwriting RateManager Administrator User Guide*. This guide describes the features and functionality of the Oracle Insurance Insbridge Rating and Underwriting RateManager (RateManager) Tools Menu. RateManager is a component within the Oracle Insurance Insbridge Rating and Underwriting (IBRU) System that enables users to manage the product definition and modification process, including rating and underwriting logic. The Tools Menu is where the majority of RateManager Administrator functions are performed. References to the RateManager User Guide, which covers the Modules Menu, will be made periodically.

AUDIENCE

This guide is intended for RateManager system administrators who are tasked with managing system features. Users should be familiar with their company's practices and terminology. Advanced users may benefit from having knowledge of their company's current working rate manual.

RELATED DOCUMENTS

For more information, refer to the following Oracle resources:

- The Oracle Insurance Insbridge Rating and Underwriting Framework Administrator User Guide.
- The Oracle Insurance Insbridge Rating and Underwriting SoftRater Server User Guide.
- You can view these and other IBRU guides on-line at this address:

<http://www.oracle.com/technetwork/documentation/insurance-097481.html>

CONVENTIONS

The following text conventions are used in this document:

Convention	Description
bold	Boldface type indicates graphical user interface elements associated with an action.
<i>Italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
Monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

SYSTEM REQUIREMENTS

For minimum operating system and hardware requirements, please see the Hardware Software requirements guide.

Manual History

New editions incorporate any updates issued since the previous edition.

Edition	Publication Number	Product Version	Publication Date	Comment
1 st Edition	P01-775-01	R 4.0	May 2010	New Release Update
2 nd Edition	P01-775-02	R 4.0.1	August 2010	Updated Release
3 rd Edition	P01-775-03	R 4.1	December 2010	Update Release
4 th Edition	P01-775-04	R 4.5	May 2011	Update Release
5 th Edition	P01-775-05	R 4.5.1	September 2011	Update Release
6 th Edition	P01-775-06	R 4.6	May 2012	Update Release
7 th Edition	P01-775-07	R 4.6.1	November 2012	Update Release


SYSTEM OVERVIEW

Prior to accessing RateManager, you should have received:

- **RateManager URL** – RateManager can be accessed by going to **http://<yourserver>/rm**, where <yourserver> is the name of the server where RateManager is installed.
- **Username** – usernames are required.
- **Password** – passwords are required.
- **Subscriber** – subscriber information may not be required.

A subscriber may be a single company, a group within the company, or a single person. If more than one subscriber has been set up by the system administrator, you will have to select the subscriber where you want to work. If only a one subscriber has been setup, you will not have to select a subscriber.

If you do not know any of this information, please contact your system administrator.



If multiple subscribers have been setup, there will be a menu for users to select the subscriber where they will work.

A single subscriber only has username and password fields. Subscriber information is not required.

Logging In

Access to RateManager is gained through a login screen. To *login*, enter your username and password and click **LOGIN**. Depending on your company setup, you may need to select your subscriber. If a company subscriber is required, a menu will be displayed. Select the subscriber you need, and continue to log in.

A successful login places you on your Home Tab.

A failed login displays an error message. Please correct any errors and try again. If you cannot log in, please contact your system administrator.

Help Logging In

If you have forgotten your password, username or need assistance with logging into the system, please contact your system administrator.

Rights

RateManager uses rights to allow users access to various areas. The type of rights you have will determine what you can view, edit, add or delete. There are three types of rights:

- **No Access** –you cannot enter this area. The fields will be grayed out or not displayed.
- **Read Only** – you can view the information but you cannot make any changes. Save, edit or other features may be listed on the toolbars or right click menus, but you will not be able to effect any changes.
- **Full Access** – you can view, edit, add or delete information where applicable.

The system administrator sets group rights. If there is an area you cannot enter or edit, and you think you need access, please contact your System Administrator.

Logging Out

The Logout option logs you out and closes RateManager.




Figure 1 Logging Out

To log out, click File→Logout. If you have any elements open that show a change, you will be asked if you want to save. After saving your work, you will be logged out.

Internet Explorer

RateManager requires an ActiveX controller. You may be prompted to install this controller when you begin to use RateManager. A message bar is displayed at the top of the screen. You can run the ActiveX controller from there. If you experience issues with some RateManager screens in Internet Explorer 8 or Internet Explorer 9, the ActiveX Control may need to be re-registered. Please contact your system administrator for the RateManager for the **RateManager_IE7_IE8.exe** included in the installation download.


To install the Active X Controller, please see the RateManager End User Setup Guide, available on the OTN <http://www.oracle.com/technetwork/documentation/insurance-097481.html>

NOTE: The IBRU system currently requires Microsoft Internet Explorer release 8.0 32-bit or 9.0 32-bit.

RATEMANAGER TABS AND MENUS


RateManager allows for multiple tabs to be utilized. The tabbed authoring interface allows for multiple activities to be open across separate tabs without losing any functionality. Each tab functions independently. You can view the Program Explorer, then edit a program version, and then create a new algorithm without being forced to close the prior tab.

The RateManager tabs follows a familiar model, a fixed top bar menu with four options. Each option contains a menu of system features. Each feature opens either a new tab or a popup window. The new menus contain the same features that were in previous releases of RateManager.



The File menu:


- **Reload:** reloads the page. Use this option when you want to refresh the screen.
- **Logout:** logs you out of the system.



The Module menu:

- **Program Explorer:** the program explorer holds sublines, folder, programs and program versions. Many of the procedures and functions performed under the line of business are found here.
- **Testing:** opens the testing module. This area allows you to test your rating program during development without loading packages. In previous releases, this area was called ScenarioManager.
- **Impact Analysis:** opens the area for batching and data analysis. This area is a combination of previous release BatchManager and PricingManager modules.


- **Releases:** allows groups of rating packages to be automatically deployed and loaded to IBFA through a release. If you do not have release rights, this option will not be displayed. Please see the RateManager Tools User Guide for more information.
- **MultiLines:** a collection of programs from all lines of business combined with output mappings and assigned to execute in sequence that returns a single or multiple results. In previous releases, this area was called MultiLines.
- **Library:** the library is where custom XML files used in mappings as well as imported and template programs are stored and managed.



The Tools menu:

- **Manage Lines:** opens a screen where administrators can manage lines of business. This is an advanced system feature and may not be available to all users.
- **Audit:** contains the audit logs of system users. In previous releases, this area was called Logs. This is an advanced system feature and may not be available to all users.
- **Migrate Work Files:** this option migrates the work files from previous releases into the current release. This is an advanced system feature and may not be available to all users.
- **Security:** is where users, user groups and sessions are managed. This is an advanced system feature and may not be available to all users.
- **Database:** this area is for administrators to create backups and deploy updates. This is an advanced system feature and may not be available to all users.
- **Preferences:** brings up the window where you can select the snaps you want to display on your Home Tab. For advanced system users, system setup information is displayed.
- **Change Password:** allows users to change their password.

This guide focuses on the features and functionality in the Tools menu.




The Help menu:


- **RateManager Help:** clicking this option brings up online help.
- **RateManager Version:** clicking this option brings up system information.

Tab Navigation

Multiple tabs can be open at any time. You can move from tab to tab by clicking the tab you want. You also can click the tab display icon in the upper right hand of the screen to see a list of all the open tabs. You can navigate to any tab in the list by selecting it.



NOTE: If you have a popup window open, you will have to close the popup before you can click on another tab.

-  The close tab icon will close the tab you are currently on. If you have any elements open that show a change, you will be asked if you want to save.

Home Tab

Once you have logged in, you are on your Home Tab. The Home tab has a control panel that contains links to all the major components of RateManager. Additional panels called *Snap*s also can be added. Snaps are modules that contain information or links to elements that you recently worked on. For example, if you selected the snap **My Recently Opened Programs**, you would see a list of the last 10 programs that you opened.

The Home tab can be customized to contain the information you want to see immediately when you log in. The Home tab is always the first tab and cannot be closed.

The Control Panel contains links to all the major components found in the Modules menu. This area cannot be removed but can be reduced by clicking the arrow in the upper right hand corner of the panel.

The Tools menu does not have a link in the Control Panel.

The RateManager home page displays the current username, subscriber and version at the top of the screen.

Access to the pages you are authorized to view or change is gained by selecting the area you want from the menu bar or clicking the icon on the Control Panel. Under the Program Explorer, each line of business where you have access is displayed. If you have been granted edit privileges, you can add or change information.

For more on the Home Tab, please see RateManager Modules User Guide available on the OTN <http://www.oracle.com/technetwork/documentation/insurance-097481.html>.

MANAGE LINES


The Manage Lines of Business (LOB) screen gives you a snapshot of all the lines of business currently in the system and shows if the line is activated or deactivated. RateManager comes with 32 system lines.

Lines of business should be setup prior to creating non-admin users. If you create regular users without any lines being activated in the system, you will have to return to the Group Management screen to assign permissions.

NOTE: *The Manage LOB screen is available to system administrators only. If you do not have this role, you will not be able to perform these actions.*

Navigating to the Line of Business Screen

1. From the menu tree, expand **Tools** and select **Manage Lines**.



2. This brings up the **Manage LOB** screen.




Figure 2 Manage LOB Screen

Manage LOB Menu Bar

The menu bar at the top of the screen allows you to:



New starts the process of creating a new line of business. See Creating New Lines of Business for more information.



Edit Opens the Edit Line of Business Info screen for the currently selected line of business.

Show listing for lines: Allows you to view LOBs by activation status. Select the status you want to view from the drop down menu.

- **ALL:** Selecting ALL displays all of the lines currently in the system.
- **Activated:** Selecting activated displays only the currently activated lines.
- **Deactivated:** Selecting deactivated displays only the deactivated lines

All is the default selection. If you choose another selection, the screen refreshes with your choice.

Manage LOB Fields

Lines are listed by ID number. The total number of lines in the system, both activated and deactivated, is displayed on the bottom of the screen.

ID: The unique identifier assigned to each line of business. Once assigned, these numbers cannot be changed.

Description: The name of the line of business. Names must be unique. Duplicates are not allowed.

Activated: A check in this column indicates that the line of business has been activated and is ready for use.

Type: Shows whether the line is:

- **System** built. System built lines of business are the standard lines that were included in the original download of the system. System lines cannot be deleted.
- **Custom** built. Custom built lines of business are lines that were added later. Custom line can be deleted.

Manage LOB Functionality

The Manage Line of Business screen allows you to do the following:

- Create a New Line of Business
- Edit a Line of Business
- Activate a Line of Business
- Deactivate a Line of Business
- Remove All Programs from a Line of Business
- Delete Custom Lines of Business

NOTE: *System lines of business cannot be deleted. If there is a System line of business you no longer need, you can deactivate it. This stops the line from being listed and being available. Custom lines can be deleted.*

LOCALE

Prior to creating a new line or activating a line, you should have the locale you want to use in mind. Locale is defined as the unique attributes of a location including formatting of dates and numbers. The default locale, including a date and number format, is the locale used by the server where the IBRU system was installed.

The IBRU server locale is used as the default locale for every LOB. The LOB locale can be changed to another locale. The default locale for the LOB is the default locale for every program in that LOB, regardless of subline. The program locale can be updated to another locale. The locale used by the program, either another local or the default locale, is the locale that will be used in rating.

Selecting a Locale

There are two places where you can select the locale:

- LOB level
- Program level: For more on Program Locale, please see the RateManager Modules Volume 1 User Guide.

Select a Locale at the LOB Level

The New Line of Business screen and the Edit Line of Business screen contain a drop down of available locales. The default locale is the locale used by the sever where the IBRU system is installed. A Locale must be selected. You can leave the default or select a different locale when you activate a system LOB, edit an LOB, create a new LOB, create a new program, or edit the program properties.

If you do not select a locale, the default will be used. The Date Mask, the Decimal Symbol, and Digit Grouping Symbol are automatically filled with the defaults. These values can be updated and you can type in an alternate value if you choose. You must have a value in the Date Mask, Decimal Symbol, and Digit Grouping Symbol fields.

The values set at the LOB level serve as the default locale to every program created in the line regardless of subline. If the program requires a different local, you can change the locale at the program level.

To verify a locale, open the Edit the Line of Business screen. The selected locale for the LOB is listed here.

Updating a Locale

Updates to Locale at the LOB level will affect new programs. Existing programs will not be affected by updates. Existing programs already have a locale set at the program level.

WARNING: *Changing date and number formats may result in programs not running properly. Global elements that have been created as one type of date and number format may not function as expected with another date and number format. Date and number formats should be consistent through the program.*

Date

Date formats are displayed as entered and will be executed and evaluated as you expect during rating. Date formats are carried through to any new versions or revisions.

Dates must contain:

- 2 digit Month entry MM
- 2 digit Day entry DD
- 4 digit Year entry YYYY or a 2 digit Year entry YY
- One of 3 separators minus sign (-), period (.) or slash (/) Special characters are not allowed. The list of special characters can be found the RateManager Modules Volume 1 User Guide.

Date formats are defined in the LOB. Any program in the line will use the defined format. A different format can be entered in the program.

- Date formats can be in any combination of the mandatory fields, for example MM/DD/YYYY.
- Date format is case sensitive. You must use capital M, D and Y.
- A separator must be used, i.e. slash (/) MM/DD/YYYY, minus sign (-) DD-MM-YYYY, or period (.) MM.DD.YYYY.

Number Formatting

Number formatting refers to the decimal and digit separators found in common number formats, for example, 1,000.00 or 10.000,00.

- **Decimal Symbol:** The decimal symbol indicates the integral part of a number from the fractional part. For example, 10.25 (using a period as the decimal symbol) or 8,50 (using a comma as the decimal symbol).
- **Digit Grouping Symbol:** The digit grouping symbol indicates the symbol that is used to show the thousands separator. For example, 1,000 (using a comma as the digit grouping symbol) or 1.000 (using a period as the digit grouping symbol).

The digit grouping symbol is used for validation purposes and not for display purposes.

Number formats are defined in the LOB. Any program in the line will use the defined format. A different format can be entered in the program.

- Most separators, i.e. comma (,), period (.), or space () are allowed. The special characters apostrophe ('), pound (#), ampersand (&), quote ("), less than (<), and greater than (>) are allowed. A complete list of special characters can be found in the RateManager Modules Volume 1 User Guide.
- You cannot use the same separator for the decimal and digital. The separators must be different.
- Only one separator per entry. You cannot enter a space () for the millions separator and then a comma (,) for the thousands separator. You have to select either the space or the comma.

Creating a New Line of Business

Custom lines may be added at any time by a RateManager administrator. LOB ID numbers are entered manually. This allows you to match any LOB that may be Custom from the Library. LOB ID numbers must fall between 100-250.

To Create a New Line of Business

1. Navigate to the Line of Business screen.
2. Click **New**. A New Line of Business popup is shown.




Figure 3 Entering a New Line of Business

3. In the new line of business popup, enter an **ID number**. The number must be an unused number between 100 – 250. If the number is out of range or being used, you will receive an error message. This number cannot be changed after you save.
4. Enter a **name**. The name may consist of up to 40 characters.
5. Select the **locale**.
6. If needed, select a **date mask**. This date format will be used as the default for all programs created within that line of business.
7. Select the **Decimal Symbol**. This is the default decimal symbol that will be used for all programs created within that line of business.
8. Select the **Digit Grouping Symbol**. This is the default digit grouping that will be used for all programs created within that line of business.

9. By clicking the **Activated** checkbox, the line of business will be activated after saving.
10. Click **Save**. The line of business, if activated, should show in the Program Explorer→Program Folders navigation bar. If it does not appear, click the “Sync Menu” button in the upper portion of the navigation bar. This is for Admin Users only. All groups except Administrators will be denied access to any new line of business. You must allow the group access before any program options are available to them.
11. Navigate to Tools→Security→Group Management to set permissions. This allows groups access to view or edit variables, algorithms and other program options.

NOTE: Adding a line to group permissions needs to be done for a first time activation only. If you deactivate and then activate again, you will not need to reset permissions.




Figure 4 Setting Security for New Lines of Businesses

12. Select the group that needs access to the new line of business.
13. Click on **Rights**. A Group Rights screen is displayed. Expand out the new line of business.
14. Place a check in all the boxes where the group requires access. Click **Save**. Users in that group can now view and use the selected options. For more on user groups and rights, see Group Management.

Editing a Line of Business

Any line of business may be edited at any time.

1. Navigate to the **Line of Business** that you want to edit.




Figure 5 Selecting a LOB to Edit

2. You can double-click the line of business you want to edit or select it and click **Edit**. You also can right click and select Edit from the menu. The **Edit LOB** popup opens, allowing you to edit the line of business.




Figure 6 Editing an LOB

3. Make any necessary changes. Every field can be edited.
4. When you are finished, click **Save**. The line of business screen refreshes with the changes you made. Click Close to go back to the Manage LOB screen without saving any changes.

Activating and Deactivating a Line of Business

Any line of business may be activated or deactivated at any time. Activating a line of business displays the line and all associated programs on the Program Explorer→Program Folders navigation bar. Deactivating a line of business removes the line and all associated programs from the Program Explorer→Program Folders navigation bar.

You can activate and deactivate a line as many times as you need. Permissions and contents are not removed when a line is deactivated. If you reactivate, the permissions and contents will be the same.

1. Navigate to the **Line of Business** that you want to activate or deactivate.
2. **Right click** to get the menu. For a System line, a deactivated line has two right click menu options; an activated line has three menu options. For a Custom line, a deactivated line has three right click menu options; an activated line has four menu options.




Figure 7 Selecting a LOB to Activate

3. To activate: Click **Activate**. The screen refreshes and the line of business that you activated is now displayed on the Program Explorer→Program Folders navigation bar. You also can activate a line of business by entering the edit screen and selecting Activated.




Figure 8 Selecting a LOB to Deactivate

4. To deactivate: Click **Deactivate**. The screen refreshes and the line of business that you deactivated is not displayed on the Program Explorer→Program Folders navigation bar.

Removing All Programs from Line of Business

Any line of business can have all programs removed. Proceed with care, this action cannot be undone and will remove all programs under that line. The sublines remain in place and all globals under each subline also remain. If you are unsure, you can deactivate a line of business. This removes the programs from usage but not from the system. If you want to remove the subline, use the Clear Subline option on the Program Explorer.

1. Navigate to the **Line of Business** where you want to remove all programs.
2. **Right click** and click **Remove All Programs**. A warning message will be displayed. Click **Yes** to remove all programs. Click **No** to cancel the action.




Figure 9 Removing All Programs from an LOB

Deleting a Custom Line

Custom lines can be deleted at any time. All associated contents for the line are deleted as well. Please verify this is the action you want to take. This action cannot be undone. Two warnings are given. You will need to refresh the screen to see that the line has been deleted.

1. Navigate to the custom **Line of Business** you want to remove.
2. **Right click** to get the menu.
3. Click **Delete**. A warning message is displayed. Click **OK** to remove the line. Click Cancel to cancel the action. A second warning message is displayed. Click **OK** to remove the line.




Figure 10 Removing All Programs from an LOB

Chapter 3

AUDIT

RateManager can keep an audit log of user activity. Audit logs contain information such as action performed, user ID, date and time stamp. Audits set to high will also track adding a user, editing a user and deleting a user. Audit logs also can include program information such as program ID, program version and line of business as well as element information.

The **Audit** tab contains a list of audits logs. The audit log feature has to be enabled at the group level. On the Group Management tab, Tools→Security→Group Management, select the group where you want to apply auditing. There are three options for auditing the group:

- **None:** No auditing is done.
- **Normal:** All saves and deletes are logged.
- **High:** All new, creates, changes, saves, and deletes for the group are logged.

If the group(s) has high auditing, more audit logs are created and you will have more types of actions you can filter on.

The screenshot displays the Oracle Insurance Insbridge RateManager application interface. The top navigation bar includes 'File', 'Modules', 'Tools', and 'Help'. The 'Audit' tab is selected, showing a list of audit logs with columns: Action, Line, Program, Version, Version Name, Date, and Control Number. The logs include various actions like 'User Login', 'User Logout', 'Save Algorithm', 'New Result Variable', 'New Algorithm Revision', 'New Table Variable Revision', 'Copy Program', 'New Subline Folder', and 'New Program Version'. Below the list, there is an 'Audit Report' section with 'Action Information' and 'Program Information' fields. The 'Action Information' section shows details for a 'Save Algorithm' action performed by 'Mary Elliott' on 'May 29 2012 10:43PM'. The 'Program Information' section shows details for a 'BOP' line and 'GLOBAL S' program.

Action	Line	Program	Version	Version Name	Date	Control Number
User Login					Jun 20 2012, 09:35 PM	
User Logout					May 30 2012, 12:10 AM	
Save Algorithm	4	GLOBALS			May 29 2012, 10:43 PM	
New Result Variable	4				May 29 2012, 10:37 PM	
New Result Variable	4				May 29 2012, 10:37 PM	
New Algorithm Revision	4	NY			May 29 2012, 10:28 PM	ISO ERC
New Table Variable Revision	4	NY			May 29 2012, 10:27 PM	ISO ERC
Copy Program	4	NY	1	BP-NY-05012012-V02	May 29 2012, 09:38 PM	
New Subline Folder	4	GLOBALS			May 29 2012, 09:37 PM	
New Program Version	4	NY	2		May 29 2012, 09:36 PM	ISO ERC
User Login					May 29 2012, 07:52 PM	
User Logout					May 29 2012, 07:51 PM	
Delete Subline	14				May 29 2012, 07:50 PM	
Save Line Of Business	4				May 29 2012, 07:49 PM	
User Login					May 29 2012, 03:38 PM	
User Logout					May 28 2012, 08:36 PM	
User Login					May 28 2012, 07:13 PM	
User Logout					May 28 2012, 07:13 PM	
User Login					May 28 2012, 06:54 PM	
User Logout					May 28 2012, 06:54 PM	
User Login					May 28 2012, 05:26 PM	
User Login					May 26 2012, 09:25 PM	
User Logout					May 26 2012, 08:47 PM	
User Login					May 26 2012, 08:43 PM	

Page Size: 1000 per page Page 1 of 1 (Total Records:845)

Audit Report

Action Information:

Action : Save Algorithm
User : Mary Elliott
Date : May 29 2012 10:43PM

Program Information:

Line : BOP
Program : GLOBAL S

Figure 11 Audit Tab





Navigating to Audit

1. Select Tools→**Audit**.
2. This opens the **Audit** tab.

FUNCTIONALITY

The **Menu Bar** is located at the top of the **tab**. The menu bar contains the functions you can perform on this tab.

Functions:

 Filter	Filter: Opens up the filter option. You can select fields to filter on. The entries you make in the filter option will be the results returned. The results are displayed in the main body of the tab. Any field that does not match is not displayed. Filters are removed when you exit the tab or re-enter the filter option and remove the filter.
 Audit Report	Audit Report: Opens up a full Audit Report for the audits currently being displayed. Audits that have been filtered out are not displayed.
 Purge All	Purge All: Purges all audits currently displayed. Results can be filtered for purging. If you filter audits, only the audits that meet the filter criteria are displayed. These audits will be removed if you select to Purge All. If you select to purge all without a filter, every audit is deleted.
 Refresh	Refresh: Refreshes the list of audits.

FIELDS

The main body of the tab displays the logs that have been created since the last purge. There are five fields in the main body of the Audit tab.

Action: The action performed.

Line: The line of business. No Line means that this was a system action, for example, logging in or out of the system.

Program: The name of the program where the action took place. No Program name means that this was a system action.

Version: The program version number where the action took place. No Program Version number means that this was a system action.

Version Name: The program version name assigned to the program. This is an optional field and may not have an entry.

Date: The time stamp of when the action took place.

Control Number: Displays any Change Control information.

NOTE: If you have Auditing on and no results are being displayed, verify that the Insbridge Message Service is running. Audit logs may not be displayed if the Message Service is not running.

Right Click Menu

There is a right click menu available on every audit log.




Figure 12 Audit Listing Right Click Menu

The right click menu contains two options:

- **View Audit Report:** This option displays the audit report for this audit log only, in a printable form. If you do not need to print out an audit report, double click the log and view the audit details at the bottom of the screen.
- **Delete Audit:** This option deletes the selected audit log only. Use this feature to delete logs that are not removed in a purge, such as purge logs and audits with Change Control entries.

FILTERING

Filtering allows you to filter audit logs by specific criteria. When you select a filter, any audit logs with that criteria will be returned to the report. Results are listed newest to oldest. The results can then be used to create an Audit Report or be purged.




Figure 13 Filter Selection

Action: You can filter by words found in the action description. For example, Login, Save, Delete, or Control. You do not have to enter the entire phrase. For example, you can enter “New” and any action description with the word “New” in it will be returned. Your filter options depend upon the level of auditing the group has. If your group(s) has high auditing, more audit logs are created and you will have more types of actions you can filter on.

Line Desc: You can select an active line of business from the drop down menu or you can click the Custom link to enter in your own description.

Program ID: You can enter in the exact program ID. Only exact matches will be returned.

Version Name: You can enter in the exact program version name. Be aware that program version names are not required and are not unique. If you enter in 1, you may get many results for program version 1 from multiple lines of business and multiple programs. Only exact matches will be returned.

Program Ver: You can enter in the exact program version. Be aware that program versions are not unique. If you enter in 1, you may get many results for program version 1 from multiple lines of business and multiple programs. Only exact matches will be returned.

User FirstName: You can enter in a user first name up to 20 characters. Only exact matches will be returned.

User LastName: You can enter in a user last name up to 20 characters. Only exact matches will be returned.

From Date: Dates must be entered in yyyy-mm-dd format. Only entering in a From Date will return audit logs from that date until current. Date ranges can be returned by entering in both and from and to dates.

To Date: Dates must be entered in yyyy-mm-dd format. Only entering in a To Date will return all audit logs from the beginning of the audit log until that date. Date ranges can be returned by entering in both and from and to dates.

Control Number: You can enter in the exact Change Control number or tag used when creating the new revision. This is helpful if you want to make sure all changes were done against a particular change order. You do not have to go into each element to search. You can come here, enter in the change control identifier and view the list here. You can also do an action filter by the word Control to get a listing of all change controls.

To Set Filtering

NOTE: Line of Business 0 is MultiLines. To search for MultiLines items, you must do a custom search. Change the Line Desc field to custom and enter in a 0. Click OK to search.

- On the Audit tab, click **FILTER**. This pulls up a filter screen where you can enter criteria that will narrow your audit results.
 - You can choose one or more filters.
 - Filters remain in place until you remove them or leave the tab.
 - To clear a filter, click the **Clear** button. After you clear a filter, all Audit Logs will be returned.
- After you have entered your filters, click **OK** to view your results.

Audit						
Filter Audit Report Purge All Refresh						
Action	Line	Program	Version	Version Name	Date	Control Number
New Program Version	1	BI Premium	2		May 21 2012, 07:43 PM	May 29GA
New Program Version	15	CA	2		May 16 2012, 11:46 PM	ISO-ERC1
New Program Version Folder	1	GLOBALS			May 04 2012, 08:35 PM	
New Program Version Folder	1	GLOBALS			May 04 2012, 08:35 PM	
New Program Version Folder	1	GLOBALS			May 04 2012, 08:35 PM	
New Program Version Folder	1	GLOBALS			May 04 2012, 08:35 PM	
New Program Version Folder	1	GLOBALS			May 04 2012, 08:35 PM	
New Program Version Folder	1	GLOBALS			May 04 2012, 08:35 PM	
New Program Version Folder	1	GLOBALS			May 04 2012, 08:35 PM	
New Program Version Folder	1	GLOBALS			May 04 2012, 08:35 PM	
New Program Version Folder	1	GLOBALS			May 04 2012, 08:35 PM	
New Program Version Folder	1	GLOBALS			May 04 2012, 08:35 PM	
New Program Version Folder	1	GLOBALS			May 04 2012, 08:35 PM	
New Program Version Folder	1	GLOBALS			May 04 2012, 08:35 PM	
New Program Version Folder	1	GLOBALS			May 04 2012, 08:35 PM	
New Program Version Folder	1	GLOBALS			May 04 2012, 08:35 PM	
New Program Version Folder	1	GLOBALS			May 04 2012, 08:35 PM	
New Program Version	1	Auto Lab	6		May 04 2012, 08:33 PM	5-2012
New Program Version	1	Auto Lab	5		May 04 2012, 08:33 PM	5-2012
New Program Version	1	Auto Lab	4		May 04 2012, 08:32 PM	5-2012
New Program Version	14	CA	2		Apr 19 2012, 11:10 PM	CA-1
New Program Version	1	Auto Lab	3		Apr 03 2012, 06:21 PM	April Total
New Program Version	1	Auto Lab	2		Apr 03 2012, 05:36 PM	April Updates
New Program Version	1	O50-448751-01	3		Mar 16 2012, 10:47 PM	2
New Program Version	2	HO_B1	3		Mar 16 2012, 06:44 PM	3

Figure 14 Filtered Audit Listing Results

AUDIT REPORT

An audit report for all audit logs currently displayed on all pages by filter criteria can be produced. If you want an Audit Report for all audit logs, make sure the filter has been cleared. If you want an audit report for a specific type of audit log, make sure to filter by those criteria. For Example, if you want the audit logs from a particular day forward, then enter that day in the From Date on the Filter. All the audits from that day and forward will be listed. The audit report is a maximum of 15 pages.

The screenshot shows a web browser window titled "Oracle Insurance Insbridge Document Viewer -- Webpage Dialog". The page header includes the Oracle Insurance logo, the title "Audit Report", and the timestamp "5/28/2012 05:59 PM". A blue banner at the top indicates the action: "ACTION: Save Algorithm". Below this, the "Action Information:" section contains a table with the following data:

Action	Save Algorithm
User	Mary Elliott
Date	Mar 14 2012 5:56PM
Control Number	
Control Note	

The "Program Information:" section contains another table with the following data:

Line	General Liability
Program	GLOBALS
Version	
Version Name	
ID	

A "Close" button is located in the bottom right corner of the document viewer window.

Figure 15 Audit Report

Creating an Audit Report

To create an Audit Report, enter in the criteria you want to filter by and click **Audit Report**. Reports are displayed in the Insbridge Document Viewer. These reports are read-only. Reports can be saved to your local hard drive or network or printed. No editing can be done on the Insbridge Document Viewer.

NOTE: When you do a "Save As" from the Insbridge Document Viewer, you should rename the file. By default, when you go to save a file in the Insbridge Document Viewer, everything is named "InsbridgeDocument". It is recommended that you re-name the file.

Report Details

The report contains details for each of the audit logs included, starting with the newest. Each log has action information, defining the action taken, the user, and the date. Program information, such as LOB, program, program version, and program ID, may be included. If applicable, element/item information including description, revision and ID may be included.

NOTE: *OBI Publisher must be installed and running in order for Program and Program Version Reports to be displayed. If you receive an OBI Publisher error, please contact your system administrator.*

Audit Preview

To view a specific audit, double click the line. The audit report details are displayed in **Preview Window** located in the lower portion of the tab.

The screenshot shows a window titled "Audit Report" with a scrollable area containing the following information:

Action Information:	
Action :	Edit Program Version Data
User :	Mary Elliott
Date :	May 17 2012 12:24AM

Program Information:	
Line :	Commercial Property
Program :	CA
Version :	1
Version Name:	CF-CA-07012012-V02
ID :	1

Element/Item Information:	
---------------------------	--

Figure 16 Audit Log Preview Screen

The preview window can be sized by dragging the separation bar between the audit list and the preview window. The preview window will update to show the currently selected audit log.

NOTE: *If logs are not displayed, please verify that the Insbridge Messaging Service is on. If the Insbridge Messaging Service is off, logs will not be displayed.*

Individual logs can be viewed or deleted.

PURGING AUDIT LOGS

Audit logs that do not have a change control can be purged at any time. Purge All removes all audit logs currently displayed on all pages by filter criteria. For example, if you have run a filter for all logs created on May 23, 2012, the screen will display all logs created on that day only. The logs may consist of one page or many pages. If you click Purge, all logs for May 23, 2012 without change controls will be purged. No other logs will be purged. To view remaining logs, clear the filter.

If you want to purge all audit logs without change control, do not place a filter on the list. If you only want to purge selected items, place a filter on the list. Purge will only remove the audit logs that are displayed on the Audit Listing screen. If you want to remove one audit, use the right click menu to delete.

To Purge Bulk Audits

1. If you have a specific audit type or group of actions you want to remove, set a filter for the bulk audits you want to remove.
2. When the audits you want to remove are displayed, click **Purge All**.




Figure 17 Purging an Audit List

3. Click **OK** to remove the all audits without change control currently displayed. Click **Cancel** to return to the previous screen.

NOTE: *Purge Logs and Change Control Audit logs are not purged in bulk. These logs must be deleted one at a time using the right click menu.*

To Delete One Audit

1. To remove one single audit that is no longer required, highlight the audit. Audits with change control can be deleted using Delete Audit.
2. Right click and select **Delete Audit** from the menu.




Figure 18 Purging an Audit List

3. Click **OK** to remove the log. Click **Cancel** to return to the previous screen.

MIGRATE WORK FILES

This feature migrates work files from a previous version of RateManager to release 4.5. Work files are rating, pricing, mapping, and template files used in various areas of RateManager such as Impact Analysis, Library, and Testing. Migrating files allows users to access work files that were available in a previous release of RateManager. If you do not migrate work files from previous versions, users will not have access to them.

MIGRATING FILES

Prior to migrating files, please create backup copies of the files to be migrated. This requires access to the server where RateManager has been installed.




Figure 19 Location of WorkFiles

The location of the files to be migrated and the exact file name depend upon what version of RateManager you want to migrate. There are two possible locations.

For Release 3.12 and earlier:

- **File Name:** WorkFiles
- **Location:** \Program Files\InsBridge\Webs\RMxxx\WorkFiles

Where xxx is the version number, i.e. 310, 311, 312

For Release 3.13:

- **File Name:** Workfiles
- **Location:** \Program Files\Oracle\IGBU\Insbridge\Webs\RM313\Workfiles

Copy all work files for every version to be migrated and store in a safe location. In the unlikely event that an error with the migration occurs, you will have backup files that you can place directly in the RateManager (RM4) Workfiles location or restore to the previous version.

WARNING: *Workfiles should be migrated after the initial upgrade has been run. Running the Migrate function after users have accessed the system may result in 4.5 Workfiles being overwritten.*

Performing the Migration in RateManager

This migration process moves rating, pricing, mapping, and template files from a previous version of RateManager to the current RateManager version. You can select one version that you want to migrate. If you have more than one version to migrate, you must perform the migration manually. Please refer to the Installation and Upgrading Guide for instructions.

1. Select **Tools→Migrate Work Files**. A separate screen is displayed.




Figure 20 Migrating Work Files

2. RateManager determines the possible version to migrate. **Select** the version you want to migrate. Only work files from the selected version will be migrated.

3. Click **Migrate**.




Figure 21 Confirming a Migration

4. Say **Yes** to migrate. If you are unsure about the action you want to take, click No to stop the migration process.

The migration will begin. This process could take a few minutes to complete. When all files have been migrated, an information notice will be displayed.




Figure 22 Successful Migration

5. Say OK to close the screen.

Manual Migration

A manual migration must be performed under select circumstances. All versions must be on the same server. If you are working with two separate machines, you must perform the migration manually. A RateManager migration will perform a copy and paste of the WorkFiles on the server then the previous versions WorkFiles will be deleted. This means that the version you select to be migrated will have the WorkFiles deleted from the server. This cannot be reversed. Make sure this is the action you want to take.

If you have more than one version where you want to migrate files, you will have to perform the migration on the server. **DO NOT USE RATEMANAGER TO MIGRATE MULTIPLE VERSIONS.** Only one version can be migrated. If you attempt to migrate more than one version, you will write over any data with the version that you are migrating. For example, if you migrate version 3.12 and then migrate 3.13, any information from 3.12 will be written over with the information from 3.13. If you have more than one version to migrate, you must perform the migration directly on the server.

Verifying Migrated Files in RateManager

Migrated files are available in the same areas.

Oracle Insurance Inbridge RateManager 04.06 - Windows Internet Explorer

ORACLE Insurance Inbridge RateManager Version: 04.06.01 Subscriber: alamere User: Company Administrator

File Modules Tools Help

Home Library

View: Templates New Upload from File Edit Details Save to File Delete Refresh

Drag a column to this area to group by it.

Name	LOB	Source	Version	Version Name	Effective Date	Date Created
RC-BP-NY-05012012-V02	BOP	ISO-ERC	V02	BP-NY-05012012-V02		May 29 2012 08:58 PM
E02	ErrorsOmissions	Insurance Company	1	Copy of E01		May 10 2012 06:16 PM
E02	ErrorsOmissions	Insurance Company	1	Copy of E01		May 10 2012 04:50 PM
BI_Prem	Auto	Alamere Insurance	1			May 03 2012 07:42 PM
E02	ErrorsOmissions	Insurance Company	1	Copy of E01		May 03 2012 07:39 PM
FLA_Auto	Auto	Alamere	1	Initial		Apr 25 2012 11:03 PM
GL Lab	General Liability	Alamere	3	Total GL Premium		Apr 25 2012 11:01 PM
MultiLineTotals	Multi-Line	Alamere Insurance	1			Apr 19 2012 10:44 PM
X99-360025-XX	Auto	AlamereInsurance	1	XF_NODE		Sep 12 2011 01:44 PM
X99-360025-XX	Auto	AlamereInsurance	3	February		Sep 12 2011 01:44 PM
X99-360025-XX	Auto	AlamereInsurance	2	January		Sep 12 2011 01:44 PM
O50-448751-01	Auto	AlamereInsurance	3	February		Sep 12 2011 01:44 PM
O50-448751-01	Auto	AlamereInsurance	2	January		Sep 12 2011 01:44 PM
O50-448751-01	Auto	AlamereInsurance	1	Initial		Sep 12 2011 01:43 PM
CONTROLLER	General Liability	Atlanta Content Services				Oct 29 2010 11:48 AM
CA	General Liability	Atlanta Content Services				Oct 29 2010 11:48 AM
Violation_Points	Auto	IB				Oct 19 2010 05:30 PM
Violation_Points	Auto	IB				Oct 19 2010 05:27 PM
Violation_Points	Auto	IB				Oct 19 2010 05:23 PM
Violation_Points	Auto	IB				Oct 19 2010 05:17 PM
Import of [Wisconsin Home]	Home	Insurance Company				Oct 07 2010 02:34 PM
Import of [Wisconsin Home]	Home	Insurance Company				Oct 07 2010 02:34 PM
Import of [Wisconsin Home]	Home	Insurance Company				Oct 07 2010 02:33 PM
Import of [Wisconsin Home]	Home	Insurance Company				Oct 07 2010 02:33 PM
Import of [Wisconsin Home]	Home	Insurance				Oct 07 2010 02:32 PM

Total Records: 128

Figure 23 Verifying File Migration in RateManager

To verify that work files from a previous version have been migrated, enter an area where these files would be used, such as the Library tab.

The tab refreshes with all available files. Your files from previous versions will be listed.

Verifying the File Migration in the Server

Migrated files will be moved from previous releases into the updated RM4 Workfiles location.




Figure 24 Verifying File Migration at Server Level

You can verify that files have been moved by looking in the `\Program Files\Oracle\IGBU\Insbridge\Web\RM4\Workfiles` folder.

Work Files can be moved manually. Please refer to the Installation and Upgrading Guide for instructions.

Migration Messages

If the migration has already been done, a message is displayed.




Figure 25 Migration Already Performed

If the migrating tool does not find any files to migrate, a message is displayed.




Figure 26 No Files to Migrate

SECURITY

Any administrator may configure RateManager security settings. Usernames and groups can be created and system rights assigned. Groups can be created to grant users access to specific lines of business and specific screens within that line of business (variables, algorithms, etc.), with or without write access. Groups also can be given access to specific modules, Testing or Impact Analysis.

Security can be found on the Tools menu. There are three options you can select:

- User Management
- Group Management
- Session Management

USER MANAGEMENT

The user management tab allows an administrator to add, edit and delete users. This portion of RateManager is only available to users who are members of the Administrator group.




Figure 27 User Management Screen

From here, you can:

- Add a User
- Edit a User
- Delete a User
- Reset a User Password

Company Administrator is the only user in a new system. All other users must be created. The Company Administrator cannot be deleted nor have their rights edited.





Navigating to User Management

1. Select Tools→Security→**User Management**.
2. This opens the **User Management** tab.

FUNCTIONALITY

The **Menu Bar** is located at the top of the **tab**. The menu bar contains the functions you can perform on this tab.

Functions:

 New	New: Opens up the Create User tab where new users can be added to the system.
 Edit	Edit: Opens up the Edit User tab where user information can be updated and user password reset.
 Delete	Delete: Deletes the selected user.
 Refresh	Refresh: Refreshes the list of users.

FIELDS

The main body of the tab displays the users that have been created. There are three fields in the main body of the User Management tab.

Name: The first and last name of the user.







Contact Info: The phone number and email address of the user. The email address will be hyperlinked, allowing you to create an email for this user.

Last Login: The time stamp for the last date and time the user logged into the system.

ADDING A USER

New users can be added from the **Add User** tab. All new users will be assigned the default password, **password**. New users should log in as soon as possible and change their password.

There are two icons and two buttons located on the tab.

	Required: A red asterisk indicates that this field is required. You cannot save your entry unless all the required fields are complete.
	Information: Click the information icon to see more information about the entry.
	Select Arrow Move Left: The column on the right lists the available groups. The Select Arrow Move Left moves the selected group over to the left side column. Upon saving, the user will belong to that group.
	Select Arrow Move Right: The column on the left lists the group(s) the user is currently a member of. The Select Arrow Move Right removes the selected group over to the right side column. The user will no longer belong to that group.
	Save: Saves your entry. The Save option is located in the lower right hand corner of the tab.
	Cancel: Cancels any changes and returns you to the User Management tab. The Cancel option is located in the lower right hand corner of the tab.

To Add a New User

NOTE: Prior to creating a user, make sure you have your user groups created.

1. Navigate to the **User Management** tab.
2. Click **New** to open the Add User tab.
3. Select the **Group(s)** the new user will belong to by selecting a group or groups from the Select Groups list and then clicking Select Arrow – Move Left. Upon saving, the user will belong to that group.
4. Select the **Company** the user belongs to from the drop down listing.

Subscriber information may be needed by users when logging into the system. If more than one subscriber was created, users must be directed to the subscriber where their logins were created. Subscriber information is necessary for custom XML creation and testing and is also needed for Libraries.

If you have not created subscribers in IBFA, you will not be able to assign users to a company.

5. Enter a **First** and **Last** name for the user in the appropriate text boxes.
6. Enter a **Username** for the new user. The username must be at least six, but fewer than twelve, alphanumeric characters and can include an underscore (–) or period (.).
7. Enter a **Department** for the user.

8. Select whether the new user is a **Network User** by selecting **True** or **False** from the drop down.
9. Optionally, enter a **Phone Number** and **Email Address** for the new user.
10. If you want the user's password to expire, click the box next to **Password Expires**. The Preferences screen contains the number of days required for a password change.
11. When you are finished, click **Save**. The user is added to the system and the user list is updated. The new user can now log in using the username you assigned them and the default password, **password**.
12. The user should change their password the first time they log in. See Changing Your Password for more information.

Oracle Insurance Inbridge RateManager 04.06.01 - Windows Internet Explorer

ORACLE Insurance Inbridge RateManager Version: 04.06.01 Subscriber: alamere User: Company Administrator

File Modules Tools Help

Home User Management x

Add User

You have selected to add/edit a user that will belong to a 'Group' that will control his/her rights for all Inbridge applications and a 'Company' that offers high level grouping for security. All new users will have a default password that should be changed on a successful login for security reasons. The required information is noted with an asterisk.

Groups

Member Of: ADMIN

Select Groups:

- RateLoading
- QA
- RateAnalysis
- BA
- AaronGroup

Company alamere *

Firstname *

Lastname *

Username *

Department *

Network User False

Phone

Email

Password Expires ☐

Save **Cancel**

Figure 28 Adding a New User

Network Users

The network user option (if set to true) is to be used in conjunction with the IBRU portal.

If set to **True**, network user's credentials (username and password) are validated using Windows Authentication Tokens. The username in RateManager must match the network user ID. Users can

access RateManager using the IBRU Portal. Users will need the IBRU URL to access RateManager via the portal. They will not be required to enter login information at the RateManager login screen.

Please see the IBRU Portal Configuration Guide for instructions on setting up a portal.

If set to **False**, users must enter a valid username and password via the RateManager login screen. Users will need their username and password along with the RateManager URL to access RateManager. Users set up with a **False** Network User can still access the IBRU portal. They will be required to enter their login information when accessing RateManager.

Removing a User Group

To remove a user from a group, select the **Group(s)** the user will be removed from and click **Select Arrow Move Right**. Upon saving, the user will no longer belong to that group.

EDITING A USER

This section allows an administrator to change a user's information such as their email address or phone number. It also allows for a user's password to be reset.

To Edit a User

1. Navigate to the **User Management** tab.




Figure 29 User Management for Editing a User

2. Select the user you want to edit and click **Edit**. You also can edit a user by double-clicking their name.
3. This opens the **Edit User** tab. This screen is similar to the Add User tab and all information can be edited, with the following exception: the reset password option.

- When you have finished making changes, click **Save** to update the user's information and refresh the user listing. If you do not want to save your changes, click **Cancel**.

Resetting User Passwords

You have the option to reset a user's password. If a user forgets their password, you can reset it on the Edit User tab.

- Navigate to the **User Management** tab
- Select the user whose password you want to reset and click **Edit**. This opens the **Edit User** tab.
- Scroll to the bottom of the tab and check the reset password box. The user's password is reset to the default password, **password**.

Oracle Insurance Insnbridge RateManager 04.06.01 - Windows Internet Explorer

Version: 04.06.01 Subscriber: alamere User: Company Administrator

File Modules Tools Help

Home User Management x

Edit User

You have selected to add/edit an user that will belong to a 'Group' that will control his/her rights for all Insnbridge applications and a 'Company' that offers high level grouping for security. All new users will have a default password that should be changed on a successful login for security reasons. The required information is noted with an asterisk.

Groups

Member Of: RateLoading

Select Groups: ADMIN, QA, RateAnalysis, BA

Company: alamere

Firstname: Mary

Lastname: Elliott

Username: MElliott

Department: RateLoading

Network User: False

Phone: 9725560110

Email: melliott@example.com

Password Expires: ☐

Reset Password: ☒

Save Cancel

Figure 30 Resetting a Password

- Click **Save** to save your entry.

The user should change their password the next time they log in but will not be required to do so.

DELETING A USER

If a user is no longer needed, they can be deleted. Any user at any time can be deleted. Only the Admin user cannot be deleted.

To Delete a User

1. Navigate to the User Management tab.
2. Select the user you want to delete and click **Delete**.




Figure 31 User Management for Deleting a User

3. You will be asked to confirm deletion of the user.




Figure 32 Confirmation Message for Deleting a User

4. Click **OK** to delete the user and refresh the user listing. Click **Cancel** to return to the user listing without deleting the user.

GROUP MANAGEMENT

The group management tab allows an administrator to add, edit, and delete user groups. RateManager groups are used to assign rights to a set of users. You must create groups prior to creating users.

For example, you may have one group called **Testers** that can only access the Testing module and another group called **AutoLoaders** that only has access to the auto line of business.

The **Admin** group is a default group and will be the only group in a new system. This group cannot be deleted or edited or have their rights edited. All other groups must be created. The **Admin** group is the only group that has access to the **Security** module of RateManager.




Figure 33 Group Management

From here, you can:

- Add a Group
- Edit a Group
- Edit a Group's Rights
- Delete a Group






Navigating to Group Management

1. Select Tools→Security→**Group Management**.
2. This will open the **Group Management** tab.

FUNCTIONALITY

The **Menu Bar** is located at the top of the **tab**. The menu bar contains the functions you can perform on this tab.

Functions:

	New: Opens up the Add Group tab where new groups can be added to the system and auditing levels can be set.
	Edit: Opens up the Edit Group tab where group information can be updated.
	Delete: Deletes the selected group. Before deleting a group, you must remove all members from the group.
	Rights: Opens the Rights screen where you can manage group's rights. .
	Refresh: Refreshes the list of groups.

FIELDS

The main body of the tab displays the groups that have been created. There are four fields in the main body of the Group Management tab.

Name: The name of the group.

Description: A description of the group.

Location: The location entered for the group.





Users: The number of users in this group.

ADDING A GROUP

New groups can be added from the **Add Group** tab at any time. There are two steps to creating a group:

- **Step 1: Add the Group** This step creates the group and allows you to add information about the group. The step is performed on the Add Group tab.
- **Step 2: Assigning Group Rights** This step defines the permissions this group will have. This step is performed on the Group Management tab→Rights screen.

On the Add Group tab, there are two icons and two buttons located on the tab.

	Required: A red asterisk indicates that this field is required. You will not be allowed to save your entry unless all the required fields are complete.
	Information: Click the information icon to see more information about the entry.
	Save: Saves your entry. The Save option is located in the lower right hand corner of the tab.
	Cancel: Cancels any changes and returns you to the User Management tab. The Cancel option is located in the lower right hand corner of the tab.

To Add a Group

1. Navigate to the Group Management tab.
2. Click **New** to open the Add Group screen.




Figure 34 Adding a Group

3. Enter a **Name** for the new group. The name can be any combination of alphanumeric characters, with one to fifty characters. Blanks, periods, underscores, etc. are not allowed.

4. Optionally, enter a **Description**, **Location** and **Email** address for the new group.
5. Check if you want Auditing for this group.
6. When you are finished, click **Save**. The group is added and the group list is updated. Users can now be assigned to the group through User Management.

Auditing

Auditing is set at the group level and applies to all members of the group. If a user is assigned to more than one group, auditing will apply to the group(s) that has it activated.

There are three levels of auditing:

1. **None:** Auditing is not tracked for the group.
2. **Normal:** All saves, and deletes for the group are tracked.
3. **High:** All new items, saves, and deletes for the group are tracked.

If auditing is set to normal or high, a log is kept for changes and actions done by each member of the group. If auditing is set to none, no logs are kept. Audit logs are displayed in the Audit tab.

Auditing is also displayed in the View History report. The View History report contains audit logs for the users who have auditing in place. For example, if your RateLoading group has auditing set to high and your BA group has no auditing, the View History report will only contain the actions done by the RateLoading group. Since the BA group did not have any auditing turned on, none of their changes or actions will be listed in either the Audit Module or the View History report. The level of auditing will determine the detail of the View History report.

Auditing can be set for any group, including admins. If auditing is set to high for the admin group, logs are created for adding, editing, and deleting users. Logs are also kept for adding, editing, and deleting user groups.

Session logs are kept for all users and record when users log in and log out.

Group Rights

Group Rights are broken into areas and lines of business. You can allow users access to the entire system or just certain modules. You also can restrict users from performing certain actions, such as packaging or creating folders.

User Actions				VIEW	WRITE	PACKAGE	LOCK
Permissions to Grant							
RateManager Domain Admin							
Line Management – Allows users full access to manage lines.				X	X		
Subline Management – Allows users full access to manage sublines.				X	X		
RateManager MultiLines							
Programs –				X			
Write Access –					X		
Scenario –				X			
Write Access –					X		
MultiLines Mapping –				X			
Write Access –					X		
Inputs –				X			
Write Access –					X		
MultiLines –				X			
Write Access –					X	X	
RateManager Testing							
Testing Module – Allows users full access to the testing module.				X	X		
RateManager Package Admin							
Program Export – Allows users to export programs in the Library.				X	X		
Program Import – Allows users to import programs in the Library.				X	X		
Release Management – Allows users to access the Releases Module.				X	X		
Database Support							
Backups – Allows users to create database backups within RateManager.				X	X		
Restores – Allows users to restore databases within RateManager.				X	X		
LOB							
Variables –				X			
Write Access –					X		
Algorithms –				X			
Write Access –					X		
Driver Assignment – AUTO LOB ONLY				X			
Write Access –					X		
Sequencing –				X			

Write Access –		X		
Output Mapping –	X			
Write Access –		X		
Inputs –	X			
Write Access –		X		
Categories –	X			
Write Access –		X		
Program Management –	X			
Write Access –		X	X	
Lock Admin –				X

Permission to Grant Definitions

There are six areas:

1. **RateManager Domain Access:** Allows users to manage lines and sublines.
 - a. **Line Management:** Users will be able to create, edit, activate, deactivate, delete the line and delete all programs in the line. The permission may be needed by users who work with templates.
 - b. **Subline Management:** Users will be able to create, edit, activate, deactivate, delete the line and delete all programs in the line. The permission may be needed by users who work with templates.
2. **RateManager MultiLines:** Allows users to work in the MultiLines Module.
 - a. Read permissions are granted to all areas in MultiLines by checking any element.
 - b. Write permissions are granted per element. Checking a write permission will also grant read permission to all areas in MultiLines.
 - c. Package permissions are in the MultiLines section. Checking a write permission will grant package permissions as well as grant read permission to all areas in MultiLines.
3. **RateManager Testing:** Allows users to work in the Testing Module. Users are granted full access when the element is checked.
4. **RateManager Package Admin:** Allows users to work with packages in the system and allows user to input mappings. Users are granted full access when the element is checked.
 - a. **Program Export:** Allows users to create export programs on the Library tab. The permission may be needed by users who work with templates.
 - b. **Program Import:** Allows users to apply exported programs and templates on the Library tab. The permission is needed by users who work with templates.
 - c. **Release Management:** Allows users to work in the Releases Module. Users are granted full access when the element is checked.
5. **Database Support:** Allows users to work on Database Backups and Database Restores. Users are granted full access when the element is checked.
6. **LOB:** Each line of business will have rights separate from the other lines.
 - a. Read permissions are granted to all areas within the line by checking any element.
 - b. Write permissions are granted per element. Checking a write permission will also grant read permission to all areas in the line.
 - c. Package permissions are in the Program Management section. Checking a write permission grants package permissions as well as grant read permission to all areas in the line. Package permissions also allows for users to manage folders, move, copy, and create revisions.

User Actions Definitions

Write Access will allow users to create and edit entries. Users who do not have write access will have Read-Only access unless access to the entire module has not been granted.

- **View:** Allows users to view the elements that have been created.
- **Write:** Allows users to create, edit, copy, and delete elements.
- **Package:** Allows users to create RateManager, SoftRater and Global Versioning packages.
- **Lock:** Allows users to lock programs.

Assigning Group Rights

Edit group's rights when you want to change the applications and lines of business users of that group have access to.

1. Navigate to the **Edit Management** tab and select the group whose rights you want to edit. Click **Rights**. If an email address has been entered for the group, the group's name is hyperlinked and underlined (such as Admin). For these groups, click to the right of the name to select.
2. This opens the **Rights Management** window.





Figure 35 Expanded Group Rights Management Screen

- From here, you can assign rights to the group for the various modules of RateManager. Expand the appropriate section and place a check next to an item to give the group access to that section.

For example, if you wanted to allow this group to access and change sections of the Auto line of business, you would expand **RateManager Auto** by clicking the  (plus box). You would then expand each section of Auto (Variables, Algorithms, etc.) and place a check in the **Write Access** box for each section where you wanted users to have access. If you only wanted to allow a group to view a section, but not make any changes, you would only place a check next to that item and not the **Write Access** box.

- When you are finished making changes, click **Save**. To cancel your changes, click **Close**.

No Permissions to Work in Lines

After a group has been added, you must assign group permissions. If you do not, users will not have access to lines.

If a user does not have access to lines of business, they are not assigned to a group that has the proper permissions. Have the user close out of their session prior to changing their group or group permissions.




Figure 36 Users Denied Access to Lines

EDITING A GROUP

Edit a group when you want to change the group's name, description, location or email address. Any changes will apply to all members of the group.

To Edit a Group

- Navigate to the Group Management tab.
- Select the group you would like to edit and click **Edit**. You also can edit a group by double-clicking it. If an email address has been entered for the group, the group's name will be underlined (such as Administrator). For these groups, click to the right of the group name to select it or click the underlined name to send the group an email.
- This will open the **Edit Group** tab.

File Modules Tools Help

Home Group Management X

Edit Group

You have selected to add/edit a group. This group will serve as a high level grouping for users. A particular user's rights are determined by the group. Information is noted with an asterisk.

Name RateLoading *

Description This group will load rates.

Location Plano

Email

Audit High

Figure 37 Editing a Group

4. All fields can be edited. Make your changes.
5. When you have finished making changes, click **Save** to update the group's information and refresh the group listing. If you do not want to save your changes, click **Cancel**.

DELETING A GROUP

If a group is no longer needed, it can be deleted. Only groups that currently have no users assigned to them can be deleted.

To Delete a Group

1. Navigate to the Group Management tab.
2. Select the group you want to delete and click **Delete**.
3. If the group currently has users assigned to it, you will receive an error.




Figure 38 Error Message for Deleting a Group

4. Remove all users from the group by either deleting the users or assigning the users to another group (see Editing a User) and then try your delete request again.




Figure 39 Deleting Group Confirmation Message

5. If the group does not have any users assigned to it, you will be asked to confirm deletion of the group.
6. Click **OK** to delete the group and refresh the group listing. Click **Cancel** to return to the group listing without deleting the group.

Group Management Tab

A completed Group Management tab lists the groups, the location of the group and the total number of members in each group.

The number of users may be greater than the total number of users. Users may be assigned to more than one group.





Figure 40 Completed Group Management Tab

Viewing Group Contact Information

If you have entered any contact information for the group, you can view that information by holding your cursor over the group name.



SESSION MANAGEMENT

The Session Management tab allows an administrator to view users who currently have a RateManager session open and disconnect them to free up a locked element.




Figure 41 Session Management




From this tab you can:

- Deactivate a License
- Display the users who have an Element or Program Lock

FUNCTIONALITY

The **Menu Bar** is located at the top of the **tab**. The menu bar contains the functions you can perform on this tab.

Functions:

 Deactivate License	Deactivate License: Deactivates the license of the selected user. This will immediately end their session.
 License Locks	Edit: Unlocks a locked element by forcing an edit tab to close. Any changes made on a forced close tab will not be saved.
 Refresh	Refresh: Refreshes the list of open sessions.

FIELDS


The main body of the tab displays the sessions that are currently open. There are four fields in the main body of the Session Management tab.

Checkbox: Check this box to perform an action on this session.

User: The name of the user who has a session open.

Issue Date: The time stamp that the session began.

Comments: The IP or URL of the open session.

: Indicates that this user has an element open. Open elements are locked to prevent users from overwriting each other's work. If a user has had an element locked for an extended period of time, the session can be ended. This frees the element to be worked on by other users.

To Navigate to Session Management

1. Select Tools→Security→**Session Management**.
2. This will open the **Session Management** tab.

DEACTIVATING A SESSION

If a user quits RateManager without first logging out, their session may remain open. In this event, you need to deactivate the session. Deactivating a session will also release any locked elements that this user may have outstanding.

To Deactivate a Session

1. Navigate to the **Session Management** tab.
2. Place a checkmark next to each session you want to deactivate (free up) and then click **Deactivate License**.

3. You will be asked to confirm the deactivation.




Figure 42 Confirming a Deactivation

4. Click **OK** to deactivate the session or **Cancel** to return to the Session Management tab.

UNLOCKING ELEMENT LOCKS

If you want information about a session lock, you can view information about who has an element locked by holding your cursor over the In-Use icon found on the Program Details tab.




Figure 43 User Session with Extended Locked Element

If you want the element to be released, the system administrator can end the session of the user who is locking the element. This frees the element up, allowing other users to access the element.

NOTE: Prior to ending a user session, verify that the element has been locked for an extended period of time. Ending a user session prior to the element being saved may result in the user's updates not being implemented.

Deactivating a User Session

The License Lock option displays the details of the element lock in Session Management.




Figure 44 Ending a User Session with a Locked Element

1. To view how long this user has had a lock on the element, place a check mark in the box next the user.
2. Click **License Locks**. A popup window is displayed indicating which element the user has locked and for how long.




Figure 45 Locked Items by User

3. The Locked Items by User box is for information only. No action can be performed here. If you need free this element and end this user's session, you can deactivate the session.
4. Close out the Locked Items by User popup.
5. To deactivate the session, place a check mark in the box next to the user.
6. Click **deactivate license**.
7. Click **OK** to confirm the disconnect, click **Cancel** if you do not want to disconnect the user session.

Chapter 6

DATABASE

The Database Module can be found on the Tools menu. The Database module is where you manage database functions from within RateManager. There are two options you can select:

- **Backups** – used for creating and restoring database backups.
- **Updates** – a listing of available updates for this version of RateManager.

BACKUPS

The backup tab located in the Database option of RateManager allows an administrator to create and restore backups of the RateManager database. **You must be a Disk Admin to perform backups or restores.**








Figure 46 Database Backups

FUNCTIONALITY

The **Menu Bar** is located at the top of the **tab**. The menu bar contains the functions you can perform on this tab.

Functions:

 Create Backup	Create Backup: Creates a backup of the currently selected database.
 Restore Backup	Restore Backup: Restores the currently selected database.
 Delete Backup(s)	Delete Backup: Deletes the currently selected database.
 Refresh	Refresh: Refreshes the list of backups.

FIELDS

The main body of the tab displays a list of the current backups. There are six fields in the main body of the DB Backups tab.

Checkbox: Check this box to perform an action on this backup.

Type: The type of backup performed, either Maintenance or Error.

Name: The name of the database being backed up.

Location: The location of the backup.

Date: The time stamp of the backup.

Size: The size of the backup.

Navigating to Database

1. Select Tools→Database→**Backups**.
2. This will open the **Backups** tab.

CREATING A BACKUP

If you need assistance implementing logic or an error is found in the system, a backup or snapshot can be made of the database. That snapshot can then be sent to Oracle Insurance Support, where it will be restored. Our support personnel and analysts can then work from the snapshot to determine the best way to implement logic or diagnose a problem.

To Create a Database Snapshot

1. Navigate to the **Backups** tab.
2. Click **CREATE BACKUP**. This will open the **RateManager Backup** window.




Figure 47 Creating a Backup

3. Select the database you want to backup, either **security** or **rm** (RateManager). When creating a backup to send to Oracle Insurance, select your **rm** database. The Name on the screen will default to the actual name of the database in SQL Server.
4. Select a reason for the backup, either **Maint** (maintenance) or **Error**.
5. Enter a location where the backup should be stored. This location should be a network share.
6. Click **BACKUP** to start the backup process.
7. You will be informed when the backup operation is complete.




Figure 48 Successful Backup Message

8. Your backup should be listed on the backups tab. If your backup is not listed, click **REFRESH** to refresh the screen.

Sending to Oracle Insurance

If necessary, you may need to send it to Oracle Insurance Support for assistance.

1. Once the backup is complete, you can browse to the backup location you entered in Step 5. Sort the listing by Date Modified to quickly find the backup you just created.
2. If necessary, Oracle Insurance Support will instruct you how to handle the database handoff.

RESTORING A BACKUP

1. If there's a backup that needs to be restored, highlight the backup you want to restore and click **RESTORE BACKUP**. A warning message will be displayed.

NOTE: If you require assistance or are unsure of whether or not to restore a backup, please log a Service Request using My Oracle Support at <https://support.oracle.com/>.




Figure 49 Restore Warning Message

2. Click **RESTORE** to restore the backup or **CLOSE** to return to the previous screen.

DELETING A BACKUP

If there's a backup that you no longer need, you can delete it. Make sure this is the action you want to take.

1. Highlight the backup(s) you want to remove. More than one backup can be deleted.
2. Click Delete Backup(s) from the top bar menu. A warning message will be displayed.
3. Click **OK** to remove the backup(s) or **Cancel** to return to the previous screen.




Figure 50 Deleting a Backup

Permissions Error

If you do not have the proper permissions to run database backups or restores, you will receive an error message.




Figure 51 Permissions Error Message

Database Backup Location Error

If you do not have a proper backup location set up, either on the server where your databases are located or a network share, you will receive an error message.




Figure 52 Backup Location Error Message

In Figure 52, a backup location was entered (C:\Insbridge\DB_Backup...), but the location was not found. Entering a location in the Preferences area of RateManager will not create the location. The location must be in place prior to the backup.

When a shared location on the server where the RateManager databases are located is entered, the backup request can be performed.

UPDATES

The database module also contains an update tab that lists the available updates for this version of RateManager.

From this tab you can view the update script or execute the update. Updates cannot be deleted.

NOTE: Only a database owner (db_owner) can perform updates. If the Updates tab or any execute buttons are not visible, you do not have access to the database.








Figure 53 DB Updates

FUNCTIONALITY

The **Menu Bar** is located at the top of the **tab**. The menu bar contains the functions you can perform on this tab.

Functions:

 Execute Update Script	Execute Update Script: Runs the selected update script.
 Open Update Script	Open Update Script: Opens the selected update script in a window where it can be viewed or copied.
 Save Update Script to File	Save Update Script to File: Allows you to save the update script to your local hard drive or network.
 Refresh	Refresh: Refreshes the list of updates scripts.
Show updates for: <input type="text" value="IBRM"/>	Show Updates for: Allows you to select the update scripts you want to view, IBRM or IB_CLIENT.

FIELDS

The main body of the tab displays a list of database updates. There are four fields in the main body of the DB Updates tab.

Script: The name and version of the script.

Release Date: The date of the release for the script.

Database: The type of database the script is for, IB_CLIENT or IBRM.

Status: The status of the update. Current will be on the line of the most current database.

Navigating to Database

1. Select Tools→Database→**Updates**.
2. This will open the **Updates** tab.

EXECUTING UPDATE SCRIPT

Database updates can be done on the IB_CLIENT database and the IBRM database. If you log into RateManager and Tools is the only option, you must perform a database update.

On the Updates tab, the current version will be highlighted and the status will be *Current*. The updates below the current version will be grayed out. These updates cannot be run again. You will receive an error message if you attempt to run a lower version update. Any version update above the current version will also be grayed out but will be available for executing after the preceding update has been run.

Updates have to be installed sequentially, meaning if you are on Version 3.12, you must run the 3.13 update, the 4.00 update, the 4.01 update and finally the 4.06 update. If you attempt to run an update that is more than one level above the current version, you will receive an error message.

NOTE: *It is strongly recommended that database updates be performed in RateManager.*

1. Navigate to Tools→Database→**Updates**.
2. The **Updates** tab is displayed. Select the database you want to view from the **Show updates for** drop down. The database updates for your selection will be listed. The last column, the **Status** column, will show you which update is the **Current** one installed.




Figure 54 Available Updates

3. There are two ways to execute an update:
 - a. **Directly in RateManager**
 - b. **In SQL Server**

Directly in RateManager

This is recommended way to update a database. It is recommended that you start by selecting the update showing Current. This will assure that the database showing as Current will have all possible updates.

4. Highlight the update you want to run.

5. Click **Execute Update Script**. A warning message will be displayed.
6. Click **OK** to run the update or **Cancel** to return to the previous screen.
7. Do this for both the IBRM database and the IB_CLIENT database.




Figure 55 Updating Scripts in RateManager

In SQL Server Using Query Analyzer

This method should be performed by a database administrator. You must have access to the SQL Server instance where the RateManager databases are located. **No warning message will be displayed if you execute scripts in the wrong order.** You must know the name of the databases you are updating. **If you are unsure, do not use this method.**

WARNING: *Running updates in a non-sequential order may result in severe database errors. No error messages will be displayed if you run updates in an incorrect order.*

1. In RateManager, highlight the update you want to run. If you are going from a much lower version of RateManager, you may have to save multiple files for each database.
2. Click **Save To File**. Your computer's dialog box will be displayed. **Save** the file to a location of your choice. For IBRM scripts, it is recommended that you rename the file to `usp_IBRM_R0(version number).sql`. For example the V4.06.01 update would be: `usp_IBRM_R40.06.01.00.sql`. For IB_CLIENT scripts, it is recommended that you rename the file to `usp_IB_CLIENT_R0(version number).sql`. For example the V4.06.01 update would be: `usp_IB_CLIENT_R04.06.01.00sql`.
3. Open Query Analyzer in SQL Server.
4. Open up the DB script updates from the download file. You can open in any program you want, such as Notepad.
5. Select the IB_CLIENT database. Create a new query.
6. Copy the DB script you opened to the query screen.
7. Execute the script. Any messages will be displayed in the lower portion of the screen. Fix any errors before you continue.

8. **Updates must be run in sequential order.**
9. Do the same for the RM database.
10. After the scripts have been run, return to RateManager. Click **File→Reload**. The status should show current and the full RateManager menu should be displayed.

Open Update Script

To view the update script prior to execution, highlight the update you want to view. Click **Open Update Script**. The update script will be displayed in a separate screen.




Figure 56 Script Viewer

REQUIRED UPDATES

If you log into RateManager and **Tools** is the only option, you must perform a database update.

Please navigate to **Tools→Database→Updates** (Tab) and run the necessary updates. You will not be able to continue until you run the updates.




Figure 57 Menu Requiring DB Updates





Figure 58 Please Run Update Scripts

CHANGING YOUR PASSWORD

You can change your password at any time. RateManager does not prompt users to change their passwords.

It is recommended that you change your password periodically to prevent other users from logging in and making changes using your user ID.

1. From the top bar menu, select **Tools** and then click **Change Password**.



2. This will open the **Change Password** window.




Figure 59 Change Password Screen

3. Enter your current password in the **Old Password** text box and enter your new password in the **New Password** and **Confirm Password** text boxes.

Your password must be at least six, but fewer than twelve, alphanumeric characters.

4. When you are finished, click **Update** to update your password. The next time you log into RateManager, you will need to use your new password.

PREFERENCES

Users with Administration rights will be able to access all options found on the Preferences screen. The Preferences screen allows administrators to manage settings, and set Home Page options.

Non-administrators will only have the option to set their Home Page Snaps. Please see the RateManager User Guide.

ADMIN SETTINGS

Administrators can edit web settings at any time from the Preferences screen. Changes will take place after the user sessions have been ended.

From the Preferences screen, you can set pathways, define servers, backup shares, set preferences, set batch threads, establish minimum ID lengths, display of override date-mask values for Importing Data for Mapped Variables, allow users to edit data types within the application, and set the time for inactive session timeout.

To Change Settings

1. Select Tools→Preferences.
2. This will open the **Preferences** window. Select **Web Settings**. This option is displayed if you are an administrator.




Figure 60 Preferences Settings

3. Make any necessary changes.
4. When you are finished, click **Save** to update your settings. If you want to changes to take place immediately, you may have to end all user sessions.

Web Settings

Insbridge ConfigXml Path

This is the path from IBFA. This pathway must match the IBFA path. You may need to change this path if you have changed the path in IBFA. Please contact Insbridge support for further information.

It is strongly recommended that you leave the default.

Messaging Server

RateManager is set up to run batches on the same server that RateManager is located on. If you have an especially large batch to run and you want to batch to a different server, you will have to change server locations here. Unless necessary, it is strongly recommended that you leave the default.

SoftRater Server

If you need to rate on another server, you will have to change server locations here. It is strongly recommended that you leave the default.

Work Files Share Folder Location

A shared Workfiles location allows for multiple instances of RateManager to share the same Workfiles. The IBRU server and the shared location must be on the same domain. The Insbridge user must be on the domain also.

For instructions on setting up a WorkFiles Share Location, please see the Insbridge WorkFiles Installation Guide on the <http://www.oracle.com/technetwork/documentation/insurance-097481.html>

DB Backup Share Folder Location

When you make backups of the RateManager database, you can specify the location of the backup file. If the location is local, you will use a local path. If the location is not local, you must be a disk admin to change.

If the database is on a remote server, a share is needed for the backup location. The Insbridge user must have write access to this location as well.

Use Insbridge Com + Admin

This setting must always be true. If there is a conflict, please contact Oracle Insurance support.

Enforce Release Packaging

When set to **False**, a release is not required in order for users to create a SoftRater (full) package. False is the default setting.

If set to **True**, a release is required in order for a SoftRater (full) package to be created. If a user wants to create a SoftRater (full) package in the Program Explorer module, a release must be created in the Releases area first. This release must have the program added to it and be unlocked. When the user creates the SoftRater package in Program Explorer, they will have the option to select the Release they want this package to be placed into. If there is no release, or no release that contains that program and is unlocked, then the user will be able to do RateManager (local) packages only.

Batch Package Threads

RateManager allows you to change how many threads are used. Threading enables a process to finish faster by splitting the process into smaller processes that run quasi-simultaneously. On multiprocessor systems, using multiple threads enables the operating system to assign the threads to different processors.

In addition, the Framework Administrator also enables you to change the administrator email address for each client. When a process fails, an email will be sent to the person who initiated the process, as well as to the administrator email addresses listed for the client of that process.

NOTE: *Before changing the number of threads, you should consult with your system administrator. Setting the number too high can result in poor performance or even a system crash. If you are unsure of how many threads to use, set the number to 1. For single processor systems, Oracle Insurance recommends a maximum of 2 threads.*

Minimum Login User ID Length

This is the minimum number of characters required for a user ID.

User must change password

This where you set the number of days before a user is required to change his/her password. This setting will only be active when you elect to have users change their password on the user setup screen.

Show Override Date Mask

If enabled, a date mask for 'Date' data types will be displayed when importing a table. If not enabled, this field will not be visible.

Allow Data Type Change

The type of data associated with a parameter. RateManager supports three (decimal, integer and string) data types for variables and inputs and a fourth (date) for inputs and result variables only.

Setting this option to True will allow RateManager users change the data type of a variable or input. Setting this option to False will not allow users to change data types.

Inactive Session Time Out

This is the amount of time that a user sits inactive before being automatically logged out of the system.

Batch Results with New Line

Allows batch results to go to a new line instead of forming one continuous string. A True setting will place a carriage return between result files. A False setting will result in one continuous string without a break.

Online Help Server

Online help is installed with RateManager. This setting is the default server name where RateManager currently resides. Either a server name or an IP address can be entered here. If needed, you can change the name of the server. For example, if the machine name is not the same as the host name, you may need to change the name in order for online help to function.

My Recent List

My Recent List is a snap setting. Snaps are modules that contain information or links to elements that the user recently worked on. You can set the maximum number of elements to display in a snap. The default is for the snap list to be limited to 10.

Default Proxy Script Location

The Default Proxy Script Location setting may be needed if you elect to use the Oracle Insurance Blog Feed snap. This setting can be used for RSS feeds.

Change Control

If change control is on, it will be mandatory for users to enter a change control entry and justification to any element or program when it is revisioned. If change control is off, the option will not be presented.

Maximum Amount of Simultaneously Opened Tabs


Use the maximum amount of simultaneously opened tabs setting to set the maximum number of tabs you will allow users to have opened in RateManager. The default is 15.

VIEWING VERSIONS

The Version option in the Tools section of RateManager allows an administrator to view the version information for the current system.

To View a Version

1. From the Home tab, select **Help→RateManager Version**.



2. This will open the **Version Listing** window.




Figure 61 Version Listing

3. The latest version information including RateManager release number, IB Client schemas and build will be displayed.

CONTACTING SUPPORT

If you need assistance with an Oracle Insurance Insbridge Rating and Underwriting System product, please log a Service Request using My Oracle Support at <https://support.oracle.com/>.

Address any additional inquiries to:

Oracle Corporation
World Headquarters
500 Oracle Parkway
Redwood Shores, CA 94065
U.S.A.

Worldwide Inquiries:
Phone: +1.650.506.7000
Fax: +1.650.506.7200
oracle.com

TTY Access to Oracle Support Services

Oracle provides dedicated Text Telephone (TTY) access to Oracle Support Services within the United States of America 24 hours a day, seven days a week. For TTY support, call 800.446.2398.

Deaf/Hard of Hearing Access to Oracle Support Services

To reach Oracle Support Services, use a telecommunications relay service (TRS) to call Oracle Support at 1.800.223.1711. An Oracle Support Services engineer will handle technical issues and provide customer support according to the Oracle service request process. Information about TRS is available at <http://www.fcc.gov/cgb/consumerfacts/trs.html>, and a list of phone numbers is available at <http://www.fcc.gov/cgb/dro/trsphonebk.html>.

COUNTRY CODES

NAME	ABBR
AFGHANISTAN	AFG
ALBANIA	ALB
ALGERIA	DZA
AMERICAN SAMOA	ASM
ANDORRA	AND
ANGOLA	AGO
ANGUILLA	AIA
ANTARCTICA	ATA
ANTIGUA AND BARBUDA	ATG
ARGENTINA	ARG
ARMENIA	ARM
ARUBA	ABW
AUSTRALIA	AUS
AUSTRIA	AUT
AZERBAIJAN	AZE
BAHAMAS	BHS
BAHRAIN	BHR
BANGLADESH	BGD
BARBADOS	BRB
BELARUS	BLR
BELGIUM	BEL
BELIZE	BLZ
BENIN	BEN
BERMUDA	BMU
BHUTAN	BTN
BOLIVIA	BOL
BOSNIA AND HERZEGOWINA	BIH
BOTSWANA	BWA
BOUVET ISLAND	BVT
BRAZIL	BRA
BRITISH INDIAN OCEAN TERRITORY	IOT
BRUNEI DARUSSALAM	BRN
BULGARIA	BGR
BURKINA FASO	BFA
BURUNDI	BDI

NAME	ABBR
CAMBODIA	KHM
CAMEROON	CMR
CANADA	CAN
CAPE VERDE	CPV
CAYMAN ISLANDS	CYM
CENTRAL AFRICAN REPUBLIC	CAF
CHAD	TCD
CHILE	CHL
CHINA	CHN
CHRISTMAS ISLAND	CXR
COCOS (KEELING) ISLANDS	CCK
COLOMBIA	COL
COMOROS	COM
CONGO	COG
COOK ISLANDS	COK
COSTA RICA	CRI
COTE D'IVOIRE	CIV
CROATIA (local name: Hrvatska)	HRV
CUBA	CUB
CYPRUS	CYP
CZECH REPUBLIC	CZE
DENMARK	DNK
DJIBOUTI	DJI
DOMINICA	DMA
DOMINICAN REPUBLIC	DOM
EAST TIMOR	TMP
ECUADOR	ECU
EGYPT	EGY
EL SALVADOR	SLV
EQUATORIAL GUINEA	GNQ
ERITREA	ERI
ESTONIA	EST
ETHIOPIA	ETH
FALKLAND ISLANDS (MALVINAS)	FLK
FAROE ISLANDS	FRO
FIJI	FJI
FINLAND	FIN
FRANCE	FRA
FRANCE, METROPOLITAN	FXF
FRENCH GUIANA	GUF

NAME	ABBR
FRENCH POLYNESIA	PYF
FRENCH SOUTHERN TERRITORIES	ATF
GABON	GAB
GAMBIA	GMB
GEORGIA	GEO
GERMANY	DEU
GHANA	GHA
GIBRALTAR	GIB
GREECE	GRC
GREENLAND	GRL
GRENADA	GRD
GUADELOUPE	GLP
GUAM	GUM
GUATEMALA	GTM
GUINEA	GIN
GUINEA-BISSAU	GNB
GUYANA	GUY
HAITI	HTI
HEARD AND MC DONALD ISLANDS	HMD
HONDURAS	HND
HONG KONG	HKG
HUNGARY	HUN
ICELAND	ISL
INDIA	IND
INDONESIA	IDN
IRAN (ISLAMIC REPUBLIC OF)	IRN
IRAQ	IRQ
IRELAND	IRL
ISRAEL	ISR
ITALY	ITA
JAMAICA	JAM
JAPAN	JPN
JORDAN	JOR
KAZAKHSTAN	KAZ
KENYA	KEN
KIRIBATI	KIR
KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF	PRK
KOREA, REPUBLIC OF	KOR
KUWAIT	KWT
KYRGYZSTAN	KGZ

NAME	ABBR
LAO PEOPLE'S DEMOCRATIC REPUBLIC	LAO
LATVIA	LVA
LEBANON	LBN
LESOTHO	LSO
LIBERIA	LBR
LIBYAN ARAB JAMAHIRIYA	LBY
LIECHTENSTEIN	LIE
LITHUANIA	LTU
LUXEMBOURG	LUX
MACAU	MAC
MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF	MKD
MADAGASCAR	MDG
MALAWI	MWI
MALAYSIA	MYS
MALDIVES	MDV
MALI	MLI
MALTA	MLT
MARSHALL ISLANDS	MHL
MARTINIQUE	MTQ
MAURITANIA	MRT
MAURITIUS	MUS
MAYOTTE	MYT
MEXICO	MEX
MICRONESIA, FEDERATED STATES OF	FSM
MOLDOVA, REPUBLIC OF	MDA
MONACO	MCO
MONGOLIA	MNG
MONTSERRAT	MSR
MOROCCO	MAR
MOZAMBIQUE	MOZ
MYANMAR	MMR
NAMIBIA	NAM
NAURU	NRU
NEPAL	NPL
NETHERLANDS	NLD
NETHERLANDS ANTILLES	ANT
NEW CALEDONIA	NCL
NEW ZEALAND	NZL
NICARAGUA	NIC
NIGER	NER

NAME	ABBR
NIGERIA	NGA
NIUE	NIU
NORFOLK ISLAND	NFK
NORTHERN MARIANA ISLANDS	MNP
NORWAY	NOR
OMAN	OMN
PAKISTAN	PAK
PALAU	PLW
PANAMA	PAN
PAPUA NEW GUINEA	PNG
PARAGUAY	PRY
PERU	PER
PHILIPPINES	PHL
PITCAIRN	PCN
POLAND	POL
PORTUGAL	PRT
PUERTO RICO	PRI
QATAR	QAT
REUNION	REU
ROMANIA	ROM
RUSSIAN FEDERATION	RUS
RWANDA	RWA
SAINT KITTS AND NEVIS	KNA
SAINT LUCIA	LCA
SAINT VINCENT AND THE GRENADINES	VCT
SAMOA	WSM
SAN MARINO	SMR
SAO TOME AND PRINCIPE	STP
SAUDI ARABIA	SAU
SENEGAL	SEN
SEYCHELLES	SYC
SIERRA LEONE	SLE
SINGAPORE	SGP
SLOVAKIA (Slovak Republic)	SVK
SLOVENIA	SVN
SOLOMON ISLANDS	SLB
SOMALIA	SOM
SOUTH AFRICA	ZAF
SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS	SGS
SPAIN	ESP

NAME	ABBR
SRI LANKA	LKA
ST. HELENA	SHN
ST. PIERRE AND MIQUELON	SPM
SUDAN	SDN
SURINAME	SUR
SVALBARD AND JAN MAYEN ISLANDS	SJM
SWAZILAND	SWZ
SWEDEN	SWE
SWITZERLAND	CHE
SYRIAN ARAB REPUBLIC	SYR
TAIWAN, PROVINCE OF CHINA	TWN
TAJIKISTAN	TJK
TANZANIA, UNITED REPUBLIC OF	TZA
THAILAND	THA
TOGO	TGO
TOKELAU	TKL
TONGA	TON
TRINIDAD AND TOBAGO	TTO
TUNISIA	TUN
TURKEY	TUR
TURKMENISTAN	TKM
TURKS AND CAICOS ISLANDS	TCA
TUVALU	TUV
UGANDA	UGA
UKRAINE	UKR
UNITED ARAB EMIRATES	ARE
UNITED KINGDOM	GBR
UNITED STATES	USA
UNITED STATES MINOR OUTLYING ISLANDS	UMI
URUGUAY	URY
UZBEKISTAN	UZB
VANUATU	VUT
VATICAN CITY STATE (HOLY SEE)	VAT
VENEZUELA	VEN
VIET NAM	VNM
VIRGIN ISLANDS (BRITISH)	VGB
VIRGIN ISLANDS (U.S.)	VIR
WALLIS AND FUTUNA ISLANDS	WLF
WESTERN SAHARA	ESH
YEMEN	YEM

NAME	ABBR
YUGOSLAVIA	YUG
ZAIRE	ZAR
ZAMBIA	ZMB
ZIMBABWE	ZWE

GLOSSARY TERMS

A	
Administrator:	The person designated by your company who has the authority to create and change groups, usernames, passwords and restrictions.
Algorithm:	A sequence of steps used to perform a calculation.
Assigned Driver:	A driver who has been assigned to a vehicle.
Assigned Vehicle:	A vehicle that has been assigned a driver.
Authoring Environment	The physical machine where RateManager is installed.
C	
Calculated Variable:	Calculated Variables are used when a result cannot best be derived from simple data mapping in a table. For example, if age is not passed as an input, but is a criteria needed in determining other factors, you would use a Calculated Variable to calculate driver age from the inputs of effective date and driver date of birth. Calculated Variables look at every node (driver, vehicle, location, etc.) independently and create a result for each. Once a calculated variable is created, the result can be used in any other variable.
Callouts	A set of a single or multiple programs and/or SoftLibraries that allows users to call needed operations at a specific time from either inside the system or outside the system.
Category:	A user defined group of information that defines inputs, variables, algorithms and the overall structure of the program.
Criteria:	An input or variable used in a mapped variable to determine which value to return. Any input or variable can be used as a criteria.
D	
Data Type:	The type of data associated with a parameter. RateManager supports three (decimal, integer and string) data types for variables and inputs and a fourth (date) for inputs and result variables only.
Date:	A data type supported for inputs and result variables only. For more information, see Dates in the Contents section.
Decimal:	A data type supported for all types of variables and inputs. Examples of decimal values are 3.1415, 18 and 0.995.
Default Value:	Used by a mapped variable if no match is found based on the criteria.
Dependency:	When copying a variable, algorithm or driver assignment, any element that requires another element to be present or defined will be listed. All dependencies must be resolved.
Driver Assignment:	Driver assignment is an auto insurance specific method of assigning a particular driver to a particular vehicle on a policy, based on certain criteria. Criteria often differ on a carrier basis, and sometimes even on a program level.
Driver Assignment	A driver assignment scenario is a list of instructions that define the

Scenario:	main sequence of operations to properly define the driver assignment logic for a carrier. A scenario is based upon the same algorithm principle used throughout the RateManager software.
E	
Export:	Exports allow users to export all elements of a program from one database to another database or within the same database. Or to export data in tab-delimited form, from a RateManager table to an outside location.
F	
Flag:	A variable that holds a 1 for true and a 0 for false.
Flag Driver Algorithm:	An algorithm used by a Flag Driver Function to flag drivers based on certain criteria.
Flag Driver Function:	A built-in function used in the main driver assignment that defines the scope of the flagging operation. Most require an association with a predefined Flag Driver Algorithm.
Flag Vehicle Algorithm:	An algorithm used by a Flag Vehicle Function to flag vehicles based on certain criteria.
Flag Vehicle Function:	A built-in function used in the main driver assignment that defines the scope of the flagging operation. Most require an association with a predefined Flag Vehicle Algorithm.
G	
Global:	An input or variable that is available to all programs under a specific subline.
Global Input:	A value that is passed into the rating system.
Global Result:	A value that is passed out of the system after rating.
Group:	A set of users that have the same access rights.
I	
IBFA	Insbridge Framework Administrator. IBFA is an administrative tool used to configure Insbridge applications and setup RateManager database connections. IBFA will be located on a Windows Server machine. IBFA/SR-WIN is an Insbridge Framework Administrator/SoftRater for Windows.
IBSS	Insbridge SoftRater Server. IBSS is the administrative tool for the SoftRater engine. The SoftRater engine is a multi-platform component within IBRU that executes the rules, rating and underwriting instructions as defined by the user in RateManager. IBSS is usually located on a Java machine. IBSS/SR-JAVA is an Insbridge SoftRater Server/SoftRater for Java.
IBRU	Insbridge Rating and Underwriting System. This is the entire system.
If:	A step type available for use in calculated variables and algorithms. For more information, see If in the contents section.
Import:	Import allows users to bring in programs from an outside location into RateManager. Or to import data in tab-delimited form, into a RateManager table.
Input:	A value that is passed into the rating system.
Integer:	A data type supported for all types of variables and inputs. Examples of integer values are 3, 1859865 and -47.

Interpolation:	An estimated value derived from two known values.
L	
Library:	The Library is where templates are stored and managed.
Linked Variables:	Two or more mapped variables that have been associated with one another because they use the same criteria.
Lock:	A lock will close all associated Variables, Algorithms, Driver Assignments, Sequencing and Result Mappings in a program version from deletions and edits.
Logical Environment	An environment created for a subscriber in IBFA. It defines package location, engine location and database location in addition to several other supporting data items. This environment is used for rating and/or SRP management. Each database connection will have a logical environment.
M	
Mapped Variable:	A variable that uses other variables and inputs as criteria in determining the appropriate value. See Mapped Variables in the Contents section for more information.
Mask:	A feature that allows the customer to determine how data should be interpreted. See Masking in the Contents section for more information.
N	
Normal Rating Algorithm:	<p>The most common type of algorithm. Examples of what it can be used for are:</p> <ul style="list-style-type: none">• Determine premiums• Calculate differences in limits being passed into the system vs. limits being rated by the system• Assign tiers
O	
Operator:	A built-in mathematical function used in calculations and comparisons.
P	
Package:	A small file that holds all the RateManager logic for a specific program and version.
Package Location	A pointer to a location where SoftRater Packages (SRP's) are stored.
Physical Environment	A physical environment is generally referred to as a physical machine.
Program:	A planned group of procedures executed in a specific order to return a rating. Programs in RateManager typically correspond to rate manuals. Programs can be either created by the users or imported.
Program Date Mask:	Specifies how SoftRater interprets dates being passed into an input file.
Program Folders:	A RateManager file management system that functions in much the same way as Microsoft Windows Explorer. This multi-level setup allows for an unlimited number of program folders and subfolders to be placed underneath a subline.
R	
Rank Driver Algorithm:	An algorithm used by a Rank Driver Function to rate drivers based on certain criteria.

Rank Driver Function:	A built-in function used in the main driver assignment that defines the scope and sorting order of the ranking operation. Most require an association with a predefined Rank Driver Algorithm.
Rank Vehicle Algorithm:	An algorithm used by a Rank Vehicle Function to rate vehicles based on certain criteria.
Rank Vehicle Function:	A built-in function used in the main driver assignment that defines the scope and sorting order of the ranking operation. Most require an association with a predefined Rate Vehicle Algorithm.
Rating Environment	The physical machine(s) where SoftRater is installed. This is typically the same as a SoftRater node.
Reconcile	A comparison feature that compares one program version against another version in the same program and generate a report of the differences.
Restrictions:	Limitations on viewing and editing pages and fields in the system. Restrictions are assigned and changed by the Administrator.
Result Mapping:	A defined set of results, inputs and variables displayed in the output file.
Revision:	A variable specific type of versioning. See Versioning in the Contents section for more information.
RM	RateManager. RateManager is a component within IBRU that enables users to manage the product definition and modification process, including rating and underwriting logic.
S	
Sequence:	The order in which algorithms run. See Sequencing in the Contents section for more information.
SoftLibrary:	A SoftLibrary is a specially developed program that performs a specific task. SoftLibraries may run their own code or call upon other systems to obtain information outside of RateManager, for example, obtaining a credit score
SoftRater Node	A SoftRater node is either an IBFA (without RateManager) or IBSS instance on a physical environment.
Source:	The source is the creator of a template and will also be the name of the new subline.
SR	SoftRater. The engine that executes the rating, rules and underwriting instructions defined within RateManager. The rating environment for runtime execution and processing of business content. SoftRater can be further defined by the operating system where it has been loaded.
SRP	SoftRater Packages. A package that holds all the RateManager logic for a specific program and version.
SR-JAVA	SoftRater for Java. This is also another name for IBSS.
SR-WIN	– SoftRater for Windows. This is also another name for IBFA.
String:	A data type supported for all types of variables and inputs. Examples of string values are "2.718", "The quick brown fox jumps over the lazy dog." and "001".
Subline:	Sublines are classifications that fall in between lines of business and program folders. Sublines allow for the separation of programs by source.

T	
Tab-delimited:	A type of text file in which columns are separated by tabs. This is the required format for importing tables into RateManager.
Template:	Templates are exact copies of existing programs within a line of business that can be from within your own user group, any other user group within the company or even from an outside company.
U	
Unassigned Driver:	A driver who has not been assigned to a vehicle.
Unassigned Vehicle:	A vehicle that has not been assigned a driver.
Underwriting Algorithm:	A type of algorithm used to determine if a policy meets the requirements of the company.
Universal:	A collection of programs from all lines of business combined with result group mappings and assigned to execute in sequence that returns a single or multiple results.
V	
Variable:	A name used to represent a value that can change. See Variables in the Contents section for more information.
Version:	One of a sequence of copies of a program, each incorporating new modifications. See Versioning in the Contents section for more information.
VFS	Virtual File Servers. Virtual file server management allows you to set up servers that are in different locations where packages can be downloaded.
W	
Wildcard:	An option available for mapped variables that tells RateManager that one or more rows ignore the value passed in for the criteria. See Variables in the Contents section for more information.
MultiLines:	A MultiLines is a type of program that allows you to call multiple programs from different lines of business together under one universal program.
Working Category:	A classification used to define how elements should run. See Categories in the Contents section for more information.
X	
XML ID:	A number automatically assigned by RateManager to identify inputs and categories.

Index

INDEX

A

Accessing
Line of Business, 15
 Activated
 Line of Business Listing Screen, 17
 Activating
 Line of Business Listing Screen, 23
 ActiveX Controller, 10
 Adding
 Group, 48
 New Group in User Management, 47
 New User in User Management, 41
 Admin Rights, 74
 Administrator
 User Management, 39
 Administrator Group, 46
 Security Access, 46
 Allow Data Type Change
 Preferences, 77
 Assigning
 Group Rights, 53
 Assigning Group Rights, 52
 Audit
 Menu Bar, 26
 Audit Listing, 26, 40
 Audit Logs, 25
 Purging, 31
 Viewing, 26
 Audit Report, 30
 Audits, 26
 Creating, 30
 Details, 31
 Auditing
 Group Management, 49
 Groups, 49
 Audits
 Audit Report, 26
 Change Control, 29
 Deleting, 32
 Fields, 26
 Filter, 26
 Filtering, 28
 Purge All, 26, 32
 Refresh, 26
 Right Click Menu, 27
 Authoring Environment Definition, 88

B

Backup
 Deleting, 65
 Restoring, 64
 Storing, 63
 Success Message, 63
 Backup Share Folder Location
 Preferences, 76
 Batch Package Threads
 Preferences, 77
 Batch Results with New Line
 Preferences, 78

C

Cancel
 Group Management, 48
 User Management, 41
 Change Control
 Audits, 29
 Preferences, 78
 Change Password, 73
 Change Password Window, 73
 Changing
 Administrator Email, 77
 Company
 Selecting for New User, 41
 Contact Information
 Group Management, 56
 Create Backup, 63
 DB Backups, 62
 Creating
 Audit Report, 30
 Backups of Database, 61
 Database Snapshot, 62
 Custom
 Filter, 28
 Custom Lines
 Creating, 20
 Custom Type
 Line of Business Listing Screen, 17

D

Database
 Tools, 62
 DataBase
 Tools, 61
 Database Error Messages, 66

- Database Snapshot
 - Creating, 62
- Database Tab, 61
- Database Updates, 67
 - Running, 68
 - Tools, 70
 - Viewing, 68
- Date Formats, 18
- DB Backups
 - Create Backup, 62
 - Delete Backup, 62
 - Fields, 62
 - Menu Bar, 62
 - Refresh, 62
 - Restore Backup, 62
- DB Updates
 - Execute Update Script, 68
 - Fields, 68
 - Menu Bar, 67
 - Open Update Script, 68
 - Refresh, 68
 - Save Update Script to File, 68
 - Show Updates for, 68
- Deactivate License
 - Session Mangement, 58
- Deactivating
 - License, 58
 - Line of Business Listing Screen, 23
- Deactivating User Session
 - Session Management, 60
- Decimal Symbol, 19
- Default
 - Groups, 46
 - Locale, 17
- Default Proxy Script Location
 - Preferences, 78
- Delete
 - Group Management, 47
 - User Management, 40
- Delete Audit, 27
- Delete Backup, 65
 - DB Backups, 62
- Deleting*
 - Audits, 32
 - Database Backup, 65
 - Errors for a Group Delete, 54
 - Group, 54
 - Line of Business*, 17
 - User in User Management, 45
- Description
 - Line of Business Listing Screen, 17
- Details
 - Audit Report, 31
- Digit Grouping Symbol, 19

E

- Edit
 - Group Management, 47
 - Line of Business Listing Screen, 16
 - User Management, 40
- Edit Group Screen, 53
- Edit User
 - User Management, 43, 44
- Editing
 - Group, 53
 - Line of Business Listing Screen, 22
 - User in User Management, 43
 - Web Config Settings, 74
- Editing Group Rights
 - Example, 53
- Edition Notice, 2
- Email
 - Changing Administrator, 77
- Enforce Release Packaging
 - Preferences, 76
- Error Messages
 - Database Backup, 66
- Errors
 - Creating Backups, 63
 - Deleting a Group, 54
- Example
 - Editing Group Rights, 53
- Execute Update Script, 70
 - DB Updates**, 68

F

- False
 - New Users, 43
- Fields
 - Audits, 26
 - DB Backups, 62
 - DB Updates, 68
 - Group Management, 47
 - Session Management, 58
 - User Management, 40
- Filter
 - Audits, 26
- Filtering
 - Audits, 28
- Framework Administrator
 - Administrator Email, 77
- Full Access, 10
 - Group Rights, 53

G

- Group
 - Administrator, 46
 - Default, 46
 - Full Access Rights, 53

- Name when Adding, 48
 - Removing User, 43
 - Rights Assigned to Users, 46
 - Security, 39
 - Selecting for New User, 41
 - Settings for Audit Logs, 49
 - Group Management
 - Adding a Group, 48
 - Auditing, 49
 - Cancel, 48
 - Delete, 47
 - Deleting a Group, 54
 - Edit, 47
 - Editing a Group, 53
 - Fields, 47
 - Group Rights, 50
 - Information, 48
 - Menu Bar, 47
 - New, 47
 - Overview, 46
 - Permissions, 53
 - Refresh, 47
 - Required, 48
 - Rights, 47
 - Save, 48
 - Group Rights, 50
 - Write Access, 52
 - Groups
 - Assigning Rights, 53
- ## H
- High Auditing**, 49
 - Home Tab, 13
- ## I
- IBFA Definition, 89
 - IBRU Definition, 89
 - IBSS Definition, 89
 - ID
 - Line of Business Listing Screen, 17
 - Inactive Session Time Out
 - Preferences, 77
 - Information
 - Group Management, 48
 - User Management, 41
- ## L
- License
 - Deactivating, 58
 - License Locks
 - Session Management, 60
 - Session Mangement, 58
 - Line of Business
 - Accessing, 15
 - Activating Users, 21
 - Deleting, 17
 - Navigating To, 15
 - Navigation Bar, 16
 - Overview, 15
 - Setting Security, 21
 - Line of Business Listing Screen
 - Activated, 17
 - Activating, 23
 - Custom Type, 17
 - Deactivating, 23
 - Description, 17
 - Edit, 16
 - Editing, 22
 - ID, 17
 - New, 16
 - Removing All Programs, 24
 - System Type, 17
 - Type, 17
 - Listing Screen
 - Line of Business, 17
 - LOB Listing Screen, 17
 - LOB Permissions, 53
 - Locale, 17
 - New Lines, 20
 - Selecting, 18
 - Updating, 18
 - Location
 - Work Files, 34
 - Logical Environment Definition, 90
 - Login, 9
 - Failure, 9
 - Help, 10
 - Logs
 - Audit, 25
- ## M
- Maint
 - Creating Backups, 63
 - Mandatory Database Updates, 71
 - Manual
 - Database Updates, 70
 - Maximum Amount of Simultaneously Opened Tabs
 - Preferences, 78
 - Menu Bar
 - Audit, 26
 - DB Backups, 62
 - DB Updates, 67
 - Group Management, 47
 - Session Mangement, 57
 - User Management, 40
 - Menus
 - Tab, 11
 - Messages
 - Migrate Work Files, 38
 - Messaging Server

- Preferences, 76
- Migrate Work Files, 33
 - Manual, 35
 - Messages, 38
 - Tools, 34
 - Verfiy, 36, 37
- Minimum Login User ID Length
 - Preferences, 77
- My Recent Snap List
 - Preferences, 78

N

- Name
 - Group Name Rules, 48
- Navigating
 - Security RateManager, 39
 - To Line of Business, 15
 - User Management, 40
- Navigation Bar
 - Lines of Business, 16
- Network User
 - New User, 42
- New
 - Group Management, 47
 - Line of Business Listing Screen, 16
 - User Management, 40
- New Group in User Management
 - Adding, 47
- New Lines
 - Creating, 20
 - Locale, 20
- New User in User Management
 - Adding, 41
- No Access, 10
- None
 - Auditing, 49
- Normal**
 - Auditing**, 49
- Number Formats, 19

O

- OBI Publisher, 31
- Online Help
 - Preferences, 78
- Online Help settings
 - Preferences, 78
- Open Update Script, 71
 - DB Updates**, 68
- Overview
 - Group Management, 46
 - Line Of Business Screen, 15
 - Session Management, 57
 - Threading, 77
 - User Management, 39

P

- Package Location Definition, 90
- Password
 - Changing, 73
 - Default, 41
 - Reset, 44
- Password Expires
 - New User, 42
- Permissions, 10
 - Group Management, 53
- Physical Environment Definition, 90
- Preferences
 - Allow Data Type Change, 77
 - Backup Share Folder Location, 76
 - Batch Package Threads, 77
 - Batch Results with New Line, 78
 - Change Control, 78
 - Default Proxy Script Location, 78
 - Enforce Release Packaging, 76
 - Inactive Session Time Out, 77
 - Maximum Amount of Simultaneously Opened Tabs, 78
 - Messaging Server, 76
 - Minimum Login User ID Length, 77
 - My Recent Snap List, 78
 - Online Help, 78
 - Online Help Settings, 78
 - Setting Options, 75
 - Show Override Date Mask, 77
 - SoftRater Server, 76
 - Use Insbridge Com + Admin, 76
 - User Must Change Password, 77
 - WorkFiles Share Location, 76
- Purge All
 - Audits, 26, 32
- Purging
 - Audit Logs, 31

R

- RateManager
 - Security, 39
- Rating Environment Definition, 91
- Read Only, 10
- Refresh
 - Audits**, 26
 - DB Backups**, 62
 - DB Updates**, 68
 - Group Management**, 47
 - Session Mangement, 58
 - User Management**, 40
- Release 3.12
 - Work Files, 34
- Release 3.13
 - Work Files, 34
- Removing All Programs
 - Line of Business Listing Screen, 24

- Required
 - Group Management, 48
 - User Management, 41
- Reset Password, 44
- Restore Backup, 64
 - DB Backups, 62
- Restoring
 - Database Backup, 64
- Rights
 - Assigned by Groups, 46
 - Assigning to Groups, 53
 - Full Access, 53
 - Group Management, 47
 - Security, 39
- Rights Management Window, 52
- rm
 - Backups to Oracle Insurance, 63
 - Creating Backups, 63
- RM Definition, 91
- Rules
 - Username, 41
- Running
 - Database Updates, 68

S

- Save
 - Group Management, 48
 - User Management, 41
- Save Update Script to File
 - DB Updates**, 68
- Script
 - Executing Update, 70
 - Viewing Update, 71
- Security
 - Access by Administrator Group, 46
 - Creating Backups, 63
 - Group Management, 46, 47
 - Navigating, 39
 - RateManager, 39
- Select Arrow
 - User Management, 41
- Selecting
 - Date Formats, 18
 - Locale, 18
 - Number Formats, 19
- Server
 - Location of Work Files, 34
 - Manually Migrate Work Files, 35
- Session Management
 - Deactivating User Session, 60
 - Fields, 58
 - License Locks, 60
 - Overview, 57
 - Unlocking Elements, 59
- Session Management Tab, 58
- Session Mangement

- Deactivate License, 58
- License Locks, 58
- Menu Bar, 57
- Refresh, 58
- Setting
 - Security for Line of Business, 21
- Setting Options
 - Preferences, 75
- Settings, 74
 - Editing Web Config, 74
 - Preferences, 74
 - Thread, 77
- Show Override Date Mask
 - Preferences, 77
- Show Updates for
 - DB Updates**, 68
- SoftRater Node Definition, 91
- SoftRater Packages
 - Environments, 90
- SoftRater Server
 - Preferences, 76
- SR Definition, 91
- SR-JAVA Definition, 91
- SRP Definition, 91
- SR-WIN Definition, 91
- Storing
 - Backup, 63
- Subscriber, 9
- Sync Menu
 - Creating New Line of Business, 21
- System Type
 - Line of Business Listing Screen, 17

T

- Tabs
 - Menus, 11
- Thread
 - Settings, 77
- Threading
 - Overview, 77
- Tools
 - Database, 62
 - DataBase, 61
 - Database Updates, 67, 70
 - Migrate Work Files, 34
 - Versions, 79
- True
 - New Users, 42
- Type
 - Line of Business Listing Screen, 17

U

- Unlocking Elements
 - Session Management, 59

- Update
 - Password, 73
 - Web Config Settings, 75
- Updating
 - Locale, 18
- Use Insbridge Com + Admin
 - Preferences, 76
- User
 - Adding to Line of Business, 21
 - Audit Logs, 25
 - Deleting, 45
 - Editing, 43
 - Group Rights, 46
 - Network User for New, 42
 - Removing From Group, 43
 - Resetting Password, 44
 - Selecting Company for New, 41
 - Selecting Group for New, 41
 - Username for New, 41
- User Authentication, 42
- User Management
 - Cancel, 41
 - Delete, 40
 - Edit, 40
 - Fields, 40
 - Group Management, 46
 - Information, 41
 - Menu Bar, 40
 - Navigating, 40
 - New, 40
 - Overview, 39
 - Refresh, 40
 - Required, 41
 - Save, 41
 - Select Arrow, 41
- User Must Change Password
 - Preferences, 77

- Username
 - New User, 41
 - Rules, 41
 - Security, 39
- Users
 - Password Expires, 42

V

- Verify
 - Migrate Work Files, 36, 37
- Version Information, 79
- Version Listing Window, 79
- VFS Definition, 92
- View Audit Report, 27
- View History
 - Auditing, 49
- Viewing
 - Audit Logs, 26
 - Database Updates, 68
 - Versions, 79
- Virtual File Server Definition, 92

W

- Web Config
 - Editing Settings, 74
- Work Files
 - Location on Server, 34
 - Migrating, 33
- WorkFiles Share Location
 - Preferences, 76
- Write Access
 - Group Rights, 52