

**Oracle® Agile Product Lifecycle Management for
Process**

Reporting User Guide

Release 6.1.1.5

E57828-01

November 2014

E57828-01

Copyright © 1995, 2014, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

Preface	v
Audience	v
Variability of Installations	v
Documentation Accessibility	vi
Related Documents	vi
Conventions	vii
 1 Introducing Reporting	
Overview	1-1
 2 Using Reporting	
Getting Started with Ad Hoc Reporting	2-1
Accessing Reporting	2-1
Using the Reporting Page	2-1
Saving Search Criteria	2-2
Running a Report	2-4
Generating a Report	2-4
Viewing Queued Reports	2-5
Report Status	2-5
Custom Layouts	2-6
Defining a Custom Layout	2-6
Creating a New Layout	2-8
Marking a Layout as Default	2-9
Modifying a Layout	2-10
Using the Aggregated Feature	2-11
Deleting a Layout	2-11

Preface

The *Agile Product Lifecycle Management for Process Reporting User Guide* explains how to use the Reporting (RPT) application to provide reporting capability for data in the Global Specification Management (GSM) and Supply Chain Relationship Management (SCRM) applications.

This Preface contains these topics:

- [Audience](#)
- [Variability of Installations](#)
- [Documentation Accessibility](#)
- [Related Documents](#)
- [Conventions](#)

Audience

This guide is intended for end users who are responsible for creating and managing information in Agile Product Lifecycle Management (PLM) for Process. Information about administering the system resides in the *Agile Product Lifecycle Management for Process Administrator User Guide*.

Variability of Installations

Descriptions and illustrations of the Agile PLM for Process user interface included in this manual may not match your installation. The user interface of Agile PLM for Process applications and the features included can vary greatly depending on such variables as:

- Which applications your organization has purchased and installed
- Configuration settings that may turn features off or on
- Customization specific to your organization
- Security settings as they apply to the system and your user account

Documentation Accessibility

Our goal is to make Oracle products, services, and supporting documentation accessible to all users, including users that are disabled. To that end, our documentation includes features that make information available to users of assistive technology. This documentation is available in HTML format, and contains markup to facilitate access by the disabled community. Accessibility standards will continue to evolve over time, and Oracle is actively engaged with other market-leading technology vendors to address technical obstacles so that our documentation can be accessible to all of our customers. For more information, visit the Oracle Accessibility Program Web site at <http://www.oracle.com/accessibility/>.

Accessibility of Code Examples in Documentation

Screen readers may not always correctly read the code examples in this document. The conventions for writing code require that closing braces should appear on an otherwise empty line; however, some screen readers may not always read a line of text that consists solely of a bracket or brace.

Accessibility of Links to External Web Sites in Documentation

This documentation may contain links to Web sites of other companies or organizations that Oracle does not own or control. Oracle neither evaluates nor makes any representations regarding the accessibility of these Web sites.

TTY Access to Oracle Support Services

To reach AT&T Customer Assistants, dial 711 or 1.800.855.2880. An AT&T Customer Assistant will relay information between the customer and Oracle Support Services at 1.800.223.1711. Complete instructions for using the AT&T relay services are available at <http://www.consumer.att.com/relay/tty/standard2.html>. After the AT&T Customer Assistant contacts Oracle Support Services, an Oracle Support Services engineer will handle technical issues and provide customer support according to the Oracle service request process.

Related Documents

For more information, see the following documents in the Oracle Agile PLM for Process Release 6.1.1.1 documentation set:

- *Agile Product Lifecycle Management for Process Getting Started Guide*
- *Agile Product Lifecycle Management for Process Global Specification Management User Guide*
- *Agile Product Lifecycle Management for Process Supply Chain Relationship Management User Guide*
- *Agile Product Lifecycle Management for Process Release Notes*. Up-to-date Release Notes and other documentation are posted on Oracle Technology Network (OTN) at this location:

<http://www.oracle.com/technetwork/documentation/agile-085940.html>

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Introducing Reporting

This chapter provides an overview of Oracle Agile Product Lifecycle Management (PLM) for Process Reporting and includes the following topic:

- [Overview](#)

Overview

The Reporting application offers two ways to access and report on data in Oracle Agile Product Lifecycle Management for Process.

The first method of accessing report data is through an object model-based ad hoc tool that allows users to define their own search criteria and result definitions. This allows for ad hoc reporting against much of the data in Global Specification Management (GSM) and Supply Chain Relationship Management (SCRM).

The second method of accessing report data is through a user interface to other third-party report generation tools. The Reporting application provides an interface to third-party reports so that they can be exposed and run directly from Oracle Agile Product Lifecycle Management for Process, leveraging data to search for and select inputs. This method requires extra configuration on the Oracle Agile Product Lifecycle Management for Process side as well as access to a supported third-party reporting engine. To learn more about this extra configuration, see the *Oracle Agile Product Lifecycle Management for Process Configuration Guide*.

For general information on using Oracle Agile Product Lifecycle Management for Process software, see the *Oracle Agile Product Lifecycle Management for Process Getting Started Guide*.

Using Reporting

This chapter describes the capabilities and applied uses of the Reporting product. It includes the following topics:

- [Getting Started with Ad Hoc Reporting](#)
- [Custom Layouts](#)

Getting Started with Ad Hoc Reporting

The Reporting application enables you to create ad hoc reports, create reporting layouts, and run customized, third-party reports.

Accessing Reporting

To access Reporting, select **RPT** from the Applications menu.

Using the Reporting Page

[Figure 2–1](#) shows the basic Reporting search page, which consists of fields that are defined in [Table 2–1](#).

Figure 2–1 Reporting page






Table 2–1 Search field definitions

Field	Description
Object name	Displays a drop-down list of object types that are the information the report will be performed on.
Key field list	Displays a drop-down list of criteria based on the selected object type.

Table 2–1 Search field definitions

Field	Description
Operator	Displays a drop-down list of operators based on the criteria that you choose in the key field list. Examples include Equals, Not Equals, Contains, and Starts With.
Search term	Further define your report by entering specific text or numbers related to the first two report fields. If this field is preceded by an add data icon (+), click the icon to view a dialog box with available choices.
() more criteria	Enables you to display another row of search criteria fields. This acts as an "and" function, which narrows your search results.
() less criteria	Removes a row of search criteria fields. Displays once the more criteria option has been selected.
Show Per Page	Sets the number of search results to display at one time.

The Reporting search page includes the following buttons and links:


- **Load** — Loads a saved search.
- **Save** — Saves search criteria in a reusable library. Use this option if you use certain search criteria often.
- **Recent Items** — Displays a list of recent search items.
- **Additional Search Criteria** — Displays a dialog box where you can specify extended attributes or custom sections as search criteria. The available choices are defined by the object you selected in the Object name field. Refer to the *Oracle Agile Product Lifecycle Management for Process Getting Started Guide* for more information about searching for custom data.
- **Reset** — Clears all search criteria fields and results.
- **Search** — Displays your search results. The number of search results returned is limited to 500 entries. If your report generates more than 500 matches, the report must be generated and queued up. See "[Viewing Queued Reports](#)" on page 2-5 for more information.
- **Generate Report**— Generates your report results.
- **Custom Layout**—Defines the report layout. Custom layouts are explained in greater detail on page 2-6.
- **Export** — Writes the search results to an Excel file and displays a dialog box for downloading or viewing the exported file.

Saving Search Criteria

Once you have entered your search criteria, you can save those criteria for later use. This feature can be a great help when search criteria become very complex.

To save search criteria:

1. Enter your search criteria.
2. Click **Save**. A Save Search Criteria As dialog box displays, as shown in [Figure 2–2](#).

Figure 2–2 The Save Search Criteria As dialog box


3. Type a descriptive name for the search criteria to save and click **Save**.

After you have saved one or more searches, you can easily retrieve saved search criteria.

Note: Only the search criteria is saved; the contents of the report and the custom layout are not saved.

To retrieve a saved search:

1. On any search form, click **Load** and then select **Load Saved Search** from the drop-down list. A dialog box displays, showing a list of all of the searches that you have saved, as shown in [Figure 2–3](#).

Figure 2–3 Saved searches dialog box

2. Click the linked name of the saved search to load the criteria. Reporting closes the dialog box and loads the saved search criteria into the main search page.

Running a Report

You can create ad hoc reports based on the following Global Specification Management (GSM) specifications:

- Material specifications
- Menu item specifications
- Packaging material specifications
- Printed packaging specifications
- Product specifications
- Trade specifications

You can also create ad hoc reports based on the following Supply Chain Relationship Management (SCRM) entities:

- Supplier Document Management
- Facilities

Report attributes vary depending on the business entity as well. For example, to run a report for a facility, the report attributes are fields within a facility profile, including (but not limited to):

- Facility name
- Company name
- Sourcing taxonomy


Specify which attributes to include on a report using Custom Layout feature, as described on "[Custom Layouts](#)" on page 2-6.

To perform a report, select **RPT > Ad Hoc Reports > Reporting** from the left navigation panel. The Reporting search page displays. Select a business entity from the **Object** name drop-down list, then specify search criteria values in the search fields. Click **Search**. The search results table displays all data objects matching the search criteria, in ascending order by default.

Generating a Report

Click **Generate Report** to submit reports to the report generation queue. The **Generate Report** button is found on the Reporting page, as seen in [Figure 2-1](#) on page 2-1. When a report request in the queue is processed, it will be created or saved in Excel format so that you can click the presented link to download, open, or save it. The report can also be saved in a comma delimited format.

After you click **Generate Report**, a dialog box is displayed, as shown in [Figure 2-4](#). Fill in the **Report Name** (required) and **Description** fields, then click **Save**.


Figure 2–4 *Generate Report dialog box*


The dialog box has a title bar 'Generate Report' with 'Save' and 'Cancel' buttons. It contains two text input fields: 'Report Name:' with the value 'Spec name contains BBQ' and 'Description:' with the value 'BBQ specs for the Business Unit of North America'.

When you click **Save**, the report is added to a queue for processing offline.

Viewing Queued Reports

To view reports that have been queued, click **RPT > Ad Hoc Reports > Reports Queue** from left navigation panel. The Reports Queue page, shown in [Figure 2–5](#), displays report details. The Status column displays the status of the report as indicated by a red, amber, or green bar.

Figure 2–5 *Reports Queue page*


The page has a header 'Reports Queue' with a document icon. Below is a table titled 'Report Details' with columns: Name, Description, Date Submitted, Start Date, Date Completed, and Status. A legend on the right shows three status indicators: Submitted (red square), In Progress (yellow square), and Completed (green square).

Name	Description	Date Submitted	Start Date	Date Completed	Status
Spec name contains BBQ.xls	BBQ specs for the Business Unit of North America	5/9/2011 12:11:36 PM	5/9/2011 12:11:39 PM	5/9/2011 12:11:41 PM	Completed

Report Status

The **Status** column displays one of the following statuses:

Red status means that the report request has been submitted but the report is not yet being generated.

Amber status means that the report is currently being generated.

Green status means that the report is ready. When the status turns green, the name of the report becomes a link. Clicking the link gives you the option to either view the report or save it. When the report is ready, the person who generated the report receives an email notification.

Reports that are run in the Reporting application are not limited in size like search results and can sometimes be very large. Reports are run in order of submission to the reporting queue.

Custom Layouts


As previously mentioned, the setting you provide for custom layouts determines which fields are displayed on the report. Select a layout based on the purpose of the report. Access the User Customized Layout page by either:

- Clicking the add data icon (+) next to the Custom Layout drop-down on the Reporting search page. Refer to [Figure 2-1](#), on page 2-1 for more information.
- Or
- Select **RPT > Ad Hoc Reports > Custom Layouts** from the left navigation panel.

Defining a Custom Layout


As [Figure 2-6](#) shows, the User Customized Layout page displays all the object types on which ad hoc reports can be created. Select an object type, and then click the edit icon (✎) to display all the defined layouts for that object type. [Figure 2-7](#) shows all the custom layouts for the Facilities object type. In this example, "Summary View" is the default layout that will be displayed when you run a report on Facilities.

Figure 2-6 User Customized Layouts page



Custom Layouts			
User Customized Layouts			
	Search Type		
✎	Facility		
✎	Material Specifications		
✎	Menu Item Specifications		
✎	Packaging Material Specification		
✎	Printed Packaging Specification		
✎	Product Specifications		
✎	Supplier Document Management		
✎	Trade Specifications		
	Default	Name	Created

Figure 2-7 Available layouts for Facility object type





Custom Layouts


▼ User Customized Layouts


Search Type


Facility


 Material Specifications


 Menu Item Specifications



 Packaging Material Specification

 Printed Packaging Specification

 Product Specifications

 Supplier Document Management

 Trade Specifications

	Default	Name	Created	
	<input type="radio"/>	-- STANDARD --		
	<input type="radio"/>	Sourcing Category Report	4/20/2007 10:09:13 AM	
	<input checked="" type="radio"/>	Summary View	8/24/2007 3:54:51 PM	

Add New

"Summary View" is the default layout

Creating a New Layout

Click **Add New** to create a new layout. Next, type the name of the layout in the **Layout Name** field (required). Remove the fields not required from the Columns section. For details, refer to "Modifying a Layout" on page 2-10.

Figure 2–8 shows the new layout page for Facility.

Figure 2–8 Facility page

The screenshot displays the 'Facility' Custom Layout page. At the top, there is a header bar with a database icon and the text '(Facility) Custom Layout'. Below this, the 'Summary' section contains three fields: 'Layout Name' (a text input field), 'Date Created' (8/23/2011), and 'Customization Of' (Facility). The 'Columns' section features a table with columns for 'Column Name', 'Caption', and 'Aggregated'. The table lists six columns: Facility #, Facility Name, Company Name, City, State/Province, and Country Name. Each row has a yellow pencil icon in the first column. The 'Aggregated' column for all rows is set to 'No'. At the bottom of the 'Columns' section is an 'Add New' button.


Column Name	Caption	Aggregated
Facility #	Source Facility	No
Facility Name		No
Company Name		No
City		No
State/Province		No
Country Name		No

Add New

Marking a Layout as Default

Each object type has a default, out-of-the box layout called "--STANDARD--". These standard layouts will be used if you do not create custom layouts for the object types.

Figure 2–9 Marking a default layout

 Custom Layouts

User Customized Layouts

Search Type

Facility

Material Specifications

Menu Item Specifications

Packaging Material Specification

Printed Packaging Specification

Product Specifications

Supplier Document Management


Trade Specifications

	Default	Name	Created
	<input checked="" type="radio"/>	-- STANDARD --	
	<input type="radio"/>	Rollup up BUs	4/20/2007 11:19:39 AM

Add New

On the Reporting page, the default custom layout is marked with an asterisk, as shown in Figure 2–10.

Figure 2–10 Custom Layout with asterisk

 Ad Hoc Reporting

Search Source: Facilities

Search Criteria

Load

Save

Custom Layout

*Summary View

Recent Items

--

Additional Search Criteria...

Reset

Search

Generate Report

Modifying a Layout

You can modify only the user-defined report layouts.

To modify a custom layout:

1. In the User Customized Layouts section, click the linked field name of the layout that you want to modify. RPT displays the layout page for the selected item. The Columns section displays all the columns that are in the current layout.

Figure 2–11 *Modifying a layout for Facility, Summary View*

Summary View (Facility)
Custom Layout

▼ Summary

Layout Name: Summary View

Date Created: 8/24/2007

Customization Of: Facility

▼ Columns

	Column Name	Caption	Aggregated		
	Facility #	Source Facility	No		
	Facility Name		No		
	Company Name		No		
	City		No		
	State/Province		No		
	Country Name		No		

Add New

2. To edit a column, click the edit icon () in the leftmost column next to the column name.
 - To customize the column name, provide a name in the **Caption** field.
 - To change the position of the columns, use the re-order row icons ().
3. To remove a column, click the edit icon () in the leftmost column next to the column name. If the column is removable, the delete icon () displays in the rightmost column. Clicking the delete icon () removes the column from the layout.
4. Click **Save**.

To add new fields to a layout:

1. Click **Add New** at the bottom of the page. A dialog box displays all the fields that you can add to the layout.
2. Select one or more fields.
3. Click **Done**.
4. Click **Save**.

Using the Aggregated Feature

As seen above in Figure 2-11, the layout page contains the Aggregated column. For some columns you can use the aggregated feature to combine multiple data results in a reporting cell separated by a comma ",", semi-colon ";" or a new line. By default, the feature is set to "No".


Deleting a Layout

You can delete only the user-defined report layouts.

To delete a layout:








1. Click **RPT > Ad Hoc Reports > Custom Layouts** from the left hand navigation panel. The User Customized Layouts page is displayed.
2. Select a business object. Custom layouts for the business object are displayed at the bottom of the page, as shown in Figure 2-12.



Figure 2-12 User Customized Layout page



Custom Layouts




User Customized Layouts

Search Type
 Company/Facility SDM
<i>Facility</i>
 Material Specification
 Menu Item Specification
 Packaging Specification
 Printed Packaging Specification
 Product Specification
 Trade Specification

Default	Name	Created	
<input type="radio"/>	-- STANDARD --		
<input type="radio"/>	<u>Sourcing Category Report</u>	4/20/2007 10:09:13 AM	
 <input checked="" type="radio"/>	<u>Summary View</u>	8/24/2007 3:54:51 PM	

Add New

This row is in edit mode

3. Click the edit icon () in the leftmost column next to the layout you want to delete. A delete icon () displays in the rightmost column. In Figure 2-12 above, the Sourcing Category Report row is in edit mode.
4. Click the delete icon () to delete the layout. The Reporting application displays a dialog box prompting you to confirm the deletion.
5. Click **OK** to delete the layout.

