

Oracle® Argus Insight

CMN Profile Enterprise Table Guide

Release 8.0

E56012-01

January 2015

Copyright © 2010, 2015, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle America, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface	v
Audience	v
Documentation Accessibility	v
Finding Information and Patches on My Oracle Support	v
Finding Oracle Documentation	vii
Conventions	vii
 1 Introduction	
1.1 Internal Use Rows	1-1
1.2 About the Columns in the CMN_PROFILE_ENTERPRISE Table	1-1
1.3 Examples of Modifying the CMN_PROFILE_ENTERPRISE Table	1-2
 2 SYSTEM Profile Enterprise Switches	
2.1 ACCEPTABLE_ROUTING_JUSTIFICATION_FIELD_ID	2-1
2.2 ACCEPTABLE_SUBMISSION_JUSTIFICATION_FIELD_ID	2-2
2.3 ARGUS_MART_DB_NAME	2-2
2.4 ARGUS_MART_USER_NAME	2-2
2.5 ARGUS_MART_USER_PASSWORD	2-3
2.6 ARGUS_SAFETY_URL	2-3
2.7 AUTOE_P_E_TERM_DIC	2-3
2.8 AUTOE_P_SUS_D_DIC	2-4
2.9 BI_ANSWERS_WEB_URL	2-4
2.10 BIP_WEB_URL	2-4
2.11 BO_WEB_URL	2-5
2.12 CASE_REFERENCE_TYPE_ID	2-5
2.13 CAUSALITY_ASSESSMENT_C	2-5
2.14 CAUSALITY_ASSESSMENT_R	2-6
2.15 CAUSALITY_ASSESSMENT_R_C	2-6
2.16 CAUSALITY_ASSESSMENT_UDFIELD	2-6
2.17 COGNOS_WEB_URL	2-7
2.18 CONFIDENTIALITY	2-7
2.19 CORE_SITE	2-7
2.20 CORPORATE_LOGO_PATH	2-8
2.21 CUSTOM_HELP_URL	2-8
2.22 DATASHEET_BPI	2-9

2.23	DATASHEET_EMEA	2-9
2.24	DATASHEET_IB	2-10
2.25	DATASHEET_PI	2-10
2.26	DATA_SOURCE	2-11
2.27	DISPLAY_ENTERPRISE_SHORT_NAME.....	2-11
2.28	DLL_SLL_REPORTS_TABLE_POPULATION.....	2-12
2.29	DMS_MEDDRA_USER.....	2-12
2.30	DMS_WHO_USER.....	2-12
2.31	ENABLE_COMPANY_HOLIDAY	2-13
2.32	ESM_TABLE_POPULATION	2-13
2.33	EVENT_CAUSALITY_FIELD	2-14
2.34	FAILED_RECIPIENTS_STATUS_EMAIL_ADDRESS	2-14
2.35	FOLLOWUP_ACTION_CODE.....	2-14
2.36	KEEP_REPORT_DATA.....	2-15
2.37	LAM_TABLE_POPULATION	2-15
2.38	LICENSE_PARTY_STARTING_CODE	2-15
2.39	LL_REPORTS_DATASHEET	2-16
2.40	LL_REPORTS_TABLE_POPULATION.....	2-16
2.41	LOCKED_DAYS.....	2-16
2.42	MEDDRA_POPULATION	2-17
2.43	POPULATE_NARRATIVE_LANGUAGES_TABLES.....	2-17
2.44	POPULATE_RPT_REG_REPORTS_COLUMNS.....	2-18
2.45	PRODUCT_LOGO_PATH.....	2-18
2.46	REPORT_FOOTER_LOGO_PATH.....	2-19
2.47	RESET_PASSWORD.....	2-19
2.48	STUDY_RECONCILIATION_TABLE_POPULATION	2-20
2.49	SUPPLIER_FIELD_ID.....	2-20
2.50	UDN_COL_FOR_SUPPLIER_NAME.....	2-20
2.51	WHO_DRUG_BROWSER_FORMAT	2-21
2.52	WHO_DRUG_POPULATION	2-21

3 DATABASE Profile Enterprise Switches

3.1	CHANGE_CONFIG_RC_UD.....	3-1
3.2	CHANGE_CONFIG_WF	3-2
3.3	DATASHEET_FLAG	3-3
3.4	DELAY_IDENTIFIER	3-3
3.5	DMS_WHO_DRUG_QUERY	3-4
3.6	DMS_WHO_DRUG_QUERY_ING	3-4
3.7	EMAIL_SENDER_ADDRESS.....	3-4

Preface

This *Oracle Argus Insight CMN Profile Enterprise Table Guide* describes the profile switches that you can use to control the behavior of all enterprises in the Argus Insight application.

This preface includes the following topics:

- [Audience](#)
- [Documentation Accessibility](#)
- [Finding Information and Patches on My Oracle Support](#)
- [Finding Oracle Documentation](#)
- [Conventions](#)

Audience

This document is intended for all Argus Insight system administrators and database administrators (DBAs).

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at
<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit
<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit
<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Finding Information and Patches on My Oracle Support

Your source for the latest information about Argus Insight is Oracle Support's self-service website My Oracle Support.

Before you install and use Argus Insight, always visit the My Oracle Support website for the latest information, including alerts, White Papers, and bulletins.

Creating a My Oracle Support Account

You must register at My Oracle Support to obtain a user name and password account before you can enter the website.

To register for My Oracle Support:

1. Open a web browser to <https://support.oracle.com>.
2. Click the **Register** link to create a My Oracle Support account. The registration page opens.
3. Follow the instructions on the registration page.

Signing In to My Oracle Support

To sign in to My Oracle Support:

1. Open a web browser to <https://support.oracle.com>.
2. Click **Sign In**.
3. Enter your user name and password.
4. Click **Go** to open the My Oracle Support home page.

Finding Information on My Oracle Support

There are many ways to find information on My Oracle Support.

Searching by Article ID

The fastest way to search for information, including alerts, White Papers, and bulletins is by the article ID number, if you know it.

To search by article ID:

1. Sign in to My Oracle Support at <https://support.oracle.com>.
2. Locate the Search box in the upper right corner of the My Oracle Support page.
3. Click the sources icon to the left of the search box, and then select **Article ID** from the list.
4. Enter the article ID number in the text box.
5. Click the magnifying glass icon to the right of the search box (or press the Enter key) to execute your search.

The Knowledge page displays the results of your search. If the article is found, click the link to view the abstract, text, attachments, and related products.

Searching by Product and Topic

You can use the following My Oracle Support tools to browse and search the knowledge base:

- **Product Focus** — On the Knowledge page under Select Product, type part of the product name and the system immediately filters the product list by the letters you have typed. (You do not need to type "Oracle.") Select the product you want from the filtered list and then use other search or browse tools to find the information you need.
- **Advanced Search** — You can specify one or more search criteria, such as source, exact phrase, and related product, to find information. This option is available from the **Advanced** link on almost all pages.

Finding Patches on My Oracle Support

Be sure to check My Oracle Support for the latest patches, if any, for your product. You can search for patches by patch ID or number, or by product or family.

To locate and download a patch:

1. Sign in to My Oracle Support at <https://support.oracle.com>.
2. Click the **Patches & Updates** tab. The Patches & Updates page opens and displays the Patch Search region. You have the following options:
 - In the **Patch ID or Number** field, enter the number of the patch you want. (This number is the same as the primary bug number fixed by the patch.) This option is useful if you already know the patch number.
 - To find a patch by product name, release, and platform, click the **Product or Family** link to enter one or more search criteria.
3. Click **Search** to execute your query. The Patch Search Results page opens.
4. Click the patch ID number. The system displays details about the patch. In addition, you can view the Read Me file before downloading the patch.
5. Click **Download**. Follow the instructions on the screen to download, save, and install the patch files.

Finding Oracle Documentation

The Oracle website contains links to all Oracle user and reference documentation. You can view or download a single document or an entire product library.

Finding Oracle Health Sciences Documentation

To get user documentation for Oracle Health Sciences applications, go to the Oracle Health Sciences documentation page at:

<http://www.oracle.com/technetwork/documentation/hsgbu-154445.html>

Note: Always check the Oracle Health Sciences Documentation page to ensure you have the latest updates to the documentation.

Finding Other Oracle Documentation

To get user documentation for other Oracle products:

1. Go to the following web page:

<http://www.oracle.com/technology/documentation/index.html>

Alternatively, you can go to <http://www.oracle.com>, point to the Support tab, and then click **Documentation**.

2. Scroll to the product you need and click the link.
3. Click the link for the documentation you need.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Introduction

The CMN_PROFILE_ENTERPRISE table contains values that control the behavior of all enterprises in the Argus Insight application.

You can update many of these values by modifying the Profile Switches in the List Maintenance tab on the ADMINISTRATION TOOLS page in Argus Insight.

Other values you can access and update only through direct SQL statements.

In addition to the CMN_PROFILE_ENTERPRISE table, the CMN_PROFILE_GLOBAL table contains values that control the behavior of Argus Insight. For more information about the modifying the profile global switches, see the *Oracle Argus Insight CMN Profile Global Table Guide*.

1.1 Internal Use Rows

During the initial Factory Data load when the database is created, the system creates several *Internal Use* rows. As the name implies, these rows of values are for Argus Insight internal use only.

Do not modify any values in the internal use rows.

1.2 About the Columns in the CMN_PROFILE_ENTERPRISE Table

Each profile switch described in this guide includes the following information:

- **Section** — Lists the name of the section within the CMN_PROFILE_ENTERPRISE table that has the profile switch. The sections are as follows:
 - SYSTEM
 - DATABASE
 - BOXI (for BusinessObjects XI)
 - COGNOS8
- **Key** — Lists the unique name for the profile switch.
- **Company Defined** — Indicates the method you can use to modify the profile switch:
 - **0** = Indicates you can modify this profile switch only by issuing direct SQL statements. You should modify these profile switches with assistance from Oracle Support.

- **1** = Indicates you can modify this profile switch either by using the options in the List Maintenance tab in the Argus Insight application or by issuing direct SQL statements.
- **Name** — Lists the name of the profile switch as displayed in the List Maintenance tab in the Argus Insight application.
- **Default Value** — Lists the default value, if defined.
- **Description** — Provides more information about the function of the profile switch.

1.3 Examples of Modifying the CMN_PROFILE_ENTERPRISE Table

This section provides sample SQL for how to update and insert values in the CMN_PROFILE_ENTERPRISE table in the database.

Note that values, as specified, are case sensitive.

Updating an Existing Value

To update an existing value in the CMN_PROFILE_ENTERPRISE table:

```
UPDATE CMN_PROFILE_ENTERPRISE set value = '10'
WHERE section = 'DATABASE' AND key = 'ABC' AND ENTERPRISE_ID = 2;
commit;
```

Inserting a New Row of Values

To insert a new row of values into the CMN_PROFILE_ENTERPRISE table:

```
INSERT into CMN_PROFILE_ENTERPRISE (section, key, company_defined, name,
value, description, enterprise_id)
values ('DATABASE', 'ABC', '0', 'ABC', '10', 'ABC_DEF_XYZ', 2);
commit;
```

SYSTEM Profile Enterprise Switches

This chapter lists the SYSTEM profile enterprise switches for Argus Insight.

For information about the profile enterprise switches you can use to change settings for the database, see [Chapter 3, "DATABASE Profile Enterprise Switches"](#).

2.1 ACCEPTABLE_ROUTING_JUSTIFICATION_FIELD_ID

Section	SYSTEM
Key	ACCEPTABLE_ROUTING_JUSTIFICATION_FIELD_ID
Company Defined	0
Name	ROUTING JUSTIFICATION ID
Default Value	4050003
Description	<p>Specifies the LM_JUSTIFICATIONS.FIELD_ID value. This numeric value is customer-specific data.</p> <p>Argus Insight uses this value to retrieve the List Maintenance Values for Acceptable Routing Justification from the LM_JUSTIFICATIONS table.</p> <p>Argus Insight uses these routing justifications in the Regulatory Submission and Distribution Compliance Report.</p>

2.2 ACCEPTABLE_SUBMISSION_JUSTIFICATION_FIELD_ID

Section	SYSTEM
Key	ACCEPTABLE_SUBMISSION_JUSTIFICATION_FIELD_ID
Company Defined	0
Name	SUBMISSION JUSTIFICATION ID
Default Value	6150002
Description	<p>Specifies the LM_JUSTIFICATIONS.FIELD_ID value. This numeric value is customer-specific data.</p> <p>Argus Insight uses this value to retrieve the List Maintenance Values for Acceptable Submission Justification from the LM_JUSTIFICATIONS table.</p> <p>Argus Insight uses these submission justifications in the Regulatory Submission and Distribution Compliance Report.</p>

2.3 ARGUS_MART_DB_NAME

Section	SYSTEM
Key	ARGUS_MART_DB_NAME
Company Defined	1
Name	ARGUS MART DB NAME
Default Value	—
Description	<p>Specifies the database instance name for the Argus Mart data mart. This information will be used to connect Argus Insight application with Argus Mart database.</p>

2.4 ARGUS_MART_USER_NAME

Section	SYSTEM
Key	ARGUS_MART_USER_NAME
Company Defined	1
Name	ARGUS MART USER NAME
Default Value	—
Description	<p>Specifies the schema that user has created for Argus Insight application in Argus Mart database. This user will be used to perform all the background functions from Argus Insight application to Argus Mart database including querying and reporting.</p>

2.5 ARGUS_MART_USER_PASSWORD

Section	SYSTEM
Key	ARGUS_MART_USER_PASSWORD
Company Defined	1
Name	ARGUS MART USER PASSWORD
Default Value	—
Description	Specifies the password of the schema that user has created for Argus Insight application in Argus Mart database. This should be the password of the user configured in ARGUS MART USER NAME profile switch.

2.6 ARGUS_SAFETY_URL

Section	SYSTEM
Key	ARGUS_SAFETY_URL
Company Defined	0
Name	ARGUS SAFETY URL
Default Value	—
Description	Specifies the URL for the Oracle Argus Safety application.

2.7 AUTOE_P_E_TERM_DIC

Section	SYSTEM
Key	AUTOE_P_E_TERM_DIC
Company Defined	0
Name	MEDDRA DICTIONARY ID
Default Value	—
Description	Specifies the ID of the current Medical Dictionary for Regulatory Activities (MedDRA dictionary). Argus Insight automatically sets this value during the Extract Transform and Load (ETL) process.

2.8 AUTOE_P_SUS_D_DIC

Section	SYSTEM
Key	AUTOE_P_SUS_D_DIC
Company Defined	0
Name	WHO DICTIONARY ID
Default Value	—
Description	Specifies the ID of the current World Health Organization (WHO) dictionary. Argus Insight automatically sets this value during the ETL process.

2.9 BI_ANSWERS_WEB_URL

Section	SYSTEM
Key	BI_ANSWERS_WEB_URL
Company Defined	1
Name	BI ANSWERS WEB URL
Default Value	—
Description	Specifies the complete BI Answers Web URL for opening up the BI Answers Home page. This URL can be for standalone BI Answers server, or Load Balancer URL configured for multiple BI Answers servers. If BI Answers is configured for SSL, you must use https with the URL.

2.10 BIP_WEB_URL

Section	SYSTEM
Key	BIP_WEB_URL
Company Defined	1
Name	BIP WEB URL
Default Value	—
Description	Specifies the complete BI Publisher Web URL for opening the BI Publisher Home page. This URL can be for standalone BI Publisher server, or Load Balancer URL configured for multiple BI Publisher servers. If BI Publisher is configured for SSL, you must use https with the URL.

2.11 BO_WEB_URL

Section	SYSTEM
Key	BO_WEB_URL
Company Defined	1
Name	BO WEB URL
Default Value	—
Description	Specifies the complete BusinessObjects Web URL for opening the BusinessObjects Home page. This URL can be for standalone BusinessObjects server, or Load Balancer URL configured for multiple BusinessObjects servers. If BusinessObjects is configured for SSL, you must use https with the URL.

2.12 CASE_REFERENCE_TYPE_ID

Section	SYSTEM
Key	CASE_REFERENCE_TYPE_ID
Company Defined	0
Name	CASE REFERENCE TYPE ID
Default Value	—
Description	<p>During the ETL process, Argus Insight uses this value to populate the RPT_CASE.FIRST_REF_NO column.</p> <p>The ETL process populates the RPT_CASE.FIRST_REF_NO column only if this profile switch is set. Otherwise, the column value is null.</p> <p>The Local Reference Number in reports points to the RPT_CASE.FIRST_REF_NO column.</p>

2.13 CAUSALITY_ASSESSMENT_C

Section	SYSTEM
Key	CAUSALITY_ASSESSMENT_C
Company Defined	0
Name	CAUSALITY ASSESSMENT. C
Default Value	—
Description	Argus Insight uses this value in standard reports for Company Defined Causality.

2.14 CAUSALITY_ASSESSMENT_R

Section	SYSTEM
Key	CAUSALITY_ASSESSMENT_R
Company Defined	0
Name	CAUSALITY ASSESSMENT. R
Default Value	—
Description	Argus Insight uses this value in standard reports for Reporter Defined Causality.

2.15 CAUSALITY_ASSESSMENT_R_C

Section	SYSTEM
Key	CAUSALITY_ASSESSMENT_R_C
Company Defined	0
Name	CAUSALITY ASSESSMENT. R+C
Default Value	—
Description	Argus Insight uses this value in standard reports for Reporter Defined Causality and Company Defined Causality.

2.16 CAUSALITY_ASSESSMENT_UDFIELD

Section	SYSTEM
Key	CAUSALITY_ASSESSMENT_UDFIELD
Company Defined	0
Name	CAUSALITY ASSESSMENT. UD FIELD
Default Value	—
Description	Argus Insight uses this value in standard reports for the user-defined (UD) field to determine causality.

2.17 COGNOS_WEB_URL

Section	SYSTEM
Key	COGNOS_WEB_URL
Company Defined	1
Name	COGNOS WEB URL
Default Value	---
Description	<p>Specifies the complete Cognos Web URL for opening the Cognos home page. This URL can be the Cognos URL for standalone Cognos server, or the Load Balancer URL configured for multiple Cognos servers. If Cognos is configured for SSL, you must use https with the URL.</p> <p>Example: http://<server name>/Cognos102</p>

2.18 CONFIDENTIALITY

Section	SYSTEM
Key	CONFIDENTIALITY
Company Defined	0
Name	CONFIDENTIALITY TEXT
Default Value	Confidential
Description	<p>Defines the confidential text that prints in the running footer on each page in the reports.</p>

2.19 CORE_SITE

Section	SYSTEM
Key	CORE_SITE
Company Defined	0
Name	CORE SITE
Default Value	CORE
Description	<p>Configures the abbreviation that indicates a site is a <i>core site</i>. All sites listed in the LM_SITES table that have the configured site abbreviation are considered to be core sites.</p> <p>In addition, Argus Insight uses the CORE_SITE value to calculate the value for the Core Receipt Date field in standard reports.</p>

2.20 CORPORATE_LOGO_PATH

Section	SYSTEM
Key	CORPORATE_LOGO_PATH
Company Defined	0
Name	COMPANY LOGO PATH
Default Value	C:\Logo\logo.bmp
Description	<p>Defines the location of the company logo on the local server. This logo prints in the report header.</p> <p>For Cognos — Enter the logo file name with the full URL path to the file on the local server. Cognos supports the following file types: JPG, GIF, and BMP.</p> <p>For BusinessObjects — Enter the logo file name with the directory path to the image file on the BusinessObjects server. BusinessObjects supports the following file types: TIFF and BMP.</p>

2.21 CUSTOM_HELP_URL

Section	SYSTEM
Key	CUSTOM_HELP_URL
Company Defined	1
Name	CUSTOM HELP URL
Default Value	—
Description	<p>Defines the URL for your customized online help.</p> <p>If the URL is not valid, users receive the following error message:</p> <p>Error 404 - Page Not Found</p>

2.22 DATASHEET_BPI

Section	SYSTEM
Key	DATASHEET_BPI
Company Defined	0
Name	DATASHEET BPI
Default Value	—
Description	<p>Configures the user-defined fields for assessment of BPI Datasheet in the Product tab.</p> <p>Argus Insight uses this value in the following General and Compliance reports:</p> <ul style="list-style-type: none"> ■ Audit Review Listing ■ Detailed Line Listing by Case Number ■ Global Audit Listing ■ MSE Review List for Non Serious SR ■ MSE Review List for Unrelated CT

2.23 DATASHEET_EMEA

Section	SYSTEM
Key	DATASHEET_EMEA
Company Defined	0
Name	DATASHEET EMEA
Default Value	—
Description	<p>Configures the user-defined fields for assessment of EMEA Datasheet in the Products tab.</p> <p>Argus Insight uses this value in the following General and Compliance reports:</p> <ul style="list-style-type: none"> ■ Audit Review Listing ■ Detailed Line Listing by Case Number ■ Global Audit Listing ■ MSE Review List for Non Serious SR ■ MSE Review List for Unrelated CT

2.24 DATASHEET_IB

Section	SYSTEM
Key	DATASHEET_IB
Company Defined	0
Name	DATASHEET IB
Default Value	—
Description	<p>Configures the user-defined fields for assessment of IB Datasheet in the Products tab.</p> <p>Argus Insight uses this value in the following General and Compliance reports:</p> <ul style="list-style-type: none">▪ Audit Review Listing▪ Detailed Line Listing by Case Number▪ Global Audit Listing▪ MSE Review List for Non Serious SR▪ MSE Review List for Unrelated CT

2.25 DATASHEET_PI

Section	SYSTEM
Key	DATASHEET_PI
Company Defined	0
Name	DATASHEET PI
Default Value	—
Description	<p>Configures the user-defined fields for assessment of PI Datasheet in the Products tab.</p> <p>Argus Insight uses this value in the following General and Compliance reports:</p> <ul style="list-style-type: none">▪ Audit Review Listing▪ Detailed Line Listing by Case Number▪ Global Audit Listing▪ MSE Review List for Non Serious SR▪ MSE Review List for Unrelated CT

2.26 DATA_SOURCE

Section	SYSTEM
Key	DATA_SOURCE
Company Defined	1
Name	ARGUS INSIGHT APPLICATION DATA SOURCE
Default Value	1
Description	<p>Configures the data source for Argus Insight application. You may run your queries against Argus Insight Mart or Argus Mart depending upon the value configured in this switch. The available values are:</p> <ul style="list-style-type: none"> ■ Argus Mart — Querying will be available only on Argus Mart data source ■ Insight Mart — Querying will be available only on Argus Insight data source ■ Both (Insight and Argus Mart) — You may choose between Insight Mart and Argus Mart data sources for creating and executing the queries. All the queries and case series created on these data sources can be identified in the application.

2.27 DISPLAY_ENTERPRISE_SHORT_NAME

Section	SYSTEM
Key	DISPLAY_ENTERPRISE_SHORT_NAME
Company Defined	0
Name	DISPLAY ENTERPRISE SHORT NAME
Default Value	0
Description	<p>Defines whether to display the enterprise short name in the Argus Insight application.</p> <p>0 = Do not display the enterprise short name.</p> <p>1 = Display the enterprise short name.</p>

2.28 DLL_SLL_REPORTS_TABLE_POPULATION

Section	SYSTEM
Key	DLL_SLL_REPORTS_TABLE_POPULATION
Company Defined	0
Name	POPULATE DLL SLL REPORTS TABLE DATA
Default Value	0
Description	<p>Defines whether to populate the RPT_CASE_EVENT_PRODUCT table required for DLL and SLL.</p> <p>0 = Do not populate the RPT_CASE_EVENT_PRODUCT table.</p> <p>1 = Populate the RPT_CASE_EVENT_PRODUCT table.</p>

2.29 DMS_MEDDRA_USER

Section	SYSTEM
Key	DMS_MEDDRA_USER
Company Defined	0
Name	DMS_MEDDRA_USER
Default Value	—
Description	<p>Defines the name of the schema in the source system (Argus Safety) where the MEDDRA tables are populated.</p>

2.30 DMS_WHO_USER

Section	SYSTEM
Key	DMS_WHO_USER
Company Defined	0
Name	DMS_WHO_USER
Default Value	—
Description	<p>Defines the name of the schema in the source system (Argus Safety) where the WHO tables are populated.</p>

2.31 ENABLE_COMPANY_HOLIDAY

Section	SYSTEM
Key	ENABLE_COMPANY_HOLIDAY
Company Defined	0
Name	ENABLE COMPANY HOLIDAY
Default Value	1
Description	<p>Defines whether to include company holidays in the due date calculation for the Data Entry Performance Over Time Report.</p> <p>0 = Do not include company holidays in the calculations.</p> <p>1 = Include company holidays in the calculations.</p>

2.32 ESM_TABLE_POPULATION

Section	SYSTEM
Key	ESM_TABLE_POPULATION
Company Defined	1
Name	POPULATE INTERCHANGE DATA
Default Value	0
Description	<p>Defines whether to bring Interchange data into the data mart.</p> <p>0 = Do not bring any Interchange data into the data mart.</p> <p>1 = Bring all Interchange data into the data mart.</p> <p>2 = Bring only the Interchange data from the following tables into the data mart:</p> <ul style="list-style-type: none">■ SAFETYREPORT■ MESSAGES■ EDI_INFO

2.33 EVENT_CAUSALITY_FIELD

Section	SYSTEM
Key	EVENT_CAUSALITY_FIELD
Company Defined	0
Name	EVENT CAUSALITY FIELD
Default Value	—
Description	Determines which user-defined fields in the Events tab will be displayed in reports.

2.34 FAILED_RECIPIENTS_STATUS_EMAIL_ADDRESS

Section	SYSTEM
Key	FAILED_RECIPIENTS_STATUS_EMAIL_ADDRESS
Company Defined	1
Name	FAILED RECIPIENTS STATUS EMAIL ADDRESS
Default Value	—
Description	Defines the email address of the user who will receive information regarding undeliverable email messages due to an invalid email ID or other error.

2.35 FOLLOWUP_ACTION_CODE

Section	SYSTEM
Key	FOLLOWUP_ACTION_CODE
Company Defined	0
Name	FOLLOW-UP ACTION CODE
Default Value	—
Description	Configures the code that indicates a follow-up action is required. Argus Insight uses this code in the Follow-up Status Listing report.

2.36 KEEP_REPORT_DATA

Section	SYSTEM
Key	KEEP_REPORT_DATA
Company Defined	1
Name	KEEP REPORT DATA
Default Value	N
Description	<p>A flag to determine if the report log tables need to be populated or not.</p> <p>Y - Populate the report log tables</p> <p>N - Do not populate the report log tables</p> <p>Default Value - N</p>

2.37 LAM_TABLE_POPULATION

Section	SYSTEM
Key	LAM_TABLE_POPULATION
Company Defined	1
Name	POPULATE AFFILIATE DATA
Default Value	0
Description	<p>Defines whether to bring affiliate data from the Local Affiliate Module (LAM) into the data mart. The affiliate data comes from all tables with the LAM_ prefix.</p> <p>0 = Do not bring any affiliate data into the data mart.</p> <p>1 = Bring all affiliate data into the data mart.</p>

2.38 LICENSE_PARTY_STARTING_CODE

Section	SYSTEM
Key	LICENSE_PARTY_STARTING_CODE
Company Defined	0
Name	LICENSE PARTY STARTING CODE
Default Value	LP
Description	<p>Configures the starting code value for the licensing party. Argus Insight uses this value for the Process Performance Report - Notification report.</p>

2.39 LL_REPORTS_DATASHEET

Section	SYSTEM
Key	LL_REPORTS_DATASHEET
Company Defined	0
Name	DATASHEET NAMES FOR LL REPORTS
Default Value	DATASHEET BPI, DATASHEET EMEA, DATASHEET IB, DATASHEET PI
Description	<p>Specifies the names of the datasheets that Argus Insight must print on the <i>line listing</i> (LL) report. Argus Insight uses this value for the Detailed Line Listing by Case Number report.</p> <p>Use a comma to separate each name in the value field.</p>

2.40 LL_REPORTS_TABLE_POPULATION

Section	SYSTEM
Key	LL_REPORTS_TABLE_POPULATION
Company Defined	0
Name	POPULATE LL REPORTS TABLE DATA
Default Value	0
Description	<p>Defines whether to populate the RPT_CASE_EVENT_PROD table and the RPT_CASE_EVENT_PRODUCT_ASSESS table required for the LL reports.</p> <p>0 = Do not populate the RPT_CASE_EVENT_PROD and RPT_CASE_EVENT_PRODUCT_ASSESS tables.</p> <p>1 = Populate the RPT_CASE_EVENT_PROD and RPT_CASE_EVENT_PRODUCT_ASSESS tables.</p>

2.41 LOCKED_DAYS

Section	SYSTEM
Key	LOCKED_DAYS
Company Defined	0
Name	DAYS TO LOCK
Default Value	9
Description	Configures the number of days to lock for a case.

2.42 MEDDRA_POPULATION

Section	SYSTEM
Key	MEDDRA_POPULATION
Company Defined	0
Name	POPULATE MEDDRA DATA
Default Value	1
Description	<p>Defines whether to populate the MedDRA tables.</p> <p>0 = Do not populate the MedDRA tables.</p> <p>1 = Populate the MedDRA tables.</p> <p>2 = Populate the MedDRA and MedDRA/J (MedDRA Japanese Translation) tables.</p> <p>To improve performance of Incremental ETL, Oracle recommends that you set this switch to 0 once you have completed the Initial ETL. Thereafter, whenever you update the MedDRA dictionary in Argus, set this switch to 1 before you run the Incremental ETL.</p>

2.43 POPULATE_NARRATIVE_LANGUAGES_TABLES

Section	SYSTEM
Key	POPULATE_NARRATIVE_LANGUAGES_TABLES
Company Defined	0
Name	POPULATE NARRATIVE LANGUAGES TABLES
Default Value	0
Description	<p>Defines whether to populate the RPT_CNL_MLINGUAL table and the RPT_CNL_ENGLISH table.</p> <p>0 = Do not populate the RPT_CNL_MLINGUAL and RPT_CNL_ENGLISH tables.</p> <p>1 = Populate the RPT_CNL_MLINGUAL and RPT_CNL_ENGLISH tables.</p> <p>Argus Insight uses the information in these tables in the following reports:</p> <ul style="list-style-type: none"> ■ Case Narrative Listing - English ■ Serious Adverse Events Report

2.44 POPULATE_RPT_REG_REPORTS_COLUMNS

Section	SYSTEM
Key	POPULATE_RPT_REG_REPORTS_COLUMNS
Company Defined	0
Name	POPULATE RPT_REG_REPORTS COLUMNS
Default Value	0
Description	<p>Defines whether to populate the extra columns of the RPT_REG_REPORTS table.</p> <p>0 = Do not populate the extra columns of RPT_REG_REPORTS table.</p> <p>1 = Populate the extra columns of RPT_REG_REPORTS table.</p>

2.45 PRODUCT_LOGO_PATH

Section	SYSTEM
Key	PRODUCT_LOGO_PATH
Company Defined	0
Name	PRODUCT LOGO PATH
Default Value	—
Description	<p>Defines the full URL path to the image file of the product logo that prints in the header of the following reports:</p> <ul style="list-style-type: none">■ Adverse Events Line Listing■ Data Entry Performance Over Time Report■ DCA-TME Notification Report■ Manufacturing Monthly Report■ Process Performance Report - Notification■ Process Performance Report - Workflow■ Regulatory Submission and Distribution Compliance Report■ Serious Adverse Events Report■ Supplier Performance Report

2.46 REPORT_FOOTER_LOGO_PATH

Section	SYSTEM
Key	REPORT_FOOTER_LOGO_PATH
Company Defined	0
Name	REPORT FOOTER LOGO PATH
Default Value	—
Description	<p>Defines the full URL path to the image file of the product logo that prints in the footer of the following reports:</p> <ul style="list-style-type: none"> ■ Adverse Events Line Listing ■ Data Entry Performance Over Time Report ■ DCA-TME Notification Report ■ Manufacturing Monthly Report ■ Process Performance Report - Notification ■ Process Performance Report - Workflow ■ Regulatory Submission and Distribution Compliance Report ■ Serious Adverse Events Report ■ Supplier Performance Report

2.47 RESET_PASSWORD

Section	SYSTEM
Key	RESET_PASSWORD
Company Defined	0
Name	RESET PASSWORD
Default Value	BA520CFDD9CD7BF3C51AF9604B7EDFB071AE6E032EECEF18A7DA88D6A9E75853
Description	Defines the value to use when resetting a user's password.

2.48 STUDY_RECONCILIATION_TABLE_POPULATION

Section	SYSTEM
Key	STUDY_RECONCILIATION_TABLE_POPULATION
Company Defined	0
Name	POPULATE STUDY RECONCILIATION REPORT TABLE DATA
Default Value	0
Description	<p>Defines whether to populate the FACT_PROD_LICENSE table required for the Study Reconciliation Report.</p> <p>0 = Do not populate the FACT_PROD_LICENSE table.</p> <p>1 = Populate the FACT_PROD_LICENSE table.</p>

2.49 SUPPLIER_FIELD_ID

Section	SYSTEM
Key	SUPPLIER_FIELD_ID
Company Defined	0
Name	SUPPLIER FIELD ID
Default Value	26050012
Description	<p>Specifies the LM_JUSTIFICATIONS.FIELD_ID value. This numeric value is customer-specific data.</p> <p>Argus Insight uses this value to retrieve the List Maintenance Values for Measurable Suppliers configuration from the LM_JUSTIFICATIONS table.</p> <p>Argus Insight uses the configured suppliers in the Supplier Performance Report.</p>

2.50 UDN_COL_FOR_SUPPLIER_NAME

Section	SYSTEM
Key	UDN_COL_FOR_SUPPLIER_NAME
Company Defined	0
Name	UDN COLUMN FOR SUPPLIER NAME
Default Value	—
Description	<p>Defines the user-defined name (UDN) of the column in the Argus Safety CASE_MASTER table that contains the SUPPLIER NAME value.</p>

2.51 WHO_DRUG_BROWSER_FORMAT

Section	SYSTEM
Key	WHO_DRUG_BROWSER_FORMAT
Company Defined	0
Name	WHO DRUG BROWSER FORMAT
Default Value	—
Description	<p>Defines the WHO Drug Browser format populated by the ETL.</p> <p>B = All the WHO Drug Browsers in the Argus Insight application will display the B format.</p> <p>C = All the WHO Drug Browsers in the Argus Insight application will display the C format.</p>

2.52 WHO_DRUG_POPULATION

Section	SYSTEM
Key	WHO_DRUG_POPULATION
Company Defined	0
Name	POPULATE WHO DRUG DATA
Default Value	1
Description	<p>Defines whether to populate the WHO tables.</p> <p>0 = Do not populate the WHO tables.</p> <p>1 = Populate the WHO tables.</p>

DATABASE Profile Enterprise Switches

This chapter lists the DATABASE profile enterprise switches for Argus Insight.

For information about the profile enterprise switches you can use to change settings for your system, see [Chapter 2, "SYSTEM Profile Enterprise Switches"](#).

3.1 CHANGE_CONFIG_RC_UD

Section	DATABASE
Key	CHANGE_CONFIG_RC_UD
Company Defined	0
Name	CHANGE_CONFIG_RC_UD
Default Value	0
Description	<p>Sets the RC_UD configuration flag (R = Reporter Defined Causality, C = Company Defined Causality, and UD = User-Defined Fields).</p> <p>Argus Insight automatically sets this flag to 1 whenever the configuration of the following profile switches changes:</p> <ul style="list-style-type: none">■ CAUSALITY ASSESSMENT. R■ CAUSALITY ASSESSMENT. C■ CAUSALITY ASSESSMENT. R+C■ CAUSALITY ASSESSMENT. UD FIELD <p>If the value is 1, Argus Insight updates the RPT_EVENT.RCVALUE column for all cases.</p>

3.2 CHANGE_CONFIG_WF

Section	DATABASE
Key	CHANGE_CONFIG_WF
Company Defined	0
Name	CHANGE_CONFIG_WF
Default Value	0
Description	<p>Sets the workflow (WF) configuration flag.</p> <p>Argus Insight automatically sets the value to 1 whenever the configuration of the following workflow attributes changes:</p> <ul style="list-style-type: none">■ Workflow Metrics - Archiving States■ Workflow Metrics - Data Entry Complete■ Workflow Metrics - Assessment Complete■ Workflow Metrics - Approval Complete <p>If the value is 1, Argus Insight updates the following columns in the RPT_FOLLOWUP table for all cases:</p> <ul style="list-style-type: none">■ DATA_ENTRY_COMPLETE_DATE■ ASSESSMENT_COMPLETE_DATE■ APPROVAL_COMPLETE_DATE

3.3 DATASHEET_FLAG

Section	DATABASE
Key	DATASHEET_FLAG
Company Defined	0
Name	DATASHEET FLAG
Default Value	0
Description	<p>Sets the datasheet flag.</p> <p>Argus Insight uses this flag during Incremental ETL to determine whether to populate the data in the four <i>DATASHEET</i> fields for all the cases or for only the modified cases.</p> <p>0 = Populate the data for only the modified cases.</p> <p>1 = Populate the data for all cases.</p> <p>The four DATASHEET fields defined in the List Maintenance tab on the ADMINISTRATION TOOLS page in Argus Insight are as follows:</p> <ul style="list-style-type: none"> ■ DATASHEET BPI ■ DATASHEET EMEA ■ DATASHEET IB ■ DATASHEET PI

3.4 DELAY_IDENTIFIER

Section	DATABASE
Key	DELAY_IDENTIFIER
Company Defined	0
Name	DELAY IDENTIFIER
Default Value	—
Description	<p>Defines the delay text that ETL uses to populate the RPT_FOLLOWUP.CORE_DELAY_ROUTING_COMMENT field.</p> <p>Argus Insight uses this field in the following reports:</p> <ul style="list-style-type: none"> ■ Supplier Performance Report ■ Process Performance Report - Workflow

3.5 DMS_WHO_DRUG_QUERY

Section	DATABASE
Key	DMS_WHO_DRUG_QUERY
Company Defined	0
Name	DMS_WHO_DRUG_QUERY
Default Value	—
Description	DMS WHO Drug Query

3.6 DMS_WHO_DRUG_QUERY_ING

Section	DATABASE
Key	DMS_WHO_DRUG_QUERY_ING
Company Defined	0
Name	DMS_WHO_DRUG_QUERY_ING
Default Value	—
Description	DMS WHO Drug Query for Ingredient

3.7 EMAIL_SENDER_ADDRESS

Section	DATABASE
Key	EMAIL_SENDER_ADDRESS
Company Defined	1
Name	EMAIL SENDER ADDRESS
Default Value	—
Description	Defines the email address of the person on whose behalf Argus Insight sends all email messages. If you leave the value blank, then Argus Insight sends no email messages.