


Known Issues

Oracle[®] Health Sciences Central Designer
Release 2.0



ORACLE[®]

Part Number: E37915-01

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software -- Restricted Rights (June 1987). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This documentation may include references to materials, offerings, or products that were previously offered by Phase Forward Inc. Certain materials, offerings, services, or products may no longer be offered or provided. Oracle and its affiliates cannot be held responsible for any such references should they appear in the text provided.

Contents

Known issues in this release 1

Using the known issues database.....	1
Known issue details.....	2
Administration	2
Annotated Study Book	3
Collaboration.....	4
Installation	4
InForm—Deployment After Study Changes	5
Locking.....	5
Multilingual Studies	6
Rules—Data-entry, Workflow, and Global Conditions	7
Rules—Test Cases.....	8
Study Objects—Codelists	8
Study Objects—General	9
Study Objects—Projects, Studies, and Libraries	9
Study workflow	10
Validation and deployment.....	10

Known issues in this release

Using the known issues database

The most current list of known issues is available on the Extranet. To sign in to the Extranet, go to <https://extranet.phaseforward.com>.

Known issue details

The tables in this section contain detailed information about each of the known issues in this release, along with workarounds, if available.

Administration

CD-13194

Summary	You cannot enter a comma delimiter in a custom property defined as a float value field after changing the default regional locale to German (Germany).
Description	If you set the default regional locale to de-DE (German-Germany) and then create a custom property as a float value, an error message appears when you enter a comma while defining the acceptable values of the property.
Workaround	None.

CD-13229

Summary	Even if you have the Unprotect study objects from libraries right, you cannot unprotect library study objects that have been dragged from a library to a study.
Description	After you drag a protected library study object from a library to a study, if you attempt to unprotect the library study object, and you have the Unprotect study objects from libraries right, the Unprotect and Unprotect with Children options are disabled.
Workaround	For users to unprotect library study objects that have been dragged from a library to a study, they must have the following two rights: <ul style="list-style-type: none">• Unprotect study objects from libraries• Unprotect study or study object

CD-13365

Summary	A user who does not have the Modify study properties right can add references on the References tab of a study project.
Description	See Summary.
Workaround	None.

CD-13366

Summary	A user who does not have the Modify study properties right is able to change the properties of a selected object in the Properties Browser.
Description	When a user without the Modify study properties right navigates to a study object in the Project Explorer, the properties listed in the Properties Browser for the study object should be read-only. However, the user can open the Properties Browser and edit the properties of the study object.
Workaround	None.

CD-13555

Summary	In the Job Scheduler workspace, all of the machines in a web farm might not appear in the Machine name drop-down list.
Description	In some cases, depending on the machine you use to access the Central Designer Administrator application (primary or secondary web farm machine, or a machine outside of the web farm), the Machine name drop-down list in the Job Scheduler workspace might be populated only with the name of the primary job scheduler.
Workaround	None.

Annotated Study Book**CD-12390**

Summary	In the RDE Analytics view in the Annotated Study Book, the <i><control refname>_DTR</i> column for date time items is incorrectly excluded.
Description	For a form with a date time item, the RD_ view for the form in an InForm Reporting Database Extract includes a column called <i><control refname>_DTR</i> . This column is populated with the raw date/time string for the item. However, the <i><control refname>_DTR</i> column does not appear in the RDE Analytics view for the form in the Annotated Study Book.
Workaround	None.

CD-12244

Summary	When a form contains an item with more than one specified locale, the translated short question for the item does not appear in the form preview or Annotated Study Book.
Description	See Summary.
Workaround	None.

Collaboration**CD-12942**

Summary	When you attempt to mark a task as complete by using the Task Editor dialog box, an error occurs.
Description	<p>To mark a task as complete, you can use the Complete button in the Tasks Browser, or you can double-click the task and mark it as complete in the Task Editor dialog box.</p> <p>However, when you use the Task Editor dialog box to mark a task as complete, when you click OK to close the Task Editor dialog box, an error occurs.</p>
Workaround	To mark a task as complete using the Task Editor dialog box, when the error message appears, click OK in the error message box, and click Cancel in the Task Editor dialog box.

Installation**CD-13019**

Summary	The Central Designer software installation is incorrectly successful in an environment that uses a database server with Oracle database version 11.2.0.2 and an application server that uses files that are compatible with Oracle database version 11.2.0.1.
Description	<p>The Central Designer software installation should fail if the installation wizard encounters files that are incompatible with the supported Oracle database version. However, the installation is successful if the following files are compatible with Oracle database version 11.2.0.1 instead of 11.2.0.2:</p> <ul style="list-style-type: none">• oramts• oraolddb• omtsreco
Workaround	Before you install the Central Designer application, verify the version compatibility of Oracle database files on the application server.

InForm—Deployment After Study Changes

CD-13533

Summary	After you upgrade a study to use Central Designer release 2.0, when you deploy the study to the InForm application, metadata values for some codelist items in a Reporting Data Extract (RDE) for the study might be modified.
Description	<p>When you upgrade to Central Designer release 2.0, the Central Designer application ensures that all codelist items have the same data type as their parent codelists. If a codelist item has a different data type from the data type of its parent codelist, the codelist item data type is updated to match that of the parent codelist.</p> <p>As a result, after you upgrade a study to use Central Designer release 2.0, when you deploy the study to the InForm application, the following metadata values in an RDE for the study might be modified for codelist items that were updated during upgrade:</p> <ul style="list-style-type: none"> • Data type • Data length <p>Note: The clinical data for the study objects is not modified.</p>
Workaround	None.

Locking

CD-13373

Summary	The hover Help for a remote lock does not show the Modified status of a study object that has been locked and modified by another user.
Description	If a user locks and modifies a study object, the hover Help for that user's lock correctly shows the Modified status of the study object as True. However, the hover Help for the remote lock on the same study object, seen by another user, shows the Modified status of the study object as False.
Workaround	None.

CD-13391

Summary	When a Study study object is modified, a remote lock is not created.
Description	<p>When a user modifies a study object, a remote lock is created so that another user cannot modify the study object at the same time.</p> <p>However, if a user modifies the Study study object, a remote lock is not created. As a result, another user can modify the Study study object and overwrite the changes made by the first user.</p>
Workaround	None.

Multilingual Studies**CD-13451**

Summary	The value of the Title field of a study event is not carried down to the Title Languages grid on the General tab when you create the study event.
Description	When you create or update most types of study objects, the value to be translated is transferred to a grid that contains strings to translate. For example, when you create an item, the Question value is transferred to the Languages grid. However, for study events, this does not occur. This means that when you export strings for translation, the titles of study events are not exported and are not identified as missed if not translated.
Workaround	Manually enter the title of each study event in the Title Languages grid of the General tab.

Rules—Data-entry, Workflow, and Global Conditions

CD-12360

Summary	When you create a rule with a query action, you cannot add more than one study object to the Value field in the Message Parameters section of the Query Action dialog box.
Description	<p>When you create a rule with a query action, the Central Designer application should allow you to configure the message that appears in the query so that it contains one or more values for items, functions, constants, or data mappings.</p> <p>However, in the Message Parameters section of the Query Action dialog box, you cannot drag more than one study object into the Value field. As a result, you can only add one value for each message that appears in the query.</p>
Workaround	<p>To create a query message parameter with multiple study object values:</p> <ol style="list-style-type: none"> 1 Create the message parameters in the Expression field for the rule. 2 Copy the message parameters to the Query Action dialog box > Message Parameters section > Value field.

CD-13272

Summary	Dragging a rule onto a study object sometimes causes an error.
Description	If multiple rules appear in the Rules tab, an error occurs if you start to drag a rule from the Parent column.
Workaround	Begin the drag operation from a different column.

CD-13530

Summary	If you change a rule dependency, the rule will not work as expected when you deploy to the InForm application.
Description	When you perform an activity such as changing rule logic, or moving a rule to a different study object, the dependency for the rule might change. As a result, the rule will not work as expected in the InForm application.
Workaround	<p>If you change a rule dependency, do one of the following:</p> <ul style="list-style-type: none"> • Delete the rule, and then recreate the rule with the same RefName. • Deactivate the rule, and then recreate the rule with a new RefName.

Rules—Test Cases

CD-13567

Summary	In the Rule Test Cases dialog box, if you click the Create button before all of the columns for the rule test cases have loaded, an error occurs.
Description	For studies that contain a large number of rules, it might take several seconds for all of the rule test case columns to appear in the Rule Test Cases dialog box. If you click Create to create a test case for a rule before the columns are generated, an error occurs.
Workaround	None.

Study Objects—Codelists

CD-12782

Summary	You cannot create a copy of a study object in a study object container in the Project Explorer.
Description	When you navigate to a study object container in the Project Explorer, you can right-click a study object in the container and select Copy to create a copy of the study object. However, you cannot paste the copy onto another study object in the Project Explorer.
Workaround	<p>To create a copy of a study object:</p> <ol style="list-style-type: none">1 In the Project Explorer, select the study object onto which to add the copied study object.2 Open the Add To browser.3 Drag and drop the study object to copy onto the study object editor.

CD-13487

Summary	When you modify the data type of a codelist, the data type of its child codelist items is not updated.
Description	In the Central Designer 2.0 release and later, the data type of a codelist and the data type of its child codelist items must match. However, when you update the data type of a codelist, the data type of its child codelist items is not updated.
Workaround	Delete the codelist and its child study objects, then recreate them with the new data type.

Study Objects—General

CD-13382

Summary	When you save a study object, the confirmation dialog box that appears might not contain text.
Description	The confirmation dialog box is empty, but the study object is correctly saved.
Workaround	None.

CD-13439

Summary	You cannot use the Tab key to navigate through tabs in a study object workspace.
Description	See Summary.
Workaround	To navigate to a specific tab in a study object workspace, use the Go To Window tool.

Study Objects—Projects, Studies, and Libraries

CD-13071

Summary	The Central Designer application may stop working while saving a study project with a large number of objects.
Description	If you create a study project from a study template or study project template containing a large number of objects, and then save the study project, the process takes a long time, and eventually the Central Designer application stops working. This can occur with a project template containing approximately 7300 objects.
Workaround	None.

CD-13539

Summary	In the View Archive dialog box, the Download and Delete buttons are not activated if you only archive one study.
Description	<p>After you archive a study, you should be able to download or delete the archive by clicking the Download or Delete button in the View Archive dialog box.</p> <p>However, if you only archive one study, the Download and Delete buttons in the View Archive dialog box are not activated. As a result, you cannot download or delete the archive.</p>
Workaround	To enable the Download and Delete buttons, archive an additional study. The buttons are activated, and you are able to download or delete the original archived study.

Study workflow

CD-13319

Summary	The application allows you to drag and drop a single study event from the Events editor onto multiple study elements in the same study design.
Description	<p>A study event can appear only one time in a single study design workflow. However, the application does not prevent you from dragging and dropping a study event from the Events editor onto multiple study elements in the same study design. Validating the study catches the study design error.</p>
Workaround	None.

Validation and deployment

CD-13508

Summary	A study might incorrectly pass validation if a verbatim study object has a display override setting of HIDDEN or READ-ONLY.
Description	<p>When a study contains a verbatim study object to be coded by the Central Coding application, and the study object has a display override setting of HIDDEN or READ-ONLY, study validation should not be successful. However, the study is validated without error.</p>
Workaround	None. You must ensure that verbatim study objects do not have display override settings of HIDDEN or READ-ONLY.