

Oracle Utilities Customer Care and Billing Release 2.4.0

Utility Reference Model

4.2.1.3a Validate Meter Reads

December 2015

Oracle Utilities Customer Care and Billing Utility Reference Model 4.2.1.3a, Release 2.4.0

Copyright © 2015, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

4.2.1.3a Validate Meter Reads	1
Brief Description	2
Actors/Roles.....	2
Business Process Diagrams.....	3
Validate Meter Reads Process Model - Page 1	3
Validate Meter Reads Process Model - Page 2	4
Validate Meter Reads Detailed Process Model Description	5
1.0 Enter Meter Read and Meter Read Details.....	6
1.1 Store Meter Read	6
1.2 Group - Estimate Consumption	6
1.3 Group - Multiply Estimated Consumption by Predetermined High and Low Usage Factor.....	7
1.4 Group - Use Results to Determine High and Low Read Values	7
1.5 Confirm Read for Billing.....	7
1.6 Mark Read Not to be Used on Billing.....	8
1.7 Update Read Not to be Used by Billing.....	8
2.1 Store Read with Use on Bill Flag Checked	8
2.2 Group - Highlight Reads Outside High/Low Boundaries.....	8
2.3 Store Read with High/Low Indicators.....	8
2.4 Group - Identify Reads Outside High/Low Boundaries	9
2.5 Group - Create HILO Exceptions To Do	9
2.6 Group - Complete Open To Do Entry.....	9
2.7 Investigate and Resolve To Do	10
2.8 Verify and Update Use on Bill Flag Checked.....	10
Meter Read Types.....	11
Related Training.....	12

4.2.1.3a Validate Meter Reads

This section provides a brief description of the “Validate Meter Reads” business process. This includes:

- ♦ [Brief Description](#)
 - ♦ [Actors/Roles](#)
- ♦ [Business Process Diagrams](#)
 - ♦ [Validate Meter Reads Process Model - Page 1](#)
 - ♦ [Validate Meter Reads Process Model - Page 2](#)
- ♦ [Validate Meter Reads Detailed Process Model Description](#)
- ♦ [Meter Read Types](#)
- ♦ [Related Training](#)

Brief Description

Business Process: Validate Meter Reads

Process Type: Sub-Process

Parent Process: 4.2.1 CC&B.Collect and Process Meter Read

Sibling Processes:

- 4.2.1.1a CC&B.Read Meter
- 4.2.1.2a CC&B.Load Meter Reads
- 4.2.1.4 CC&B.Manage Consumption Data Reporting
- 5.3.2.1 CC&B.Manage Field Activities and Field Orders

Organizations usually want to review reads outside certain defined limits prior to using these reads on a bill. Included are reads uploaded from various sources as well as reads entered online. This process describes the review for meter reads that fall outside predetermined high and low boundaries.

Based on established business rules, a read falling outside the predetermined boundaries can be reset or updated. The CSR or Authorized User determines whether to allow the read ([Meter Read Types](#)) to be used for Billing.


Actors/Roles

The CC&B-EBS.Manage AP Procedures business process involves the following actors and roles:

- **CC&B:** The Customer Care and Billing application. Steps performed by this actor/role are performed automatically by the application, without the need for user initiation or intervention.
- **CSR:** CSR or Authorized User of the Customer Care and Billing application.


Business Process Diagrams

Validate Meter Reads Process Model - Page 1



Validate Meter Reads Process Model - Page 2

4.2.1.3a CC&B v2.4 *Validate Meter Reads*



Validate Meter Reads Detailed Process Model Description

This section provides a detailed description of the “Validate Meter Reads” business process, including:

- ♦ 1.0 Enter Meter Read and Meter Read Details
- ♦ 1.1 Store Meter Read
- ♦ 1.2 Group - Estimate Consumption
- ♦ 1.3 Group - Multiply Estimated Consumption by Predetermined High and Low Usage Factor
- ♦ 1.4 Group - Use Results to Determine High and Low Read Values
- ♦ 1.5 Confirm Read for Billing
- ♦ 1.6 Mark Read Not to be Used on Billing
- ♦ 1.7 Update Read Not to be Used by Billing
- ♦ 2.1 Store Read with Use on Bill Flag Checked
- ♦ 2.2 Group - Highlight Reads Outside High/Low Boundaries
- ♦ 2.3 Store Read with High/Low Indicators
- ♦ 2.4 Group - Identify Reads Outside High/Low Boundaries
- ♦ 2.5 Group - Create HILO Exceptions To Do
- ♦ 2.6 Group - Complete Open To Do Entry
- ♦ 2.7 Investigate and Resolve To Do
- ♦ 2.8 Verify and Update Use on Bill Flag Checked

1.0 Enter Meter Read and Meter Read Details

Reference: [Validate Meter Reads Process Model - Page 1 on page 3](#) for the associated business process diagram.

Actor/Role: CSR

Description: The CSR or Authorized User enters the meter read and meter read details.

1.1 Store Meter Read

Reference: [Validate Meter Reads Process Model - Page 1 on page 3](#) for the associated business process diagram.

Actor/Role: CC&B

Description: Reads within the high/low boundaries are stored in CC&B with the use on bill switch on. Reads outside the high/low boundaries are referred to process 4.2.1.1a Read Meter.

1.2 Group - Estimate Consumption

Reference: [Validate Meter Reads Process Model - Page 1 on page 3](#) for the associated business process diagram.

Actor/Role: CC&B

Description: When a read is added to CC&B, online or in an upload, the system checks consumption to determine if it is considered to be reasonable. CC&B estimates consumption. If the SP is setup for Negative Consumption, the Estimate Consumption process will not be performed and the process will proceed directly to 4.2.2 Manage Billing. Historical usage for the current customer as well as historical and current usage for similar customers may be considered. The geographic location as well as other factors may also be considered. Consumption variations based on geographic location may be defined separately. Consumption trends based on the type of service and the type of property may be considered.

Available Algorithm(s)

- CI_TL-MR - Meter Read Timeline
- CI_MRAUDIT - This algorithm creates log records when a meter read is either added or updated.
- CI_3STP-EST - 3 step estimation (see alg type description) - This algorithm is used to estimate consumption using three different methods (stopping at the first successful method). It first tries to estimate consumption using historical data for the account and service point. If this is unsuccessful, it uses trend data to estimate consumption
- C1-HILO-FCTR - Derive High Low Limits Using High Low Factor Table - this algorithm defined on installation options uses High Low Factor table to determine high and low limits for reads

Entities to Configure

- Algorithm Parameters
- Trend Area
- Trend Class
- High Low Factors
- Installation Options - Meter Read High Low Limits Algorithm

1.3 Group - Multiply Estimated Consumption by Predetermined High and Low Usage Factor

Reference: [Validate Meter Reads Process Model - Page 1 on page 3](#) for the associated business process diagram.

Actor/Role: CC&B

Description: As part of the high/low review process, the system calculates a low and a high usage amount by multiplying the estimated consumption obtained in step 1 by a predetermined value or factor. This factor or value is defined separately.

Available Algorithm(s)

- MR-EST-TREND - This algorithm uses trend data to estimate consumption
- CL_3STP-EST - 3 step estimation (see alg type description) - This algorithm is used to estimate consumption using three different methods (stopping at the first successful method). It first tries to estimate consumption using historical data for the account and service point. If this is unsuccessful, it uses trend data to estimate consumption
- C1-HILO-FCTR - Derive High Low Limits Using High Low Factor Table - This algorithm defined on installation options uses High Low Factor table to determine high and low limits for reads

Entities to Configure

- High/Low Factors
- Installation Options - Meter Read High Low Limits Algorithm

1.4 Group - Use Results to Determine High and Low Read Values

Reference: [Validate Meter Reads Process Model - Page 1 on page 3](#) for the associated business process diagram.

Actor/Role: CC&B

Description: CC&B uses the calculated high and low usage amounts and the previous read value to determine a high and low read value.

Available Algorithm(s)

- C1-HILO-FCTR - Derive High Low Limits Using High Low Factor Table - this algorithm defined on installation options uses High Low Factor table to determine high and low limits for reads

Entities to Configure

- High/Low Factors
- Installation Options - Meter Read High Low Limits Algorithm

1.5 Confirm Read for Billing

Reference: [Validate Meter Reads Process Model - Page 1 on page 3](#) for the associated business process diagram.

Actor/Role: CSR

Description: The CSR or Authorized user confirms that the reads are to be used by billing.

1.6 Mark Read Not to be Used on Billing

Reference: [Validate Meter Reads Process Model - Page 1 on page 3](#) for the associated business process diagram.

Actor/Role: CSR

Description: The CSR or Authorized User determines this read is not acceptable to use on a bill and ensures the use on bill switch is off.

1.7 Update Read Not to be Used by Billing

Reference: [Validate Meter Reads Process Model - Page 1 on page 3](#) for the associated business process diagram.

Actor/Role: CC&B

Description: The system updates the read such that it is ignored and not billed during billing.

2.1 Store Read with Use on Bill Flag Checked

Reference: [Validate Meter Reads Process Model - Page 1 on page 3](#) for the associated business process diagram.

Actor/Role: CC&B

Description: Reads within the high/low boundaries are stored in CC&B with the use on bill switch on. Reads outside the high/low boundaries are referred to process 4.2.1.1a Read Meter.

2.2 Group - Highlight Reads Outside High/Low Boundaries

Reference: [Validate Meter Reads Process Model - Page 1 on page 3](#) for the associated business process diagram.

Actor/Role: CC&B

Description: The meter reading's consumption is outside of the high/low boundaries. The read is flagged accordingly. If configured, the read may still be used for billing unless the CSR or Authorized User disallows the reading.

Available Algorithm(s)

- C1-HILO-FCTR - Derive High Low Limits Using High Low Factor Table - This algorithm defined on installation options uses High Low Factor table to determine high and low limits for reads

Entities to Configure

- High/Low Factors
- Installation Options - Meter Read High Low Limits Algorithm
- Installation Options - Use High/Low Read Failures on Bill Switch

2.3 Store Read with High/Low Indicators

Reference: [Validate Meter Reads Process Model - Page 1 on page 3](#) for the associated business process diagram.

Actor/Role: CC&B

Description: Reads outside the high/low boundaries are stored in CC&B. Based on configuration, the use on bill switch is off.

Entities to Configure

- Installation Options - Use High/Low Read Failures on Bill Switch

2.4 Group - Identify Reads Outside High/Low Boundaries

Reference: [Validate Meter Reads Process Model - Page 2 on page 4](#) for the associated business process diagram.

Actor/Role: CC&B

Description: CC&B identifies those reads that fail a high/low review.

2.5 Group - Create HILO Exceptions To Do

Reference: [Validate Meter Reads Process Model - Page 2 on page 4](#) for the associated business process diagram.

Actor/Role: CC&B

Description: Meter reads that fall outside the high/low boundaries are placed on a review list for investigation by a CSR or Authorized User. Each register read linked to the meter read that has review high / low set to Y, the process attempts to classify the reading as “very low”, “low”, “high” or “very high”. If any of the register reads that failed high/low should not be used on the bill, the meter's read use on bill flag is set to No. It is only set to Yes if all register reads can be used on a bill.

Available Algorithm(s)

- C1-HILO-FCTR - Derive High Low Limits Using High Low Factor Table - This algorithm defined on installation options uses High Low Factor table to determine high and low limits for reads.

Process Name

- TD-HILO To Do for Meter Read High/Low Errors - This background process creates a To Do entry for every meter read that has at least one register read that failed high/low review. If more than one register fails high/low, the “worst” register read is used. This process sorts very low, low, high and very high reads based on parameters established on the background process.

Entities to Configure

- High/Low Factors

2.6 Group - Complete Open To Do Entry

Reference: [Validate Meter Reads Process Model - Page 2 on page 4](#) for the associated business process diagram.

Actor/Role: CC&B

Description: The High/Low background process first completes To Do Entries that are still open. Usually High/Low exceptions have a priority timeframe to ensure reads are accurate and available for billing purposes. The number of days to keep an exception entry open is based on established business rules, timeframes for incoming reads and billing cycles.

To Do for Meter Read High/Low Errors

- TD-HILO To Do for Meter Read High/Low Errors - This background process creates a To Do entry for every meter read that has at least one register read that failed high/low review. If more than one register fails high/low, the "worst" register read is used. It also looks for open To Do entries beyond a given number of days.

2.7 Investigate and Resolve To Do

Reference: [Validate Meter Reads Process Model - Page 2 on page 4](#) for the associated business process diagram.

Actor/Role: CSR

Description: Based on established business rules the CSR or Authorized User will review and explore different options to resolve exception. This may include creation of a new field activity, estimation of reads or additional investigation.

2.8 Verify and Update Use on Bill Flag Checked

Reference: [Validate Meter Reads Process Model - Page 2 on page 4](#) for the associated business process diagram.

Actor/Role: CSR

Description: The CSR or Authorized User determines this read is acceptable to use on a bill and ensures the use on bill switch is on.

Meter Read Types

The following meter read types are available:

Read Type	Description
Billing Force	Meter reads with this value are entered by a billing administrator who wants to force billing to bill a customer for a given amount of consumption.
Verified	A meter reader using a handheld device records meter reads with this value. The handheld device deems a read as “verified” if the meter reader typed the same dial reading in twice. Some organizations have their handhelds programmed to require the double entry of dial readings when the entered value is outside normative values (i.e., the resultant consumption fails high / low checks).
Regular	A meter reader using a handheld device records meter reads with this value. See the description for "verified" above for the difference between a "regular" and a "verified" reading.
Customer Read	A customer provides meter reads with this value.
System Prorate	Meter reads with this value are created by the system automatically when prorating normal cycle-based reads for use with an off-cycle start service or stop service.
Office Estimate	Meter reads with this value are informed guesses of consumption. These would be used when there was no real reading (i.e., a regular or verified reading), and the system was not allowed to estimate consumption (for whatever reason). This value is rarely used.
Service Provider Estimate	Meter reads with this value are estimates of consumption made by a 3rd party service provider, such as an MDMA, the distribution company, or an energy supply company.
System Estimate	The billing process creates meter reads with this value when a reading cannot be found and the service agreement allows estimation.
No Read	Meter reads with this value are entered to indicate that a read was purposefully not performed (for whatever reason - mad dog, nasty rose bush, deep snow, etc.). A read with this value is not a read at all; it's just an audit trail.

Related Training

The following User Productivity Kit (UPK) modules provide training related to this business process:

- Oracle Utilities UPK for Customer Care and Billing, Administrative Setup
- Oracle Utilities UPK for Customer Care and Billing, Rating and Billing
- Oracle Utilities UPK for Customer Care and Billing, Rating and Billing for Interval Data
- Oracle Utilities UPK for Customer Care and Billing, User Tasks
- Oracle Utilities UPK for Customer Care and Billing, Credit and Collections