

Oracle
Primavera P6 EPPM
IPMDAR Import/Export Data Map Guide

Version 25
December 2025

Oracle Primavera P6 EPPM IPMDAR Import/Export Data Map Guide

Copyright © 1999, 2025, Oracle and/or its affiliates.

Primary Author: Oracle Corporation

Contents

About This Guide.....	5
Data Mappings During Export.....	5
Dataset Metadata	5
Source Software Metadata	6
Project Schedule Data	6
Project Custom Field Definitions	7
Project Custom Field Values	7
Calendars.....	8
Calendar Workshifts.....	8
Calendar Exceptions.....	9
Tasks	9
Task Schedule Data	10
Task Custom Field Definitions	11
Task Custom Field Values.....	11
Task Constraints.....	12
Task Relationships	12
Task Outline Structure	13
Resources	13
Resource Custom Field Definitions.....	13
Resource Custom Field Values.....	14
Resource Assignments.....	14

About This Guide

This guide details how data is mapped between P6 EPPM and IPMDAR format. Throughout this guide, the term P6 EPPM includes P6 Professional. Any content that applies to only one of these applications is labeled accordingly.

All users who want to exchange data between P6 EPPM and other systems using IPMDAR format should use this document.

Note All date fields are exported as date only, without the time. All units, durations, and float fields are exported as hours.

Caution Personal information (PI) may be at risk of exposure. Depending on local data protection laws organizations may be responsible for mitigating any risk of exposure.

Data Mappings During Export

Dataset Metadata

P6 EPPM Field	IPMDAR Field
To be entered in the template	Contractor ID Code Type ID
To be entered in the template	SecurityMarking
To be entered in the template	ReportingPeriodEndDate
To be entered in the template	ContractorName
To be entered in the template	ContractorIDCodeTypeID
To be entered in the template	ContractorIDCode
To be entered in the template	ContractorAddress_Street
To be entered in the template	ContractorAddress_City
To be entered in the template	ContractorAddress_State
To be entered in the template	ContractorAddress_Country
To be entered in the template	ContractorAddress_ZipCode
To be entered in the template	PointOfContactName
To be entered in the template	PointOfContactTitle
To be entered in the template	PointOfContactTelephone

P6 EPPM Field	IPMDAR Field
To be entered in the template	PointOfContactEmail
To be entered in the template	ContractName
To be entered in the template	ContractNumber
To be entered in the template	ContractType
To be entered in the template	ContractTaskOrEffortName
To be entered in the template	ProgramName
To be entered in the template	ProgramPhase
To be entered in the template	EVMSAccepted
To be entered in the template	EVMSAcceptanceDate

Source Software Metadata

P6 EPPM Field	IPMDAR Field
To be entered in the template	Data_SoftwareName
To be entered in the template	Data_SoftwareVersion
To be entered in the template	Data_SoftwareCompanyName
To be entered in the template	Data_SoftwareComments
To be entered in the template	Export_SoftwareName
To be entered in the template	Export_SoftwareVersion
To be entered in the template	Export_SoftwareCompanyName
To be entered in the template	Export_SoftwareComments

Project Schedule Data

P6 EPPM Field	IPMDAR Field
Data Date	Status Date
Start	Current Start Date
Finish	Current Finish Date

P6 EPPM Field	IPMDAR Field
BL Start	Baseline Start Date
BL Finish	Baseline Finish Date
Actual Start	Actual Start Date
Actual Finish	Actual Finish Date

Project Custom Field Definitions

P6 EPPM Field	IPMDAR Field
Project Code Type or Project User Defined Field Data Type	CustomFieldID
Project Code or Project User Defined Field	Name
Project Code type or Project User Defined Field type	Comments

Project Custom Field Values

P6 EPPM Field	IPMDAR Field
Project Code Value Name or Project UDF Value Name	Name
Field ID as listed in the <i>Project Custom Field Definitions</i> (on page 7)	CustomFieldID
Project Code Value in hierarchy with code value separator or Project UDF Value	Value

Calendars

P6 EPPM Field	IPMDAR Field
Calendar DB Object ID	ID
Calendar Name	Name
Level of the calendar (Global, Project, or Resource)	Comments

Calendar Workshifts

P6 EPPM Field	IPMDAR Field
Calendar DB Object ID	ID
Describes the number of the work period. If there is only one work period for the day, this value will be null. If there are multiple work periods, this value will be an integer representing the order of the work period during the day.	Ordinal
Describes the level (or levels) of the calendar: Project, Activity, and/or Resource.	Comments – Calendar Level
Describes the work hours for the calendar on a Sunday.	SundayWorkHours
Describes the work hours for the calendar on a Monday.	MondayWorkHours
Describes the work hours for the calendar on a Tuesday.	TuesdayWorkHours
Describes the work hours for the calendar on a Wednesday.	WednesdayWorkHours
Describes the work hours for the calendar on a Thursday.	ThursdayWorkHours
Describes the work hours for the calendar on a Friday.	FridayWorkHours

P6 EPPM Field	IPMDAR Field
Describes the work hours for the calendar on a Saturday.	SaturdayWorkHours

Calendar Exceptions

P6 EPPM Field	IPMDAR Field
Calendar DB Object ID	Calendar ID
Calendar Exception Date	Exception Date
Null for non-work days. or Work hour value for exception. or Multiple non continuous work hours.	Work Hours

Tasks

P6 EPPM Field	IPMDAR Field
Activity ID/Code	ID
Activity Name	Name
Activity Type	Task Type ID
Activity Code or UDF value	Task Subtype ID
Activity Code or UDF value	Task Planning Level ID
WBS	WBS Element ID
Responsible Manager	OBS Element ID
Activity Code or UDF value. Includes WBS and Activity UDFs, and Activity Codes.	Control Account ID
Activity Code or UDF value. Includes WBS and Activity UDFs, and Activity Codes.	Work Package ID
Activity Code or UDF value	IMP Element ID

P6 EPPM Field	IPMDAR Field
Activity Code or UDF value	SOW Reference
Activity Code or UDF value	Subcontractor Reference
Technique for computing performance percent complete	Earned Value Technique ID
Activity Code or UDF value	Other Earned Value Technique
Activity Code or UDF value	Source Subproject Reference
Activity Code or UDF value	Source Task Reference
Activity Code or UDF value	Comments

Task Schedule Data

P6 EPPM Field	IPMDAR Field
Activity ID/Code	Task ID
Calendar DB ID	Calendar ID
Remaining Duration	Current Duration
Start	Current Start Date
Finish	Current Finish Date
Early Start (for WBS Summary. the earliest Early Start Date of all activities in that WBS node)	Early Start Date
Early Finish (for WBS Summary. the earliest Early Finish Date of all activities in that WBS node)	Early Finish Date
Late Start (for WBS Summary. the earliest Late Start Date of all activities in that WBS node)	Late Start Date
Late Finish (for WBS Summary. the earliest Late Finish Date of all activities in that WBS node)	Late Finish Date
Free Float	Free Float Duration

P6 EPPM Field	IPMDAR Field
Total Float	Total Float Duration
Critical	On Critical Path
On Driving Path	On Driving Path
BL Project Duration	Baseline Duration
BL Project Start	Baseline Start Date
BL Project Finish	Baseline Finish Date
Variance BL Project – Start Date	Start Variance Duration
Variance BL Project – Finish Date	Finish Variance Duration
Activity % Complete	Calculated % Complete
Physical % Complete	Physical % Complete
Remaining Duration	Remaining Duration
Actual Start	Actual Start Date
Actual Finish	Actual Finish Date

Task Custom Field Definitions

P6 EPPM Field	IPMDAR Field
Activity Code Type or User Defined Field Data Type	CustomFieldID
Activity Code or User Defined Field	Name
Activity Code type or User Defined Field type	Comments

Task Custom Field Values

P6 EPPM Field	IPMDAR Field
Activity Code Value Name or Activity UDF Value Name	Name
Activity ID	TaskID
Field ID as listed in the Task Custom Field Definitions (on page 11)	CustomFieldID
Activity Code Value in hierarchy with code value separator or Activity UDF Value	Value

Task Constraints

P6 EPPM Field	IPMDAR Field
Activity Name	Name
Activity ID	TaskID
Primary constraint type	ConstraintTypeID
Null (this data is not applicable in P6 EPPM)	OtherConstraintType
Constraint date	ConstraintDate

Task Relationships

P6 EPPM Field	IPMDAR Field
Activity ID of the predecessor activity	PredecessorTaskID
Activity ID of the successor activity	SuccessorTaskID
The type of the relationship	RelationshipTypeID
Relationship lag	LagDuration
The ID of the Calendar for scheduling relationship lag	LagCalendarID

Task Outline Structure

P6 EPPM Field	IPMDAR Field
Activity Name	Name
Value = '1'	Level
Activity ID	TaskID
Value = '1'	ParentTaskID

Resources

P6 EPPM Field	IPMDAR Field
Resource ID	ID
Resource Name	Name
Resource Type	Element of Cost ID
Resource Notes Or Resource Code or UDF value.	Comments

Resource Custom Field Definitions

P6 EPPM Field	IPMDAR Field
Resource Code Type or User Defined Field Data Type	CustomFieldID
Resource Code or User Defined Field	Name

P6 EPPM Field	IPMDAR Field
Resource Code type or User Defined Field type	Comments

Resource Custom Field Values

P6 EPPM Field	IPMDAR Field
Resource Code Value Name or Resource UDF Value Name	Name
Resource ID	ResourceID
Field ID as listed in the Resource Custom Field Definitions (on page 13)	CustomFieldID
Resource Code Value in hierarchy with code value separator or Resource UDF Value	Value

Resource Assignments

P6 EPPM Field	IPMDAR Field
Resource ID	ResourceID
Activity ID	TaskID
Budget At Completion (Dollars)	Budget_AtCompletion_Dollars
Budget At Completion (Hours)	Budget_AtCompletion_Hours
Estimate To Complete (Dollars)	Estimate_ToComplete_Dollars
Estimate To Complete (Hours)	Estimate_ToComplete_Hours
Actual Cost	Actual_ToDate_Dollars
Actual Units	Actual_ToDate_Hours

P6 EPPM Field	IPMDAR Field
Assignment % Complete	PhysicalPercentComplete