

**Name** delete-protocol-filter – removes a protocol filter

**Synopsis** delete-protocol-filter [--help]  
--protocol *protocol-name*  
[--target *server*]  
*protocol-filter-name*

**Description** The delete-protocol-filter subcommand removes the specified protocol filter. This subcommand is supported in remote mode only.

**Options** --help  
-?  
    Displays the help text for the subcommand.

--protocol-name  
    The name of the associated protocol.

--target  
    Deletes the protocol filter only from the specified target. Valid values are as follows:

server  
    Deletes the protocol filter from the default server instance. This is the default value.

*configuration-name*  
    Deletes the protocol filter from the specified configuration.

*cluster-name*  
    Deletes the protocol filter from all server instances in the specified cluster.

*standalone-instance-name*  
    Deletes the protocol filter from the specified standalone server instance.

**Operands** *protocol-filter-name*  
    The name of the protocol filter to be deleted.

**Examples** EXAMPLE 1 Deleting a Protocol Filter  
The following command deletes the protocol filter named `http1-filter`:

```
asadmin> delete-protocol-filter --protocol http1 http1-filter  
Command delete-protocol-filter executed successfully.
```

**Exit Status** 0           command executed successfully  
1           error in executing the command

**See Also** [create-protocol-filter\(1\)](#), [list-protocol-filters\(1\)](#)  
[asadmin\(1M\)](#)