

```

<?xml version="1.0" encoding="UTF-8" ?>
<!--
  Copyright 1997-2007 Sun Microsystems, Inc. All rights reserved.
  Use is subject to license terms.
-->
<!-- Generated from default-domain.xml.template -->
<!-- Avoid manual edits of this file. Run "asadmin verify-domain-xml"
otherwise.-->
<!DOCTYPE domain PUBLIC "-//Sun Microsystems Inc.//DTD Application Server
9.1 Domain//EN" "http://www.sun.com/software/appserver/dtds/sun-
domain_1_3.dtd">
<domain application-root="{com.sun.aas.instanceRoot}/applications" log-
root="{com.sun.aas.instanceRoot}/logs">
  <applications>
    <web-module name="adminapp" context-root="/web1" location="$
{com.sun.aas.installRoot}/lib/install/applications/adminapp/adminapp_war"
object-type="system-admin" enabled="true" directory-deployed="true">
      <!-- System Web Module - DO NOT DELETE! -->
    </web-module>
    <web-module name="admingui" context-root="" location="$
{com.sun.aas.installRoot}/lib/install/applications/admingui/adminGUI_war"
object-type="system-admin" enabled="true" directory-deployed="true">
      <!-- System Web Module - DO NOT DELETE! -->
    </web-module>
    <web-module name="WSTXServices" context-root="/__wstx-services"
location="{com.sun.aas.installRoot}/lib/install/applications/wstx-
services" object-type="system-all" enabled="true" directory-
deployed="true"/>
    <lifecycle-module class-
name="com.sun.jbi.framework.sun.SunASJBIBootstrap" classpath="$
{com.sun.aas.installRoot}/jbi/lib/jbi_framework.jar" enabled="true" is-
failure-fatal="false" name="JBIFramework" object-type="system-all">
      <description>"JBIFramework LifecycleModule"</description>
      <property name="com.sun.jbi.home" value="{com.sun.aas.installRoot}/
jbi"/>
    </lifecycle-module>
    <lifecycle-module class-
name="com.sun.xml.ws.transport.tcp.server.glassfish.WSTCPLifeCycleModule"
classpath="{com.sun.aas.installRoot}/lib/webservices-rt.jar"
enabled="true" is-failure-fatal="false" object-type="system-all"
name="WSTCPConnectorLCModule"/>
  </applications>
  <resources>
    <jdbc-resource jndi-name="jdbc/__TimerPool" pool-name="__TimerPool"
object-type="system-admin" enabled="true" />
    <jdbc-resource jndi-name="jdbc/__CallFlowPool" pool-
name="__CallFlowPool" object-type="system-all" enabled="true" />
    <jdbc-resource jndi-name="jdbc/__default" pool-name="DerbyPool"
object-type="user" enabled="true"/>
  </resources>
</domain>

```

```
<jdbc-connection-pool connection-validation-method="auto-commit"
datasource-classname="org.apache.derby.jdbc.EmbeddedXADataSource" fail-all-
connections="false" idle-timeout-in-seconds="300" is-connection-validation-
required="false" is-isolation-level-guaranteed="true" max-pool-size="32"
max-wait-time-in-millis="60000" res-type="javax.sql.XADataSource"
name="__CallFlowPool" pool-resize-quantity="2" steady-pool-size="8">
  <property name="databaseName" value="{com.sun.aas.instanceRoot}/lib/
databases/sun-callflow"/>
  <property name="connectionAttributes" value=";create=true"/>
</jdbc-connection-pool>
```

```
<jdbc-connection-pool connection-validation-method="auto-commit"
datasource-classname="org.apache.derby.jdbc.EmbeddedXADataSource" fail-all-
connections="false" idle-timeout-in-seconds="300" is-connection-validation-
required="false" is-isolation-level-guaranteed="true" max-pool-size="32"
max-wait-time-in-millis="60000" res-type="javax.sql.XADataSource"
name="__TimerPool" pool-resize-quantity="2" steady-pool-size="8">
  <property name="databaseName" value="{com.sun.aas.instanceRoot}/lib/
databases/ejbtimer"/>
</jdbc-connection-pool>
```

```
<jdbc-connection-pool connection-validation-method="auto-commit"
datasource-classname="org.apache.derby.jdbc.ClientDataSource" fail-all-
connections="false" idle-timeout-in-seconds="300" is-connection-validation-
required="false" is-isolation-level-guaranteed="false" max-pool-size="32"
max-wait-time-in-millis="60000" name="DerbyPool" pool-resize-quantity="2"
res-type="javax.sql.DataSource" steady-pool-size="8">
  <property name="PortNumber" value="1527"/>
  <property name="Password" value="APP"/>
  <property name="User" value="APP"/>
  <property name="serverName" value="localhost"/>
  <property name="DatabaseName" value="sun-appserv-samples"/>
  <property name="connectionAttributes" value=";create=true"/>
</jdbc-connection-pool>
```

```
</resources>
```

```
<configs>
```

```
<config name="%%CONFIG_MODEL_NAME%%" dynamic-reconfiguration-
enabled="true" >
```

```
<http-service>
```

```
<access-log format="%client.name% %auth-user-name% %datetime% %request%
%status% %response.length%" rotation-enabled="true" rotation-interval-in-
minutes="15" rotation-policy="time" rotation-suffix="yyyy-MM-dd"/>
```

```
<http-listener id="http-listener-1" address="0.0.0.0" port="%%
%HTTP_PORT%%" acceptor-threads="1" security-enabled="false"
default-virtual-server="server" server-name="" xpowered-by="true"
enabled="true">
```

```
</http-listener>
```

```
<http-listener id="http-listener-2" address="0.0.0.0" port="%%
%HTTP_SSL_PORT%%" acceptor-threads="1" security-enabled="true"
default-virtual-server="server" server-name="" xpowered-by="true"
enabled="true">
```

```

    </http-listener>
    <http-listener id="admin-listener" address="0.0.0.0" port="%%
%ADMIN_PORT%%" acceptor-threads="1" security-enabled="false"
default-virtual-server="__asadmin" server-name="" xpowered-by="true"
enabled="true">
    </http-listener>
    <virtual-server id="server" http-listeners="http-listener-1,http-
listener-2" hosts="{com.sun.aas.hostName}" state="on">
        <property name="docroot" value="{com.sun.aas.instanceRoot}/docroot"/
>
        <property name="accesslog" value="{com.sun.aas.instanceRoot}/logs/
access"/>
    </virtual-server>
    <virtual-server id="__asadmin" http-listeners="admin-listener"
hosts="{com.sun.aas.hostName}" state="on">
        <property name="docroot" value="{com.sun.aas.instanceRoot}/docroot"/
>
        <property name="accesslog" value="{com.sun.aas.instanceRoot}/logs/
access"/>
    </virtual-server>
    <request-processing header-buffer-length-in-bytes="8192" initial-
thread-count="2" request-timeout-in-seconds="30" thread-count="5" thread-
increment="1"/>
    <keep-alive max-connections="250" thread-count="1" timeout-in-
seconds="30"/>
    <connection-pool max-pending-count="4096" queue-size-in-bytes="4096"
receive-buffer-size-in-bytes="4096" send-buffer-size-in-bytes="8192"/>
    <http-protocol dns-lookup-enabled="false"/>
    <http-file-cache globally-enabled="true" file-caching-enabled="true"
max-age-in-seconds="30" medium-file-size-limit-in-bytes="537600" medium-
file-space-in-bytes="10485760" small-file-size-limit-in-bytes="2048" small-
file-space-in-bytes="1048576" max-files-count="1024"/>
    </http-service>
    <iiop-service>
        <orb use-thread-pool-ids="thread-pool-1" message-fragment-size="1024"
max-connections="1024" />

        <iiop-listener id="orb-listener-1" address="0.0.0.0" port="%%
%ORB_LISTENER_PORT%%" enabled="true"/>
        <iiop-listener id="SSL" address="0.0.0.0" port="%%ORB_SSL_PORT%%"
security-enabled="true" enabled="true">
            <ssl cert-nickname="s1as"/>
        </iiop-listener>
        <iiop-listener id="SSL_MUTUALAUTH" address="0.0.0.0" port="%%
%ORB_MUTUALAUTH_PORT%%" security-enabled="true" enabled="true">
            <ssl cert-nickname="s1as" client-auth-enabled="true"/>
        </iiop-listener>
    </iiop-service>
    <admin-service system-jmx-connector-name="system" type="das-and-server">
        <!-- The JSR 160 "system-jmx-connector" -->

```

```

    <jmx-connector accept-all="false" address="0.0.0.0" auth-realm-
name="admin-realm" enabled="true" name="system" port="%%
%JMX_SYSTEM_CONNECTOR_PORT%%" protocol="rmi_jrmp" security-
enabled="false"/>
    <!-- The JSR 160 "system-jmx-connector" -->
    <das-config dynamic-reload-enabled="true" dynamic-reload-poll-
interval-in-seconds="2" autodeploy-enabled="true" autodeploy-polling-
interval-in-seconds="2" autodeploy-dir="{com.sun.aas.instanceRoot}/
autodeploy" autodeploy-verifier-enabled="false" autodeploy-jsp-
precompilation-enabled="false" deploy-xml-validation="full" admin-session-
timeout-in-minutes="60" />
    </admin-service>
    <web-container>
        <session-config>
            <session-manager>
                <manager-properties/>
                <store-properties/>
            </session-manager>
            <session-properties/>
        </session-config>
    </web-container>
    <ejb-container steady-pool-size="0" pool-resize-quantity="8" max-pool-
size="32" cache-resize-quantity="32" max-cache-size="512" pool-idle-
timeout-in-seconds="600" cache-idle-timeout-in-seconds="600" removal-
timeout-in-seconds="5400" victim-selection-policy="nru" commit-option="B"
session-store="{com.sun.aas.instanceRoot}/session-store">
        <ejb-timer-service></ejb-timer-service>
    </ejb-container>
    <mdb-container steady-pool-size="0" pool-resize-quantity="8" max-pool-
size="32" idle-timeout-in-seconds="600"/>
    <jms-service init-timeout-in-seconds="60" type="EMBEDDED" default-jms-
host="default_JMS_host" reconnect-interval-in-seconds="5" reconnect-
attempts="3" reconnect-enabled="true" addresslist-behavior="random"
addresslist-iterations="3">
        <jms-host name="default_JMS_host" host="%%HOST_NAME%%" port="%%
%JMS_PROVIDER_PORT%%" admin-user-name="%%JMS_PROVIDER_USERID%%" admin-
password="%%JMS_PROVIDER_PASSWORD%%"/>
    </jms-service>
    <log-service file="{com.sun.aas.instanceRoot}/logs/server.log" use-
system-logging="false" log-to-console="false" alarms="false" log-rotation-
limit-in-bytes="2000000">
        <module-log-levels root="INFO" server="INFO" ejb-container="INFO" cmp-
container="INFO" mdb-container="INFO" web-container="INFO"
classloader="INFO" configuration="INFO" naming="INFO" security="INFO"
admin="INFO" jts="INFO" jta="INFO" deployment="INFO" verifier="INFO"
jaxr="INFO" jaxrpc="INFO" saaj="INFO" corba="INFO" javamail="INFO"
jms="INFO" connector="INFO" jdo="INFO" cmp="INFO" util="INFO" resource-
adapter="INFO" />
    </log-service>
    <security-service default-realm="file" audit-enabled="false"

```

```

jacc="default" audit-modules="default">
  <!-- All administrative users use this realm by default. -->
  <auth-realm name="admin-realm"
classname="com.sun.enterprise.security.auth.realm.file.FileRealm">
  <property name="file" value="{com.sun.aas.instanceRoot}/config/admin-
keyfile"/>
  <property name="jaas-context" value="fileRealm"/>
</auth-realm>
  <!-- All administrative users use this realm by default. -->
  <auth-realm name="file"
classname="com.sun.enterprise.security.auth.realm.file.FileRealm">
  <property name="file" value="{com.sun.aas.instanceRoot}/config/
keyfile"/>
  <property name="jaas-context" value="fileRealm"/>
</auth-realm>
  <auth-realm name="certificate"
classname="com.sun.enterprise.security.auth.realm.certificate.CertificateRe
alm">
</auth-realm>
  <jacc-provider name="default" policy-
provider="com.sun.enterprise.security.provider.PolicyWrapper" policy-
configuration-factory-
provider="com.sun.enterprise.security.provider.PolicyConfigurationFactoryIm
pl">
  <property name="repository" value="{com.sun.aas.instanceRoot}/
generated/policy"/>
</jacc-provider>
  <audit-module name="default"
classname="com.sun.enterprise.security.Audit">
  <property name="auditOn" value="false"/>
</audit-module>
  <message-security-config auth-layer="SOAP">
  <!-- turned off by default -->
  <provider-config class-
name="com.sun.xml.wss.provider.ClientSecurityAuthModule" provider-
id="XWS_ClientProvider" provider-type="client">
    <request-policy auth-source="content"/>
    <response-policy auth-source="content"/>
    <property name="encryption.key.alias" value="s1as"/>
    <property name="signature.key.alias" value="s1as"/>
    <property name="dynamic.username.password" value="false"/>
    <property name="debug" value="false"/>
  </provider-config>
  <provider-config class-
name="com.sun.xml.wss.provider.ClientSecurityAuthModule" provider-
id="ClientProvider" provider-type="client">
    <request-policy auth-source="content"/>
    <response-policy auth-source="content"/>
    <property name="encryption.key.alias" value="s1as"/>
    <property name="signature.key.alias" value="s1as"/>

```

```

        <property name="dynamic.username.password" value="false"/>
        <property name="debug" value="false"/>
        <property name="security.config" value="$
{com.sun.aas.instanceRoot}/config/wss-server-config-1.0.xml"/>
    </provider-config>
    <provider-config class-
name="com.sun.xml.wss.provider.ServerSecurityAuthModule" provider-
id="XWS_ServerProvider" provider-type="server">
        <request-policy auth-source="content"/>
        <response-policy auth-source="content"/>
        <property name="encryption.key.alias" value="s1as"/>
        <property name="signature.key.alias" value="s1as"/>
        <property name="debug" value="false"/>
    </provider-config>
    <provider-config class-
name="com.sun.xml.wss.provider.ServerSecurityAuthModule" provider-
id="ServerProvider" provider-type="server">
        <request-policy auth-source="content"/>
        <response-policy auth-source="content"/>
        <property name="encryption.key.alias" value="s1as"/>
        <property name="signature.key.alias" value="s1as"/>
        <property name="debug" value="false"/>
        <property name="security.config" value="$
{com.sun.aas.instanceRoot}/config/wss-server-config-1.0.xml"/>
    </provider-config>
</message-security-config>
</security-service>
<transaction-service automatic-recovery="false" timeout-in-seconds="0"
tx-log-dir="${com.sun.aas.instanceRoot}/logs" heuristic-decision="rollback"
keypoint-interval="65536" retry-timeout-in-seconds="600"/>
    <monitoring-service>
        <module-monitoring-levels thread-pool="OFF" orb="OFF" ejb-
container="OFF" web-container="OFF" transaction-service="OFF" http-
service="OFF" jdbc-connection-pool="OFF" connector-connection-pool="OFF"/>
    </monitoring-service>
    <diagnostic-service compute-checksum="true" verify-config="true"
capture-install-log="true" capture-system-info="true" capture-hadb-
info="true" capture-app-dd="true" min-log-level="INFO" max-log-
entries="500"/>
    <java-config java-home="${com.sun.aas.javaRoot}" debug-enabled="false"
debug-options="-Xdebug -
Xrunjdpw:transport=dt_socket,server=y,suspend=n,address=9009" rmic-
options="-iiop -poa -alwaysgenerate -keepgenerated -g" javac-options="-g"
system-classpath="" classpath-suffix="" env-classpath-
ignored="true">
        <!-- various required jvm-options -->
        <jvm-options>-XX:MaxPermSize=192m</jvm-options>
        <jvm-options>-client</jvm-options>
        <jvm-options>-Djava.endorsed.dirs=${com.sun.aas.installRoot}/lib/
endorsed</jvm-options>

```

```

    <jvm-options>-Djava.security.policy=${com.sun.aas.instanceRoot}/config/
server.policy</jvm-options>
    <jvm-options>-Djava.security.auth.login.config=${
com.sun.aas.instanceRoot}/config/login.conf</jvm-options>
    <jvm-options>-Dsun.rmi.dgc.server.gcInterval=3600000</jvm-options>
    <jvm-options>-Dsun.rmi.dgc.client.gcInterval=3600000</jvm-options>
    <jvm-options>-Xmx512m</jvm-options>
    <jvm-options>-Djavax.net.ssl.keyStore=${com.sun.aas.instanceRoot}/
config/keystore.jks</jvm-options>
    <jvm-options>-Djavax.net.ssl.trustStore=${com.sun.aas.instanceRoot}/
config/cacerts.jks</jvm-options>
    <jvm-options>-Djava.ext.dirs=${com.sun.aas.javaRoot}/lib/ext$
{path.separator}${com.sun.aas.javaRoot}/jre/lib/ext${path.separator}$
{com.sun.aas.instanceRoot}/lib/ext${path.separator}$
{com.sun.aas.derbyRoot}/lib</jvm-options>
    <jvm-options>-Djdbc.drivers=org.apache.derby.jdbc.ClientDriver</jvm-
options>
    <jvm-options>-
Djavax.management.builder.initial=com.sun.enterprise.admin.server.core.jmx.
AppServerMBeanServerBuilder</jvm-options>
    <jvm-options>-
Dcom.sun.enterprise.config.config_environment_factory_class=com.sun.enterpr
ise.config.serverbeans.AppserverConfigEnvironmentFactory</jvm-options>
    <jvm-options>-Dcom.sun.enterprise.taglibs=appserv-jstl.jar,jsf-
impl.jar</jvm-options>
    <jvm-options>-Dcom.sun.enterprise.taglisteners=jsf-impl.jar</jvm-
options>
    <jvm-options>-XX:NewRatio=2</jvm-options>
</java-config>
<thread-pools>
    <thread-pool          thread-pool-id="thread-pool-1" min-thread-pool-
size="0" max-thread-pool-size="200" idle-thread-timeout-in-seconds="120"
num-work-queues="1" />

</thread-pools>
<management-rules enabled="true">
</management-rules>
</config> <!-- config model with name "%%CONFIG_MODEL_NAME%%" ends -->
</configs>
<servers>
    <server name="%%SERVER_ID%%" config-ref="%%CONFIG_MODEL_NAME%%">
        <application-ref enabled="true" ref="adminapp" virtual-
servers="__asadmin"/>
        <application-ref enabled="true" ref="admingui" virtual-
servers="__asadmin"/>
        <application-ref enabled="true" ref="JBIFramework"/>
        <application-ref enabled="true" ref="WSTXServices"/>
        <application-ref enabled="true" ref="WSTCPConnectorLCModule"/>
        <resource-ref enabled="true" ref="jdbc/__TimerPool"/>
        <resource-ref enabled="true" ref="jdbc/__CallFlowPool"/>

```

```
    <resource-ref enabled="true" ref="jdbc/__default"/>
  </server>
</servers>
<property name="administrative.domain.name" value="%%DOMAIN_NAME%%"/>
</domain>
```