

```

<?xml version="1.0" encoding="UTF-8"?>
<!--
  Copyright 1997-2007 Sun Microsystems, Inc. All rights reserved.
  Use is subject to license terms.
-->
<!-- Generated from default-domain.xml.template -->
<!-- Avoid manual edits of this file. Run "asadmin verify-domain-xml"
otherwise.--><!DOCTYPE domain PUBLIC "-//Sun Microsystems Inc.//DTD
Application Server 9.1 Domain//EN" "http://www.sun.com/software/appserver/
dtds/sun-domain_1_3.dtd">

<domain application-root="{com.sun.aas.instanceRoot}/applications" log-
root="{com.sun.aas.instanceRoot}/logs">
  <applications>
    <web-module name="adminapp" context-root="/web1" location="$
{com.sun.aas.installRoot}/lib/install/applications/adminapp/adminapp_war"
object-type="system-admin" enabled="true" directory-deployed="true"
availability-enabled="false">
      <!-- System Web Module - DO NOT DELETE! -->
    </web-module>
    <web-module name="admingui" context-root="" location="$
{com.sun.aas.installRoot}/lib/install/applications/admingui/adminGUI_war"
object-type="system-admin" enabled="true" directory-deployed="true"
availability-enabled="false">
      <!-- System Web Module - DO NOT DELETE! -->
    </web-module>
    <web-module name="WSTXServices" context-root="/__wstx-services"
location="{com.sun.aas.installRoot}/lib/install/applications/wstx-
services" object-type="system-all" enabled="true" directory-deployed="true"
availability-enabled="false"/>
    <lifecycle-module class-
name="com.sun.jbi.framework.sun.SunASJBIBootstrap" classpath="$
{com.sun.aas.installRoot}/jbi/lib/jbi_framework.jar" enabled="true" is-
failure-fatal="false" name="JBIFramework" object-type="system-all">
      <description>"JBIFramework LifecycleModule"</description>
      <property name="com.sun.jbi.home" value="{com.sun.aas.installRoot}/
jbi"/>
    </lifecycle-module>
    <lifecycle-module class-
name="com.sun.xml.ws.transport.tcp.server.glassfish.WSTCPLifeCycleModule"
classpath="{com.sun.aas.installRoot}/lib/webservices-rt.jar"
enabled="true" is-failure-fatal="false" object-type="system-all"
name="WSTCPConnectorLCModule"/>
  </applications>
  <resources>
    <jdbc-resource jndi-name="jdbc/__TimerPool" pool-name="__TimerPool"
object-type="system-admin" enabled="true"/>
    <jdbc-resource jndi-name="jdbc/__CallFlowPool" pool-
name="__CallFlowPool" object-type="system-all" enabled="true"/>
    <jdbc-resource jndi-name="jdbc/__default" pool-name="DerbyPool" object-

```

```
type="user" enabled="true"/>
```

```
<jdbc-connection-pool connection-validation-method="auto-commit"
datasource-classname="org.apache.derby.jdbc.EmbeddedXADataSource" fail-all-
connections="false" idle-timeout-in-seconds="300" is-connection-validation-
required="false" is-isolation-level-guaranteed="true" max-pool-size="32"
max-wait-time-in-millis="60000" res-type="javax.sql.XADataSource"
name="__CallFlowPool" pool-resize-quantity="2" steady-pool-size="8" non-
transactional-connections="false" allow-non-component-callers="false"
validate-atmost-once-period-in-seconds="0" connection-leak-timeout-in-
seconds="0" connection-leak-reclaim="false" connection-creation-retry-
attempts="0" connection-creation-retry-interval-in-seconds="10" statement-
timeout-in-seconds="-1" lazy-connection-enlistment="false" lazy-connection-
association="false" associate-with-thread="false" match-connections="false"
max-connection-usage-count="0" wrap-jdbc-objects="false">
  <property name="databaseName" value="{com.sun.aas.instanceRoot}/lib/
databases/sun-callflow"/>
  <property name="connectionAttributes" value=";create=true"/>
</jdbc-connection-pool>
```

```
<jdbc-connection-pool connection-validation-method="auto-commit"
datasource-classname="org.apache.derby.jdbc.EmbeddedXADataSource" fail-all-
connections="false" idle-timeout-in-seconds="300" is-connection-validation-
required="false" is-isolation-level-guaranteed="true" max-pool-size="32"
max-wait-time-in-millis="60000" res-type="javax.sql.XADataSource"
name="__TimerPool" pool-resize-quantity="2" steady-pool-size="8" non-
transactional-connections="false" allow-non-component-callers="false"
validate-atmost-once-period-in-seconds="0" connection-leak-timeout-in-
seconds="0" connection-leak-reclaim="false" connection-creation-retry-
attempts="0" connection-creation-retry-interval-in-seconds="10" statement-
timeout-in-seconds="-1" lazy-connection-enlistment="false" lazy-connection-
association="false" associate-with-thread="false" match-connections="false"
max-connection-usage-count="0" wrap-jdbc-objects="false">
  <property name="databaseName" value="{com.sun.aas.instanceRoot}/lib/
databases/ejbtimer"/>
</jdbc-connection-pool>
```

```
<jdbc-connection-pool connection-validation-method="auto-commit"
datasource-classname="org.apache.derby.jdbc.ClientDataSource" fail-all-
connections="false" idle-timeout-in-seconds="300" is-connection-validation-
required="false" is-isolation-level-guaranteed="false" max-pool-size="32"
max-wait-time-in-millis="60000" name="DerbyPool" pool-resize-quantity="2"
res-type="javax.sql.DataSource" steady-pool-size="8" non-transactional-
connections="false" allow-non-component-callers="false" validate-atmost-
once-period-in-seconds="0" connection-leak-timeout-in-seconds="0"
connection-leak-reclaim="false" connection-creation-retry-attempts="0"
connection-creation-retry-interval-in-seconds="10" statement-timeout-in-
seconds="-1" lazy-connection-enlistment="false" lazy-connection-
association="false" associate-with-thread="false" match-connections="false"
max-connection-usage-count="0" wrap-jdbc-objects="false">
  <property name="PortNumber" value="1527"/>
```

```

    <property name="Password" value="APP"/>
    <property name="User" value="APP"/>
    <property name="serverName" value="localhost"/>
    <property name="DatabaseName" value="sun-appserv-samples"/>
    <property name="connectionAttributes" value=";create=true"/>
  </jdbc-connection-pool>
</resources>
<configs>
  <config name="server-config" dynamic-reconfiguration-enabled="true">
    <http-service>
      <access-log format="%client.name% %auth-user-name% %datetime% %request%
%status% %response.length%" rotation-enabled="true" rotation-interval-in-
minutes="15" rotation-policy="time" rotation-suffix="yyyy-MM-dd"/>
      <http-listener id="http-listener-1" address="0.0.0.0" port="8080"
acceptor-threads="1" security-enabled="false" default-virtual-
server="server" server-name="" xpowered-by="true" enabled="true"
family="inet" blocking-enabled="false">
<property name="proxiedProtocols" value="ws/tcp"/>
</http-listener>
      <http-listener id="http-listener-2" address="0.0.0.0" port="8181"
acceptor-threads="1" security-enabled="true" default-virtual-
server="server" server-name="" xpowered-by="true" enabled="true"
family="inet" blocking-enabled="false">
<ssl cert-nickname="s1as"/>
</http-listener>
      <http-listener id="admin-listener" address="0.0.0.0" port="5858"
acceptor-threads="1" security-enabled="false" default-virtual-
server="__asadmin" server-name="" xpowered-by="true" enabled="true"
family="inet" blocking-enabled="false"/>
      <virtual-server id="server" http-listeners="http-listener-1,http-
listener-2" hosts="{com.sun.aas.hostName}" state="on" log-file="$
{com.sun.aas.instanceRoot}/logs/server.log">
        <property name="docroot" value="{com.sun.aas.instanceRoot}/docroot"/
>
        <property name="accesslog" value="{com.sun.aas.instanceRoot}/logs/
access"/>
        <property name="sso-enabled" value="false"/>
      </virtual-server>
      <virtual-server id="__asadmin" http-listeners="admin-listener"
hosts="{com.sun.aas.hostName}" state="on" log-file="$
{com.sun.aas.instanceRoot}/logs/server.log">
        <property name="docroot" value="{com.sun.aas.instanceRoot}/docroot"/
>
        <property name="accesslog" value="{com.sun.aas.instanceRoot}/logs/
access"/>
        <property name="sso-enabled" value="false"/>
      </virtual-server>
      <request-processing header-buffer-length-in-bytes="8192" initial-
thread-count="2" request-timeout-in-seconds="30" thread-count="5" thread-
increment="1"/>
    </http-service>
  </config>
</configs>

```

```

    <keep-alive max-connections="250" thread-count="1" timeout-in-
seconds="30"/>
    <connection-pool max-pending-count="4096" queue-size-in-bytes="4096"
receive-buffer-size-in-bytes="4096" send-buffer-size-in-bytes="8192"/>
    <http-protocol dns-lookup-enabled="false" version="HTTP/1.1" forced-
type="text/html; charset=iso-8859-1" default-type="text/html;
charset=iso-8859-1" forced-response-type="AttributeDeprecated" default-
response-type="AttributeDeprecated" ssl-enabled="true"/>
    <http-file-cache globally-enabled="false" file-caching-enabled="false"
max-age-in-seconds="30" medium-file-size-limit-in-bytes="537600" medium-
file-space-in-bytes="10485760" small-file-size-limit-in-bytes="2048" small-
file-space-in-bytes="1048576" max-files-count="1024" file-transmission-
enabled="false" hash-init-size="0"/>
    <property name="accessLoggingEnabled" value="false"/>
</http-service>
    <iiop-service client-authentication-required="false">
        <orb use-thread-pool-ids="thread-pool-1" message-fragment-size="1024"
max-connections="1024"/>

        <iiop-listener id="orb-listener-1" address="0.0.0.0" port="3700"
enabled="true" security-enabled="false"/>
        <iiop-listener id="SSL" address="0.0.0.0" port="3820" security-
enabled="true" enabled="true">
            <ssl cert-nickname="s1as" ssl2-enabled="false" ssl3-enabled="true"
tls-enabled="true" tls-rollback-enabled="true" client-auth-enabled="false"/
>
        </iioption-listener>
        <iioption-listener id="SSL_MUTUALAUTH" address="0.0.0.0" port="3920"
security-enabled="true" enabled="true">
            <ssl cert-nickname="s1as" client-auth-enabled="true" ssl2-
enabled="false" ssl3-enabled="true" tls-enabled="true" tls-rollback-
enabled="true"/>
        </iioption-listener>
    </iioption-service>
    <admin-service system-jmx-connector-name="system" type="das-and-server">
        <!-- The JSR 160 "system-jmx-connector" -->
        <jmx-connector accept-all="false" address="0.0.0.0" auth-realm-
name="admin-realm" enabled="true" name="system" port="8686"
protocol="rmi_jrmp" security-enabled="false">
            <ssl cert-nickname="s1as"/>
        </jmx-connector>
        <!-- The JSR 160 "system-jmx-connector" -->
        <das-config dynamic-reload-enabled="true" dynamic-reload-poll-
interval-in-seconds="2" autodeploy-enabled="true" autodeploy-polling-
interval-in-seconds="2" autodeploy-dir="{com.sun.aas.instanceRoot}/
autodeploy" autodeploy-verifier-enabled="false" autodeploy-jsp-
precompilation-enabled="false" deploy-xml-validation="full" admin-session-
timeout-in-minutes="60"/>
    </admin-service>
</web-container>

```

```

    <session-config>
      <session-manager>
        <manager-properties/>
        <store-properties/>
      </session-manager>
      <session-properties/>
    </session-config>
  </web-container>
  <ejb-container steady-pool-size="0" pool-resize-quantity="8" max-pool-
size="32" cache-resize-quantity="32" max-cache-size="512" pool-idle-
timeout-in-seconds="600" cache-idle-timeout-in-seconds="600" removal-
timeout-in-seconds="5400" victim-selection-policy="nru" commit-option="B"
session-store="{com.sun.aas.instanceRoot}/session-store">
    <ejb-timer-service minimum-delivery-interval-in-millis="7000" max-
redeliveries="1" redelivery-interval-internal-in-millis="5000"/>
  </ejb-container>
  <mdb-container steady-pool-size="0" pool-resize-quantity="8" max-pool-
size="32" idle-timeout-in-seconds="600"/>
  <jms-service init-timeout-in-seconds="60" type="EMBEDDED" default-jms-
host="default_JMS_host" reconnect-interval-in-seconds="5" reconnect-
attempts="3" reconnect-enabled="true" addresslist-behavior="random"
addresslist-iterations="3">
    <jms-host name="default_JMS_host" host="moonbeam" port="7676" admin-
user-name="admin" admin-password="admin"/>
  </jms-service>
  <log-service file="{com.sun.aas.instanceRoot}/logs/server.log" use-
system-logging="false" log-to-console="false" alarms="false" log-rotation-
limit-in-bytes="2000000" log-rotation-timelimit-in-minutes="0" retain-
error-statistics-for-hours="5">
    <module-log-levels root="INFO" server="INFO" ejb-container="INFO" cmp-
container="INFO" mdb-container="INFO" web-container="INFO"
classloader="INFO" configuration="INFO" naming="INFO" security="INFO"
admin="INFO" jts="INFO" jta="INFO" deployment="INFO" verifier="INFO"
jaxr="INFO" jaxrpc="INFO" saaj="INFO" corba="INFO" javamail="INFO"
jms="INFO" connector="INFO" jdo="INFO" cmp="INFO" util="INFO" resource-
adapter="INFO" synchronization="INFO" node-agent="INFO" self-
management="INFO" group-management-service="INFO" management-event="INFO"/>
  </log-service>
  <security-service default-realm="file" audit-enabled="false"
jacc="default" audit-modules="default" anonymous-role="AttributeDeprecated"
activate-default-principal-to-role-mapping="false">
    <!-- All administrative users use this realm by default. -->
    <auth-realm name="admin-realm"
classname="com.sun.enterprise.security.auth.realm.file.FileRealm">
      <property name="file" value="{com.sun.aas.instanceRoot}/config/admin-
keyfile"/>
      <property name="jaas-context" value="fileRealm"/>
    </auth-realm>
    <!-- All administrative users use this realm by default. -->
    <auth-realm name="file"

```

```

classname="com.sun.enterprise.security.auth.realm.file.FileRealm">
  <property name="file" value="{com.sun.aas.instanceRoot}/config/
keyfile"/>
  <property name="jaas-context" value="fileRealm"/>
</auth-realm>
<auth-realm name="certificate"
classname="com.sun.enterprise.security.auth.realm.certificate.CertificateRe
alm">
  </auth-realm>
  <jacc-provider name="default" policy-
provider="com.sun.enterprise.security.provider.PolicyWrapper" policy-
configuration-factory-
provider="com.sun.enterprise.security.provider.PolicyConfigurationFactoryIm
pl">
  <property name="repository" value="{com.sun.aas.instanceRoot}/
generated/policy"/>
  </jacc-provider>
  <audit-module name="default"
classname="com.sun.enterprise.security.Audit">
  <property name="auditOn" value="false"/>
  </audit-module>
<message-security-config auth-layer="SOAP">
  <!-- turned off by default -->
  <provider-config class-
name="com.sun.xml.wss.provider.ClientSecurityAuthModule" provider-
id="XWS_ClientProvider" provider-type="client">
    <request-policy auth-source="content"/>
    <response-policy auth-source="content"/>
    <property name="encryption.key.alias" value="s1as"/>
    <property name="signature.key.alias" value="s1as"/>
    <property name="dynamic.username.password" value="false"/>
    <property name="debug" value="false"/>
  </provider-config>
  <provider-config class-
name="com.sun.xml.wss.provider.ClientSecurityAuthModule" provider-
id="ClientProvider" provider-type="client">
    <request-policy auth-source="content"/>
    <response-policy auth-source="content"/>
    <property name="encryption.key.alias" value="s1as"/>
    <property name="signature.key.alias" value="s1as"/>
    <property name="dynamic.username.password" value="false"/>
    <property name="debug" value="false"/>
    <property name="security.config" value="{
{com.sun.aas.instanceRoot}/config/wss-server-config-1.0.xml"/>
  </provider-config>
  <provider-config class-
name="com.sun.xml.wss.provider.ServerSecurityAuthModule" provider-
id="XWS_ServerProvider" provider-type="server">
    <request-policy auth-source="content"/>
    <response-policy auth-source="content"/>

```

```

        <property name="encryption.key.alias" value="s1as"/>
        <property name="signature.key.alias" value="s1as"/>
        <property name="debug" value="false"/>
    </provider-config>
    <provider-config class-
name="com.sun.xml.wss.provider.ServerSecurityAuthModule" provider-
id="ServerProvider" provider-type="server">
        <request-policy auth-source="content"/>
        <response-policy auth-source="content"/>
        <property name="encryption.key.alias" value="s1as"/>
        <property name="signature.key.alias" value="s1as"/>
        <property name="debug" value="false"/>
        <property name="security.config" value="$
{com.sun.aas.instanceRoot}/config/wss-server-config-1.0.xml"/>
    </provider-config>
</message-security-config>
</security-service>
<transaction-service automatic-recovery="false" timeout-in-seconds="0"
tx-log-dir="{com.sun.aas.instanceRoot}/logs" heuristic-decision="rollback"
keypoint-interval="65536" retry-timeout-in-seconds="600"/>
    <monitoring-service>
        <module-monitoring-levels thread-pool="OFF" orb="OFF" ejb-
container="OFF" web-container="OFF" transaction-service="OFF" http-
service="OFF" jdbc-connection-pool="OFF" connector-connection-pool="OFF"
connector-service="OFF" jms-service="OFF" jvm="OFF"/>
    </monitoring-service>
    <diagnostic-service compute-checksum="true" verify-config="true"
capture-install-log="true" capture-system-info="true" capture-hadb-
info="true" capture-app-dd="true" min-log-level="INFO" max-log-
entries="500"/>
    <java-config java-home="{com.sun.aas.javaRoot}" debug-enabled="false"
debug-options="-Xdebug -
Xrunjdw:transport=dt_socket,server=y,suspend=n,address=9009" rmic-
options="-iio -poa -alwaysgenerate -keepgenerated -g" javac-options="-g"
system-classpath="" classpath-suffix="" env-classpath-ignored="true">
        <!-- various required jvm-options -->
        <jvm-options>-XX:MaxPermSize=192m</jvm-options>
        <jvm-options>-client</jvm-options>
        <jvm-options>-Djava.endorsed.dirs="{com.sun.aas.installRoot}/lib/
endorsed</jvm-options>
        <jvm-options>-Djava.security.policy="{com.sun.aas.instanceRoot}/config/
server.policy</jvm-options>
        <jvm-options>-Djava.security.auth.login.config=$
{com.sun.aas.instanceRoot}/config/login.conf</jvm-options>
        <jvm-options>-Dsun.rmi.dgc.server.gcInterval=3600000</jvm-options>
        <jvm-options>-Dsun.rmi.dgc.client.gcInterval=3600000</jvm-options>
        <jvm-options>-Xmx512m</jvm-options>
        <jvm-options>-Djavax.net.ssl.keyStore="{com.sun.aas.instanceRoot}/
config/keystore.jks</jvm-options>
        <jvm-options>-Djavax.net.ssl.trustStore="{com.sun.aas.instanceRoot}/

```

```

config/cacerts.jks</jvm-options>
  <jvm-options>-Djava.ext.dirs=${com.sun.aas.javaRoot}/lib/ext$
{path.separator}${com.sun.aas.javaRoot}/jre/lib/ext${path.separator}$
{com.sun.aas.instanceRoot}/lib/ext${path.separator}$
{com.sun.aas.derbyRoot}/lib</jvm-options>
  <jvm-options>-Djdbc.drivers=org.apache.derby.jdbc.ClientDriver</jvm-
options>
  <jvm-options>-
Djavax.management.builder.initial=com.sun.enterprise.admin.server.core.jmx.
AppServerMBeanServerBuilder</jvm-options>
  <jvm-options>-
Dcom.sun.enterprise.config.config_environment_factory_class=com.sun.enterpr
ise.config.serverbeans.AppserverConfigEnvironmentFactory</jvm-options>
  <jvm-options>-Dcom.sun.enterprise.taglibs=appserv-jstl.jar,jsf-
impl.jar</jvm-options>
  <jvm-options>-Dcom.sun.enterprise.taglisteners=jsf-impl.jar</jvm-
options>
  <jvm-options>-XX:NewRatio=2</jvm-options>
  <!--
  Use the following jvm-options element to disable the quick startup:
  com.sun.enterprise.server.ss.ASQuickStartup=false
  --></java-config>
  <thread-pools>
    <thread-pool thread-pool-id="thread-pool-1" min-thread-pool-
size="0" max-thread-pool-size="200" idle-thread-timeout-in-seconds="120"
num-work-queues="1"/>

  </thread-pools>
  <management-rules enabled="true">
  </management-rules>
  </config> <!-- config model with name "server-config" ends -->
</configs>
<servers>
  <server name="server" config-ref="server-config" lb-weight="100">
    <application-ref enabled="true" ref="adminapp" virtual-
servers="__asadmin" lb-enabled="false" disable-timeout-in-minutes="30"/>
    <application-ref enabled="true" ref="admingui" virtual-
servers="__asadmin" lb-enabled="false" disable-timeout-in-minutes="30"/>
    <application-ref enabled="true" ref="JBIFramework" lb-enabled="false"
disable-timeout-in-minutes="30"/>
    <application-ref enabled="true" ref="WSTXServices" lb-enabled="false"
disable-timeout-in-minutes="30"/>
    <application-ref enabled="true" ref="WSTCPConnectorLCModule" lb-
enabled="false" disable-timeout-in-minutes="30"/>
    <resource-ref enabled="true" ref="jdbc/__TimerPool"/>
    <resource-ref enabled="true" ref="jdbc/__CallFlowPool"/>
    <resource-ref enabled="true" ref="jdbc/__default"/>
  </server>
</servers>
<property name="administrative.domain.name" value="domain-developer"/>

```


</domain>