

GlassFish 3.1 Admin Console Modules

- This table outlines the delivery for 3.1 Admin Console and how each feature is grouped into a plugin module.
- Unless specified, groupId for the artifact is org.glassfish.admingui
- module-id is specified for each plugin module. Online help set should be divided by the artifact. URL is of the format ../../<module-id>/<locale>/help/<help-page>. For example, the URL for the English version of the Applications help page will be ../../common/en/help/ref-applications.html.

Each of the features or pages listed below is color coded according to the owner.

Anissa
 Jason
 Ken
 Suma
 Sрни
 Siraj

Ken will also be responsible for the following in addition to the color coded features below:

- xml to json MS4
- Property Table handler MS4
- All Tree sub Nodes MS4
- Tree nodes refreshing MS4
- Tree node highlights MS4
- convert MBeanTreeAdapter to use REST API MS4
- 508 accessibility MS6
- security issues MS6
- Performance MS6
- Support for DAS Recovery MS5

Feature/Pages	Deployment page plugin	artifactId groupId: org.glassfish.admingui	IPS package
<ul style="list-style-type: none"> • Clusters (listing) <ul style="list-style-type: none"> ◦ Cluster <ul style="list-style-type: none"> ▪ General Tab <ul style="list-style-type: none"> ▪ Migrate EJB Timers (triggered by Migrate Ejb) 		artifactid: console-cluster-plugin module-id: cluster	glassfish-cluster

Timers.. button)

MS5

- Applications Tab

MS4 DONE

- Instances Tab

MS3 DONE

- Resources Tab MS5

- Physical Destinations MS4

- Properties MS5

- System Prop MS5

- Cluster Prop MS5

- Cluster Instance

- General MS5

- Recover Transaction page

(triggered by Recover
Transaction button)

MS5

- Properties

MS5

- Configuration Props

MS5

- Instance Props

MS5

- Monitor

MS5

- Standalone Instances (listing) DONE

- Instance

- General MS5

- Recover Transaction page

(triggered by Recover
Transaction button)

MS5

- Applications Tab MS4

DONE

- Resources Tab MS4

- Properties MS5

- Configuration
Properties MS5

- Instance Properties

MS5

- Monitor MS5

- Physical

Destination

MS4

- Nodes (listing) MS3 DONE

- Node General MS3 DONE

- Configurations (listing) MS3
DONE
 - New and Copy Configuration MS5
- Configuration
 - Group Management Service MS5
 - Availability Service MS5
 - Configuration System Properties MS5
 - Instance Values page MS5

Other plugin pages

- edit Application Target Tab DONE
 - Manage Target DONE
 - Virtual Server Targets MS5
- edit JDBC Resource Target Tab MS4
- edit JMS Connection Factories Resource Target Tab MS4
- edit JMS Dest. Resource Target Tab MS4
- edit JavaMail Target Tab MS4
- edit Custom Resource Target Tab MS4
- edit External Resource Target Tab MS4
- edit Connector Resource Target Tab MS4
- edit Admin Object Resource Target Tab MS4

- Common Task (-> Dashboard) DONE
- GlassFish News (-> Dashboard) DONE
- Domain
 - General (Domain Attributes) MS5
 - Administrator Password MS4
- Registration DONE
- Administration Server

lifecycle
other

artifactid: console-common-plugin
module-id: common

(This plugin is required to run Admin Console, all others are optional)

- General Info MS5
 - JVM Report MS5
- Application Configuration MS5
- ~~Domain Attributes~~ (moved to Domain)
- Tokens(System Properties)
- ~~Administrator Password~~ (moved to Domain)
- Properties MS5
 - System Properties MS5
 - Instance Properties MS5
- Monitoring Data
 - Application DONE
 - Server DONE
 - Resources DONE
- Restart Required page (triggered by pressing the restart required link in the masthead) MS5
- Applications DONE
 - Deployment DONE
 - Listing DONE
 - General MS4
 - launching MS4
 - AppClient JWS MS5
 - Application Versioning MS5
 - Web Logic DD LMS5
 - DD Viewing MS5
- Life Cycles
 - Listing MS5
 - Create MS5
 - Edit MS5
 - Support Targets in create and add Target Tab. MS5
- Configuration
 - JVM Settings MS4
 - Logger Settings MS5
 - General MS5
 - Log Levels MS5
 - Admin Service MS4
 - JMX Connector MS4
 - Security Service MS4
 - Realms MS4
 - Audit Modules MS4
 - JACC Providers MS4

<ul style="list-style-type: none"> <ul style="list-style-type: none"> ■ Message Security MS4 ○ Monitoring MS4 ● Log Viewer (button in each of the instance (clustered and standalone instances) General page) MS5 			
Update Tool DONE		artifactid: console-updatecenter-plugin module-id: updateCenter	glassfish-gui
Community Brand <ul style="list-style-type: none"> ● Header DONE ● Login Screen DONE ● Logout Screen (new in 3.1) LMS5 ● Shutdown Screen (new in 3.1) LMS5 ● Versioning window (new in 3.1) LMS5 		artifactid: console-community-branding-plugin module-id: community-theme	glassfish-gui
Glassfish V3 Admin Console Integration DONE		artifactid: console-plugin-service	glassfish-gui
Templating for Java Server Faces DONE		groupid: com.sun.jsftemplating artifactid: jsftemplating	glassfish-gui
DataProvider Repackaged as OSGi bundle for GlassFish DONE		artifactid: dataprovider	glassfish-gui
Admin Console WAR DONE		artifactid: war	glassfish-gui
Resources: <ul style="list-style-type: none"> ● JavaMail Session MS4 ● JNDI MS4 <ul style="list-style-type: none"> ○ Custom MS4 ○ External MS4 		artifactid: console-common-full-plugin module-id: full	glassfish-common-full
Configuration: <ul style="list-style-type: none"> ● Web Container MS4 <ul style="list-style-type: none"> ○ General MS4 ○ Session Properties MS4 ○ Manager Properties MS4 ○ Store Properties MS4 ● Thread Pool MS4 		artifactid: console-web-plugin module-id: web	glassfish-web

<ul style="list-style-type: none"> • HTTP Service Access Logging MS4 • Virtual Servers MS4 • Network Listeners MS4 • Protocols MS4 			
<p>Resources</p> <ul style="list-style-type: none"> • JDBC MS4 <ul style="list-style-type: none"> ◦ JDBC Resources MS4 ◦ Connection Pools MS4 JDBC Enhancement MS5 (Low Priority) 		<p>artifactid: console-jdbc-plugin module-id: jdbc</p>	<p>glassfish-jdbc</p>
<p>Resources:</p> <ul style="list-style-type: none"> • Connectors MS4 <ul style="list-style-type: none"> ◦ Connector Resources MS4 ◦ Connector Connection Pools MS4 ◦ Admin Obj Resource MS4 ◦ Work Security Maps MS4 • Resource Adapter Config MS4 		<p>artifactid: console-jca-plugin module-id: jca</p>	<p>glassfish-jca</p>
<p>Configuration:</p> <ul style="list-style-type: none"> • EJB Container MS4 <ul style="list-style-type: none"> ◦ EJB Settings MS4 		<p>artifactid: console-ejb-lite-plugin module-id: ejb-lite</p>	<p>glassfish-ejb-lite</p>
<p>Configuration:</p> <ul style="list-style-type: none"> • EJB Container MS4 <ul style="list-style-type: none"> ◦ MDB Settings MS4 ◦ EJB Timer Service MS4 		<p>artifactid: console-ejb-plugin module-id: ejb</p>	<p>glassfish-ejb</p>
<p>Configuration:</p> <ul style="list-style-type: none"> • ORB MS4 • IIOP Listeners MS4 		<p>artifactid: console-corba-plugin module-id: corba</p>	<p>glassfish-corba</p>
<p>Configuration:</p> <ul style="list-style-type: none"> • Transaction Service MS4 		<p>artifactid: console-jts-plugin module-id: jts</p>	<p>glassfish-jts</p>
<p>Resources:</p> <ul style="list-style-type: none"> • JMS Resources MS4 <ul style="list-style-type: none"> ◦ Connection Factories MS4 		<p>artifactid: console-jms-plugin module-id: jms</p>	<p>glassfish-jms</p>

<ul style="list-style-type: none"> ◦ Destination Resources MS4 <p>Configuration:</p> <ul style="list-style-type: none"> • Java Message Service MS4 <ul style="list-style-type: none"> ◦ JMS Hosts MS4 ◦ Physical Destination (move to standalone instance or cluster) 			
<p>NOTE: jruby plugin removed from 3.1</p> <p>Applications:-</p> <ul style="list-style-type: none"> • Listing of Jruby Application • Customize screen for depolyment of jruby app • Add Jruby container configuration 	jruby	artifactid: console-jruby-plugin module-id: jruby	glassfish-scripting??
<p>NOTE: jython plugin removed from 3.1</p> <p>Applications:-</p> <ul style="list-style-type: none"> • Listing of jython Applications • Customize screen for depolyment of jyton app 	jython	artifactid: console-jython-plugin module-id: jython	glassfish-scripting??