

```
1 # This patch file was generated by NetBeans IDE
2 # This patch can be applied using context Tools: Apply Diff Patch action on respective
3 # It uses platform neutral UTF-8 encoding.
4 # Above lines and this line are ignored by the patching process.
5 --- C:\glassfishv2.1.1\glassfish\lib\install\templates\default-config.xml
6 +++ C:\test\config\31default-config-proposed.xml
7 @@ -1,7 +1,7 @@
8 <!--
9 DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
10
11 - Copyright 1997-2007 Sun Microsystems, Inc. All rights reserved.
12 + Copyright 2010 Sun Microsystems, Inc. All rights reserved.
13
14 The contents of this file are subject to the terms of either the GNU
15 General Public License Version 2 only ("GPL") or the Common Development
16 @@ -36,39 +36,26 @@
17
18 <config name="default-config" dynamic-reconfiguration-enabled="true" >
19   <http-service>
20 -   <access-log format="%client.name% %auth-user-name% %datetime% %request%" />
21 -   <http-listener id="http-listener-1" address="0.0.0.0" port="${HTTP_LISTENER_I
22 -     </http-listener>
23 -   <http-listener id="http-listener-2" address="0.0.0.0" port="${HTTP_SSL_LISTEN
24 -     </http-listener>
25 -   <virtual-server id="server" http-listeners="http-listener-1,http-listener-2" hosts="${com.sun.aas.instanceRoot}" >
26 -     <property name="docroot" value="${com.sun.aas.instanceRoot}/docroot"/>
27 -     <property name="accesslog" value="${com.sun.aas.instanceRoot}/logs/access"/>
28 -     <property name="default-web-xml" value="${com.sun.aas.instanceRoot}/config/
29 +     <access-log/>
30 +   <virtual-server id="server" network-listeners="http-listener-1, http-listener-2" >
31   </virtual-server>
32 -   <request-processing header-buffer-length-in-bytes="8192" initial-thread-count="2"
33 -     <keep-alive max-connections="250" thread-count="1" timeout-in-seconds="30"/>
34 -     <connection-pool max-pending-count="4096" queue-size-in-bytes="4096" receive-
35 -       <http-protocol dns-lookup-enabled="false"/>
36 -       <http-file-cache globally-enabled="true" file-caching-enabled="true" max-age-in-s
37   </http-service>
38 -   <iiop-service client-authentication-required="false">
39 -     <orb use-thread-pool-ids="thread-pool-1" message-fragment-size="1024" max-con
```

```

40 -
41 - <iiop-listener id="orb-listener-1" address="0.0.0.0" port="${IIOP_LISTENER_PC}
42 - <iiop-listener id="SSL" address="0.0.0.0" port="${IIOP_SSL_LISTENER_PORT}
43 + <iiop-service>
44 +   <orb use-thread-pool-ids="thread-pool-1" />
45 +   <iiop-listener id="orb-listener-1" address="0.0.0.0" port="${IIOP_LISTENER_PC}
46 +   <iiop-listener id="SSL" address="0.0.0.0" port="${IIOP_SSL_LISTENER_PORT}
47     <ssl cert-nickname="s1as"/>
48 </iiop-listener>
49 - <iiop-listener id="SSL_MUTUALAUTH" address="0.0.0.0" port="${IIOP_SSL_
50 + <iiop-listener id="SSL_MUTUALAUTH" address="0.0.0.0" port="${IIOP_SSL_
51     <ssl cert-nickname="s1as" client-auth-enabled="true"/>
52 </iiop-listener>
53 </iiop-service>
54 <admin-service system-jmx-connector-name="system" type="server">
55   <!-- JSR 160 "system-jmx-connector" -->
56 - <jmx-connector accept-all="false" address="0.0.0.0" auth-realm-name="admin-real
57 + <jmx-connector address="0.0.0.0" auth-realm-name="admin-realm" name="system"
58 </jmx-connector>
59   <!-- JSR 160 "system-jmx-connector" -->
60 - <das-config dynamic-reload-enabled="true" dynamic-reload-poll-interval-in-second
61 + <das-config dynamic-reload-enabled="true" autodeploy-enabled="true" autodeploy
62 </admin-service>
63 <web-container>
64   <session-config>
65 @@ -79,17 +66,17 @@
66     <session-properties/>
67   </session-config>
68 </web-container>
69 - <ejb-container steady-pool-size="0" pool-resize-quantity="8" max-pool-size="32" c
70 + <ejb-container session-store="${com.sun.aas.instanceRoot}/session-store">
71   <ejb-timer-service></ejb-timer-service>
72 </ejb-container>
73 - <mdb-container steady-pool-size="0" pool-resize-quantity="8" max-pool-size="32" :
74 - <jms-service init-timeout-in-seconds="60" type="LOCAL" default-jms-host="defaul
75 + <mdb-container />
76 + <jms-service type="LOCAL" default-jms-host="default_JMS_host" addresslist-behav
77   <jms-host name="default_JMS_host" host="%%%HOST_NAME%%%" port="${com.sun.aas.i
78 </jms-service>
79 - <log-service file="${com.sun.aas.instanceRoot}/logs/server.log" use-system-logging
80 - <module-log-levels root="INFO" server="INFO" ejb-container="INFO" cmp-cont

```

```

81 + <log-service file="${com.sun.aas.instanceRoot}/logs/server.log" use-system-logging>
82 +   <module-log-levels />
83 </log-service>
84 - <security-service default-realm="file" audit-enabled="false" jacc="default" audit-mo...
85 + <security-service>
86   <!-- All administrative tasks within any server instance use this admin-realm by defa...
87   <auth-realm name="admin-realm" classname="com.sun.enterprise.security.auth.real...
88   <property name="file" value="${com.sun.aas.instanceRoot}/config/admin-keyfile'>
89 @@ -105,6 +92,7 @@
90   <jacc-provider name="default" policy-provider="com.sun.enterprise.security.provid...
91     <property name="repository" value="${com.sun.aas.instanceRoot}/generated/poli...
92   </jacc-provider>
93 +   <jacc-provider policy-provider="com.sun.enterprise.security.jacc.provider.Simpl...
94   <audit-module name="default" classname="com.sun.enterprise.security.Audit">
95     <property name="auditOn" value="false"/>
96   </audit-module>
97 @@ -144,34 +132,70 @@
98   </provider-config>
99   </message-security-config>
100 </security-service>
101 - <transaction-service automatic-recovery="true" timeout-in-seconds="0" tx-log-dir="...
102 + <transaction-service automatic-recovery="true" tx-log-dir="${com.sun.aas.instance...
103 <monitoring-service>
104 -   <module-monitoring-levels thread-pool="OFF" orb="OFF" ejb-container="OFF" ...
105 +   <module-monitoring-levels />
106 </monitoring-service>
107 -   <diagnostic-service compute-checksum="true" verify-config="true" capture-install-l...
108 -   <java-config java-home="${com.sun.aas.javaRoot}" debug-enabled="false" debug-...
109 -     <!-- various required jvm-options -->
110 -   <jvm-options>-Djava.endorsed.dirs=${com.sun.aas.installRoot}/lib/endorsed</jvm...
111 +   <diagnostic-service />
112 +   <java-config debug-options="-Xdebug -Xrunjdwp:transport=dt_socket,server=y, ...
113 +     <jvm-options>-XX:MaxPermSize=192m</jvm-options>
114 +     <jvm-options>-client</jvm-options>
115 +     <jvm-options>-XX:+UnlockDiagnosticVMOptions</jvm-options>
116 +     <jvm-options>-XX:+LogVMOOutput</jvm-options>
117 +     <jvm-options>-XX:LogFile=${com.sun.aas.instanceRoot}/logs/jvm.log</jvm-o...
118 +     <jvm-options>-Djava.endorsed.dirs=${com.sun.aas.installRoot}/modules/endor...
119     <jvm-options>-Djava.security.policy=${com.sun.aas.instanceRoot}/config/server.p...
120     <jvm-options>-Djava.security.auth.login.config=${com.sun.aas.instanceRoot}/co...
121 -   <jvm-options>-Dsun.rmi.dgc.server.gcInterval=3600000</jvm-options>

```

```
122 - <jvm-options>-Dsun.rmi.dgc.client.gcInterval=3600000</jvm-options>
123 - <jvm-options>-Xmx512m</jvm-options>
124 - <jvm-options>-Djava.ext.dirs=${com.sun.aas.javaRoot}/jre/lib/ext${path.separator}
125 +   <jvm-options>-Dcom.sun.enterprise.security.httpsOutboundKeyAlias=s1as</jv
126 +   <jvm-options>-Djavax.net.ssl.keyStore=${com.sun.aas.instanceRoot}/config/ke
127 +   <jvm-options>-Djavax.net.ssl.trustStore=${com.sun.aas.instanceRoot}/config/c
128 +   <jvm-options>-Djava.ext.dirs=${com.sun.aas.javaRoot}/lib/ext${path.separator}
129 <jvm-options>-Djdbc.drivers=org.apache.derby.jdbc.ClientDriver</jvm-options>
130 +   <jvm-options>-DANTLR_USE_DIRECT_CLASS_LOADING=true</jvm-op
131 <jvm-options>-Dcom.sun.enterprise.config.config_environment_factory_class=con
132 - <jvm-options>-Dcom.sun.enterprise.taglibs=appserv-jstl.jar.jsf-impl.jar</jvm-optio
133 - <jvm-options>-Dcom.sun.enterprise.taglisteners=jsf-impl.jar</jvm-options>
134 +   <jvm-options>-Dosgi.shell.telnet.port=6666</jvm-options>
135 +   <jvm-options>-Dosgi.shell.telnet.maxconn=1</jvm-options>
136 +   <jvm-options>-Dosgi.shell.telnet.ip=127.0.0.1</jvm-options>
137 +   <jvm-options>-Dfelix.fileinstall.dir=${com.sun.aas.installRoot}/modules/autost
138 +   <jvm-options>-Dfelix.fileinstall.poll=5000</jvm-options>
139 +   <jvm-options>-Dfelix.fileinstall.debug=1</jvm-options>
140 +   <jvm-options>-Dfelix.fileinstall.bundles.new.start=true</jvm-options>
141 +   <jvm-options>-Dorg.glassfish.web.rfc2109_cookie_names_enforced=false</jvr
142 <jvm-options>-XX:NewRatio=2</jvm-options>
143 +   <jvm-options>-Xmx512m</jvm-options>
144 </java-config>
145 <availability-service availability-enabled="true">
146   <web-container-availability availability-enabled="true" http-session-store-pool-nam
147   <ejb-container-availability availability-enabled="true" sfsb-ha-persistence-type="ha
148   <jms-availability availability-enabled="false"/>
149 </availability-service>
150 - <thread-pools>
151 -   <thread-pool thread-pool-id="thread-pool-1" min-thread-pool-size="0" max-thread
152
153 +   <network-config>
154 +     <protocols>
155 +       <protocol name="http-listener-1" security-enabled="false">
156 +         <http header-buffer-length-in-bytes="8192" max-connections="250" timeout
157 +           <file-cache enabled="true" max-age="30" max-cache-size="10485760" ma
158 +         </http>
159 +       </protocol>
160 +       <protocol security-enabled="true" name="http-listener-2">
161 +         <http header-buffer-length-in-bytes="8192" max-connections="250" timeout
162 +           <file-cache enabled="true" max-age="30" max-cache-size="10485760" ma
```

```
163 +      </http>
164 +      <ssl ssl3-enabled="false" cert-nickname="s1as" />
165 +    </protocol>
166 +  </protocols>
167 +  <network-listeners>
168 +    <network-listener address="0.0.0.0" port="${HTTP_LISTENER_PORT}" p
169 +    <network-listener address="0.0.0.0" port="${HTTP_SSL_LISTENER_POR"
170 +      <thread-pool min-thread-pool-size="2" max-thread-pool-size="5" thread-incre
171 +    </network-listeners>
172 +    <transports>
173 +      <transport name="tcp" acceptor-threads="1" max-connections-count="4096"/>
174 +    </transports>
175 +  </network-config>
176 +  <thread-pools>
177 +    <thread-pool name="http-thread-pool" />
178 +    <thread-pool max-thread-pool-size="200" idle-thread-timeout-in-seconds="120"
179 \No newline at end of file
180  </thread-pools>
181 <group-management-service fd-protocol-max-tries="3" fd-protocol-timeout-in-millis
182 <management-rules enabled="true" />
183
184
```