

**Name** list-jndi-entries – browses and queries the JNDI tree

**Synopsis** list-jndi-entries [--help]  
 [--context *context\_name*]  
 [*target*]

**Description** Use this subcommand to browse and query the JNDI tree.

This subcommand is supported in remote mode only.

**Options** --help  
 -?

Displays the help text for the subcommand.

--context

The name of the JNDI context or subcontext. If context is not specified, all entries in the naming service are returned. If context (such as ejb) is specified, all those entries are returned.

**Operands** *target*

This operand specifies the JNDI tree to browse.

Possible values are as follows:

*server*

Browses the JNDI tree for the default GlassFish Server instance (default).

*domain*

Browses the JNDI tree for the current domain.

*cluster-name*

Browses the JNDI tree for the specified cluster.

*instance-name*

Browses the JNDI tree for the specified GlassFish Server instance.

**Examples** EXAMPLE 1 Browsing the JNDI Tree

This example browses the JNDI tree for the default GlassFish Server instance.

```
asadmin> list-jndi-entries
java:global: com.sun.enterprise.naming.impl.TransientContext
jdbc: com.sun.enterprise.naming.impl.TransientContext
ejb: com.sun.enterprise.naming.impl.TransientContext
com.sun.enterprise.container.common.spi.util.InjectionManager:
com.sun.enterprise.container.common.impl.util.InjectionManagerImpl
```

Command list-jndi-entries executed successfully.

**Exit Status** 0 subcommand executed successfully  
1 error in executing the subcommand

**See Also** [create-jndi-resource\(1\)](#), [delete-jndi-resource\(1\)](#), [list-jndi-resources\(1\)](#) |  
[asadmin\(1M\)](#)

