

restart-domain(1)

Name restart-domain – restarts the DAS of the specified domain

Synopsis restart-domain [--help] [--debug ={true|false}]
 [--domaindir *domaindir*] [*domain-name*]

Description The restart-domain subcommand stops and then restarts the domain administration server (DAS) of the specified domain. If a domain is not specified, the default domain is assumed. If the domains directory contains two or more domains, the *domain-name* operand must be specified. If the DAS is not already running, the subcommand attempts to start it.

The restart-domain subcommand does not exit until the subcommand has verified that the domain has been stopped and restarted.

This subcommand is supported in local or remote mode. If you specify a host name, the subcommand assumes you are operating in remote mode, which means you must correctly authenticate to the remote server. In local mode, you normally do not need to authenticate to the server as long as you are running the subcommand as the same user who started the server.

Options --help

-?

Displays the help text for the subcommand.

--debug

Specifies whether the domain is restarted with [Java Platform Debugger Architecture \(JPDA\)](#) debugging enabled.

Possible values are as follows:

true

The domain is restarted with JPDA debugging enabled and the port number for JPDA debugging is displayed.

false

The domain is restarted with JPDA debugging disabled (default).

The default is the current setting of this option for the domain that is being restarted.

--domaindir

The directory of the domain that is to be restarted. If specified, the path must be accessible in the file system. If not specified, the domain in the default *as-install/glassfish/domains* directory is restarted.

Operand *domain-name*

The name of the domain you want to restart. Default is the name specified during installation, usually domain1.

Examples EXAMPLE 1 Restarting a Domain

This example restarts mydomain4 in the default domains directory.

EXAMPLE 1 Restarting a Domain *(Continued)*

```
asadmin> restart-domain mydomain4
Successfully restarted the domain
Command restart-domain executed successfully.
```

Exit Status 0 subcommand executed successfully
1 error in executing the subcommand

See Also delete-domain(1), list-domains(1), start-domain(1), stop-domain(1)

asadmin(1M)

Java Platform Debugger Architecture (JPDA) (<http://java.sun.com/javase/technologies/core/toolsapis/jpda/>)

