

Name show-component-status – displays the status of the deployed component

Synopsis show-component-status [--help] [--target *target*] *component-name*

Description The show-component-status subcommand gets the status (either enabled or disabled) of the deployed component.

This subcommand is supported in remote mode only.

Options --help

-?

Displays the help text for the subcommand.

--target

This option specifies the target on which you are showing the component status. Valid values are:

server

Shows the component status for the default server instance *server* and is the default value.

domain_name

Shows the component status for the named domain.

cluster_name

Shows the component status for every server instance in the cluster.

instance_name

Shows the component status for a particular server instance.

Operands *component-name*

The name of the component whose status is to be listed.

The name can include an optional version identifier, which follows the name and is separated from the name by a colon (:). The version identifier must begin with a letter or number. It can contain alphanumeric characters plus underscore (_), dash (-), and period (.) characters. To list multiple versions, you can use an asterisk (*) as a wildcard character. For more information about module and application versions, see the “Module and Application Versions” in *Sun GlassFish Enterprise Server v3 Preview Application Deployment Guide*.

Examples EXAMPLE 1 Showing the Status of a Component

This example gets the status of the MEjbApp component.

```
asadmin> show-component-status MEjbApp
```

```
Status of MEjbApp is enabled
```

```
Command show-component-status executed successfully.
```

Exit Status 0 subcommand executed successfully
1 error in executing the subcommand

See Also [list-components\(1\)](#), [list-sub-components\(1\)](#)

[asadmin\(1M\)](#)

Sun GlassFish Enterprise Server v3 Preview Application Deployment Guide

