Name list-sub-components – lists EJB or servlet components in a deployed module or module of a deployed application

```
Synopsis list-sub-components [--help] [--type type]
[ --appname appname] [--resources]
  modulename
```

Description The list-sub-components subcommand lists EJB or servlet components in a deployed module or in a module of a deployed application. If a module is not specified, all modules are listed. The --appname option functions only when the specified module is stand-alone. To display a specific module in an application, you must specify the module name with the - - appname option.

This subcommand is supported in remote mode only.

Options

--help

-?

Displays the help text for the subcommand.

--type

Specifies the type of component to be listed. The options are ejbs and servlets. If nothing is specified, then all of the components are listed.

Identifies the name of the application. This option is required when the desired output is the subcomponents of an embedded module of a deployed application.

The name can include an optional version identifier, which follows the name and is separated from the name by a colon (:). The version identifier must begin with a letter or number. It can contain alphanumeric characters plus underscore (), dash (-), and period (.) characters. For more information about module and application versions, see the "Module and Application Versions" in Sun GlassFish Enterprise Server v3 Preview Application Deployment Guide.

Lists the application-scoped resources for each subcomponent.

Operands *modulename*

Specifies the name of the module containing the subcomponent.

The name can include an optional version identifier, which follows the name and is separated from the name by a colon (:). The version identifier must begin with a letter or number. It can contain alphanumeric characters plus underscore (_), dash (-), and period (.) characters. For more information about module and application versions, see the "Module and Application Versions" in Sun GlassFish Enterprise Server v3 Preview Application Deployment Guide.

Examples EXAMPLE 1 Listing Subcomponents

This example lists the subcomponents of the MEjbApp application within the mejb. jar module.

```
asadmin> list-sub-components --appname MEjbApp mejb.jar MEJBBean <StatelessSessionBean>
```

Command list-sub-components executed successfully.

Exit Status 0 subcommand executed successfully

1 error in executing the subcommand

 $\textbf{See Also} \quad \texttt{enable}(1), \texttt{disable}(1), \texttt{list-components}(1)$

asadmin(1M)

Sun GlassFish Enterprise Server v3 Preview Application Deployment Guide

Reference Pages 2