

Name list-components – lists deployed components

Synopsis | list-components [--help]
| [--long={false|true}] [--resources] [--subcomponents]
| [--type *type*] [*target*]

Description | **Note** – The list-components subcommand is deprecated. Use the list-applications subcommand instead.

The list-components subcommand lists all deployed Java EE components.

If the --type option is not specified, all components are listed. If the type option is specified, you must specify a type. The possible types are listed in the Options section in this help page.

If multiple versions of a module or application are deployed, this subcommand lists all versions. To list which version is enabled, set the --long option to true. For more information about module and application versions, see the “Module and Application Versions” in *Sun GlassFish Enterprise Server v3 Preview Application Deployment Guide*.

This subcommand is supported in remote mode only.

Options --help

--?

Displays the help text for the subcommand.

--long

If true, displays whether each module or application listed is enabled. The default is false.

--resources

Lists the application-scoped resources for each component. If the --subcomponents option is also used, lists the application-scoped resources for each component within an application.

--subcomponents

Lists the subcomponents of each component. The subcomponents listed depend on the component type. For example, for a Java EE application (EAR file), modules are listed. For a web application, servlets and JSP pages are listed. For an EJB module, EJB subcomponents are listed.

--type

Specifies the type of the components that are to be listed. The options are as follows:

- application
- appclient
- connector
- ejb
- web
- webservice

If no type is specified, all components are listed.

Operands *target*

This is the name of the target upon which the subcommand operates. The valid values are:

server

Lists the components for the default server instance *server* and is the default value.

domain_name

Lists the components for the named domain.

cluster_name

Lists the components for every server instance in the cluster.

instance_name

Lists the components for a particular server instance.

Examples EXAMPLE 1 Listing Components

This example lists the connector components. (cciblackbox-tx.rar was deployed.)

```
asadmin> list-components --type connector
cciblackbox-tx <connector>
Command list-components executed successfully
```

Exit Status	0	subcommand executed successfully
	1	error in executing the subcommand

See Also [list-applications\(1\)](#), [list-sub-components\(1\)](#), [show-component-status\(1\)](#)

[asadmin\(1M\)](#)

Sun GlassFish Enterprise Server v3 Preview Application Deployment Guide

