

**Name** unfreeze-transaction-service – resumes all suspended transactions

**Synopsis** unfreeze-transaction-service [--help] [--target *target*]

**Description** The unfreeze-transaction-service subcommand restarts the transaction subsystem and resumes all suspended in-flight transactions. Invoke this subcommand on an already frozen transaction subsystem. This subcommand is supported in remote mode only.

**Options** --help

-?

Displays the help text for the subcommand.

--target

This option specifies the target on which you are unfreezing the transaction service. Valid values are:

*server*

Unfreezes the transaction service for the default server instance *server* and is the default value.

*configuration\_name*

Unfreezes the transaction service for the named configuration.

*cluster\_name*

Unfreezes the transaction service for every server instance in the cluster.

*instance\_name*

Unfreezes the transaction service for a particular server instance.

**Examples** EXAMPLE 1 Using unfreeze-transaction-service

```
% asadmin unfreeze-transaction-service
```

```
Command unfreeze-transaction-service executed successfully
```

**Exit Status** 0 command executed successfully

1 error in executing the command

**See Also** [freeze-transaction-service\(1\)](#), [rollback-transaction\(1\)](#), [recover-transactions\(1\)](#)

[asadmin\(1M\)](#)

Chapter 27, “Transactions,” in *The Java EE 6 Tutorial, Volume I*