


ORACLE®

Admin Console QA Hand-off

Muhammad Siraj

Applications page



Applications launch

Web Application Links

If the server or listener is not running, the link may not work. In this event, check the status of the server instance. After launching the web application, use the browser's Back button to return to this screen.


Application Name: hello

Links: http://localhost:8080/hello


https://localhost:8181/hello



Applications launch



JVM Report



JVM Report

server

View:

Summary

\$

Close

```
Operating System Information:
Name of the Operating System: Mac OS X
Binary Architecture name of the Operating System: x86 64, Version: 10.5.8
Number of processors available on the Operating System: 2
System load on the available processors for the last minute: 4.109375. (Sum of running and gueued runnable entities per minute)
General Java Runtime Environment Information for the VM: 15713@dhcp-rmdc-twvpn-2-vpnpool-10-159-48-69.vpn.oracle.com
JRE BootClassPath: /ws/3.1/v3/publish/glassfishv3/glassfish/modules/endorsed/javax.annotation.jar:/ws/3.1/v3/publish/glassfishv3/glassfish
JRE ClassPath: /ws/3.1/v3/publish/glassfishv3/glassfish/modules/glassfish.jar:/ws/3.1/v3/publish/glassfishv3/glassfish/lib/monitor/btrace
JRE Native Library Path: /ws/3.1/v3/publish/glassfishv3/glassfish/lib:/ws/3.1/v3/publish/glassfishv3/glassfish/bin:/Library/Java/Extension
JRE name: Java HotSpot(TM) 64-Bit Server VM Vendor: Apple Inc. Version: 14.3-b01-101
List of System Properties for the Java Virtual Machine:
ANTLR USE DIRECT CLASS LOADING = true
AS CONFIG = /ws/3.1/v3/publish/glassfishv3/glassfish/config/../config
AS DEF DOMAINS PATH = /ws/3.1/v3/publish/glassfishv3/glassfish/config/../domains
AS DEF NODES PATH = ../nodes
AS DERBY INSTALL = /ws/3.1/v3/publish/glassfishv3/glassfish/config/../../javadb
AS IMQ BIN = /ws/3.1/v3/publish/glassfishv3/glassfish/config/../../mg/bin
AS IMQ LIB = /ws/3.1/v3/publish/glassfishv3/glassfish/config/../../mq/lib
AS INSTALL = /ws/3.1/v3/publish/glassfishv3/glassfish/config/..
BrokerArgs = -port 7676 -name imgbroker -nobind -imghome /ws/3.1/v3/publish/glassfishv3/mg -varhome /ws/3.1/v3/publish/glassfishv3/glass!
GlassFish Platform = Felix
awt.nativeDoubleBuffering = true
awt.toolkit = apple.awt.CToolkit
catalina.base = /ws/3.1/v3/publish/glassfishv3/glassfish/domains/domain1
catalina.home = /ws/3.1/v3/publish/glassfishv3/glassfish/domains/domain1
catalina.useNaming = false
com.sun.aas.agentRoot = /ws/3.1/v3/publish/glassfishv3/glassfish/nodes
com.sun.aas.configRoot = /ws/3.1/v3/publish/glassfishv3/glassfish/config
com.sun.aas.derbyRoot = /ws/3.1/v3/publish/glassfishv3/javadb
com.sun.aas.domainsRoot = /ws/3.1/v3/publish/glassfishv3/glassfish/domains
com.sun.aas.hostName = siraj-ghaffars-macbook-pro.local
com.sun.aas.imgBin = /ws/3.1/v3/publish/glassfishv3/mg/bin
com.sun.aas.imqLib = /ws/3.1/v3/publish/glassfishv3/mq/lib
com.sun.aas.installRoot = /ws/3.1/v3/publish/glassfishv3/glassfish
com.sun.aas.installRootURI = file:/ws/3.1/v3/publish/glassfishv3/glassfish/
```