

Governance, Risk, and Compliance Controls Suite

Configuration Controls Governor Integra Apps User's Guide

Software Version 5.1.1

ORACLE®

Integra Apps User's Guide

Part No. IA0001-511A

Copyright © 2007, 2008, Oracle Corporation and/or its affiliates. All rights reserved.

The Programs (which include both the software and the documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable.

U.S. GOVERNMENT RIGHTS

Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are “commercial computer software” or “commercial technical data” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software — Restricted Rights (June 1987). Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065.

The Programs are not intended for use in any nuclear, aviation, mass transit, medical or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

The license for this program includes a limited use license for the Internal Control Manager program. Such limited use license means that the Internal Controls program shall only be used for financial compliance or IT governance related operations.

Contents

- Introducing Integra Apps 1**
 - How to Use Integra Apps.....1
 - If You’ve Used Integra Apps Before2
 - Prerequisites and Assumptions3
- How To..... 5**
 - Create Snapshots of ERP Application Setups5
 - Log In.....6
 - Create a Definition.....6
 - Test the Definition..... 10
 - Lock the Definition..... 12
 - Use the Definition..... 13
 - Share the Definition..... 13
 - Compare Snapshots 13
 - Review a Comparison Made Previously..... 17
 - Track Changes to ERP Application Setups..... 19
 - Search for an Auto-Generated Change Tracking Definition..... 19

Edit the Definition to Specify What You Want to Track	20
Run the Definition to Deploy Change Tracking.....	21
View the Details	21
Use the Change Tracker.....	22
Set Up Queries and Alerts	23
Migrate ERP Application Setups.....	26
Create a Migration Definition	26
Schedule the Definition.....	30
Verify That the Proper Setup Data Has Been Obtained.....	30
Resume the Definition	30
Share the Definition.....	30
Schedule Definitions and Work with Jobs.....	31
Schedule a Job	31
View a Job’s Status or Details	34
Cancel the Current Execution of a Job.....	36
Cancel Future Execution of a Job	36
Change Job’s Schedule	36
Schedule a Job Again.....	36
Edit a Definition Schedule for Use in Future Jobs.....	36
Add or Remove Elements from a Job, or Change Their Order	36
Use LOVs	37
Reference	39
Login.....	39
User Profile.....	40
Apps Definition	41
Objects.....	43
Global Conditions.....	45
Change Tracker	45
Queries and Alerts	45
Apps Programs.....	46
Apps Reports.....	47
Help	48

Introducing Integra Apps

Integra Apps, a component of Oracle Configuration Controls Governor, provides internal control of your ERP application setups. Easy-to-use definitions let you:

- Take **snapshots**, which document ERP application setups.
- Create **comparisons** of Snapshots, to show how ERP application setups have changed across:
 - Time
 - Operating Units or Organizations
 - Sets of Books
 - ERP instance versions
 - ERP instances
- Use **change tracking** to monitor ERP application setup changes.
- **Migrate** ERP application setup data from one ERP instance to another.

How to Use Integra Apps

You begin using Integra Apps by creating definitions:

- **Snapshot definitions** record setup data for a specified ERP application on a specified ERP instance

- **Change tracking definitions** set up ongoing monitoring of specified ERP applications and instances.
- **Migration definitions** move specified ERP application setup data from one ERP instance to another.

Once you've tested each definition, you schedule it to run, either immediately or according to a schedule, as appropriate. You can create as many definitions as you like, and reuse them anytime.

To get started:

- 1 Decide what kind of definition you'll create first.
- 2 Create, test, and schedule the definition. See "Create Snapshots of ERP Application Setups" (page 5), "Track Changes to ERP Application Setups" (page 19) or "Migrate ERP Application Setups" (page 26).

If You've Used Integra Apps Before

Integra Apps 5.1 uses a new Java/JSP architecture that dramatically simplifies using Apps. Here's an overview of the most significant changes:

Apps 4.6	Apps 5.1
Supports only Oracle E-Business Suite	Now supports PeopleSoft Enterprise
You must execute definitions manually	Definitions can be executed immediately, or scheduled for one or more future occurrences
Oracle Forms-based editor	Intuitive new user interface, served in a standard web browser
Snapshot, Snapshot Set, Comparison, Comparison Set, Migration and Change Tracking Manager workbenches	One integrated Apps workbench, where you can perform all these functions
Snapshot definitions allow only field-level conditions	Snapshot definitions now let you create both global and field-level conditions
Snapshot definitions allow more than one application	For simpler setup and reporting, Snapshot definitions allow only one application
Snapshot Sets cannot be compared unless they cover the same instance	Any pair of snapshots can be compared
Migration definitions are limited to a single object, and cannot be copied or shared	Migration definitions can include multiple objects, and can be copied and shared
Reports are sometimes too large to be useful	New layouts, filtering and output options (CSV, HTML) make reports easier to use
Supports only single-byte character sets	Supports double-byte character sets

Apps 5.1 has different roles than older versions. Each user's roles have been changed as shown here:

Apps 4.x Role	Apps 5.1 Role	Purpose
Apps User	Apps User	Create and edit snapshot, change tracking, and migration definitions.
Apps User	Snapshot Scheduler	Schedule snapshot definitions for execution, and compare snapshot occurrences.
Change Tracking Manager	Change Tracking Scheduler	Schedule change tracking definitions for execution.
Migration User	Migration Scheduler	Schedule migration definitions for execution.
Template Builder	Apps Developer	Create and edit templates.
Medabuilder User	Apps Metadata Manager	Use MetaBuilder.
Apps Administrator		This 4.x role is not converted (all administration is conducted by the Administrator role).

Prerequisites and Assumptions

It is assumed that:

- Integra Apps 5.1 has been installed and configured. To install, see the *Integra Apps 5.1 Installation Guide*. To configure, see the *Integra Apps 5.1 Administration Guide*.
- Integra Apps users are also ERP application users with sysadmin, superuser, or user privileges.
- Integra Apps users are familiar with the use of the ERP application software.

How To

This chapter discusses how to create snapshots of ERP application setups, compare those snapshots, track changes to ERP application setups, migrate them, schedule definitions and work with jobs, and use LOVs.

Create Snapshots of ERP Application Setups

Each snapshot records setup data for a specified ERP application on a specified ERP instance.

To create a snapshot, you will:

- Create a snapshot definition
- Test the definition
- Lock the definition
- Schedule the definition for recurring execution
- Optionally, share the definition with other Integra Apps users



Note

If you used older versions of Integra Apps: To simplify setup and reporting, Apps 5.1 allows only one application in each snapshot definition. Each snapshot definition that had more than one application has been broken into multiple definitions, one per application.

The following detailed instructions are written in the assumption that your Integra Administrator has given you the Apps User and Apps Snapshot Scheduler roles. If you do not have the Apps User role, you cannot create or edit definitions. If you do not have the Apps Snapshot Scheduler role, you cannot schedule definitions.

Log In

To begin working with Integra Apps, log in:

- 1 Open a web browser window and visit the Integra Secure Login page:

`http://hostname/web-application-name`

In this command, *hostname* is the domain name of the web server configured to serve Integra, and *web-application-name* is the name of the Integra web application (usually *integra*).

You might have an Integra icon on your desktop; double-clicking it opens this page.



- 2 Enter your username and password, and click Log in.

Create a Definition

Next, create a definition:

- 1 Select Workbench > Apps from the menu bar.



- 2 A list of Apps definitions appears.

Apps Definitions Current Location: [Workbench](#) > [Apps](#)

[Revise Search](#)

Results Per Page Results 1 - 5 Of 85 First | <Prev | [Next](#) | Last

Definition	Instance	Created	Type	Application	Created by			
AMADMIN Baseline: ABM 12 [Flagstaff_R12]	Flagstaff_R12	04/30/2007	Snapshot	ABM 12	AMADMIN	Comparisons	Occurrences	Edit
AMADMIN Baseline: AP 12 [Flagstaff_R12]	Flagstaff_R12	04/30/2007	Snapshot	AP 12	AMADMIN	Comparisons	Occurrences	Edit
AMADMIN Baseline: AR 12 [Flagstaff_R12]	Flagstaff_R12	04/30/2007	Snapshot	AR 12	AMADMIN	Comparisons	Occurrences	Edit
AMADMIN Baseline: AX 12 [Flagstaff_R12]	Flagstaff_R12	04/30/2007	Snapshot	AX 12	AMADMIN	Comparisons	Occurrences	Edit
AMADMIN Baseline: CE 12 [Flagstaff_R12]	Flagstaff_R12	04/30/2007	Snapshot	CE 12	AMADMIN	Comparisons	Occurrences	Edit

Results Per Page Results 1 - 5 Of 85 First | <Prev | [Next](#) | Last

[Revise Search](#)

[Add definition...](#) [Change Tracker](#)

3 Click Add definition.... A blank definition appears.

Apps Definition Workbench Current Location: [Workbench > Apps](#)

Definition Basics

Name Type

Instance Application

Include in Schedulable Items list

Save **Cancel**

4 Enter the following information:

- Name. A short name that will identify this definition.
- Instance. ERP instance that contains the application setup data to snapshot, migrate or track.
- Type. There are three choices: Snapshot, to report on ERP application setup data; Migration, to migrate setup data; and Change Tracking, to monitor changes to setup data. For this procedure, choose Snapshot.
- Application. ERP application to snapshot, migrate or track.
- Include in Scheduled Items List. When checked, this definition will appear in the list of schedulable items when scheduling jobs. Disabled until at least one object has been added to the definition.

5 Click Save. The page is refreshed, displaying the objects, Global Conditions, Sharing, and Programs sections.

Apps Definition Workbench Current Location: [Workbench > Apps](#)

Definition Basics

Name **PA 1** Type **Snapshot**

Instance **PS88_Glendale** Application **HPA 8.8**

Include in Schedulable Items list

Objects

Add object... **Add all objects**

Global Conditions

Set ID

Lock Objects and Conditions

Sharing

Share

Programs

Program	Stop After	Skip	Run Before	Run After	Notify
1. Generate Occurrence	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	<input type="text"/>	<input type="checkbox"/>

Schedule **Save** **Save As** **Restore** **Back**

6 Click Add object.... The OBJECTs page appears.

Apps Definition Workbench Current Location: [Workbench > Apps](#)

Objects Definition: PA 1 Instance: PS88_Glendale Type: Snapshot Application: HPA 8.8

Add object...

Object  Enabled

The page contains these fields:

- Object. Group of setup data to be recorded. Clicking  will list objects that belong to the ERP applications. Configuration Controls includes a wide range of objects, and you can use MetaBuilder to add custom objects.
- Enabled. When checked, the object's setup data will be recorded whenever the definition is executed.
- Field1, Field2, ...FieldN. Integra Apps uses values entered here to filter the data to be recorded. The fields displayed depend on the object chosen; until you choose an object, no fields are displayed.

In general, when you click  to the right of a field, all possible values are displayed, regardless of the security groups you belong to. (Security groups can limit your access to specific applications, business groups, organization units, and sets of books.) Snapshot results will contain only the data permitted by your security groups. For information about security groups, see the *Integra Apps 5.1 Administration Guide*.

7 Click the button to the right of Object, and select an object. The page is refreshed with fields appropriate to the object you have chosen; here is an example.

Apps Definition Workbench Current Location: [Workbench > Apps](#)

Objects Definition: Financials 1 Instance: APS11510 Type: Snapshot Application: AR 11.5.10

Add object...

Object  Enabled

	Operator	Value	
Name	--- Select one ---	<input type="text"/>	
Base Amount	--- Select one ---	<input type="text"/>	
Description	--- Select one ---	<input type="text"/>	
Allow Discount on Partial Payments	--- Select one ---	<input type="text"/>	
Collect Credit Card Prepayment	--- Select one ---	<input type="text"/>	
Credit Check	--- Select one ---	<input type="text"/>	
Discount Basis	--- Select one ---	<input type="text"/>	
Effective Date From	--- Select one ---	<input type="text"/>	
Effective Date To	--- Select one ---	<input type="text"/>	
Print Lead Days	--- Select one ---	<input type="text"/>	
Installment Options	--- Select one ---	<input type="text"/>	
Cutoff Day of Month	--- Select one ---	<input type="text"/>	
Last day of month	--- Select one ---	<input type="text"/>	

- 8 To filter setup data to be captured, set the Operator and Value of one or more fields.
- 9 Click Save. The page refreshes, displaying a summary of the object.

Apps Definition Workbench

Current Location: [Workbench > Apps](#)

Success Object has been added

Objects Definition: Financials 1 Instance: APS11510 Type: Snapshot Application: AR 11.5.10

Object	Enabled	Edit Delete
+ AR Payment Terms	Yes	

Add object...

Back

- 10 To include another object in the reporting, click Add object... again. The new object is added when you click Save. You may add as many objects as you wish.

- 11 Click Back. The definition page reappears.

Apps Definition Workbench

Current Location: [Workbench > Apps](#)

Definition Basics

Name Financials 1	Type Snapshot
Instance APS11510	Application AR 11.5.10

Include in Schedulable Items list

Objects

Object	Enabled	Edit Delete
+ AR Payment Terms	Yes	

Add object... Add all objects

Global Conditions

Organization

Set of Books

Lock Objects and Conditions

Sharing

Share

Programs

Program	Stop After	Skip	Run Before	Run After	Notify
1. Generate Occurrence	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	<input type="text"/>	<input type="checkbox"/>

- 12 Check the Include in Schedulable items list checkbox.
- 13 To add global conditions to the definition, enter the following information for Oracle E-Business Suite:

- Organization. ERP organization to include in snapshot.
- Set of Books. ERP set of books to include in snapshot.

Or, for PeopleSoft Enterprise, enter SetID. This gathers values such as vendors, ChartFields, or customers into groups. It may be used by any number of business units.

- 14 Click Save.

Test the Definition

Once the definition is complete, test it. First, schedule the definition to run once:

- 1 Click Schedule.... The Schedule a Job page appears.

Schedule a Job Current Location: [Jobs](#) > [Schedule a Job](#)

Start

Immediately

On at (hh24.mm)

Repeat

None (run once only)

Minute

Day

Week

Month

Year

...until

No End Date

End After Occurrences

End By

Notify when

Completed Terminated Error Email

Items To Execute

Apps: Financials 1	Delete
--------------------	------------------------

- 2 Click Schedule to start the job immediately. The View Current Jobs page appears. Click Refresh to see your job (in this example, 5035).

View Current Jobs Current Location: [Jobs](#) > [View Current Jobs](#)

[Revise Search](#)

Results Per Page Results 1 - 5 Of 50 First | [<Prev](#) | [Next>](#) | Last

Job ID	Status	User	Items to Execute	Start Date/Time
5376	● RUNNING	AMADMIN	Apps: Financials 1	2007-05-01 17:53:50 America/New_York
5375	✓ COMPLETED	MCOKER	Apps: Change Tracking Transfer	2007-05-01 14:45:00 America/New_York
5374	✓ COMPLETED	MCOKER	Apps: Change Tracking Transfer	2007-04-30 14:45:00 America/New_York
5373	✓ COMPLETED	MCOKER	Apps: Change Tracking Transfer	2007-04-27 14:45:00 America/New_York
5372	✓ COMPLETED	MCOKER	Apps: Change Tracking Transfer	2007-04-26 14:45:00 America/New_York

Results Per Page Results 1 - 5 Of 50 First | [<Prev](#) | [Next>](#) | Last

[Revise Search](#)

Next, view the resulting snapshot report(s):

- 1 Monitor the job you created. When the Generate Occurrence program is done, the job will complete.

5035	✓ COMPLETED	AMADMIN	Apps: Financial 1	2006-03-24 15:08:35 America/New_York
Program	Definition	Status	Started	
<input checked="" type="checkbox"/> Generate Occurrence	Financial 1	✓ Completed	2006-03-24 15:08:35 America/New_York	Log Details

- 2 Click Details to the right of Generate Occurrences. The Apps Occurrence Objects page appears. Expand any row to view an individual object's conditions.


Apps Occurrence Objects Current Location: [Workbench](#) > [Apps](#)

26 Apr 07 for Definition: [agt_59_qa_training_gl2](#) Instance: [agt_59](#) Type: [Snapshot](#) Application: [GL 11.5.9](#)


<input type="checkbox"/> Object	Enabled	
<input checked="" type="checkbox"/> Set of Books	Yes	Values
<input checked="" type="checkbox"/> Column Set	Yes	Values

3 To view a snapshot report:

- ...of some or all objects: Click Export all... to include all objects in the report, or click the checkboxes to the left of the objects you want to include in the report and click Export selected. In either case, the Export page appears. Select a format for the report and click Export.



- ...of selected Values of one object: Click Values to view an individual object’s primary records.



To filter the values, click Revise Search.

Click Export all to include all values in the report, or click the checkboxes to the left of the values that you want to include and click Export selected. The Export page appears (when Show...Template is selected, a field for specifying the template appears).

Export Current Location: [Workbench > Apps](#)

Show...

<input checked="" type="radio"/> Displayed fields only	<input checked="" type="radio"/> Field Descriptions
<input type="radio"/> All fields	<input type="radio"/> Column names
<input type="radio"/> Template	<input type="radio"/> Both

Format

HTML

PDF (Acrobat Reader)

CSV (Microsoft Excel)

Export **Back**

Select the report's contents and format, and click Export.

If the definition must be revised:

- 1 Select Workbench > Apps from the menu bar. A list of Apps definitions appears.
- 2 Find the definition if it is not visible. You can change the number of Results Per Page, click Next > or Last, or click Revise Search.
- 3 Click Edit to the right of the definition's name. The definition appears.
- 4 Change the definition's settings as desired.
- 5 Your changes to any part of the definition are saved when you click Save.

Schedule the revised definition to run once:

- 1 While still viewing the definition, click Schedule.... The revised definition is saved and the Schedule a Job page appears.
- 2 Click Submit to run the job immediately. The View Current/Past Jobs page appears.

Then view the snapshot report(s):

- 1 Watch the new job you've created. When the Generate Occurrence program is done, click Details. The Apps Occurrence Details page appears. View the report(s).
- 2 Repeat the preceding steps until the definition provides the desired results.

Lock the Definition

Once the definition passes its test, lock it:

- 1 Select Workbench > Apps from the menu bar. You are returned to the Apps Definitions page.
- 2 Click Edit to the right of the definition's name.

- 3 Click Lock definition.... A confirmation message appears.

Permanently lock this definition's objects and conditions and delete its existing occurrences?



- 4 Click OK to continue, or Cancel to return to testing the existing definition.

Use the Definition

To use the definition, click Schedule.... The Schedule a Job page appears.

- 1 Set the page's options. To schedule other definitions or programs to run sequentially before or after your Apps definition, click Add item... (For details, see "Schedule Definitions and Work with Jobs" on page 31.)
- 2 Click Schedule. Each time the definition is run, a new occurrence is created. To view or compare occurrences, select Workbench > Apps from the menu bar and click Occurrences to the right of the definition's name. To learn how to compare occurrences, see "Compare Snapshots" (page 13).

Share the Definition

Once you have locked the definition's conditions, you may optionally make it visible to other users. If those users have been assigned the necessary roles by an Integra Administrator, they can view existing occurrences (Apps User) and schedule the definition (Apps Snapshot Scheduler).

- 1 Select Workbench > Apps from the menu bar.
- 2 Click Edit to the right of the definition's name.
- 3 Click Share. The Share page appears.
- 4 Select the Apps users to share with, and click Share.
- 5 Click Save.

Compare Snapshots

Integra Apps lets you find the differences between ERP application setups by comparing snapshot occurrences. You can compare occurrences from different points in time and different ERP instances.

To summarize, you will:

- Search for the occurrences to compare.
- Run the comparison.
- View the report(s).

Here are detailed instructions. First, search for the occurrences to compare:

- 1 Select Workbench > Apps from the menu bar. A list of definitions appears.

Apps Definitions Current Location: [Workbench > Apps](#)

[Revise Search](#)

Results Per Page Results 1 - 5 Of 85 First | [<Prev](#) | [Next>](#) | [Last](#)

Definition	Instance	Created	Type	Application	Created by			
AMADMIN Baseline: ABM 12 [Flagstaff_R12]	Flagstaff_R12	04/30/2007	Snapshot	ABM 12	AMADMIN	Comparisons	Occurrences	Edit
AMADMIN Baseline: AP 12 [Flagstaff_R12]	Flagstaff_R12	04/30/2007	Snapshot	AP 12	AMADMIN	Comparisons	Occurrences	Edit
AMADMIN Baseline: AR 12 [Flagstaff_R12]	Flagstaff_R12	04/30/2007	Snapshot	AR 12	AMADMIN	Comparisons	Occurrences	Edit
AMADMIN Baseline: AX 12 [Flagstaff_R12]	Flagstaff_R12	04/30/2007	Snapshot	AX 12	AMADMIN	Comparisons	Occurrences	Edit
AMADMIN Baseline: CE 12 [Flagstaff_R12]	Flagstaff_R12	04/30/2007	Snapshot	CE 12	AMADMIN	Comparisons	Occurrences	Edit

Results Per Page Results 1 - 5 Of 85 First | [<Prev](#) | [Next>](#) | [Last](#)

[Revise Search](#)

[Add definition...](#) [Change Tracker](#)

- 2 Find the definition that generated one of the occurrences that you want to compare.
- 3 Click Occurrences to the right of the definition name. A list of occurrences appears.

Apps Occurrences Current Location: [Workbench > Apps](#)

for Definition: Instance: **ag1_59** Type: **Snapshot** Application: **GL 11.5.9**

[Revise Search](#)

Results Per Page Results 1 - 10 Of 10 First | [<Prev](#) | [Next>](#) | [Last](#)

Start Date/Time	Status	Instance	Definition	Type	Application	Scheduled by		
26 APR 07 01:59:16	Complete	ag1_59	ag1_59_qa_training_gl2	Snapshot	GL 11.5.9	AMADMIN	Compare	Objects
25 APR 07 11:45:03	Complete	ag1_59	ag1_59_qa_training_gl2	Snapshot	GL 11.5.9	AMADMIN	Compare	Objects
25 APR 07 08:05:31	Complete	ag1_59	ag1_59_qa_training_gl2	Snapshot	GL 11.5.9	AMADMIN	Compare	Objects
12 APR 07 02:02:48	Complete	ag1_59	ag1_59_qa_training_gl2	Snapshot	GL 11.5.9	AMADMIN	Compare	Objects

Results Per Page Results 1 - 10 Of 10 First | [<Prev](#) | [Next>](#) | [Last](#)

[Revise Search](#)

[Back](#)

- 4 Find the first occurrence that you want to compare. Either use the First, < Prev, Next >, and Last links to browse the list of all occurrences; or click Revise Search. Enter your search criteria and click Search to locate the occurrence.
- 5 Click Compare. A page that displays the first occurrence and a search form appears.

Apps Occurrences Current Location: [Workbench > Apps](#)

Compare Occurrences

Occurrence 1:

Start Date/Time	Status	Instance	Definition	Type	Application	Scheduled by
26 APR 07 01:59:16	Complete	ag1_59	ag1_59_qa_training_gl2	Snapshot	GL 11.5.9	AMADMIN

Search for Occurrence 2:

Instance

Definition Name

Run Date

[Search](#) [Clear](#)

Create Occurrence 2:

Instance

Definition Name

[Create](#)

[Back](#)

- 6 Do one of the following:
 - If the second occurrence was generated by the same definition as the first: Click Search to find the second occurrence. Once you have located the second occurrence, click Compare.
 - If you want to generate the second occurrence now: Click Schedule.

The Comparison Options page appears:

Comparison Options Current Location: [Workbench > Apps](#)

for Definition: **ap_terms 24 MAR 06 02:27:10** Compare To: **ap_terms 24 MAR 06 02:19:55** Version: **11.5.10** ScheduledBy: **AMADMIN**

Method

- Compare same records
- Compare two organizations/sets of books
- Force comparison and map Values

[Schedule](#) [Back](#)

The following options are available:

- Compare Same Records. Matches primary records in two snapshot occurrences, and then identifies the differences in their fields' values.
- Compare Two Organizations/Sets of Books. Matches primary records in snapshots of two different organizations and/or sets of books, and then identifies the differences in their fields' values.

Both snapshots must cover the same instance, product family version, and objects; must have at least one global condition; and must have global conditions on the same parameters (i.e., both must have global conditions for Organization, for Set of Books, or for both Organization *and* Set of Books).

- Force Comparison/Map Values. Matches primary records according to your specifications, and then identifies the differences in their fields' values.

When you select Force Comparison/Map Values, the page refreshes, displaying the Add values button.

Comparison Options Current Location: [Workbench > Apps](#)

for Definition: **ap_terms 24 MAR 06 02:27:10** Compare To: **ap_terms 24 MAR 06 02:19:55** Version: **11.5.10** ScheduledBy: **AMADMIN**

Method

- Compare same records
- Compare two organizations/sets of books
- Force comparison and map Values

[Add values...](#)

[Schedule](#) [Back](#)

Click Add values. The page refreshes again, displaying the Value A and Value B fields.

Comparison Options

Current Location: [Workbench > Apps](#)

for Definition: **ap_terms 24 MAR 06 02:27:10** Compare To: **ap_terms 24 MAR 06 02:19:55** Version: **11.5.10** ScheduledBy: **AMADMIN**

Method

- Compare same records
- Compare two organizations/sets of books
- Force comparison and map Values

Value A

Value B

	✎		✎
--	---	--	---

Save Cancel

Schedule Back

To map one primary record to another, select values for Value(s) A and Value(s) B, and click Save.

To perform a one-to-many comparison (e.g., to ensure setup conformity across various entities), specify only a baseline record in Value(s) A (Integra Apps compares all other primary records to this one) and leave Value(s) B blank. Then click Save.

When you click Save, the page refreshes, displaying a summary of the mapping.

Comparison Options

Current Location: [Workbench > Apps](#)

Success Options added Successfully

for Definition: **ap_terms 24 MAR 06 02:27:10** Compare To: **ap_terms 24 MAR 06 02:19:55** Version: **11.5.10** ScheduledBy: **AMADMIN**

Method

- Compare same records
- Compare two organizations/sets of books
- Force comparison and map Values

Value(s) A

Value(s) B

2/10 NET 30 US	2N30 US	Delete
----------------	---------	------------------------

Add values...

Schedule Back

To add another mapping, click Add mapping.... You can add as many mappings as you desire.

- 7** Click Schedule. The Schedule a Job page appears.
- 8** To generate the comparison immediately, click Schedule; to schedule it for later, change the Start options and click Schedule.

- 9 Watch the new job you've created. When the Comparison program is done, click Details to the right of Generate Comparison Occurrence.

5036	✓ COMPLETED	AMADMIN	Apps: Compare-Snapshots	2006-03-24 15:36:32 America/New_York
Program	Definition	Status	Started	
Generate Snapshot Occurrence	Compare-Snapshots	✓ Completed	2006-03-24 15:36:32 America/New_York	Log Details
Generate Comparison Occurrence	Compare-Snapshots	✓ Completed	2006-03-24 15:36:33 America/New_York	Log Details

The Apps Comparison Objects page appears.

Apps Comparison Objects

Current Location: [Workbench > Apps](#)

24 Mar 06 for Definition: **ap_terms** Instance: **qa916e10** Type: **Snapshot** Application: **AP 11.5.10** for comparison to: **ap_terms**

Object	Differences	Enabled	
AP Payment Terms	4	Yes	Values

Name, Language:	Name, Language:
210 NET 30,US	2N30,US

[Export selected...](#)
[Export all...](#)
[Back](#)

- 10 To view an individual object's primary record comparison, click Values.
- 11 To generate a report or see more details than are presented on-screen, select the items you want and click Export selected, or click Export all. The Export page appears. Select a format for the report and click Export to view the report.

Review a Comparison Made Previously

Integra Apps stores the comparisons you make, allowing you to review them at any time. To review a comparison:

- 1 Select [Workbench > Apps](#) from the menu bar. A list of Apps definitions appears.
- 2 Find the definition that contains the comparison that you want to view.
- 3 Once you have located the definition, click [Comparisons](#) to the right of its name. The Apps Comparisons page appears.

Apps Comparisons

Current Location: [Workbench > Apps](#)

for Definition: Instance: Type: Application:

[Revise Search](#)

Results Per Page Results 1 - 1 Of 1 First | [<Prev](#) | [Next>](#) | Last

Start Date/Time	Status	Definition	Occurrence	Compare To	Occurrence To	Version	Scheduled by	
16 APR 07 02:37:54	Complete	snapshot	16 APR 07 01:20:10	snapshot	16 APR 07 02:37:54	11.5.9	AMADMIN	Objects

Results Per Page Results 1 - 1 Of 1 First | [<Prev](#) | [Next>](#) | Last

[Revise Search](#)

[Back](#)

- 4 Find the comparison run that contains the comparison that you want to view. Do one of the following:
 - Use the First, < Prev, Next > and Last links to browse the list of comparison runs.
 - Click [Revise Search](#). Enter your search criteria and click [Search](#) to locate the comparison that you want to view.

Expand any row to view the comparison details.

- 5 Click Objects to view the objects compared within the comparison run. The Apps Comparison Objects page appears.

Apps Comparison Objects Current Location: [Workbench > Apps](#)

24 Mar 06 for Definition: **ap_terms** Instance: **qa916e10** Type: **Snapshot** Application: **AP 11.5.10** for comparison to: **ap_terms**

<input type="checkbox"/>	Object	Differences	Enabled	Values
<input type="checkbox"/>	AP Payment Terms	4	Yes	Values

Name, Language:	Name, Language:
2/10 NET 30,US	2N30,US

- 6 To view a report:

- *...of some or all objects:* Click Export all... to include all objects in the report, or click the checkboxes to the left of the objects you want to include in the report and click Export Selected. In either case, the Export page appears.

Export Current Location: [Workbench > Apps](#)

Show...

Displayed fields only

All fields

Format

HTML

PDF (Acrobat Reader)

CSV (Microsoft Excel)

Select a format for the report and click Export.

- *...of selected Values of one object:* Click Values to view an individual object's primary records.

Apps Comparison Object Values Current Location: [Workbench > Apps](#)

24 Mar 06 for Definition: **ap_terms** Instance: **qa916e10** Type: **Snapshot** Application: **AP 11.5.10** Object: **AP Payment Terms** for comparison to: **ap_terms**

Results Per Page: Results 1 - 1 Of 1 First | <Prev | Next> | Last

<input type="checkbox"/>	Name, Language:	Name, Language:
<input type="checkbox"/>	2/10 NET 30,US	2N30,US

Results Per Page: Results 1 - 1 Of 1 First | <Prev | Next> | Last

To filter the values, click Revise Search.

Click Export all to include all values in the report, or click the checkboxes to the left of the values that you want to include and click Export selected. The Export page appears, as above. Select a format for the report and click Export.

- 7 Select the comparison report options and click Export.
- 8 View the report(s).

Track Changes to ERP Application Setups

Integra Apps' Change Tracker monitors changes to ERP application setup data. Before you can use the Change Tracker, you must run one or more Change Tracking definitions, which specify the objects to monitor and the level of detail to record.

Each time you configure Integra Apps for an ERP instance, it automatically generates Change Tracking definitions for the ERP applications that you have licensed. You can save a considerable amount of time by using these definitions instead of building your own from scratch.

To summarize, you will:

- Search for an auto-generated change tracking definition.
- Edit the definition to specify what to track.
- Run the definition to deploy Change Tracking functionality to the ERP instance.
- View the Change Tracker.
- *Optional:* Specify Change Tracker queries and alerts.

The following detailed instructions are written in the assumption that your Integra Administrator has given you the Apps User and Apps Change Tracking Scheduler roles. If you do not have the Apps User role, you cannot create or edit definitions. If you do not have the Apps Change Tracking Scheduler role, you cannot schedule definitions.

Search for an Auto-Generated Change Tracking Definition

To search for an auto-generated change tracking definition:

- 1 Log into Integra as the Baseline Definition Owner that was specified when the ERP Instance was configured (for more information, see “Quick Start: Configure Integra for each ERP instance: Configure Integra Apps” in the *Integra Apps 5.1 Administration Guide*).
- 2 Select Workbench > Apps from the menu bar. A list of Apps definitions appears.

Apps Definitions Current Location: [Workbench](#) > [Apps](#)

[Revise Search](#)

Results Per Page Results 1 - 5 Of 85 First | [«Prev](#) | [Next»](#) | [Last](#)

Definition	Instance	Created	Type	Application	Created by			
<input type="checkbox"/> AMADMIN Baseline: ABM 12 [Flagstaff_R12]	Flagstaff_R12	04/30/2007	Snapshot	ABM 12	AMADMIN	Comparisons	Occurrences	Edit
<input type="checkbox"/> AMADMIN Baseline: AP 12 [Flagstaff_R12]	Flagstaff_R12	04/30/2007	Snapshot	AP 12	AMADMIN	Comparisons	Occurrences	Edit
<input type="checkbox"/> AMADMIN Baseline: AR 12 [Flagstaff_R12]	Flagstaff_R12	04/30/2007	Snapshot	AR 12	AMADMIN	Comparisons	Occurrences	Edit
<input type="checkbox"/> AMADMIN Baseline: AX 12 [Flagstaff_R12]	Flagstaff_R12	04/30/2007	Snapshot	AX 12	AMADMIN	Comparisons	Occurrences	Edit
<input type="checkbox"/> AMADMIN Baseline: CE 12 [Flagstaff_R12]	Flagstaff_R12	04/30/2007	Snapshot	CE 12	AMADMIN	Comparisons	Occurrences	Edit

Results Per Page Results 1 - 5 Of 85 First | [«Prev](#) | [Next»](#) | [Last](#)

[Revise Search](#)

- 3 Find the Change Tracking definition named for the ERP application and instance to monitor (if you've configured more than one ERP instance, there will

be an auto-generated definition for each instance-application pair). Do one of the following:

- Use the First, < Prev, Next > and Last links to browse the list of definitions.
- Click Revise Search. A group of search fields appears.

Apps Definitions

Current Location: [Workbench > Apps](#)

View existing definitions:

Type	equals	<input type="text"/>	
Instance	equals	<input type="text"/>	
Application	equals	<input type="text"/>	
Name	equals	<input type="text"/>	
Object	equals	<input type="text"/>	
Shared	equals	<input type="text"/>	
Date	equals	<input type="text"/>	

Search **Clear**

Add definition... **Change Tracker**

Enter your search criteria (e.g., Type equals Change Tracking) and click Search.

Edit the Definition to Specify What You Want to Track

Once you have located the definition, edit it:

- 1 Click Edit to the right of the definition name. The definition page appears (the objects listed depend on the application).

Apps Definition Workbench

Current Location: [Workbench > Apps](#)

Definition Basics

Name **AMADMIN CT Baseline: HPA 8.8** Type **Change Tracking**
 Instance **PS88_Glendale** Application **HPA 8.8**

Include in Schedulable Items list

Objects

Object	All	Insert	Update	Delete
401(a)(17) OBRA93 Limits	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
401(a)(17) Parameters	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
401(a)(17) TRA86 Limits	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
415 Limits Parameters	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
415(e) Limit	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Delayed Retirement Credit	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Duration	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Function Result	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Group Definition	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Max Taxable Wage Base	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
PBGC Rates	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan Alias	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Self Service Calc Defaults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

View object status **View object history** **View tracker status**

Programs

Program	Stop After	Skip	Run Before	Run After	Notify
1. Deploy Change Tracking	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	<input type="text"/>	<input type="checkbox"/>

Schedule **Save** **Save As** **Restore** **Back**

- 2 Check the Include in Schedulable Items list checkbox.
- 3 Set the following checkboxes for each object to be tracked:
 - All. Capture all the changes listed below.
 - Insert. Capture inserts and new records.
 - Update. Capture updates to existing records.
 - Delete. Capture deletions of existing records.
- 4 Click Save.

Run the Definition to Deploy Change Tracking

To deploy Change Tracking to the ERP instance:

- 1 Click Schedule.... The Schedule a Job page appears.

Schedule a Job Current Location: [Jobs](#) > [Schedule a Job](#)

Start

Immediately
 On at (hh24:mm) Etc/GMT+11(GMT-11:00)

Repeat

None (run once only)
 Minute
 Day
 Week
 Month
 Year

...until

No End Date
 End After Occurrences
 End By

Notify when

Completed Terminated Error Email

Items To Execute

Apps: AMADMIN CT Baseline: HPA 8.8 [Delete](#)

- 2 Click Schedule to start the job immediately. The View Current Jobs page appears.
- 3 Click Refresh to see your job.

5037	● RUNNING	AMADMIN	Apps: AMADMIN CT Baseline: AK 11.5.10	2006-03-24 15:45:14 America/New_York
------	-----------	---------	---------------------------------------	--------------------------------------

View the Details

To view Change Tracking details:

- 1 Watch the job you created until the status of the Deploy Change Tracking program changes to Completed.

Program	Definition	Status	Started
<input type="checkbox"/> Deploy Change Tracking	AMADMIN CT Baseline: AK 11.5.10	✓ Completed	2006-03-24 15:45:14 America/New_York Log Details

- Expand the job and click Details to the right of its name. The Apps Occurrence OBJECTs page appears.

Apps Occurrence Objects

Current Location: [Workbench > Apps](#)

17 Apr 07 for Definition: **AMADMIN CT Baseline: HPA 8.8** Instance: **PS88_Glendale** Type: **Change Tracking** Application: **HPA 8.8**

Object	Insert	Update	Delete	
401(a)(17) OBRA93 Limits (PS88_Glendale)	No	No	No	Details
401(a)(17) Parameters (PS88_Glendale)	No	No	No	Details
401(a)(17) TRA86 Limits (PS88_Glendale)	No	No	No	Details
415 Limits Parameters (PS88_Glendale)	No	No	No	Details
415(e) Limit (PS88_Glendale)	No	No	No	Details
Delayed Retirement Credit (PS88_Glendale)	Yes	No	No	Details
Duration (PS88_Glendale)	No	Yes	No	Details
Function Result (PS88_Glendale)	No	No	No	Details
Group Definition (PS88_Glendale)	No	No	No	Details
Max Taxable Wage Base (PS88_Glendale)	No	No	No	Details
PBGC Rates (PS88_Glendale)	No	No	No	Details
Plan Alias (PS88_Glendale)	No	No	No	Details
Plan Implementation (PS88_Glendale)	No	No	No	Details
Plan Order (PS88_Glendale)	No	No	No	Details
Self Service Calc Defaults (PS88_Glendale)	No	No	No	Details

[Back](#)

Use the Change Tracker

To use the Change Tracker:

- Select [Workbench > Apps](#) from the menu bar.
- Click the Change Tracker button. The Change Tracker appears; it displays information collected by all deployed Change Tracking Definitions. Here is an example:

Change Tracker

Current Location: [Workbench > Apps](#)

Query:

Application	Changes	Changes	Changes	Changes	Changes
<input type="checkbox"/> GL 11.5.9	5				
<input type="checkbox"/> XLA 12				4	

[Status](#) [Query...](#) [Refresh](#) [Back](#)

To view an instance's applications, click any  button in the Instance row, and select the instance.



Note

If no applications are visible even after you choose an instance, select [Jobs > View Current Jobs](#). Verify that the Change Tracking Transfer program has run at least once. (This program transfers change tracking data from the ERP instances to Integra Apps.) If it has not, select [Jobs > View Future Jobs](#) and see whether it is scheduled to run. If it is not, contact your Integra Administrator.

If the information shown seems out of date, perhaps the Change Tracking Transfer program has not run recently. Select [Jobs > View Future Jobs](#) and determine when it last ran.

To view details about an instance’s changes, click any Changes link.

To view information about specific applications’ changes on an instance, click any of the checkboxes on the left, and then click Changes. Here is an example:

Change Tracker Objects Current location: [Workbench > Apps](#)

Instance: **ag1_59** Application: **GL 11.5.9**

<input type="checkbox"/>	Application	Object	Last Modified	Changes	
<input type="checkbox"/>	GL 11.5.9	Set of Books	04/13/07	2	Values
<input type="checkbox"/>	GL 11.5.9	Statistical Units of Measure	04/13/07	3	Values

Clicking Values displays further details.

Change Tracker Object Values Current location: [Workbench > Apps](#)

Instance: **ag1_59** Application: **GL 11.5.9** Object: **Statistical Units of Measure**

[Revise Search](#)

Results Per Page: Results 1 - 3 Of 3 First | <Prev | Next> | Last

<input type="checkbox"/>	Chart Of Accounts Name, Account:	Last Modified	Changes
<input type="checkbox"/>	Operations Accounting Flex,1247	04/13/07	1
<input type="checkbox"/>	Operations Accounting Flex,7630	04/13/07	1

Date	Type	Table	User	Responsibility	Program	DB User	OS User
04/13/2007 04:48	Update	GL Statistical Account Units of Measure	SYSADMIN	General Ledger Super User	APPS	ag1	

Record	Field	Old Value	New Value	Changed?
Operations Accounting Flex,7630	Chart Of Accounts Name	Operations Accounting Flex	Operations Accounting Flex	No
Operations Accounting Flex,7630	Account	7630	7630	No
Operations Accounting Flex,7630	Unit Of Measure	Copy Usage	Copy Usage	No
Operations Accounting Flex,7630	Description	Copies performed to date	Copies performed to date test	Yes

<input type="checkbox"/>	Operations Accounting Flex,1250	Last Modified	Changes
<input type="checkbox"/>	Operations Accounting Flex,1250	04/13/07	1

Results Per Page: Results 1 - 3 Of 3 First | <Prev | Next> | Last [Revise Search](#)

If too many values are displayed, clicking Revise Search lets you shorten the list.

Change Tracker Object Values Current location: [Workbench > Apps](#)

Instance: **ag1_59** Application: **GL 11.5.9** Object: **Statistical Units of Measure**

Organization: equals

Set of Books: equals

From Date: equals

To Date: equals

Chart Of Accounts Name, Account: equals

Set Up Queries and Alerts

Optionally, you can set up queries and alerts. A query stores a set of criteria for filtering the data shown in the Change Tracker. The Change Tracker automatically loads the last query used.

An alert is an email message that lists new changes. Alerts are generated when the Change Tracking program runs. Alert recipients are specified in queries, so each alert message contains only the changes filtered by the query.

To set up a query:

- 1 While viewing the Change Tracker, click Query.... The Change Tracker Queries page appears (a few sample Queries are shown).

Change Tracker Queries

Current location: [Workbench > Apps](#)

Query	Enabled	
changed	Yes	Use Edit Delete

[Add query...](#)

[Back](#)

You can add, edit and delete Queries using the links and buttons on this page.

- 2 Click Add query.... The Add query page appears.

Change Tracker Queries

Current Location: [Workbench > Apps](#)

Add query:

Name Enabled

[Save](#)

[Back](#)

- 3 Enter a Name, check the Enabled checkbox, and click Save. The page is refreshed, displaying the Dates, Change Method, Types, Instances, Applications, Objects, Responsibilities, Users and Alerts sections (as shown at the top of the next page).
- 4 To find all changes for all instances, leave the rest of the query blank; to narrow the query's results, set one or more items.
 - Dates. Enter both values to specify a date range; enter only From to specify changes since a date; enter only To to specify changes until a date; or leave blank for all dates.
 - Change Method. Specifies the origin of the change: Only application user's changes; Only SQL/non-standard changes.
 - Types. Check any/all, or leave all blank for all types.
 - Instances. Specify one or more instances, or leave blank for all instances.
 - Applications. Specify one or more applications, or leave blank for all applications.
 - Objects. Specify one or more objects, or leave blank for all objects.
 - Responsibilities. Specify one or more responsibilities, or leave blank for all responsibilities.
 - Users. Specify one or more users, or leave blank for all users.
 - Alerts. Specify one or more email addresses to send an alert message to each time the Change Tracking Transfer program discovers new changes.

Change Tracker Queries

Current Location: [Workbench > Apps](#)

Add query:

Name Enabled

Dates

From To

Change Method

Types

 Insert Update Delete

Instances

Applications

Objects

Responsibilities

Users

Alerts

- 5 Click Save. The list of queries reappears.

Change Tracker Queries

Current location: [Workbench > Apps](#)

Query	Enabled	
Test 1	Yes	Use Edit Delete
changed	Yes	Use Edit Delete

- 6 Clicking Use to the right of any query displays the Change Tracker with only the changes found by the query. Each time you visit the Change Tracker, it automatically loads the last query used.

To set up an alert:

- 1 Add or edit a query.
- 2 In the Alerts section, click Add Alert.... Enter an alert recipient's email address.

- 3 Add as many recipients as you like.
- 4 Set the rest of the query's options to select only the changes to be reported in the alert.
- 5 Click the Save button.

Migrate ERP Application Setups

Integra Apps lets Oracle E-Business Suite users move application setup data from one instance to another.



Note

Migration can substantially affect the destination ERP instance. Do not run Migration definitions on your production environment until you have tested them on another instance and verified the results.

Oracle Application Integration Services has certified Integra Apps' migration functionality under its Integration Validation Program. It is recommended that you verify migrated data using Oracle's standard setup diagnostic scripts, which are available from Oracle's MetaLink.

If you migrate an object that has Change Tracking enabled, there will be an influx of changes to the Change Tracker. If you do not want to capture these changes, disable Change Tracking for the object before migrating it.

To migrate setup data, you will:

- Create a migration definition.
- Schedule the definition.
- If you checked the Create Migration Data program's Stop After checkbox in the definition, the definition's job will pause after the setup data to be migrated has been obtained from the source ERP instance. Verify that the proper setup data has been obtained, and resume the definition's job; the setup data will be migrated to the destination ERP instance
- Optionally, share the definition with other Integra Apps users.

The following detailed instructions are written in the assumption that your Integra Administrator has given you the Apps User and Apps Migration Scheduler roles. If you do not have the Apps User role, you cannot create or edit definitions. If you do not have the Apps Migration Scheduler role, you cannot schedule definitions.

Create a Migration Definition

To create a migration definition:

- 1 Select Workbench > Apps from the menu bar. A list of Apps definitions appears.

- 2 Click Add definition.... A blank definition appears.

Apps Definition Workbench

Current Location: [Workbench > Apps](#)

Definition Basics

Name

Instance

Type

Application

Include in Schedulable Items list

Save **Cancel**

- 3 Enter the following information:

- Name. A short name that will identify this definition.
- Instance. ERP instance that contains the application setup data to snapshot, migrate or track.
- Type. There are three choices: Snapshot, to report on ERP application setup data; Migration, to migrate setup data; and Change Tracking, to monitor changes to setup data. For this procedure, choose Migration.
- Application. ERP application to snapshot, migrate or track.
- Include in Scheduled Items List. When checked, this definition will appear in the list of schedulable items when scheduling jobs. It is disabled until at least one object has been added to the definition.

When you set Type to Migration, the page refreshes, displaying the Destination and Overwrite existing records fields.

Apps Definition Workbench

Current Location: [Workbench > Apps](#)

Definition Basics

Name

Instance

Destination

Type

Application

Overwrite existing records

Include in Schedulable Items list

Save **Cancel**

- 4 Enter the following additional information:

- Destination. Setup data will be migrated to this ERP instance.
- Overwrite existing records. When this option is checked, migrated records will replace corresponding records in the Destination instance, regardless of the records' creation date.

- 5 Click Save. The page refreshes, displaying the Objects, Sharing, and Programs sections.

Apps Definition Workbench Current Location: [Workbench > Apps](#)

Definition Basics

Name	Migration test 1	Type	Migration
Instance	ag1_59	Application	AR 11.5.9
Destination	ra1_59	<input type="checkbox"/>	Overwrite existing records
		<input type="checkbox"/>	Include in Schedulable Items list

Objects

Sharing

Programs

Program	Stop After	Skip	Run Before	Run After	Notify
1. Create Migration Data	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	<input type="text"/>	<input type="checkbox"/>
2. Update Data in Destination	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	<input type="text"/>	<input type="checkbox"/>

- 6 Click Add Object.... The Objects page appears.

Apps Definition Workbench Current Location: [Workbench > Apps](#)

Objects Definition: **Migration test 1** Instance: **ag1_59** Type: **Migration** Application: **AR 11.5.9**

Add object...

Object Enabled

The page contains these fields:

- Object. Group of setup data to be recorded. Clicking will list the objects that belong to the ERP applications. Configuration Controls includes a wide range of objects, and you can use MetaBuilder to add custom objects.
- Enabled. When checked, the object's setup data will be recorded whenever the definition is executed.
- Field1, Field2, ...FieldN. Integra Apps uses values entered here to filter the data to be recorded. The fields displayed depend on the object chosen; until you choose an object, no fields are displayed.

In general, when you click to the right of a field, all possible values are displayed, regardless of the security groups you belong to. (Security groups can limit your access to specific applications, business groups, organization units, and sets of books.) Snapshot results will contain only the data permitted by your security groups. For information about security groups, see the *Integra Apps 5.1 Administration Guide*.

- 7 Choose an object. The Objects page will be refreshed with fields appropriate to the object you have chosen; here is an example.

Apps Definition Workbench Current Location: [Workbench > Apps](#)

Objects Definition: **Migration test 1** Instance: **ag1_59** Type: **Migration** Application: **AR 11.5.9**

Add object...

Object: Enabled

	Operator	Value
Username	--- Select one ---	<input type="text"/>
Document Type	--- Select one ---	<input type="text"/>
Currency	--- Select one ---	<input type="text"/>
Reason Code	--- Select one ---	<input type="text"/>

- 8 To filter the data to be migrated, set the operator and value of one or more fields.
- 9 Click Save. The page refreshes.

Apps Definition Workbench Current Location: [Workbench > Apps](#)

Success Object has been added

Objects Definition: **Migration test 1** Instance: **ag1_59** Type: **Migration** Application: **AR 11.5.9**

Object	Enabled	
<input type="checkbox"/> Approval Limits	Yes	Edit Delete

- 10 To include another object in the migration, click Add object... again. The new object is added when you click Save. You may add as many objects as you wish.
- 11 Click Back. The definition page reappears.

Apps Definition Workbench Current Location: [Workbench > Apps](#)

Definition Basics

Name Migration test 1	Type Migration
Instance ag1_59	Application AR 11.5.9
Destination ra1_59	<input type="checkbox"/> Overwrite existing records
	<input type="checkbox"/> Include in Schedulable Items list

Objects

Object	Enabled	
<input type="checkbox"/> Approval Limits	Yes	Edit Delete

Sharing

Programs

Program	Stop After	Skip	Run Before	Run After	Notify
1. Create Migration Data	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	<input type="text"/>	<input type="checkbox"/>
2. Update Data in Destination	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	<input type="text"/>	<input type="checkbox"/>

12 Check the Include in Scheduable Items List check box.

13 Click Save.

Schedule the Definition

To schedule the definition:

1 Click Schedule. The Schedule a Job page appears.

2 Set desired options, and click Schedule. The View Current/Past Jobs page appears.

Verify That the Proper Setup Data Has Been Obtained

To verify the migration:

1 Find the job just created from your definition.

2 When the Create Migration Data program's status changes to Completed, click Log.

3 Verify that the desired setup data has been obtained from the source ERP instance. If it has, skip ahead to "Resume the Definition" (below). If it has not:

a Click Back.

b Find the job again, and click Terminate.

c Select Workbench > Apps from the menu bar. A list of definitions appears.

d Find your definition, and click Edit to its right. Note that the definition can no longer be changed.

e Click Save as....

f Enter the new definition's name and other required information, and click Save.

g Change the definition's settings as desired.

h Return to "Schedule the Definition" (above).

Resume the Definition

To migrate the data to the destination ERP instance:

1 Click Back.

2 Find the job again, and click Resume.

3 Once the job's status changes to Completed, verify that the destination ERP instance is functioning properly with the migrated setup data.

Share the Definition

As an option, you can make the definition visible to other users; they will be able to view existing occurrences and schedule the definition.

1 Select Workbench > Apps from the menu bar.

- 2 Click Edit to the right of the definition’s name.
- 3 Click Share. The Share page appears.
- 4 Select the Apps users to share with, and click Share.
- 5 Click Save.

Schedule Definitions and Work with Jobs

Many actions you take when using Integra, such as scheduling a definition, cause the creation of jobs. Each job is a sequence of one or more programs. (When you schedule a definition, you’re really scheduling a job that contains the sequence of programs that you saw when you created or edited the definition.)

Because the programs are executed in a sequence, if a program cannot be completed, the remaining programs in the sequence will not be executed.

Each job is scheduled to run on one or more occasions. (See “Schedule a Job,” below).

All jobs that are scheduled for the future are listed on the View Future Jobs page (select Jobs > Future Jobs from the menu bar). All jobs that are being executed, or that already have been executed, are listed on the View Current Jobs page (Jobs > Current Jobs). See “View a Job’s Status or Details” (page 34) for more information.

Schedule a Job

To schedule a job:

- 1 Prepare all definitions to be included in the job.
- 2 Go to the Schedule a Job page (select Jobs > Schedule a Job from the menu bar, or click Schedule... while editing a definition or performing an administrative function).

Schedule a Job Current Location: [Jobs](#) > [Schedule a Job](#)

Start
 Immediately
 On at (hh24:mm)

Repeat
 None (run once only)
 Minute
 Day
 Week
 Month
 Year

...until
 No End Date
 End After Occurrences
 End By

Notify when
 Completed Terminated Error Email

Items To Execute

3 In the upper part of the page, set schedule options. The default is to run the job once, immediately. If you select On..., you can choose these Repeat options:

- Minute — repeat every *n* minutes

Repeat

None (run once only) Every minutes

Minute

Day

Week

Month

Year

- Day — repeat every *n* days, every weekday, or every weekend day

Repeat

None (run once only) Every Days

Minute

Day

Week

Month

Year

Every weekday

Every weekend

- Week — repeat every *n* weeks on specified days

Repeat

None (run once only) Every week(s) on

Sunday Monday Tuesday Wednesday Thursday Friday Saturday

Minute

Day

Week

Month

Year

- Month — repeat every *n* months on a specified day

Repeat

None (run once only) Day Of Every month(s)

Minute

Day

Week

Month

Year

The Of Every month(s)

- Year — repeat every year on the specified day

Repeat

None (run once only) Every

Minute

Day

Week

Month

Year

The Of

4 In the lower part of the page, include all items to be executed, in the desired order. When you click Add Item..., the Add Item to Job page appears.

Schedule a Job

Current Location: [Jobs > Schedule a Job](#)

Items To Execute

Item

Add Item

Job Type:

Program Name:

When you select a Program Name, additional fields might appear.

Schedule a Job Current Location: [Jobs](#) > [Schedule a Job](#)

Items To Execute

Item

Add Item

Job Type: Standalone

Program Name:

Parameters

Instance

Tablespace

Set all additional items, and click Save to add the item to the job.

Schedule a Job Current Location: [Jobs](#) > [Schedule a Job](#)

SUCCESS Job has been added to the list

Items To Execute

Item

Platform: Create Tablespaces [Delete](#)

To add another item to execute, click Add Item. You can add as many items as you like.

When you are done adding items, click Back. The Schedule a Job page reappears.

Schedule a Job Current Location: [Jobs](#) > [Schedule a Job](#)

Start

Immediately

On at (hh24:mm)

Repeat

None (run once only)

Minute

Day

Week

Month

Year

...until

No End Date

End After Occurrences

End By

Notify when

Completed Terminated Error Email

Items To Execute

Platform: Create Tablespaces [Delete](#)

- When you are done, click Schedule. If the job is scheduled to run immediately, the View Current Jobs page appears.

View Current Jobs Current Location: [Jobs](#) > [View Current Jobs](#)

[Revise Search](#)

Results Per Page: Results 1 - 5 Of 50 First | <Prev | [Next](#) | Last

Job ID	Status	User	Items to Execute	Start Date/Time
5165	✓ COMPLETED	AMADMIN	Apps: Change Tracking Transfer	2007-05-01 03:12:57 AmericaLos_Angeles
5164	✓ COMPLETED	AMADMIN	Apps: OAR12Bundle11	2007-05-01 03:03:51 AmericaLos_Angeles
5163	✓ COMPLETED	AMADMIN	Apps: Change Tracking Transfer	2007-05-01 01:44:05 AmericaLos_Angeles
5162	✓ COMPLETED	AMADMIN	Apps: OAR12Bundle1CT	2007-05-01 01:31:55 AmericaLos_Angeles
5161	✓ COMPLETED	AMADMIN	Apps: OAR12Bundle1	2007-05-01 01:25:11 AmericaLos_Angeles

Results Per Page: Results 1 - 5 Of 50 First | <Prev | [Next](#) | Last

[Revise Search](#)

[Schedule...](#) [Refresh](#)

If the job is scheduled to run in the future, the View Future Jobs page appears.

View Future Jobs Current Location: [Jobs](#) > [View Future Jobs](#)

[Revise Search](#)

Results Per Page: Results 1 - 1 Of 1 First | <Prev | [Next](#) | Last

User	Items to Execute	Next Start
INTEGRAADMINISTRATOR	Platform: Create Tablespaces	2007-05-02 01:30 AmericaLos_Angeles Remove

Results Per Page: Results 1 - 1 Of 1 First | <Prev | [Next](#) | Last

[Revise Search](#)

[Schedule...](#)

View a Job's Status or Details

To see the status of:

- A job that's running now, or ran in the past: Select [Jobs](#) > [View Current Jobs](#) from the menu bar. The [View Current Jobs](#) page appears; the most recently scheduled jobs are listed, sorted by job ID, newest ID first.

View Current Jobs Current Location: [Jobs](#) > [View Current Jobs](#)

[Revise Search](#)

Results Per Page: Results 1 - 5 Of 50 First | <Prev | [Next](#) | Last

Job ID	Status	User	Items to Execute	Start Date/Time
5165	✓ COMPLETED	AMADMIN	Apps: Change Tracking Transfer	2007-05-01 03:12:57 AmericaLos_Angeles
5164	✓ COMPLETED	AMADMIN	Apps: OAR12Bundle11	2007-05-01 03:03:51 AmericaLos_Angeles
5163	✓ COMPLETED	AMADMIN	Apps: Change Tracking Transfer	2007-05-01 01:44:05 AmericaLos_Angeles
5162	✓ COMPLETED	AMADMIN	Apps: OAR12Bundle1CT	2007-05-01 01:31:55 AmericaLos_Angeles
5161	✓ COMPLETED	AMADMIN	Apps: OAR12Bundle1	2007-05-01 01:25:11 AmericaLos_Angeles

Results Per Page: Results 1 - 5 Of 50 First | <Prev | [Next](#) | Last

[Revise Search](#)

[Schedule...](#) [Refresh](#)

- A job that will run in the future: Select [Jobs](#) > [View Future Jobs](#) from the menu bar. The [View Future Jobs](#) page appears; jobs are sorted by start date/time, most imminent jobs first.

In either case, if you don't see the job you're looking for, you can:

- Increase the number of results per page.
- Click Next > to see the next page of jobs.
- Click Revise Search, fill in the Search page, and click the Search button.

On the View Current Jobs page, the following job statuses are possible:

	PENDING
	RUNNING
	PAUSED
	ERROR
	TERMINATING
	TERMINATED
	COMPLETE
	WARNING

Statuses are not displayed on the View Future Jobs page because all jobs have the same status (Pending).

Click  to see the job's details and control buttons.

View Current Jobs

Current Location: [Jobs](#) > [View Current Jobs](#)

[Revise Search](#)

Results Per Page Results 1 - 5 Of 50 First | [<Prev](#) | [Next>](#) | [Last](#)

Job ID	Status	User	Items to Execute	Start Date/Time												
<input type="checkbox"/> 5165	✓ COMPLETED	AMADMIN	Apps: Change Tracking Transfer	2007-05-01 03:12:57 America/Los_Angeles												
<table border="1"> <thead> <tr> <th>Program</th> <th>Definition</th> <th>Status</th> <th>Started</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/> Change Tracking: Transfer</td> <td></td> <td>✓ Completed</td> <td>2007-05-01 03:12:58 America/Los_Angeles</td> </tr> <tr> <td colspan="4"> <small>Started: 2007-05-01 03:12:58 Ended: 2007-05-01 03:12:59 Elapsed: 00:02 min. Status Message: Job completed with success.</small> </td> </tr> </tbody> </table>					Program	Definition	Status	Started	<input type="checkbox"/> Change Tracking: Transfer		✓ Completed	2007-05-01 03:12:58 America/Los_Angeles	<small>Started: 2007-05-01 03:12:58 Ended: 2007-05-01 03:12:59 Elapsed: 00:02 min. Status Message: Job completed with success.</small>			
Program	Definition	Status	Started													
<input type="checkbox"/> Change Tracking: Transfer		✓ Completed	2007-05-01 03:12:58 America/Los_Angeles													
<small>Started: 2007-05-01 03:12:58 Ended: 2007-05-01 03:12:59 Elapsed: 00:02 min. Status Message: Job completed with success.</small>																
<input type="checkbox"/> 5164	✓ COMPLETED	AMADMIN	Apps: OAR12Bundle11	2007-05-01 03:03:51 America/Los_Angeles												
<input type="checkbox"/> 5163	✓ COMPLETED	AMADMIN	Apps: Change Tracking Transfer	2007-05-01 01:44:05 America/Los_Angeles												
<input type="checkbox"/> 5162	✓ COMPLETED	AMADMIN	Apps: OAR12Bundle1CT	2007-05-01 01:31:55 America/Los_Angeles												
<input type="checkbox"/> 5161	✓ COMPLETED	AMADMIN	Apps: OAR12Bundle1	2007-05-01 01:25:11 America/Los_Angeles												

Results Per Page Results 1 - 5 Of 50 First | [<Prev](#) | [Next>](#) | [Last](#)

[Revise Search](#)

Depending on the job's status, some of these buttons could appear:

- If the job's execution has been paused: Click Resume Job to resume execution of the paused job.
- If the job is being executed, or if its execution has been paused: Click Terminate Job to cancel the job. Note that not all jobs can respond to a termination request.

For current/past jobs, one or both of the following links will appear to the right of each program:

- Click Log to view log information, including error messages.
- Click Details to view additional details about the program's execution, and all reports generated by the program.

Cancel the Current Execution of a Job

To cancel a current job:

- 1 Find the job on the View Current Jobs page.
- 2 Click the job's Terminate Job button. The job's status changes to Terminating. Once the currently running program terminates or completes, the job's status changes to Terminated.

Cancel Future Execution of a Job

To cancel a future job:

- 1 Find the job on the View Future Jobs page.
- 2 Click the job's Remove link.

Change Job's Schedule

To change the schedule for a job:

- 1 Cancel future execution of the job.
- 2 Schedule a new job.

Schedule a Job Again

To reschedule a job after all occurrences in the original schedule have completed, simply schedule the new job.

Edit a Definition Schedule for Use in Future Jobs

To edit a definition that is schedule to run in the future:

- 1 On the View Future Jobs page, remove all jobs that use the definition.
- 2 Edit the definition.
- 3 Reschedule the jobs that you removed in Step 1.


Add or Remove Elements from a Job, or Change Their Order

To add or remove definitions or programs from a job, or to change their order of execution:

- 1 Cancel future execution of the job.
- 2 Schedule a new job.

Use LOVs

The  button displays a window containing a list of values (LOV).



The window’s appearance varies depending on the list, but always has a Find field at its top. Entering a string in this field and clicking Find displays all items that begin with the string, ignoring capitalization (e.g., pay finds payables, Payables, and Payment Records). Use the percent character (%) as a wildcard that represents zero or more characters (e.g., %pay finds payables, Payables, Payment Records, Overpayments and Delayed Payment).

Reference

This chapter serves as a reference to several topics: logging in, creating a user profile, viewing and adding Apps definitions, using the Change Tracker, programs included within Integra Apps, reports generated by Integra Apps, and use of the Apps help system.

Login

All Integra users must begin by logging in on the Secure Login page.



The page's URL is:

```
http://hostname/web-application-name
```

In this command, *hostname* is the domain name of the web server configured to serve Integra, and *web-application-name* is the name of the Integra web application (usually *integra*).

You may have an Integra icon on your desktop; double-clicking it opens this page.

The upper portion of the page has these fields:

- Username. Your Integra Administrator creates your username.
- Password. Your Integra Administrator creates your password. To change it, log in, then select Home > User Profile from the menu bar.

The upper portion of the page also has a Login button. It verifies your username and password, and displays your Welcome Page. To change your Welcome Page, log in, then select Home > User Profile from the menu bar.

The lower portion of the page displays information about Integra. This content is updated regularly if your server's firewall permits HTTP transactions across the Internet.



Security Note

The Secure Login page is the only Integra page that attempts to send or receive information using the Internet. Once you log in, all communications are restricted to your organization's internal networks.

User Profile

Change your personal settings by selecting Home > User Profile from the menu bar. The User Profile page appears.

User Profile Current Location: [Home](#) > [User Profile](#)

User Basics

User Name: Email:
 Department:

Change Password

New password: Confirm Password:

Options

Welcome Page: 
 Debug Mode: 

Save

The page contains these fields:

- User Basics
 - User Name. Your full name.
 - Department. Your department.
 - Email. Your email address.
- Change Password
 - New Password. To change your password, enter a value in this field and the Confirm Password field. Otherwise, leave these fields empty.

Your password may be up to 30 characters. It may not contain these characters:

! | / = \$ & @ " ' ` \ ,

- Confirm Password. See New Password, above.
- Options
 - Welcome Page. The page that is displayed after you log in.
 - Debug Mode. The default setting is Off. When it is set to On, each command you perform generates additional computational load on the Integra instance, so use On only when directed by your Integra Administrator

Apps Definition

To view existing Apps definitions or add new ones, select Workbench > Apps from the menu bar. You will see a list of existing definitions.

Apps Definitions Current Location: [Workbench > Apps](#)

[Revise Search](#)

Results Per Page Results 1 - 5 Of 85 First | <Prev | [Next](#) | Last

Definition	Instance	Created	Type	Application	Created by			
<input type="checkbox"/> AMADMIN Baseline: ABM 12 [Flagstaff_R12]	Flagstaff_R12	04/30/2007	Snapshot	ABM 12	AMADMIN	Comparisons	Occurrences	Edit
<input type="checkbox"/> AMADMIN Baseline: AP 12 [Flagstaff_R12]	Flagstaff_R12	04/30/2007	Snapshot	AP 12	AMADMIN	Comparisons	Occurrences	Edit
<input type="checkbox"/> AMADMIN Baseline: AR 12 [Flagstaff_R12]	Flagstaff_R12	04/30/2007	Snapshot	AR 12	AMADMIN	Comparisons	Occurrences	Edit
<input type="checkbox"/> AMADMIN Baseline: AX 12 [Flagstaff_R12]	Flagstaff_R12	04/30/2007	Snapshot	AX 12	AMADMIN	Comparisons	Occurrences	Edit
<input type="checkbox"/> AMADMIN Baseline: CE 12 [Flagstaff_R12]	Flagstaff_R12	04/30/2007	Snapshot	CE 12	AMADMIN	Comparisons	Occurrences	Edit

Results Per Page Results 1 - 5 Of 85 First | <Prev | [Next](#) | Last

[Revise Search](#)

Like all Integra search results, you can see more (or different) results by changing Results Per Page, clicking Next >, or clicking Revise Search.

Click Edit to view a definition, or Add Definition... to add a new one. In either case, a definition page appears.

Apps Definition Workbench Current Location: [Workbench > Apps](#)

Definition Basics

Name **Financials 1** Type **Snapshot**
 Instance **APS11510** Application **AR 11.5.10**

Include in Schedulable Items list

Objects

Object	Enabled	
<input type="checkbox"/> AR Payment Terms	Yes	Edit Delete

Global Conditions

Organization

Set of Books

Sharing

Programs

Program	Stop After	Skip	Run Before	Run After	Notify
1. Generate Occurrence	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	<input type="text"/>	<input type="checkbox"/>

The page contains these fields:

- Definition Basics
 - Name. A short name that will identify this definition.
 - Instance. ERP instance that contains the application setup data to snapshot, migrate or track.
 - Type. There are three choices. To report on ERP application setup data, choose Snapshot. To migrate setup data, choose Migration. To monitor changes to setup data, choose Change Tracking.
 - Application. ERP application to snapshot, migrate or track.
 - Include in Scheduled Items List. When checked, this definition will appear in the list of schedulable items when scheduling jobs. Disabled until at least one object has been added to the definition.
- Additional Definition Basics for Migration
 - Destination. Setup data will be migrated to this ERP instance.
 - Overwrite existing records. When checked, migrated records will replace corresponding records in the Destination instance, regardless of the records' creation date.
- Programs
 - Stop After. When this option is checked, execution of the job will pause after this program completes. This option is disabled if the definition contains only one program.
 - Skip. When this option is checked, this program will not be executed. This option is disabled if the definition contains only one program.
 - Run Before. Java method or PL/SQL to execute before the program. Integra pauses until it receives a return code (the code's value is disregarded). Any error causes Integra to skip execution of the program (and anything entered in Run After).

For a Java method, use this syntax:

```
Java:/fully-qualified-class-name.method-name()
```

In this statement, *fully-qualified-class-name* includes the full path and filename of the class, and the name of the class itself. The file must reside on the computer that hosts the Integra Home schema. The method must be static, and cannot be main. No parameters can be passed to the method. For example:

```
Java:/myDir/myClassFile.myClass.myMethod()
```

For PL/SQL, use this syntax:

```
package.process()  
package.function()  
process()  
function()
```

- Run After. Java method or PL/SQL to execute after the program. Uses the same syntax as Run Before.
- Notify. When checked, an email is sent when the program's execution ends. The email is sent to the email address entered on the Schedule a Job page.

The page contains these buttons:

- Schedule. Saves the changes you've made on the definition page, displays the Schedule a Job page, and adds the definition to the list of items to execute.
- Save. Saves the changes you've made on the definition page, and refreshes the page.
- Save As. Gives you the option of saving the definition with a new name and instance. If you choose a new instance, note that some of the definition's features could be lost if your permissions for the new instance are different than for the current one.
- Restore. Discards the changes you've made on the definition page, and refreshes the page with the previously stored values.
- Back. Discards the changes you've made on the definition page, and displays a list of existing definitions.

The page also contains some or all of these buttons (depending on the Type chosen):

- Lock Objects and Conditions. Prevents further editing of objects and conditions, and permits more actions, some depending on the definition's Type.
- Share. Shares the definition with another Apps user.
- Add object... Displays the Objects page, where you can add objects to be acted upon.
- Add module. Loads all objects belonging to the definition's application, replacing any existing objects. You can edit the objects once they have been loaded.

For a change tracking definition, there are also these objects buttons:

- View object status. Displays the Change Tracking Object Status Report, which shows current status of the definition's deployed objects.
- View object history. Displays the Change Tracking Object History Report, which shows deployment history of the definition's objects.
- View tracker status. Displays the Change Tracking Trigger Status Report, which shows the definition's enabled change tracking triggers.

Objects

You can specify objects to be acted upon by the definition. The objects available depend on the definition's application.

Add objects by clicking Add object... on the definition page. The Objects page appears. The fields on this page vary depending on the object chosen; here is an example.

Apps Definition Workbench Current Location: [Workbench > Apps](#)

Objects Definition: **Financials 1** Instance: **APS11510** Type: **Snapshot** Application: **AR 11.5.10**

Add object...

Object:  Enabled

	Operator	Value	
Name	--- Select one ---	<input type="text"/>	
Base Amount	--- Select one ---	<input type="text"/>	
Description	--- Select one ---	<input type="text"/>	
Allow Discount on Partial Payments	--- Select one ---	<input type="text"/>	
Collect Credit Card Prepayment	--- Select one ---	<input type="text"/>	
Credit Check	--- Select one ---	<input type="text"/>	
Discount Basis	--- Select one ---	<input type="text"/>	
Effective Date From	--- Select one ---	<input type="text"/>	
Effective Date To	--- Select one ---	<input type="text"/>	
Print Lead Days	--- Select one ---	<input type="text"/>	
Installment Options	--- Select one ---	<input type="text"/>	
Cutoff Day of Month	--- Select one ---	<input type="text"/>	
Last day of month	--- Select one ---	<input type="text"/>	

When Type is Snapshot, the page contains these fields. (The fields for Migration are nearly identical.)

- Add Object / Edit Object
 - Object. Group of setup data to be recorded. Clicking  will list the objects that belong to the ERP applications. Configuration Controls includes a wide range of objects, and you can use MetaBuilder to add custom objects.
 - Enabled. When checked, the object's setup data will be recorded whenever the definition is executed.
 - Field1, Field2, ...FieldN. Integra Apps uses values entered here to filter the data to be recorded. The fields displayed depend on the object chosen; until you choose an object, no fields are displayed.

In general, when you click  to the right of a field, all possible values are displayed, regardless of the security groups you belong to. (Security groups can limit your access to specific applications, business groups, organization units, and sets of books.) Snapshot results will contain only the data permitted by your security groups. For information about security groups, see the *Integra Apps 5.1 Administration Guide*.

The page contains these buttons and links:

- Edit. Refreshes the page and lets you edit the object's settings.
- Delete. Removes the object from the list of conditions and refreshes the page.
- Save. Saves your changes to the object's settings and refreshes the page.

- Cancel. Discards your changes to the object's settings and refreshes the page.
- Back. Discards any unsaved changes and displays the definition page.

Global Conditions

Snapshot definitions let you specify conditions that are applied to all objects:

- Organization (Oracle E-Business Suite):ERP organization to include in snapshot.
- Set of Books (Oracle E-Business Suite). ERP set of books to include in snapshot.
- SetID (PeopleSoft Enterprise). Used to gather values such as vendors, ChartFields, or customers into groups. Can be used by any number of business units.

Change Tracker

The Change Tracker displays information collected by all deployed Change Tracking Definitions, and transferred back to Integra Apps by the Change Tracking Transfer program.

To view the Change Tracker, select Workbench > Apps from the menu bar, then click the Change Tracker button. Here is an example with a few applications and instances:

Change Tracker Current Location: [Workbench > Apps](#)

Query:

Instance

<input type="checkbox"/> Application	Changes	Changes	Changes	Changes	Changes
<input type="checkbox"/> GL 11.5.9	5				
<input type="checkbox"/> XLA 12				4	

For details on using the Change Tracker, see “Use the Change Tracker” (page 22).

Queries and Alerts

Queries store sets of criteria for filtering the data shown in the Change Tracker. The Change Tracker automatically loads the last query used.

Alerts are email messages that list new changes. They are generated whenever the Change Tracking Transfer program runs. Alert recipients are specified in Queries, so each alert message contains only the changes filtered by the Query.

For details on Queries and Alerts, see “Set Up Queries and Alerts” (page 23).

Apps Programs

Integra Apps consists of these programs:

Program	Description/Options
Change Tracking Transfer	<p>Change Tracking definitions only: Gathers change information from the ERP instances, stores it in the Integra Home instance, and sends Alerts.</p> <p>Status: In progress Apps is in the process of gathering the information and storing it in the Integra Home instance.</p> <p>Status: Error To do: Review the Change Tracking Transfer Program log file, resolve the error, and reschedule the program.</p> <p>Status: Complete To do: Review Change Tracking Transfer Program log file.</p>
Create Migration Data	<p>Migration definitions only: Retrieves a copy of the data to be migrated from the source ERP instance, and puts it in a data file.</p> <p>Status: In progress Apps is in the process of retrieving the data and creating the data file, based on the specified parameters.</p> <p>Status: Error To do: Review the Create Migration Data log file, resolve the error, and reschedule the program.</p> <p>Status: Complete To do: Review Create Migration Data log file.</p>
Generate Occurrence	<p>Retrieves the setup data specified by your definition.</p> <p>Status: In progress Apps is in the process of retrieving the data.</p> <p>Status: Error To do: Review the Generate Occurrence log file, resolve error, and reschedule the definition. Option: Review and modify the definition's conditions.</p> <p>Status: Complete To do: Review Generate Occurrence report(s).</p>
Update Data in Destination	<p>Migration definitions only: Inserts or updates data in the destination ERP instance. The data is taken from a file created by the Create Migration Data program.</p> <p>Status: In progress Apps is in the process of inserting or updating the data, based on the specified parameters.</p> <p>Status: Error To do: Review the Update Data in Destination log file, resolve the error, and reschedule the program.</p> <p>Status: Complete To do: Review Update Data in Destination log file.</p>

Apps Reports

Integra Apps' reports are generated each time you create an occurrence of an Apps definition. They are generated by the Generate Occurrences program. View the reports by scheduling the definition, selecting Jobs > View Current/Past Jobs from the menu bar, locating the definition's job, clicking Details to the right of Generate Occurrences, and either clicking on Export Selected or Export All.

- Snapshot reports display field-level ERP application setup data for a specified application and object.
- Apps Occurrence Comparison reports display the difference in field-level ERP application setup data for two occurrences of the same object.
- Change Tracking Details by Object reports display the changes to ERP application setup data for deployed Change Tracker Objects.

Integra Apps also provides the following reports, which can be generated by clicking the appropriate button in any Change Tracking definition:

- View object status. Displays the Change Tracking Object Status Report, which shows current status of the definition's deployed objects.
- View object history. Displays the Change Tracking Object History Report, which shows deployment history of the definition's objects.
- View tracker status. Displays the Change Tracking Trigger Status Report, which shows the definition's enabled change tracking triggers.

Here are samples from those reports:

LogicalApps, Integra Apps Page 1 of 10

Change Tracking Object Status Start Date/Time 24-Feb-2006 11:00:32 EST

Instance INF1_VIS9I6E9 Scheduled by ADMINISTRATOR

Show Never Enabled ALL

Instance: INF1_VIS9I6E9

Status	Application	Object	Last Update	Last Updated By
Never Enabled	HBN	Administrative Contacts		AMADMIN
	HBN	Age-Graded Rate Table		AMADMIN
	HBN	Benefit Plan Table		AMADMIN
	HBN	Benefit Program Table		AMADMIN
	HBN	Billing Parameters		AMADMIN
	HBN	Calculation Rules Table		AMADMIN
	HBN	Check Form Table		AMADMIN

Change Tracking Object History

Start Date/Time 24-Feb-2006 11:01:31 EST

Instance INF1_VIS9I6E9

Scheduled by ADMINISTRATOR

Application AK 11.5.9

Object ALL

Application AK 11.5.9

Object	Status	Effective	Last Updated By	Insert	Update	Delete
AK Query Objects	Disabled	24-Feb-06 11:48:16	AMADMIN	No	No	No
Define Attributes	Disabled	24-Feb-06 11:48:16	AMADMIN	No	No	No
Object Flows	Disabled	24-Feb-06 11:48:16	AMADMIN	No	No	No
Objects	Enabled	24-Feb-06 11:48:16	AMADMIN	Yes	Yes	Yes
Region Items	Disabled	24-Feb-06 11:48:21	AMADMIN	No	No	No
Regions	Disabled	24-Feb-06 11:48:21	AMADMIN	No	No	No

Change Tracking Trigger Status

Start Date/Time: 02/24/06 11:01:54

Instance: INF1_VIS9I6E9

Scheduled By: ADMINISTRATOR

Application: ALL

Enabled Object: ALL

Application: AK 11.5.9

Object: Objects

Trigger	Table	Last Update	Status
AK_OBJECTS460_63_AM	AK_OBJECTS	24-Feb-06 11:48:16	VALID
AK_FOREIGN_KEYS460_59_AM	AK_FOREIGN_KEYS	24-Feb-06 11:48:16	VALID
AK_FOREIGN_KEY_COLUMN460_61_AM	AK_FOREIGN_KEY_COLUMNS	24-Feb-06 11:48:16	VALID
AK_UNIQUE_KEYS460_77_AM	AK_UNIQUE_KEYS	24-Feb-06 11:48:16	VALID
AK_UNIQUE_KEY_COLUMNS460_78_AM	AK_UNIQUE_KEY_COLUMNS	24-Feb-06 11:48:16	VALID
AK_OBJECT_ATTRIBUTES460_65_AM	AK_OBJECT_ATTRIBUTES	24-Feb-06 11:48:16	VALID

Application: GL 11.5.9

Object: Set of Books

Trinner	Table	Last Update	Status
---------	-------	-------------	--------

Help

Select Help > About Products from the menu bar to display the following information about each installed component:

- Product (component name)
- Release Number
- Patch Number (latest patch release applied, and patch history)
- Metadata release
- Metadata Patch Number (latest metadata patch release applied, and patch history)