

# Retek<sup>®</sup> Distribution Management 10.3.1.1



## Patch Installation Guide



The software described in this documentation is furnished under a license agreement, is the confidential information of Retek Inc., and may be used only in accordance with the terms of the agreement.

No part of this documentation may be reproduced or transmitted in any form or by any means without the express written permission of Retek Inc., Retek on the Mall, 950 Nicollet Mall, Minneapolis, MN 55403, and the copyright notice may not be removed without the consent of Retek Inc.

Information in this documentation is subject to change without notice.

Retek provides product documentation in a read-only-format to ensure content integrity. Retek Customer Support cannot support documentation that has been changed without Retek authorization.

**Corporate Headquarters:**

Retek Inc.  
Retek on the Mall  
950 Nicollet Mall  
Minneapolis, MN 55403  
  
888.61.RETEK (toll free US)  
+1 612 587 5000

**European Headquarters:**

Retek  
110 Wigmore Street  
London  
W1U 3RW  
United Kingdom

Switchboard:

+44 (0)20 7563 4600

Sales Enquiries:

+44 (0)20 7563 46 46

Fax: +44 (0)20 7563 46 10

Retek® Distribution Management™ is a trademark of Retek Inc.

Retek and the Retek logo are registered trademarks of Retek Inc.

This unpublished work is protected by confidentiality agreement, and by trade secret, copyright, and other laws. In the event of publication, the following notice shall apply:

©2002 Retek Inc. All rights reserved.

All other product names mentioned are trademarks or registered trademarks of their respective owners and should be treated as such.

Printed in the United States of America.



## Customer Support

### Customer Support hours:

Customer Support is available 7x24x365 via e-mail, phone, and Web access.

Depending on the Support option chosen by a particular client (Standard, Plus, or Premium), the times that certain services are delivered may be restricted. Severity 1 (Critical) issues are addressed on a 7x24 basis and receive continuous attention until resolved, for all clients on active maintenance.

### Contact Method    Contact Information

**Internet (ROCS)**    [www.retek.com/support](http://www.retek.com/support)  
Retek's secure client Web site to update and view issues

**E-mail**    support@rettek.com

**Phone**    US & Canada: 1-800-61-RETEK (1-800-617-3835)  
World: +1 612-587-5800  
EMEA: 011 44 1223 703 444  
Asia Pacific: 61 425 792 927

**Mail**    Retek Customer Support  
Retek on the Mall  
950 Nicollet Mall  
Minneapolis, MN 55403

### When contacting Customer Support, please provide:

- Product version and program/module name.
- Functional and technical description of the problem (include business impact).
- Detailed step by step instructions to recreate.
- Exact error message received.
- Screen shots of each step you take.

# Contents

<b>Chapter 1 – Database server installation instructions .....</b>	<b>1</b>
Mount CD-ROM on the Database Server .....	1
Update tables and data.....	2
Update packages, stored procedures and functions .....	2
<b>Chapter 2 – Application server installation instructions .....</b>	<b>3</b>
UNIX Application Server installation instructions .....	3
Compile forms (*.fmb) .....	3
Compile menus (*.mmb) .....	4



# Chapter 1 – Database server installation instructions

Before you apply the RDM 10.3 patch:

- Make a backup of all your objects and database schema.
- Check that RDM 10.3.1 is installed.
- Review the enclosed RDM 10.3.1.1 Patch Release Notes (rdm-10311-rn.pdf)

Before copying over any files:

- Note whether customizations have been made to the module. If so, then the customizations must be reapplied over the new version of the module (or the fix may need to be applied to the custom version of the code).
- Copy the original files to a different directory before copying over them in case they need to be referred to at a later date.

**Note:** These instructions refer to rdmdev10 as the Oracle owning schema.

## Mount CD-ROM on the Database Server

- 1 Mount the CD-ROM on your Database Server.
- 2 Copy the `rdm10311dbpatch.tar.z` file from the CD `/dbserverunix` directory to a newly created staging directory on your UNIX server.
- 3 Log in to UNIX.
- 4 Change directories to the staging directory.

**Note:** The tar file must have a `.Z` extension.

- 5 If the tar file has a “z” in lowercase, change it by typing:

```
mv rdm10311dbpatch.tar.z rdm10311dbpatch.tar.Z
```

- 6 Uncompress the tar file by entering:

```
uncompress rdm10311dbpatch.tar.Z
```

- 7 Untar the tar file by entering:

```
tar xvf rdm10311dbpatch.tar
```

## Update tables and data

- 1 On the server, change directories to <staging area>/dbserverunix/dbcs.
- 2 Log in to SQLPLUS as rdmdev10.
- 3 Enter the following command to update tables:  

```
SQL> @startall_dbo.sql
```
- 4 View the spool file startall\_dbo.log when finished to verify that no errors were found.
- 5 Exit SQLPlus.
- 6 Change directories to <staging area>/dbserverunix/sqlplus.
- 7 Log in to SQLPLUS as the rdmdev10 user.
- 8 Enter the following command:  

```
SQL> @rdm10311_data_upgrade.sql
```
- 9 Exit SQLPlus.
- 10 Check the rdm10311\_data\_upgrade.log file upon completion to verify that no errors were received.

## Update packages, stored procedures and functions

- 1 On the server, change directories to <staging area>/dbserverunix/db\_objects.
- 2 Log in to SQLPLUS as rdmdev10.
- 3 Enter the following command to update packages, procedures, and functions:  

```
SQL> @startall_dbo.sql
```
- 4 View the spool file startall\_dbo.log when finished to verify that no errors were found. There may be compilation errors. These will be resolved later.
- 5 After you have compiled all these objects, validate any objects that may have become invalid. You can do this by using the Oracle utility `dbms_utility.compile_schema` or <staging area>/dbserverunix/utility/inv\_obj\_comp.sql. `Inv_obj_comp.sql` may need to be run more than once to compile all objects.



## Chapter 2 – Application server installation instructions

**Note:** If you have modified any forms, menus or reports make a backup copy so that you can reapply any custom modifications.

### UNIX Application Server installation instructions

- 1 Mount the CD-ROM on your UNIX Application Server.
- 2 Change directories to /appserverunix.
- 3 Copy the rdm10311apppatch.tar.Z file from the CD /appserverunix directory to a newly created staging directory on your UNIX Application server.
- 4 Log in to UNIX.
- 5 Change directories to the staging directory.

**Note:** The tar file must have a .Z extension.

- 6 If the tar file has a Z in lowercase, change it by typing:  

```
mv rdm10311apppatch.tar.z rdm10311apppatch.tar.Z
```
- 7 Uncompress the tar file by entering:  

```
uncompress rdm10311apppatch.tar.Z
```
- 8 Untar the tar file by entering:  

```
tar xvf rdm10311apppatch.tar
```
- 9 Make sure your UNIX environment is set up properly to compile Oracle Forms

### Compile forms (\*.fmb)

- 1 Change directories to <staging area>/appserverunix/rdm/forms/src.
- 2 Copy all the \*.fmb's to <INSTALL\_DIR>/appserverunix/rdm/forms/src.
- 3 Change directories to <INSTALL\_DIR>/appserverunix/rdm/forms/src.
- 4 Use the fmb2fmx script located in that directory to compile and generate the executable forms (fmx).  

```
> export UP=<db_user>/<db_user_password>@<Oracle_db>
> chmod 755 fmb2fmx (if necessary)
> ./fmb2fmx
```
- 5 Check to make sure each .fmb file has a corresponding .fmx file. If a form fails to compile (there is no .fmx file), you may have to manually compile the form by launching the form builder tool.(f60desm&)
- 6 All resulting .fmx files need to be moved to the <INSTALL\_DIR>/appserverunix/rdm/forms/bin directory. From the <INSTALL\_DIR>/appserverunix/rdm/forms/src directory, issue the following command:  

```
> mv *.fmx ../bin
```

### Compile menus (\*.mmb)

- 1 Change directories to <staging area>/appserverunix/rdm/forms/src.
- 2 Copy all the \*.mmb's to <INSTALL\_DIR>/appserverunix/rdm/forms/src.
- 3 Change directories to <INSTALL\_DIR>/appserverunix/rdm/forms/src
- 4 Use the mmb2mmx script located in that directory to compile and generate the executable form menu **\*.mmx**.  

```
> chmod 755 mmb2mmx (if necessary).  
> ./mmb2mmx
```
- 5 The resulting \*.mmx files need to be moved to the  
<INSTALL\_DIR>/appserverunix/rdm/forms/bin directory. From the  
<INSTALL\_DIR>/appserverunix/rdm/forms/src directory, issue the following  
command:  

```
> mv *.mmx ../bin
```