

Oracle® Retail Distribution Management
Installation Guide
Release 10.3.11

February 2007

Copyright © 2003, 2007, Oracle. All rights reserved.

Primary Author: Paul Kehler

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software—Restricted Rights (June 1987). Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

Oracle, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

Contents

1 Database Server Installation Instructions	1
Mount CD-ROM on the database server	1
Update ddl.....	1
Update data	2
Update packages, stored procedures and functions	2
2 Application Server Installation Instructions	3
Application server installation instructions	3
Compile forms (*.fmb).....	4
Copy remaining files	4

Database Server Installation Instructions

Before you apply the RDM 10.3.11 patch:

- Make a backup of all your objects and database schema.
- Check that RDM 10.3.10 is installed.

Before copying over any files:

- Note whether customizations have been made to the module. If so, then the customizations must be reapplied over the new version of the module (or the fix may need to be applied to the custom version of the code).
- Copy the original files to a different directory before copying over them in case they need to be referred to at a later date.

Note: These instructions refer to rdmdev10 as the Oracle owning schema.

Mount CD-ROM on the database server

1. Mount the CD-ROM on your Database Server.
2. Copy the rdm10311dbpatch.tar.Z file from the CD /dbserverunix directory to a newly created staging directory on your UNIX server.
3. Log in to UNIX.
4. Change directories to the staging directory.

Note: The tar file must have a .Z extension.

5. If the tar file has a "z" in lowercase, change it by typing:

```
mv rdm10311dbpatch.tar.z rdm10311dbpatch.tar.Z
```
6. Uncompress the tar file by entering:

```
uncompress rdm10311dbpatch.tar.Z
```
7. Untar the tar file by entering:

```
tar xvf rdm10311dbpatch.tar
```

Update ddl

1. Log in to UNIX as the retek user.
2. Change directories to <staging area>/dbcs.
3. Review and understand the new dbc scripts before running them.
4. If you have customized objects, make the appropriate modifications.
5. Log in to SQLPLUS as the rdmdev10 user.
6. Enter the following command:

```
SQL> @patch10311dbcs.sql
```
7. Exit SQLPlus.
8. Check the log file, patch10311dbcs.log upon completion to verify that no errors were received.

Update data

1. On the server, change directories to <staging area>/sqlplus.
2. Log in to SQLPLUS as rdmdev10.
3. Enter the following command to update data:
`SQL> @patch10311ctl.sql`
4. View the spool file patch10311ctl.log when finished to verify that no errors were found.

Update packages, stored procedures and functions

1. On the server, change directories to <staging area>/db_objects.
2. Log in to SQLPLUS as rdmdev10.
3. Enter the following command to update packages, procedures, and functions:
`SQL> @patch10311rdm.sql`
4. View the spool file patch10311rdm.log when finished to verify that no errors were found. There may be compilation errors. These will be resolved later.
5. Validate any objects that may have become invalid using the validation script `inv_obj_comp.sql`.

Application Server Installation Instructions

Note: If you have modified any forms, menus or reports make a backup copy so that you can reapply any custom modifications.

Application server installation instructions

1. Mount the CD-ROM on your UNIX application server.
2. Change directories to /appserverunix.
3. Copy the rdm10311apppatch.tar.Z file from the CD /appserverunix directory to a newly created staging directory on your UNIX Application server.
4. Log in to UNIX.
5. Change directories to the staging directory.

Note: The tar file must have a .Z extension.

6. If the tar file has a Z in lowercase, change it by typing:
`mv rdm10311apppatch.tar.z rdm10311apppatch.tar.Z`
7. Uncompress the tar file by entering:
`uncompress rdm10311apppatch.tar.Z`
8. Untar the tar file by entering:
`tar xvf rdm10311apppatch.tar`
9. Make sure your UNIX environment is set up properly to compile Oracle Forms (see the RDM 10.1 installation guide for more information).

Compile forms (*.fmb)

1. Change directories to <staging area>/forms/src.
2. Copy all the *.fmb's to <INSTALL_DIR>/rdm/forms/src.
3. Change directories to <INSTALL_DIR>/rdm/forms/src.
4. Use the fmb2fmx script located in that directory to compile and generate the executable forms (fmx).

```
> export UP=<db_user>/<db_user_password>@<Oracle_db>
> chmod 755 fmb2fmx (if necessary)
> ./fmb2fmx
```
5. Check to make sure each .fmb file has a corresponding .fmx file. If a form fails to compile (there is no .fmx file), you may have to manually compile the form by launching the form builder tool.(f60desm&)
6. All resulting .fmx files need to be moved to the <INSTALL_DIR>/rdm/forms/bin directory. From the <INSTALL_DIR>/rdm/forms/src directory, issue the following command:

```
> mv *.fmx ../bin
```

Copy remaining files

1. Change directories to <staging area>/forms/src.
2. All *.sql files need to be copied to the <INSTALL_DIR>/rdm/foms/bin directory. From the <staging area>/forms/src directory, issue the following commands:

```
cp *.sql <INSTALL_DIR>/rdm/forms/bin
```