

InvAdjustDesc.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<!--Sample XML file generated by XML Spy v4.1 U (http://www.xmlspy.com)-->
<!DOCTYPE InvAdjustDesc SYSTEM "http://www.retek.com/dtd/rib/InvAdjustDesc.dtd">
<InvAdjustDesc>
  <dc_dest_id>Text</dc_dest_id>
  <item_id>Text</item_id>
  <adjustment_reason_code>Text</adjustment_reason_code>
  <unit_qty>Text</unit_qty>
  <transshipment_nbr>Text</transshipment_nbr>
  <from_disposition>Text</from_disposition>
  <to_disposition>Text</to_disposition>
  <from_trouble_code>Text</from_trouble_code>
  <to_trouble_code>Text</to_trouble_code>
  <from_wip_code>Text</from_wip_code>
  <to_wip_code>Text</to_wip_code>
  <transaction_code>Text</transaction_code>
  <user_id>Text</user_id>
  <create_date>
    <year>Text</year>
    <month>Text</month>
    <day>Text</day>
    <hour>Text</hour>
    <minute>Text</minute>
    <second>Text</second>
  </create_date>
  <po_nbr>Text</po_nbr>
  <doc_type>Text</doc_type>
  <aux_reason_code>Text</aux_reason_code>
</InvAdjustDesc>
```