

```
<!ELEMENT ItemMstrWHDesc (  
  facilityid  
  , itemid  
  , description  
  , vendornbr  
  , locationid  
  , vendorstyle  
  , itemlength  
  , itemwidth  
  , itemheight  
  , itemcube  
  , itemweight  
  , containertype  
  , conveyableflag  
  , stdunitqty  
  , hazardmatlcode  
  , velocity  
  , unitticketqty  
  , highvalueind  
  , itemupc  
  , department  
  , class  
  , kittingwipcode  
  , tickettype  
  , retailprice  
  , color  
  , sizes  
  , fit  
  , shade  
  , singlecontainerbulk  
  , unitpickssystemcode  
  , roundableflag  
  , subclass  
  , expirationdays  
  , perishableind  
  , catchweight  
  , stdunitweight  
  , division  
  , putawaybyvolume  
  , stdunitfactor  
  , innerpackqty  
  , stdcasepack  
  , singlepriceflag  
  , preticketflag  
  , plannedresidual  
  , putawayplan  
  , autopackable  
  , sortable  
  , sortergroup  
  , itemtype  
  , itemmasteruda1  
  , itemmasteruda2  
  , itemmasteruda3  
  , itemmasteruda4  
  , itemmasteruda5
```

ItemMstrWHDesc.dtd

```
, itemmasteruda6
, itemmasteruda7
, itemmasteruda8
, itemmasteruda9
, itemmasteruda10
, itemmasteruda11
, itemmasteruda12
, itemmasteruda13
, itemmasteruda14
, itemmasteruda15
, shipalone
, nonsaleable
, slottable
, freightclass
, newitem
, brand
, breakcaseups
, ccplan
, cyclecountstatus
, fragile
, rigid
, ccdate
, standarduom
, uomconvfactor
, dcti
, dchi
, pickmethod
, unitpickmethod
, casepickmethod
```

)>

```
<!ENTITY % varchar2 "(#PCDATA)">
<!ENTITY % number "(#PCDATA)">
<!ELEMENT year %number;>
<!ELEMENT month %number;>
<!ELEMENT day %number;>
<!ELEMENT hour %number;>
<!ELEMENT minute %number;>
<!ELEMENT second %number;>
<!ENTITY % date "( year, month, day, ( hour, minute, second )? )">
```

```
<!ELEMENT facilityid      %varchar2; >
<!ELEMENT itemid          %varchar2; >
<!ELEMENT description     %varchar2; >
<!ELEMENT vendornbr      %varchar2; >
<!ELEMENT locationid     %varchar2; >
<!ELEMENT vendorstyle    %varchar2; >
<!ELEMENT itemlength     %number; >
<!ELEMENT itemwidth      %number; >
<!ELEMENT itemheight     %number; >
<!ELEMENT itemcube       %number; >
<!ELEMENT itemweight     %number; >
<!ELEMENT containertype  %varchar2; >
<!ELEMENT conveyableflag %varchar2; >
```

```

<!ELEMENT stdunitqty      %number; >
<!ELEMENT hazardmatlcode  %varchar2; >
<!ELEMENT velocity       %number; >
<!ELEMENT unitticketqty   %number; >
<!ELEMENT highvalueind    %varchar2; >
<!ELEMENT itemupc        %varchar2; >
<!ELEMENT department     %number; >
<!ELEMENT class          %varchar2; >
<!ELEMENT kittingwipcode  %varchar2; >
<!ELEMENT tickettype     %varchar2; >
<!ELEMENT retailprice     %number; >
<!ELEMENT color          %varchar2; >
<!ELEMENT sizes          %varchar2; >
<!ELEMENT fit            %varchar2; >
<!ELEMENT shade          %varchar2; >
<!ELEMENT singlecontainerbulk %varchar2; >
<!ELEMENT unitpickssystemcode %varchar2; >
<!ELEMENT roundableflag   %varchar2; >
<!ELEMENT subclass       %varchar2; >
<!ELEMENT expirationdays %number; >
<!ELEMENT perishableind   %varchar2; >
<!ELEMENT catchweight     %varchar2; >
<!ELEMENT stdunitweight   %number; >
<!ELEMENT division        %number; >
<!ELEMENT putawaybyvolume %varchar2; >
<!ELEMENT stdunitfactor   %number; >
<!ELEMENT innerpackqty    %number; >
<!ELEMENT stdcasepack     %number; >
<!ELEMENT singlepriceflag %varchar2; >
<!ELEMENT preticketflag   %varchar2; >
<!ELEMENT plannedresidual %varchar2; >
<!ELEMENT putawayplan     %varchar2; >
<!ELEMENT autopackable    %number; >
<!ELEMENT sortable       %varchar2; >
<!ELEMENT sortergroup     %varchar2; >
<!ELEMENT itemtype       %varchar2; >
<!ELEMENT itemmasteruda1  %varchar2; >
<!ELEMENT itemmasteruda2  %varchar2; >
<!ELEMENT itemmasteruda3  %varchar2; >
<!ELEMENT itemmasteruda4  %varchar2; >
<!ELEMENT itemmasteruda5  %varchar2; >
<!ELEMENT itemmasteruda6  %varchar2; >
<!ELEMENT itemmasteruda7  %varchar2; >
<!ELEMENT itemmasteruda8  %varchar2; >
<!ELEMENT itemmasteruda9  %varchar2; >
<!ELEMENT itemmasteruda10 %varchar2; >
<!ELEMENT itemmasteruda11 %varchar2; >
<!ELEMENT itemmasteruda12 %varchar2; >
<!ELEMENT itemmasteruda13 %varchar2; >
<!ELEMENT itemmasteruda14 %varchar2; >
<!ELEMENT itemmasteruda15 %varchar2; >
<!ELEMENT shipalone      %varchar2; >
<!ELEMENT nonsaleable    %varchar2; >
<!ELEMENT slottable      %varchar2; >
<!ELEMENT freightclass   %varchar2; >

```

ItemMstrWHDesc.dtd

```
<!ELEMENT newitem      %varchar2; >
<!ELEMENT brand        %varchar2; >
<!ELEMENT breakcaseups %varchar2; >
<!ELEMENT ccplan       %varchar2; >
<!ELEMENT cyclecountstatus %varchar2; >
<!ELEMENT fragile      %varchar2; >
<!ELEMENT rigid        %varchar2; >
<!ELEMENT ccddate      %date; >
<!ELEMENT standarduom  %varchar2; >
<!ELEMENT uomconvfactor %number; >
<!ELEMENT dcti         %number; >
<!ELEMENT dchi         %number; >
<!ELEMENT pickmethod   %varchar2; >
<!ELEMENT unitpickmethod %varchar2; >
<!ELEMENT casepickmethod %varchar2; >
```